TLE / ICT 9
THIRD QUARTER

LESSON 4

CSS

Formatting Border & Table

Adding a Border

You can create a border, set its color, width of table, frame or element. You can create individual border sides by using *border-left*, *border-right-width* and *border-top-style* property.

Border Width

The border-width property allows you to specify the width of the border.

CSS BORDER PROPERTY		
Property	**Value**	**Example**
border-width:	thin	`border-width: thin;`
	medium	`border-width: medium;`
	thick (all sides)	`border-width: thick;`
	<value> ex. 10px	
	<value> ex. 2em	

border-top-width:<value>	Sets the top border width
border-bottom-width:<value>	Sets the bottom border width
border-right-width:<value>	Sets the right border width
border-left-width:<value>	Sets the left border width

Border Color

The border-color property allows you to specify the color of the bor

Sample CSS:

```
<style type="text/css">
p{margin-left:80px;}
div{border-style:outset; border-color:red;
border-width:10px;} </style>
```

CSS BORDER COLOR PROPERTY		
Property	**Value**	**Example**
border-color:	Color name	violet
	Hexadecimal value	#ffffff
	rgb (%) value	rgb (100%, 0%, 0%)

Border Style

The border-style property allows you to specify the style of the border.

CSS BORDER STYLE PROPERTY	
Property	**Value**
border-style:	hidden
	dotted
	outset
	dashed

CSS BORDER STYLE PROPERTY

Property	Value
border-style:	hidden
	dotted
	outset
	dashed
	inset
	none
	solid

CSS BORDER STYLE PROPERTY

Property	Value
border-style:	double
	groove
	ridged

Sample CSS:

```
<style type="text/css">
  p {margin-left:80px;}
  div {border-style:dashed; border-color:red;}
</style>
```

CSS Borders

solid

dashed

dotted

double

groove - 3D border dependent on border color

ridge - 3D border dependent on border color

inset - 3D inset border dependent on border color

outset - 3D outset border dependent on border color

Formatting Border & Table

Padding

Padding indicates the distance between the contents of a cell and the border around it. Padding in HTML works only on tables while the padding provided by CSS can be used on other elements as well as paragraphs, headings, images,etc.

CSS Padding


Margin
padding-top
Content Area
padding-left
padding-right
Border
padding-bottom

CSS PADDING PROPERTY

Property Name	Definition	Values
padding-top:	Indicates the distance between the contents and the top border. Ex. padding-top:12%	<value> any number followed by px (for size in pixels) or % (expressed as percent)
padding-bottom:	Indicates the distance between the contents and the bottom border. Ex. padding-bottom:12px	<value> any number followed by px (for size in pixels) or % (expressed as percent)
padding-left:	Indicates the distance between the contents and the left border. Ex. padding-left:12%	<value> any number followed by px (for size in pixels) or % (expressed as percent)

CSS PADDING PROPERTY

Property Name	Definition	Values
padding-right:	Indicates the distance between the contents and the right border. Ex. padding-top:12px	<value> any number followed by px (for size in pixels) or % (expressed as percent)
padding:	Indicates the distance between the contents and the border around it. The values, separated by spaces, indicate distance in clockwise direction starting from the top (top, right, bottom, then left). Ex. padding-bottom:12px	<top> <right> <bottom> <left> number of pixels or number expressed as percent

Formatting Border & Table

Padding

If you specify only one value of padding: <value>, that value will be applied equally along the sides of the content as the spacing of the element to the border. If you do not specify padding, the default value is zero.

Padding

Sample CSS:

```
<style type="text/css">
  body {font-family: Arial; background: #ccffcc;}
  h2 {color: #333399;}
  div {border: solid #000000 3px; padding:20px;}
</style>
```

Formatting Border & Table

Table Background

Background color can be added to a table using the background-color property in CSS.

Sample external css:
table{font-family: Arial, Helvetica; background-color: #cccccc;}

Untitled

```html
<!DOCTYPE html>
<html>
<head><title>Table Background</title></head>
<link rel="stylesheet" href="jemmainc.css" type="text/css">
<body>
<table border>
<tr><td colspan="3"><h2 align="center">Visual Guide Series</h2></td></tr>
<tr><th>TITLE</th><th>DESCRIPTION</th><th>PUBLISHER</th></tr>
<tr><td>Web Design</td><td>HTML, CSS, XHTML, JAVASCRIPT</td><td>Jemma Inc</td></tr>
<tr><td>Creative Design</td><td>Photoshop, Illustrator, InDesign</td><td>Jemma Inc</td></tr>
<tr><td>Office Productivity</td><td>Word, Excel, Powerpoint, Outlook</td><td>Jemma Inc</td></tr>
<tr><td>Visual Basic and Access</td><td>Visual Basic, MS Access</td><td>Jemma Inc</td></tr>
<tr><td>Spreadsheets and Databases</td><td>MS Excel, MS Access</td><td>Jemma Inc</td></tr>
</table>
</body>
</html>
```

Untitled

```css
table {font-family:Arial, Helvetica;
background-color: #cccccc;}
```

Formatting Border & Table

Table Style

Styles can be applied to table cells such as highlights, color, adding banner and text-alignment

Untitled | Untitled 2

```
<!DOCTYPE html>
<html>
<head><title>Table Style</title></head>
<style type="text/css">
  Table {font-family: Arial, Helvetica; background-color: #cccccc;}
         tr.highlight {background-color: #ffff00;}
         td.banner {background-color: #999999; color: #ffffff;
         font-size: 2em; text-align:center; border:solid red;}
</style>
<body>
<table border>
<tr><td colspan="3" class="banner"><h2 align="center">Visual Guide Series</h2></td></tr>
<tr><th>TITLE</th><th>DESCRIPTION</th><th>PUBLISHER</th></tr>
<tr class="highlight"><td>Web Design</td><td>HTML, CSS, XHTML, JAVASCRIPT</td>
<td>Jemma Inc</td></tr>
<tr class="highlight"><td>Office Productivity</td><td>Word, Excel, Powerpoint, Outlook</td>
<td>Jemma Inc</td></tr>
<tr class="highlight"><td>Spreadsheets & Databases</td><td>MS Excel, MS Access</td>
<td>Jemma Inc</td></tr>
</table>
</body>
</html>
```

Formatting Border & Table

Table Layout

<table> element can be used to layout your Web page. The next slide is the example of <table> element used to layout a web page.

Untitled | Untitled 2

```
<!DOCTYPE html>
<html>
<head><title>Table Layout</title></head>
<body>
<table border width="580">
<tr><!--Heading Cell-->
<td colspan="3"><h1>Jemma Inc</h1></td></tr>
<tr><!--Link Cell-->
<td><p>products and Services<br><br>
<a href="books.htm">Books</a><br><br>
<a href="software.htm">Software</a><br><br>
<a href="hardware.htm">Hardware</a><br><br>
<a href="training.htm">Training</a></p></td>
<!--Content Cell-->
<td>
<p><img src="Creative-cover.jpg." width="80 height="100">
<font-size="4">Creative Design contains Adobe Photoshop, Illustrator, InDesign and Acrobat.
The book aims to educate the students in creating, designing and editing graphics using the
different software that may work relatively.  The book targets both knowledge and applications
toward specific output that would basically develop skills towards a career. </font></p>
<!--Quote Cell-->
<td><p><br>Visual <br> Guide<br> Series</p></td></tr>
</table>
</body>
</html>
```