TLE / ICT 9
FOURTH QUARTER

LESSON 2

Where can you place Scripts?

There are times when we want to execute the codes depending on the situation. It could be pre-loaded, or to be triggered whenever an event happens. This is possible in JavaScript. You can control the execution of the codes by placing it in different sections of the HTML file.

HEAD

Whenever the scripts are placed here, you are assured that they will be pre-loaded – it means the scripts will be executed before anyone triggers an event. Scripts are ideally placed here are for functions calls.

```
<!DOCTYPE html>
<html>
<head><title>JavaScript</title>
<script type="text/JavaScript">
  function ()
    {alert("Welcome Visitor!");}
</script>
</head>
<body onload="intro"()">
</body>
</html>
```

BODY

Scripts that are placed here are executed when the page loads.

```
<!DOCTYPE html>
<html>
<head><title>JavaScript</title></head>
<body>
<script type="text/JavaScript">
   document.write ("Message by JavaScript");
</body>
</html>
```

HEAD & BODY

You can place your script tags whenever and how many you want to.

```
<!DOCTYPE html>
<html>
<head><title>JavaScript</title>
<script type="text/JavaScript">
document.write ("Head Section"); </script></head>
<body>
<script type="text/JavaScript">
document.write ("Body Section"); </script>
</body>
</html>
```

EXTERNAL JAVASCRIPT

External JavaScript files are helpful especially if you are using them to control different HTML files. There is no need to rewrite them all over again. Save the file having an extension of ***.js.*** To use the JavaScript file, all you have to do is use the ***src*** attribute and provide the destination of the file.

<script type="text/JavaScript" src="myJavaScript.js"></script>

The src attribute will point to the source of the JavaScript external file. Take note that the JavaScript file does not contain the opening and closing script tags.

EXTERNAL JAVASCRIPT

There are times when you want to add a statement to explain a set of codes, or when we want to omit certain codes for debugging purposes, this can be done by inserting a comment. For single comments, you can use two backlash symbols; for multiple line or block comments, start with a /* and end with a */.

```
<!DOCTYPE html>
<html>
<head><title>JavaScript</title></head>
<body>
<script type="text/JavaScript">
  document.write ("My comment");
    /*This is a multiple line comment*/
   document.write ("Their comment")
</script>
</body>
</html>
```

What are the JavaScript Guidelines?

In coding JS, it is important to know the Do's and Don'ts. This will save you time and keep you away from trouble in case errors occur. Listed below are the guidelines.

1. Case Sensitive
2. White Space
3. Breaking up of code lines

What are the JavaScript Guidelines?

1. Case Sensitive
   You must be careful in naming your variables. The variable *myHome* is not equal to *MyHome.* It is important to keep track of your variables so there won't be problems in calling variables, objects or functions. Unlike in HTML, uppercase letters are not equivalent to lowercase letters in JavaScript.

What are the JavaScript Guidelines?

2. White Space
   JavaScript ignores white space as long as it is within the line of the code. It is a good practice to use white spaces between expressions to make your codes easier to read

Example:

```
var name = "Grace"

var name="Grace"
```

These two variable declarations are accepted.

What are the JavaScript Guidelines?

3. Breaking up of codes
   You can break a code line by using a backslash ('\'). However, do not break the code in between commands or else it will not work properly.

Example:

```
document.write("wow\Philippines");   - Accepted
document.\write("wow Philippines")   - Not accepted
```