TLE / ICT 9

First Quarter

Lesson 2

HYPERLINKS

Target attribute – defines where the linked document will be opened.

Examples:

- To create a hyperlink to www.google.com by using the same browser window:

  <a href="http://www.google.com" target="_self">Google</a>
- To create a hyperlink to www.msn.com using a different browser window:

  <a href="http://www.msn.com" target="blank">MSN</a>
- To create an internal named anchor on the HTML document:

  <a name="#sample"></a>
- To create a hyperlink to this named tag:

  <a href="sample">This is an internal link to a page</a>

In most graphical browsers, when the cursor hovers over a link, it typically changes into a hand with a stretched index finger ( ), and the title appears some way (varies according to browser).

The name attribute:

When the name attribute is used, the <a> element defines a named anchor inside a HTML document. Named anchor are not displayed in any special way. They are invisible to the reader.

Syntax: <a name="label">Any content</a>

The link syntax to a named anchor:

<a href="#label">Any content</a>

The # in the href attribute defines a link to a named anchor.

Creating an Email Link

- email links allow users to send email and communicate with you easily
- an email hyperlink opens the **Create New Email Message** of the MS Outlook Express (or the default mail client) and sets the message to be sent to the specified email address
- you can make your own email hyperlink by setting the value of the attribute href as mailto: followed by the email address

  Example: ***<a href="mailto:email address">Text</a>***

email.txt

File Edit View

```
<!DOCTYPE html>
<html>
<head><title>Email Link</title>
</head>
<body>
<a href="mailto:mgguminga@gmail.com">Email us now</a>
</body>
</html>
```

Linking to a Page on a Different Web site

- To link to a page on a different web site, you have to find first the destination file path and then copy it to your code to create a link.



diff.html

File Edit View

```
<!DOCTYPE html>
<html>
<head><title>Different Web Site</title></head>
<body>
<h1 align="center"><font color="#ff0000">IT Learning</font></h1>
<font size="6">
<p>The featured products for this month are:</p>
<ul>Books from Jemma Inc.
<li><a href="VG_Office_09-10.jpg">Office Productivity</a></li>
<li><a href="VG_Creative_09-10.jpg">Creative Design</a></li>
<li><a href="ITL_10_FINAL.jpg">HTML</a></li>
</ul>
<p>Other books from:
<a href="http://www.cengage.com/">Cengage Learning</a>
</p>
</font>
</body>
</html>
```

Target_self.txt

File Edit View

```
<!DOCTYPE html>
<html>
<head><title>Target _self Example</title>
</head>
<body>
  <h1>Welcome Harry Potter's Page</h1>
  <p>Click the link below to visit Harry Potter website in the same tab:</p>
  <a href="https://www.harrypotter.com" target="_self">All about Harry Potter!</a>
</body>
</html>
```

Sample code using _self

Blank.txt

File Edit View

```
<!DOCTYPE html>
<html>
<head><title>Target _blank Example</title>
</head>
<body>
  <h1>Pokemon</h1>
  <p>Click the link below to open the website in a new tab:</p>
  <a href="https://www.pokemon.com/us" target="_blank">Visit the Official Pokemon
page</a>
</body>
</html>
```

Sample code using blank

Parent.txt

File Edit View

Sample code using _parent

```
<!DOCTYPE html>
<html>
<head><title>Target _parent</title>
</head>
<body align="center">
  <h1 align="center">Main Page</h1>
  <p align="center">This is the main page of Smart Telecoms. Below is an iframe with a link using <code>
target="_parent"</code>.</p>
  <iframe srcdoc='
    <!DOCTYPE html>
    <html>
    <head><title>Smart Page</title>
    </head>
    <body>
      <h2>Iframe Page</h2>
      <p>Click the link to open Smart page in the parent frame:</p>
      <a href="https://smart.com.ph/corporate" target="_parent">Visit Smart</a>
    </body>
    </html>
  ' width="600" height="200" style="border:10px solid #ccc;"></iframe>
</body>
</html>
```

Top.html

File Edit View

Sample code using _top without iframe

```
<!DOCTYPE html>
<html>
<head><title>Target _top Example</title>
</head>
<body align="center">
  <h1 align="center">Using target="_top"</h1>
  <p>This link will open in the full window, replacing any frames or iframes:</p>
  <a href="https://www.youtube.com/" target="_top">Go to Youtube.com</a>
</body>
</html>
```

Topmain.txt

File Edit View

```html
<!DOCTYPE html>
<html>
<head><title>Main Page with Iframe</title>
</head>
<body align="center">
  <h1>Main Page</h1>
  <p>This page contains an iframe. Click the link inside the iframe to see how <code>target="_top"</code> works.</p>
  <iframe src="Topcontent.html" width="600" height="200" style="border:10px solid black;"></iframe>
</body>
</html>
```

Sample code using _top with iframe (main page)

diff.html Topcontent.txt

File Edit View

```
<!DOCTYPE html>
<html>
<head><title>Iframe Content</title>
</head>
<body>
  <h2>Iframe Content</h2>
  <p>This link will break out of the iframe and load in the full browser window:</p>
  <a href="https://youtube.com" target="_top">Visit Youtube</a>
</body>
</html>
```

Sample code using _top with iframe (embedded page)

See You Next Time!