


APIs and NIEM

Dr. Scott Renner

19 March 2021

DRAFT

Application Programming Interface (API)



■ Interface

- Tells the people how to interact with the thing on the other side

■ Programming

- Those people are software developers
- Tells developers what they must know to write code that interacts with the other thing
- An API is a contract between developers

■ Application

- Once upon a time, only end-user applications had “APIs”, by definition
- That distinction is no longer maintained

Kinds Of API

■ Library API

- Tells you how to use a software library (“their thing”)
- A form of software reuse – now you don’t have to write the library functionality yourself
- Library code becomes part of your application

Kinds Of API

- **Library API**

- **Computing Platform API**

- Tells you how to write code interacting with the application server, operating system, etc.
- Your program interacting with “their thing” on the same machine

Kinds Of API

■ Library API

■ Computing Platform API

■ Remote API

- When “their thing” isn’t executing on the same machine
- Tells you how to write code to interact with a remote resource over the network
- Various forms of plumbing (CORBA, Java RMI, message passing, pub/sub, etc.)

Kinds Of API

- **Library API**
- **Computing Platform API**
- **Remote API**
- **Web API**
 - A kind of remote API
 - Plumbing is HTTP / HTTPS
 - Content exchanged is usually in XML or JSON format
 - Examples: OData, OpenAPI, SOAP+WSDL

Aspects Of An API

■ Plumbing

- Connection between your programming language code and “their thing”
- Parts may be fully specified, tool-generated, or written by hand
- NIEM does not do plumbing


■ Content

- What data must be present, what data may be present, and what it all means
- Documentation sufficient for the intended purpose
- NIEM message specifications define the content part of an API
 - Directly, for APIs that exchange XML or JSON documents
 - Indirectly (at this time), for APIs with an interface definition language (Google Protocol Buffers, etc.)

■ Process

- An API may specify a sequence of interactions
- Shopping cart example: Authenticate, find item, add item to cart, checkout
- At present, NIEM does not say how to specify an interaction sequence

Abstraction and Information Hiding



- **The API presents a useful abstraction of “their thing” implementation**
 - For example: The OS and hardware present a “file system” abstraction
 - In reality, there are no “folders”, just sectors on a spinning magnetic disk
 - But you do not have to know or care about any of that
- **In theory, you do not care about the actual implementation** ○ ○ ○
- **In practice, all abstractions leak**
 - Sometimes the implementation details do matter
 - Example: file shredding tools do not work on a solid-state hard drive

“In theory, there’s no difference between theory and practice. In practice, there is”

Points Of Confusion

■ API in general / specific kind of API

- The concept is widely applicable, however...
- Sometimes people say “API” meaning a particular *kind* of API