ID	Requirement — one “shall” sentence	Priority	Source	Acceptance criterion
FR-09	The system shall display a reminder for any application deadline or interview date in the next 7 days	SHOULD	Students (2.2); Scope (1.2); C3 (2.4)	A tester saves 2 applications with deadlines 3 and 10 days away respectively. Only the 3 day deadline appears in the reminders
FR-10	The system shall display a dashboard summary of the total applications and the count of applications in each status (Applied, Interviewing, Offered, Rejected)	MUST	Students (2.2); University Advisors (2.2); Scope (1.2); Definitions (1.3)	A tester creates 4 applications, one of each status. The dashboard shows the total count as 4 and 1 for each status
FR-11	The system shall allow a student to search applications by company name or position title and filter by application status.	SHOULD	Students (2.2); Scope (1.2)	Given 5 saved applications across different companies and statuses, by filtering using “Interviewing” or by searching by company name it displays only the matching records
FR-12	The system shall allow a student to upload and attach a PDF resume and cover letter of up to 10MB each to an application record	COULD	Students (2.2); Scope (1.2)	A tester uploads a 2 MB PDF resume. The file stays attached and downloadable. A 15MB file or a filetype that isn’t PDF is rejected.

ID	Constraint — one sentence	Source	Why it cannot be negotiated
CON-03	The system shall display deadline and interview reminders only in the web interface and not send text or email notifications	C3 (2.4); Scope (1.2)	External notifying requires third party messaging services and paid APIs that are not within the scope’s boundaries.
CON-04	The system shall be delivered only as a web application and not built as a mobile app	C4 (2.4); Purpose (1.1)	Building and maintaining a mobile app alongside a web app exceeds the team’s schedule constraints for the semester


3.4 Initial use cases

▸ **WHAT GOES HERE**

First the diagram: actors, use cases, the system boundary, and any «include» or «extend» relationships. Paste the image.

Then write out two use cases in full — choose the two that are hardest to scope, not the two that are easiest to write. Use the template below for each.

Reminder from Chapter 6: a use case is started by an actor, ends when that actor has finished something they came to do, and has value on its own. “Validate Password” is a step, not a use case.



Expanded use case — copy this block for each of your two

Field	Content
Identifier and name	UC-01: Manage Internship Application Record
Primary actor	Student
Supporting actors	None
Preconditions — what must be true before it starts	The student has a registered account and is logged in.
Trigger — what starts it	The student adds, edits, or deletes an internship application from their list
Main success scenario — numbered steps	1. The student clicks Add Application 2. The system displays the application with fields for company name, position, date applied, status, deadline, interview dates, and document uploads 3. The student fills in the required fields and optionally fills in the deadline and interview dates

Field	Content
	4. Optionally the student can upload their resume or cover letter 5. The student submits the form 6. The system validates the input, saves the record, and displays the updated list of applications
Alternative and exception flows	3a. Edit an existing record: 3a.1. The student clicks an existing record and selects edit 3a.2. The student modifies any of the existing fields and selects Save 3a.3. The system validates and updates the values 3b. Delete an existing record: 3b.1. The student clicks an existing record and selects delete 3b.2. The system confirms if the student wants to delete the record 3b.3. If the student says yes, the system removes the record from the list. If not, the system leaves it unchanged 4a. Invalid Document 4a.1. The student uploads a non-PDF or a file exceeding 10MB 4a.2. The system rejects the file and gives a message why and lets the student reupload a new file 6a. Missing required fields 6a.1. The student submits the form with company name, position title, or date applied left blank 6a.2. The system rejects the submission and highlights the required blank fields.
Postconditions — what is true when it succeeds	The created or modified application record is entered into the database and shows in the student's application list. Or the deleted application is removed from the database
Requirements realised	FR-03, FR-04, FR-05, FR-06, FR-08, FR-12

Field	Content
Identifier and name	UC-02: Update Application Status and Track History
Primary actor	Student
Supporting actors	None
Preconditions — what must be true before it starts	The student is logged in and has an internship saved in their list.
Trigger — what starts it	The student selects an application to update the current standing after progressing in the hiring process (interview, offer, rejection)
Main success scenario — numbered steps	1. The student selects an existing application from their dashboard 2. The system displays the current status and a selector to change the status 3. The student selects a new status 4. The system updates the active status to the new one 5. The system creates a status change history entry containing the previous status, new status, and date 6. The system updates the dashboard with the new number of statuses.

Field	Content
Alternative and exception flows	3a. Student selects the same status as the active 3a.1. The student selects the same status as the currently selected one 3a.2. The system does not make a change to the record and does not make a history entry 3b. Student adds an interview date while changing status to interviewing: 3b.1. When the student selects interviewing, they enter interview dartes on the record 3b.2. The system saves the dates alongside the status update and creates a reminder if the interview is in a week 6a. Write to database failure: 6a.1. If the system can't save the new status or the history entry, the system rolls it back so the status and history are the same. Displays an error message and asks the student to try again
Postconditions — what is true when it succeeds	The application record shows the updated status and a history entry is added to the record. The dashboard is updated to show the correct amount of statuses.
Requirements realised	FR-04, FR-06, FR-07, FR-09, FR-10

3.5 Requirements to use case traceability

▸ **WHAT GOES HERE**

One row per requirement. The matrix is doing its job when it shows you something you did not already know.

Two shapes of trouble, and you must say what you did about each: a requirement that reaches no use case (either a use case is missing, or the requirement is not functional and belongs in 3.2), and a use case nothing traces to (either it is out of scope, or a requirement was never written down).

Requirement ID	Use case(s) that realise it	If blank — why, and what you will do
FR-01	UC-05(Register and Authenticate Account)	—
FR-02	UC-05(Register and Authenticate Account)	—
FR-03	UC-01(Manage Internship Application Record)	—
FR-04	UC-01(Manage Internship Application Record), UC–02 (Update Application Status and Track History)	—
FR-05	UC-01(Manage Internship Application Record)	—
FR-06	UC-01(Manage Internship Application Record), UC–02 (Update Application Status and Track History)	—
FR-07	UC–02 (Update Application Status and Track History)	—
FR-08	UC-01(Manage Internship Application Record), UC–02 (Update Application Status and Track History)	—

Requirement ID	Use case(s) that realise it	If blank — why, and what you will do
FR-09	UC–02 (Update Application Status and Track History), UC-03(View Progress Dashboard & Reminders)	—
FR-10	UC–02 (Update Application Status and Track History) UC-03(View Progress Dashboard & Reminders)	—
FR-11	UC-04 (Search and Filter Applications)	—
FR-12	UC-01(Manage Internship Application Record)	—
QR-01		This is a speed requirement, not a user action. We will keep it in section 3.2 and test it by timing 100 dashboard loads
QR-02		This is a security rule in 3.2, not a user action. We will keep in 3.2 and test it by trying to access another user's records
QR-03		Password hashing is done in the database and is a security rule in 3.2 We will keep it in 3.2 and check the database table to make sure passwords are hashed
QR-04		This is a usability goal in 3.2, not a separate feature. We will keep it in 3.2 and time 5 new users creating their first record.
CON-01 - CON-04		These are project limits in 3.3, not actions from the user. We will keep them in 3.3 and follow them when building the app

When the matrix was initially filled out, we only had use cases for applications, statuses, and viewing the dashboard. Account registration and login (FR-01, FR-02), and searching applications (FR-11) did not have a matching use case. We added UC-04(Search and Filter Applications) and UC-05(Register and Authenticate Account) to Section 3.4 so every requirement has a use case.