

PROGRAM

```
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <unistd.h>

int main() {
    pid_t pid;
    int var = 5;

    pid = fork();

    if (pid < 0) {
        // Fork failed
        perror("Fork failed");
        exit(1);
    }
    else if (pid == 0) {
        // Child Process Block
        var = var + 1;
        printf("I am a Child Process\n");
        printf("var = %d\n", var);
        printf("PID of Child Process: %d\n", getpid());
    }
    else {
        // Parent Process Block
        var = var + 5;
        printf("I am a Parent Process\n");
        printf("var = %d\n", var);
        printf("PID of Parent Process: %d\n", getpid());
    }

    return 0;
}
```

OUTPUT

```
blackie@blackie-pc:~/GEC_PKD_IT/S4/OS_LAB/EXPERIMENT_1$ gcc 1.1.c
blackie@blackie-pc:~/GEC_PKD_IT/S4/OS_LAB/EXPERIMENT_1$ ./a.out
I am a Parent Process
var = 10
PID of Parent Process: 20649
I am a Child Process
var = 6
PID of Child Process: 20650
blackie@blackie-pc:~/GEC_PKD_IT/S4/OS_LAB/EXPERIMENT_1$
```