



TrioDocs

Version: 0.4.0

Date: April 22, 2026

Download the latest version on:  
<https://triodocs.org>

# Build the App

## Build the App

After you run Identifiers and Prepare the App, you are ready to Build.

1. Click on the **Actions** tab of your Trio repository
2. On the left side, click on **4. Build Trio**
3. On the right side, click **Run Workflow** to show a dropdown menu
  - You will see your default branch (typically this is **main**)
4. Tap the green button that says **Run workflow**.

### Refresh, Do Not Repeat

#### Hit Refresh

After you tap the green **Run workflow** button, *GitHub* can be slow to update.


- Refresh the browser if you are unsure if the action started
- Do not start a new action until the first one completes

## Disable the DO NOT RUN Actions

You may notice some *GitHub* actions that have **DONT RUN** or **DO NOT RUN** in their names. Those are special actions that are used by the developers. They are skipped in your **Fork**, but you may see logs for them that indicate they

failed.

If they already have the notation `disabled` beside them, you won't see them run - and fail. Otherwise, click on each one, click on the three dots at the upper right, and then select `Disable workflow`. Then you will avoid the annoyance of seeing logs that say the action was automatically run and then skipped.



**Navigation:** ← [Back: Prepare App](#) | [Next: Install from TestFlight](#) →