



TrioDocs

Version: 0.4.0

Date: June 15, 2026

Download the latest version on:
<https://triodocs.org>

Build the App

Build the App

After you run Identifiers and Prepare the App, you are ready to Build.

1. Click on the **Actions** tab of your Trio repository
2. On the left side, click on **4. Build Trio**
3. On the right side, click **Run Workflow** to show a dropdown menu
 - You will see your default branch (typically this is `main`)
4. Tap the green button that says **Run workflow**.

The screenshot shows the GitHub Actions interface for the '4. Build Trio' workflow. The 'Actions' tab is selected (1). In the left sidebar, '4. Build Trio' is selected (2). The main area shows the workflow details, including a 'Run workflow' button (3). A dropdown menu is open, showing the 'Run workflow' button (4) and a 'Use workflow from' section with a 'Branch: dev' dropdown (optional) and a 'Run workflow' button.

Refresh, Do Not Repeat

Hit Refresh

After you tap the green **Run workflow** button, *GitHub* can be slow to update.


- Refresh the browser if you are unsure if the action started
- Do not start a new action until the first one completes

Disable the DO NOT RUN Actions

You may notice some *GitHub* actions that have `DONT RUN` or `DO NOT RUN` in their names. Those are special actions that are used by the developers. They are skipped in your `Fork`, but you may see logs for them that indicate they

failed.

If they already have the notation `disabled` beside them, you won't see them run - and fail. Otherwise, click on each one, click on the three dots at the upper right, and then select `Disable workflow`. Then you will avoid the annoyance of seeing logs that say the action was automatically run and then skipped.



Navigation: [← Back: Prepare App](#) | [Next: Install from TestFlight →](#)