Punchcard

Unlinkable prepaid API credits for AI agents — on Midnight

Pay for every API call with a zero-knowledge proof.
The provider learns "paid by a valid, unspent credit" — never *who*.

Midnight Buildathon · Wave 3 · Track: Build Privacy-First Apps

The problem

- AI agents now pay per API call (x402 micropayments, API keys tied to wallets).
- Every paid call is linkable: which agent, which endpoint, how often, when.
- For an agent, that log *is* its strategy: trading signals, research targets, customers.
- Today the only options are: trust the provider, or don't use paid APIs.

The idea

- **Buy once:** the agent buys a bundle of *N* calls; the agent sends only `ownerTag = H(secret)`; the circuit stores the commitment `H(ownerTag, N)`. Self-serve `buy()` pays NIGHT into the contract.
- **Spend anonymously:** each call = one ZK `redeem()` proving "I own an unspent use of *some* bundle in the tree".
- **No double spend:** a per-use nullifier `H(secret, i)` goes into a public set.
- **Bound to the request:** `sha256(nonce || claim)` is recorded next to the nullifier → only the paying agent can collect the response (no front-running).

Dual-ledger design

	Public ledger (on-chain)	Private state (agent only)
Bundle	commitment in `HistoricMerkleTree<16>`	secret, N, next index
Spend	nullifier in `Set`, nullifier → request tag in `Map`	which bundle, which use, Merkle path
Counters	`bundlesIssued`, `creditsRedeemed`	credits left
Operator	hash of the operator key (sealed)	operator secret

Witnesses: `bundle()`, `bundlePath()`, `useIndex()`, `localSecret()`. Historic roots keep old bundles spendable.

What the circuit enforces

- ✔ path leaf = `bundleCommitment(bundle)` → N cannot be inflated
- ✔ root is a current or past root of the tree → only paid bundles
- ✔ `useIndex < N` → exactly N spends
- ✔ nullifier unspent → no replay / double spend
- ✔ commitment built in-circuit from (ownerTag, N) → no inflation via `issue()` or `buy()`
- ✔ only the operator can `issue()` / `withdraw()`; `buy()` must pay N × price NIGHT

21 tests (16 contract + 5 HTTP paywall) cover every rule plus unlinkability, front-running, request binding and concurrent replays — all passing.


Ran on Midnight preview (Nov 6)

Preview was reset around Nov 7, so these contracts are no longer on chain; this is the recorded run.

Step (real ZK proofs, preview network)	Result
deploy, price 1000 / credit	contract 152c8498…56b3
`issue(ownerTag, 3)`	block 1618076
`redeem` credit #0	block 1618081
`redeem` credit #0 again	rejected: already spent
`redeem` credit #1	block 1618085
`buy(ownerTag, 2)` paying 2000 NIGHT units	block 1618089
`withdraw(1500)` (in-circuit balance check)	block 1618093

Also on preview (contract 6ba402…) and a local chain: HTTP paywall reading the indexer: 402 → on-chain redeem → 200; two concurrent copies → one 200; ticket replayed without the claim → 402; replay → 403. Chain view of the recorded run, step by step with blocks and transactions: punchcard-demo.nightshift-labs.workers.dev/live

Demo



Live: punchcard-demo.nightshift-labs.workers.dev — the compiled contract running in the browser (local Midnight simulator), with three "try to cheat" buttons.

How it compares

- **No custodian:** remaining credits are enforced in the circuit (`i < uses` + one nullifier per credit), not reported by a backend
- **No per-call settlement:** the provider only reads the ledger in its HTTP 402 gate
- **Can't mint extra credits:** the bundle commitment is computed inside the circuit
- **Front-running safe:** each spend is bound to `sha256(nonce || claim)`
- Related Midnight projects: Shade 402 (private x402 pool payments), Avtar.ai (voucher channels), Sigil (private agent policies). Details in the README.

Market & adoption

- **Who pays:** API providers selling to agents (data, search, on-chain analytics) who want privacy-conscious agent customers.
- **Why now:** agent-to-API payments (x402) are growing; privacy is the missing piece.
- **Adoption path:** drop-in `X-Punchcard` header next to x402; we run our own paid agent API and will accept Punchcard first.
- **Model:** providers keep 100% of the bundle price; optional hosted verifier.
- **Pilot (ours, live):** Nightshift x402 API — 21 paid endpoints at $0.003 per call, listed on x402scan. Plan: also sell 100- and 1,000-call Punchcard bundles at the same per-call price.
- **Why a bundle, not per-call x402:** one purchase instead of N public payments; each call costs a redeem fee in DUST, not a USDC transfer.

Roadmap & honest limits

- Next: redeploy on the current preview network, then a Lace wallet in the UI so agents can redeem from the page.
- Shielded payment inside the purchase, so buying is private too.
- Package the gate (verified against the preview indexer) as drop-in middleware next to x402.
- Bundle expiry, per-endpoint credit classes.
- Limits: purchase is public, unlinkability starts after it; anonymity set = bundles before the proven root; use a fresh fee wallet + hidden IP for redemptions.