This project is **locked and archived**.

NIMH-FMRIF FMRIF

Running the site locally

From: Jimmy Frasche
Date: Fri, 3 Dec 2021 at 7:02pm

Took a break from development this afternoon to add documentation for running the project locally as discussed in the last meeting. I'm also attaching some related documentati

The attached config.json and dot-env (needs to be renamed .env) are sufficient for local configuration.

If you run it locally, emails are logged instead of mailed so no need to worry about spamming anybody and localhost is considered part of the NIH network so you can see the join

It will probably be a bit of a slog to set this up but it's mostly straightforward. There's not a tremendous amount to see now and what there is doesn't have any CSS or JS so it has

However, once it's all set up you will just need to do a git pull to see future changes (some additional commands will be necessary if there are new third party deps or schema chan well)

You are not required to do this but it's an option. If you do this, let me know if there are any issues setting it up. I might not be able to help with all the specifics depending on you let me know if you have any issues with the site (though don't be surprised if the answer is just "haha yeah I haven't done that yet")

- running-locally.pdf 70.3 KB
- config.pdf 60.7 KB
- cli.pdf 43.2 KB
- config.json 781 Bytes
- dot-env 156 Bytes

Vinai Roopchansingh Mon, 6 Dec 2021 at 2:39pm

Thanks for sending this Jimmy.

Just to try to further ease things, we (NIH) normally use RHEL or Ubuntu (and I even lean towards Ubuntu LTS).

What is your base system, just so when we try this, we are not too divergent from you. I have a Docker environment on my laptop, so I should be able to

---

Jimmy Frasche Mon, 6 Dec 2021 at 2:49pm

It shouldn't matter. I'm running Debian Testing and Ubuntu LTS should work just fine. Since Ubuntu LTS is going to be its final home testing it on that will help ma there should be no such thing.

Jimmy Frasche Wed, 8 Dec 2021 at 3:03pm

I won't push the relevant changes until I'm done for the day, but here's an updated cli.pdf. I added a command to add a user to the admin group.

- cli.pdf 44.2 KB

Roark Maccado Mon, 13 Dec 2021 at 10:35am via email

Hi jimmy,

Quick question regarding site logins.
We currently run siteminder which seems to be a webagent based configuration.
The NIH is planning to stop supporting webagent integrations and are asking if our application supports SAML or any web service model?

Thanks in advance.

Best regards,

Roark Maccado (NIH/NIMH) [C]
Systems Administrator
Functional MRI Facility
Building 10, Room 1D80
10 Center Dr MSC 1148
Bethesda, MD 20892-1148
301-496-2623 (W)
roark.maccado@nih.gov<mailto:roark.maccado@nih.gov>



Vinai Roopchansingh Tue, 4 Jan 2022 at 4:52pm

Hi Folks - I've pulled the repository, gone through the documents Jimmy provided.

I've been able to create a virtual environment - but so far, have only gotten a "403 - Access denied: AD login required". In the window where I ran the app seeing:

./dev-server.sh

* Tip: There are .env or .flaskenv files present. Do "pip install python-dotenv" to use them.

* Environment: production

WARNING: This is a development server. Do not use it in a production deployment.

Use a production WSGI server instead.

* Debug mode: off

* Running on http://127.0.0.1:5000/ (Press CTRL+C to quit)

127.0.0.1 - - [04/Jan/2022 16:39:24] "**GET / HTTP/1.1**" 403 -

127.0.0.1 - - [04/Jan/2022 16:47:44] "**GET / HTTP/1.1**" 403 -

Any thoughts as to how i could move beyond these and get an idea of the app at this stage?



Jimmy Frasche Tue, 4 Jan 2022 at 4:54pm

You need to use a browser extension to inject the authorization headers that SiteMinder would normally provide.



Vinai Roopchansingh Tue, 4 Jan 2022 at 5:04pm

This is a bit out of my realm of experience - if you have any pointers, that would be helpful.

Also - because of the default Postgres configuration on Ubuntu, the instructions in the documents would only work under the "postgres" user. I know this to this effect?



Jimmy Frasche Tue, 4 Jan 2022 at 5:15pm

In firefox I'm using the ModHeader extension. If you're not using firefox and that's not ported to your browser of choice, you can search its extensions for "HTTP hea

Postgres needs some extra configuration out of the box that depends on the distro. I believe what you need is step 3 in the following lin and to use the same name for to-install-and-use-postgresql-on-ubuntu-20-04

You may need to add additional permissions to be able to access createdb so you can run the db scripts.



Vinai Roopchansingh Wed, 5 Jan 2022 at 9:16am

Thank you Jimmy - I will give those a spin now.

I should also mention that I was not able to load the site into a web browser at all - but let me try to explain how I got to the above point.

I started with a Ubuntu LTS 20.04 Docker container. I tried following your recipes, but had to fall back to an earlier version of Python (3.8.10 in LTS 20.04 Postgres 13 in LTS 20.04). So with these caveats, I marched ahead, and working through the Postgres user access issues I descried above, I was able

However, I was never able to load the DEV site in a web browser. At first, I thought it might have been an issue with how I had my container set up. But page - so my container setup did not seem to be the issue. I was able to run a "curl" pull from within the container on DEV application's web page, which

Let me try everything again with a Debian testing container, and should be able to follow up later today about that.



Jimmy Frasche Wed, 5 Jan 2022 at 1:53pm

instead of dev-server.sh try

```
pipenv run flask run -h 0.0.0.0
```



Vinai Roopchansingh Wed, 5 Jan 2022 at 2:01pm

I was able to make a bit of progress, but still not seeing the site loading from the container.

I started off trying to get a Ubuntu testing container spun up - however, the "testing" version on Docker Hub did not come with up-to-date or properly insta download a few packages manually, to see if I could get that container into shape - but made little to no progress there.

So I went back to the Ubuntu LTS 20.04 container I started with, and I was able to follow this recipe:

https://computingforgeeks.com/how-to-install-postgresql-13-on-ubuntu/

to get Postgres 13 installed there. Since this seemed to point to Postgres' own repositories - I felt okay adding this and using it.

Then I was a bit more careful about setting up the virtual environment for the app, and running it. That seemed to all be fine, and the app start-up messa

./dev-server.sh force-login

* Environment: development

* Debug mode: on

* Running on http://127.0.0.1:5000/ (Press CTRL+C to quit)

* Restarting with stat

* Debugger is active!

* Debugger PIN: 547-878-712

However, I am still not able to connect with this via a pass-through port from the container to my machine. I know the docs say this doesn't work over the

I'll give this one more try on one of my (real) linux machines (instead of from the container), and we'll take it from there.

Vinai Roopchansingh Wed, 5 Jan 2022 at 3:30pm

Thanks Jimmy - running the server on 0.0.0.0 worked to pass the server running in the container to the host computer. I just had to add the port, i.e.

pipenv run flask run -h 0.0.0.0 -p 5000


to match the ports I was passing through on the container.

Now to figure out the browser extension. Thanks again!

Vinai Roopchansingh Wed, 5 Jan 2022 at 7:00pm

I think I have the 'auth' figured out.

Is this about where things stand right now?



View all of these images at once

Jimmy Frasche Wed, 5 Jan 2022 at 7:03pm

Correct.

Jimmy Frasche Thu, 10 Feb 2022 at 6:17pm

I pushed a very minor db change today.

You can rerun the db scripts to get up to date but that will obliterate any local changes you've made to the data.

Alternately, you can run the sql in the attached file to make just the specific change.

Even more alternately you can do nothing. The only bad thing to happen if you don't update is that the history viewer dialog will always say the user who made a cha

view_update.sql
2.15 KB

Jimmy Frasche Thu, 3 Mar 2022 at 7:12pm

This would be a good time to sync.

The front half of the editor is in place (you can make changes but still can't save them yet).

While there's still work to do to be feature complete and more to clean up the usability, enough is in place to start poking around with it and making sure everything

Note that the support request features only show on the schedule if either

1. there was already a support request for that cell
2. someone is assigned to the device for that kind of request

so you will need to manage some assignments to get those to show up.

(Also the color swatches are there but they're but they're 0x0 in size currently because I haven't put the layout code for that in yet).

I may need to make another db change but it won't be for a bit and won't stop you from trying anything out.

If you find anything that doesn't work properly or you're just not sure about feel free to post. Hopefully it'll be all clearer once it's been cleaned up and docs are writt

Another data dump from the db would be helpful so I could have some more recent entries to work with.



Vinai Roopchansingh Tue, 8 Mar 2022 at 12:44pm

Thanks Jimmy - I will look into this over the next day or two, and will try to get something up locally, so those of us on this list might also be able to look o

Apologies for the delay. Trying really hard to get finishing touches on services from another contract, that we are trying to put into production ...




Vinai Roopchansingh Fri, 11 Mar 2022 at 8:30am

Hi Jimmy - I downloaded the contents of this project from git.morsemedia.net, and went over spinning up the container and the flask environment.

However, I did not see any changes beyond what was there previously. When I accessed the app locally, I got the page with links to "devices", "join form
I get the list of scanners, as shown in the first picture. However, when I click on any of the devices' links, I get an "Internal Server Error" message. Am I

Is it worth setting up a live session next week (of March 14th) where we can maybe go over this together, interactively?

Also - I know I've extracted info from the database previously - but it took us a couple of iterations to get that right. Could we maybe also take a look at th



View all of these images at once



Vinai Roopchansingh Fri, 11 Mar 2022 at 9:49am

BTW - the error message (in the terminal where the application was started from) when I click on a link for one of the devices is:

****

[2022-03-11 09:46:46,685] ERROR in app: Exception on /device/f [GET]

Traceback (most recent call last):

File "/var/lib/postgresql/.local/share/virtualenvs/scheduler-2022-03-10-664XuoZU/lib/python3.8/site-packages/flask/app.py", line 2073, in wsgi_app

response = self.full_dispatch_request()

File "/var/lib/postgresql/.local/share/virtualenvs/scheduler-2022-03-10-664XuoZU/lib/python3.8/site-packages/flask/app.py", line 1518, in full_dispatch_r

rv = self.handle_user_exception(e)

File "/var/lib/postgresql/.local/share/virtualenvs/scheduler-2022-03-10-664XuoZU/lib/python3.8/site-packages/flask/app.py", line 1516, in full_dispatch_r

rv = self.dispatch_request()

File "/var/lib/postgresql/.local/share/virtualenvs/scheduler-2022-03-10-664XuoZU/lib/python3.8/site-packages/flask/app.py", line 1502, in dispatch_reque

return self.ensure_sync(self.view_functions[rule.endpoint])(**req.view_args)

File "/home/roopchansinghv/my_root/tmp/fmrif-website/scheduler-2022-03-10/scheduler/app.py", line 117, in protect

return f(*args, **kwargs)

File "/home/roopchansinghv/my_root/tmp/fmrif-website/scheduler-2022-03-10/scheduler/app.py", line 308, in decorated_function

ctx = f(*args, **kwargs)

File "/home/roopchansinghv/my_root/tmp/fmrif-website/scheduler-2022-03-10/scheduler/app.py", line 869, in device

perms = logic.get_dev_perms(g.user, device)

File "/home/roopchansinghv/my_root/tmp/fmrif-website/scheduler-2022-03-10/scheduler/logic.py", line 882, in get_dev_perms

can_edit = q.first() > 0

File "/var/lib/postgresql/.local/share/virtualenvs/scheduler-2022-03-10-664XuoZU/lib/python3.8/site-packages/sqlalchemy/engine/row.py", line 307, in __

return self._op(other, operator.gt)

File "/var/lib/postgresql/.local/share/virtualenvs/scheduler-2022-03-10-664XuoZU/lib/python3.8/site-packages/sqlalchemy/engine/row.py", line 292, in _o

else op(tuple(self), other)

TypeError: '>' not supported between instances of 'tuple' and 'int'

****

Hope this might be useful.



Jimmy Frasche Fri, 11 Mar 2022 at 1:22pm

That's certainly not supposed to happen.

Can you open psql to the scheduler database and run

```
select count(G.deptcode) from devicegroup G where scannercode = 'f' and exists (select * from membership M where
```



Jimmy Frasche Fri, 11 Mar 2022 at 2:18pm

Did you get this error last time you used the local copy or did it just say TODO then?

An interactive session next week sounds fine. I'd prefer for you to have a running copy so you can poke around at will while I offer guidance and explanations. It goes

---

This is the command to do a data-only dump:
`pg_dump –a –f scanner_schedule_data.sql scanner_schedule`

Once you have the container provisioned most changes should just require a git pull. I've noted whenever this wasn't the case. It's a lot easier than rebuilding the ima

---

You need to set HTTP_SM_USERNAME to roopchansinghv to get admin access. Using vinai is perfectly fine but that gives you the least permissions as that name is want to go through joining groups, etc.

You should have `FLASK_ENV=development` in the `.env` file in the project root. I had uploaded that in the first message named `dot–env` with a note that it needs

- prevent it from attempting to email anyone (it will log the message it would send in the terminal instead)
- disables the IP check for pages that require you to be in-network
- show more detailed error messages in the browser
- log any sql commands it runs (makes the log very noisy, sorry)



Vinai Roopchansingh Fri, 11 Mar 2022 at 4:06pm

Thanks Jimmy - will try this out either later today, or over the weekend.

Before your messages above, it did occur to me to try to set HTTP_SM_USERNAME to 'roopchansinghv', instead of 'vinai'. However, the results weren't

I think the main difference is I was / am not yet running it in 'development' mode - I was looking at this more from the end point ... But I will try setting this

As to starting with a 'clean' environment, I want to go through the setup as many times as I can, before deployment - just so I am familiar with the steps. or worse ... :-)

One other thing - I did not "git clone" the repo from morsemedia.net initially - I downloaded a ZIP file. I'd expected behavior closer to GitHub, where even of the repo. However, that is not the case here - I did not see a '.git' folder for version tracking, so was thinking that what was exposed to me was some s clone' on the command line) - so will once again set up the development environment, and take it from there.

Thanks!



Jimmy Frasche Fri, 11 Mar 2022 at 4:12pm

It should work the same in production and development mode except for the above enumerated, which may help track down the issue

---



Vinai Roopchansingh Mon, 14 Mar 2022 at 10:18am

Okay - so still in 'plain' (non-development) mode, when I run the postgresql command JF asked me to run above, I get:

****

postgres@d6bcc950b77f:~/tmp/fmrif-website/scheduler-2022-03-10/scheduler$ psql

psql (13.5 (Ubuntu 13.5-2.pgdg20.04+1))

Type "help" for help.

postgres=# \c scheduler

You are now connected to database "scheduler" as user "postgres".

scheduler=# select count(G.deptcode) from devicegroup G where scannercode = 'f' and exists (select * from membership M where M."user" = 'vinai' and

 count

    0

(1 row)

scheduler=# select count(G.deptcode) from devicegroup G where scannercode = 'f' and exists (select * from membership M where M."user" = 'roopchans

 count

    0

(1 row)

scheduler=# \q

postgres@d6bcc950b77f:~/tmp/fmrif-website/scheduler-2022-03-10/scheduler$

****

When I spin up the container in development mode and re-run the above, if I get anything different, I will post.

Also attached here is the dump of the current scanner scheduler database, as of 1015 EST this morning.

scanner_schedule_data_2022-03-14.sql.gz
42.2 MB



Vinai Roopchansingh Mon, 14 Mar 2022 at 11:21am

Here are the steps I took, and what I am seeing now.

First - cloned the repository on Friday, and went through setting up the development packages, and running in development mode. When I first started th

****

root@d6bcc950b77f:~/tmp/fmrif-website/scheduler/scheduler# pipenv run flask run -h 0.0.0.0:5000

 * Environment: development

 * Debug mode: on

Traceback (most recent call last):

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/bin/flask", line 8, in <module>

    sys.exit(main())

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 995, in main

    cli.main(args=sys.argv[1:])

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 601, in main

    return super().main(*args, **kwargs)

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/click/core.py", line 1053, in main

    rv = self.invoke(ctx)

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/click/core.py", line 1659, in invoke

    return _process_result(sub_ctx.command.invoke(sub_ctx))

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/click/core.py", line 1395, in invoke

    return ctx.invoke(self.callback, **ctx.params)

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/click/core.py", line 754, in invoke

    return __callback(*args, **kwargs)

  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/click/decorators.py", line 84, in new_func

```
    return ctx.invoke(f, obj, *args, **kwargs)
  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/click/core.py", line 754, in invoke
    return __callback(*args, **kwargs)
  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 850, in run_command
    app = DispatchingApp(info.load_app, use_eager_loading=eager_loading)
  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 325, in __init__
    self._load_unlocked()
  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 351, in _load_unlocked
    self._app = rv = self.loader()
  File "~/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 411, in load_app
    app = locate_app(self, import_name, None, raise_if_not_found=False)
  File "/home/roopchansinghv/.local/share/virtualenvs/scheduler-kT5HCB1z/lib/python3.8/site-packages/flask/cli.py", line 260, in locate_app
    __import__(module_name)
  File "/home/roopchansinghv/my_root/tmp/fmrif-website/scheduler/scheduler/app.py", line 931
    support = logic.support_request_datalists(device)
    ^
IndentationError: expected an indented block
root@d6bcc950b77f:~/my_root/tmp/fmrif-website/scheduler/scheduler#
**********************************************************************************************************
```

I got this same error previously. So I indented that line in 4 spaces (haven't had time to look through all of the rest of code to see if that made sense, plus

```
**********************************************************************************************************
root@d6bcc950b77f:~/my_root/tmp/fmrif-website/scheduler/scheduler# pipenv run flask run -h 0.0.0.0 -p 5000
 * Environment: development
 * Debug mode: on
 * Running on all addresses.
   WARNING: This is a development server. Do not use it in a production deployment.
 * Running on http://172.17.0.2:5000/ (Press CTRL+C to quit)
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 190-689-851
```



Vinai Roopchansingh Mon, 14 Mar 2022 at 11:27am

However, now when I try to load the main page at all, I get the attached error log on the command line. Also attaching a print out of the errors in the brow


dev-website-browser-error-log.pdf
93 KB


dev-website-command-line-error-log.txt
9.44 KB



Vinai Roopchansingh Mon, 14 Mar 2022 at 11:47am

Running in non-development / production gives similar errors on the command line, and in the browser - I get the "Internal Server Error" message.



Vinai Roopchansingh Mon, 14 Mar 2022 at 12:36pm

Okay - so I went back, and installed the development environment into the 'postgres' account in my container, and ran the app from there. Now, the app

But I am still getting errors, and am attaching the output of this.

One more detail - I could not find Python 3.8.11 in Ubuntu LTS 20.04, so ran this on 3.8.10. Hopefully this is not the cause of all of this.

fmrif-website-error-log.txt
24.3 KB

Jimmy Frasche Mon, 14 Mar 2022 at 3:52pm

I've pushed some changes. One was to fix the indentation (which is not present in my copy and I'm not sure how that got through git) and the other two fix the 500 v

I have more notes to follow later once I've organized them.

Jimmy Frasche Mon, 14 Mar 2022 at 4:06pm

fyi: Development mode only affects flask. It won't alter a direct db connection. Direct queries only need to be checked once.

python 3.8.10 vs 3.8.11 shouldn't cause any issues as long as the 3.8 part is the same

sqlalchemy.exc.OperationalError means the site cannot connect to the database. You fixed it by running it as the postgres user but that's not something that should l app. https://medium.com/coding-blocks/creating-user-database-and-adding-access-on-postgresql-8bfcd2f4a91e

When you ran the query with both usernames, the roopchansinghv name should have returned at least 1. There are some files to add before running unsafe-reprovis once everything is working you'll need that to make your sure account has the correct permissions—otherwise you won't be able to see/do much when you explore.

Vinai Roopchansingh Mon, 14 Mar 2022 at 8:20pm

Okay - so this make a bit more sense. Here's what I see when I run the database provisioning:

```
**********************************************************************************************************************
postgres@d6bcc950b77f:~/tmp/fmrif-website/scheduler/sql$ sh ./unsafe-reprovision-db.sh

=== running: 000-init.sql

=== running: 001-schema.sql

psql:001-schema.sql:20: ERROR:  extension "plpgsql" already exists

psql:001-schema.sql:75: ERROR:  tables declared WITH OIDS are not supported

psql:001-schema.sql:385: ERROR:  tables declared WITH OIDS are not supported

=== running: 002-loosen-schema.sql

=== running: 003-import-data.sql

 setval

---------

 3796173

(1 row)

 setval

--------

  29662

(1 row)

 setval

--------

    292

(1 row)

 setval

--------

   1538

(1 row)

 setval

---------
```

```
 2621837
(1 row)
=== running: 004-tighten-schema.sql
=== running: 005-drops.sql
=== running: 006-deprecations.sql
=== running: 007-simplify-color.sql
=== running: 008-alter-user-name-length-to-ad-limit.sql
=== running: 009-fix-up-institutes.sql
=== running: 010-scannercode-refs.sql
=== running: 011-deptcode-refs.sql
=== running: 012-templateid-refs.sql
=== running: 013-null-and-zero-normalization.sql
=== running: 014-add-logging-back.sql
=== running: 015-reseachers.sql
=== running: 016-alter-collations.sql
=== running: 017-inline-documentation.sql
=== running: 018-invalidate-old-researchercodes.sql
=== running: 100-new-tlkpdept-cols.sql
=== running: 101-new-tlkpresearcher-cols.sql
=== running: 102-group-membership.sql
=== running: 103-user-device-permissions.sql
=== running: 104-new-tlkpscanner-cols.sql
=== running: 105-device-to-group-map.sql
=== running: 106-add-support-requests.sql
=== running: 190-add-views.sql
=== running: 200-internal-storage-tables-for-site.sql
=== running: 900-import-new-data.sql
psql:900-import-new-data.sql:33: ERROR:  null value in column "usr" of relation "tmpmembers" violates not-null constraint
DETAIL:  Failing row contains (null, NCCIH, null).
CONTEXT:  COPY tmpmembers, line 69: ",NCCIH,"
psql:900-import-new-data.sql:34: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:35: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:40: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:43: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:44: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:45: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:53: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:60: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:68: ERROR:  current transaction is aborted, commands ignored until end of transaction block
psql:900-import-new-data.sql:71: ERROR:  current transaction is aborted, commands ignored until end of transaction block
```

psql:900-import-new-data.sql:72: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:73: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:74: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:75: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:78: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:79: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:80: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:89: ERROR: current transaction is aborted, commands ignored until end of transaction block

psql:900-import-new-data.sql:94: ERROR: current transaction is aborted, commands ignored until end of transaction block

vacuumdb: vacuuming database "scheduler"

erd not installed, skipping generation of ER diagram. Install: https://github.com/BurntSushi/erd

postgres@d6bcc950b77f:~/tmp/fmrif-website/scheduler/sql$

****

I have been getting these consistently when I've been working on this over the last few days. I can't remember if I ran into these when I tried previous ve

Here are the current 'dev-dept.csv', 'devperm.csv', and 'user-kept.csv' I am testing with. Am I supposed to fill in anything in 'devperm.csv' for testing, or is example?

dev-dept.csv
1.31 KB

devperm.csv
52 Bytes

user-dept.csv
1.26 KB




Vinai Roopchansingh Mon, 14 Mar 2022 at 9:50pm

Okay - so I think I've gotten to where you were hoping we'd be.

First - there seems to be a weird interaction between your editor and Morse's VC system. I am attaching another screen shot showing a block of code th know the app wouldn't have worked for you if the code looked like this when you ran it, so I am not sure what's happening between editing and testing, th sure it wasn't on my end cloning / downloading the repo. FYI.

But once I worked through these, I got the rough schedule interface (screenshot also attached). What's next?

BTW - this was with leaving 'devperm.csv' as attached above - empty, with just the header line.



View all of these images at once



Jimmy Frasche Tue, 15 Mar 2022 at 1:58pm

Yup, found an editor setting about ignoring whitespace settings with git, looks like it defaulted to on after an update. Deactivated and went through all the .py files ar

In dev-dept.csv I see:

- L52: assigns device number 0 to dept NCR. Is that supposed to be the lowercase letter o?
- L157-167 is UNAVAIL a special group? Those needed to be enumerated in the requirements. What is its purpose and how is it used?
- L169+ the membership of the training department is handled specially: it's computed per device and exists only if there are people assigned to a device with the Delete those lines.

The errors are from user-dept.csv, however. L69+ are invalid and need to be deleted before you can import. You can only include a line if both usr and dept are speci unknown user to a department

If you fix those and rebuild the db, when you fire the site up again you'll have admin permission so there will be a lot more to poke at.

We can schedule a zoom walk through of what's there, if you want. I'd also recommend just taking half an hour to click around and push buttons and see what happe anyone's schedules so you can go nuts. If nothing else you'll come up with some questions to ask me.

There shouldn't be any more errors after this so if you find any more let me know



Vinai Roopchansingh Wed, 16 Mar 2022 at 10:38am

Thanks again for catching those. Going through the points in the same order as above:

• dev-dept.csv, L52: Yes - that assignment for NCR should have been a lower-case-oh, so 'o' - as you pointed out.
• dev-dept.csv, L157-167: The 'UNAVAIL' label was not a special group per se. It was used to mark time in the published schedule that would not be avai
available on the published schedule. But on a couple of other instruments that use our schedule, their support hours are not as long, so they have a few
as just another group no one belongs to, so we can block off time. However, in the current schedule, once published with that "UNAVAIL" label, even I, a
away, and as I said - just have it as a regular group that no one belongs to, but can be used as a marker on the schedule ...
• dev-dept.csv, L169+: Understood about training - removed.

• user-dept.csv, L69+: " - "

After taking care of these, I was able to get the schedule loaded for devices, with groups and users in time slots.

I noticed a couple of quirks - but these might be the expected behavior at this time.

- When I tried adding DEV/roopchansinghv to a slot, 'DEV' would not show up in the list of departments, and when I entered my name and hit return, I wo
updated entries before submitting" and then a 'confirm' button. I am guessing this means the new users plus groups mappings haven't yet populated the
get a dialog saying "**publish changes ...**" and it gives the new user and group to be assigned to the slot, and to 'cancel' or 'confirm' those changes.

• Another point - the 'log' button for the slot only seems to capture the last change made to the slot before the database was dumped from the existing pr
the logging buttons.

Again - not sure if these are quirks/errors, or expected behavior at this time. Let me get the other FMRIF folks on this thread to take a look at this with me
through this together.



Jimmy Frasche Wed, 16 Mar 2022 at 3:23pm

I think UNAVAIL would work as a regular group with no members. The only downside I can think of is that it would show up on the join form. The current db script
(admins get this implicitly) will be able to change an UNAVAIL slot. This would essentially be the same as the special maintenance group, aside from the implication

The only thing yet to be implemented is taking the changes you make in the editors and updating the database. That's why the workflow just kind of stops and there'
even if they happen outside the flask application)

Per discussions/requirements the DEV group is no longer schedulable. It essentially exists only to divvy out special per-device permissions. As it cannot be schedule

To see which groups can be scheduled for a device, you can click on the device then groups (or add group to add one). This should all match dev-dept.csv

You can also just click (or double click, depending on browser) on an empty group slot in either editor and the autocomplete will list all the available options (also fo

Further, if there's an ! after a field that denotes that the entry is invalid and a checkmark denotes the entry is valid. If you change an entry all its fields have to be vali



Jimmy Frasche Wed, 16 Mar 2022 at 7:52pm

Among the changes I pushed today

- the db scripts no longer archive UNAVAIL. You don't really need to rerun the scripts as UNAVAIL is an ordinary group and there are many ordinary groups the
- I finished the communication channel from the editors to the servers. So far the server just drops the update on the floor when it gets it, but there is an addition
everything worked. Right now it just says TODO



Vinai Roopchansingh Thu, 17 Mar 2022 at 9:51pm

That's fine for UNAVAIL - in fact, I think that behavior is preferred - if a device admin wants to change the status of a slot - they should be in a position to

With regard to the DEV group - I hadn't appreciated that its status had migrated away from what we currently use it for. Its new designation will be fine.
discuss.

I had also not appreciated that in this version, there was already separation of the various pieces of equipment with regard to the groups that can use eac

Some things came up over the last couple of days, which we need to deal with, and should hopefully have an answer for tomorrow. I will try to target a m

With regard to how the site and app appearances, I mentioned we'd be updating our current web pages and apps in a meeting, and no time was lost mer
immediate target of the current path of work and discussions. But we'd also put in some money for the site content in an earlier purchase that we did not



Jimmy Frasche Fri, 18 Mar 2022 at 4:29pm

I am available next week. My preferred hours are 12-4 (my time zone) as I often have a lot of emails to get through in the morning.

I am targeting WCAG 2.1 AA for this site. My understanding is that this meets or exceeds the Section 508 requirements. If there are any special considerations beyor
need to know what additional constraints, if any, there are.

Everything else is per the requirements doc. Aside from what hasn't been implemented yet, I've only made two deviations, which both match the spirit if not the lette

1. I target WCAG 2.1 instead of 2.0, as 2.1 came out after the requirements were finalized but before the relevant work started. 2.1 is a superset of 2.0
2. instead of providing a separate UI to clone a template, I added an option on the new template page to copy the contents of an existing template. This simplified

easy creation of a derivative template.



Jimmy Frasche Tue, 22 Mar 2022 at 7:39pm

You can now save changes when editing templates (but not the regular schedule yet).

Something I've been meaning to as:

If someone makes 10 changes to the schedule do you expect

1. 10 emails containing one change each
2. or 1 email with all 10 changes?

Either way is just as easy, just a matter of preference. A decision would have to be made once for everyone. Configuration or runtime options is what would make it l



Vinai Roopchansingh Tue, 22 Mar 2022 at 10:28pm

Single e-mail, detailing the changes please!



Vinai Roopchansingh Wed, 23 Mar 2022 at 12:21pm

One thing I forgot to mention about this - will there still be an e-mail to **not** send a message at all?

Folks use this mechanism to post their time quietly, to facilitate direct scan time trades or donations with others, where no one has "cross permissions" be

Would this be an issue to keep?



Vinai Roopchansingh Wed, 23 Mar 2022 at 12:37pm

Apologies - that should have read, "will there still be an **option** ..."



Jimmy Frasche Wed, 23 Mar 2022 at 1:02pm

if you try to save changes to the schedule you can see the checkbox right now!



Vinai Roopchansingh Wed, 23 Mar 2022 at 1:25pm

Awesome! Is it 'safe' for me to pull in your latest changes to my local copy?

I am still trying to wrangle our team to do a session where we can look at this together locally, before we do so with you.



Jimmy Frasche Wed, 23 Mar 2022 at 1:26pm

It's always safe unless there's a db change, which I'll note.



Vinai Roopchansingh Wed, 23 Mar 2022 at 1:28pm

Great - thanks!



Jimmy Frasche Fri, 8 Apr 2022 at 5:02pm

The site code is feature complete as of the changes I just pushed. That leaves styling and writing user documentation.

There is one database update. You don't have to run it, but I'd recommend it:

It renames the group whose deptcode is the empty string, "", to have the deptcode "(none)". It would have added too much extra code to the frontend to have to disa
it does mean that old templates and entries have (none) littered about which defeats the logic for collapsing off hours. This will be irksome initially but once you get
never be a problem again.

You can rebuild the database or just run

```
update tlkpdept set (deptcode, dept) = ('(none)', '(unassigned)') where deptcode = '';
```



Vinai Roopchansingh Mon, 11 Apr 2022 at 8:50am

Thanks - I will give that a try locally.

We finally had a chance a couple of weeks ago, to take things for a test-drive, and we came across a few issues that we wondered if it was because of m

Could we set up a time later this week to review, most likely via Zoom? I think a couple of us are out this week on leave, but I think most of us are here a
and Friday would work best for me. Let us know if any of this works for you?



Jimmy Frasche Mon, 11 Apr 2022 at 1:07pm

Please report any issues as you find them. If it's nothing, it's nothing. But if it's something I need to know. It is possible that the bumps have been since ironed out.

Zoom review sounds good. I'm not really sure about my schedule yet. My oven broke and the landlord's replacing it but I have yet to manage to get any details of wh



Jimmy Frasche Wed, 13 Apr 2022 at 6:11pm

The oven thing turned into a huge ordeal but it's finally all sorted out. Friday would work for me, if it's still available.



Vinai Roopchansingh Thu, 14 Apr 2022 at 9:05am

Let push to next week please. I still need to do a pull of your changes, try out your suggestions above, and come up with a list of potential remaining issu

Looking at our calendars on the NIH side, Monday and Friday are pretty much out. Tuesday after 1300, Wednesday after 1200, and Thursday after 1400



Vinai Roopchansingh Thu, 14 Apr 2022 at 11:21am

With pulling the latest version of the scheduler app - the main issues we ran into with our "group test", which were updating a slot entry, and viewing the h

I also ran the database update to have the "(none)" group populating unoccupied slots. I know it's a "new" thing - but I didn't find that it impeded my work

Will try to get some more feedback from the other folks here, who I did the 'local demo' with.

With respect to available times for next week, when I am on site (which I am next week), I have a hard stop at 1600 EST every day. Given that, I think Tu something in there still works for you.



Jimmy Frasche Thu, 14 Apr 2022 at 1:13pm

Tue. or Wed. after 1400 EST work for me, with a strong preference for 1500 EST.

(The colors of things will change at some point. Right now I am just putting in colors in the rough neighborhood to figure out how many I need and in what contexts



Vinai Roopchansingh Thu, 14 Apr 2022 at 2:20pm

Let's split the difference - I'll set up a Zoom call for 14:30 EST next Tuesday.

Thanks, and chat with you then!



Jimmy Frasche Thu, 14 Apr 2022 at 2:24pm

See you then.



Bob Morse Thu, 14 Apr 2022 at 2:34pm via email

Ditto.



Jimmy Frasche Mon, 18 Apr 2022 at 7:00pm

Please do a git pull before the meeting. I won't be pushing any more changes between now and then.



Vinai Roopchansingh Tue, 19 Apr 2022 at 10:16am

Just did - things seem to work as advertised.

Accessing the "log" functionality seems a bit more sluggish that it did from my previous pull of the code. At first - I thought that functionality was now brok querying ...

Chat with you later today!



Jimmy Frasche Tue, 19 Apr 2022 at 6:17pm

Per the meeting, I've:

- added some vertical space between editor entries
- fixed the error when trying to create a template with a duplicate id name
- displayed the date of the first day a template will be filling
- added the weekday abbreviation to the table headers on the editor
- added the originating template information to the view log dialog

Other items will get separate threads



Jimmy Frasche Wed, 27 Apr 2022 at 6:05pm

Attached is the user documentation. While compiling it I also made a few tweaks and fixes to the code, but nothing of serious note.



user.pdf
1.14 MB