Status	Finished
Started	Thursday, 29 October 2026, 4:14 PM
Completed	Thursday, 29 October 2026, 4:18 PM
Duration	4 mins 2 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. iii

b. i,ii ✓

c. ii

d. All of the above

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error

b. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

c. TypeError: update() doesn't allow list as a argument.

d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece'),True}

b. Error

c. {'rec', True, ('cse', 'ece')}

d. {'rec', 1, ('cse', 'ece')} ✓

Question **4**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **5**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (16,17,18)

b. (25,19,18,17)

c. (16,17,18,19) ✓

d. Error

Question **6**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11, 3, 11, 3, 11, 3) ✓
- b. [11,11,11,3,3,3]
- c. (11,3)(11,3)(11,3)
- d. (11,3,11,11,3,11,11,11,3)

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,4,5,6) ✓
- b. (1,2,3)(4,5,6)
- c. (1,2,3,3,2,1)
- d. Error

Question **8**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- b. (10, 20, 30, 40) (40, 50, 60, 70, 80)
- c. (30, 40, 50)(40, 50, 60, 70, 80)
- d. (30, 40, 50) (10, 20, 30, 40)

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 2, 4, 3, 8, 9]
b. [2, 3, 9]
c. (1, 4, 8)
d. [1, 4, 8] ✓

Question **10**

Incorrect

Mark 0.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['8', '30', '3', '2']
b. ['2', '3', '8', '30']
c. ['2', '3', '30', '8']
d. ['30', '8', '3', '2'] ✗

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. Error ✓
b. (12)
c. 12
d. (55,78,64,25)

Question **12**

Incorrect

Mark 0.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Error ✗

b. ()

c. (Computer)

d. Computer

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. (1,4,5,6,7) ✓

b. {1,3,8,9,41}

c. ("Wonder")

d. [1,2,3,4]

Question **14**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain both integers and strings as its elements. ✓

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}

b. {40, '10', 50, 20, 60, 30}

c. {40, 10, '10', 50, 20, 60, 30} ✓

d. SynatxError: Different types cannot be used with sets