```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import warnings
warnings.filterwarnings("ignore")
df= pd.read_csv("country_vaccinations.csv")
df.head()
```


df.describe()

```
[2]: runcell(0, 'C:/Users/muham/.spyder-py3/sidphase4.py')
       total_vaccinations ... daily_vaccinations_per_million
            4.360700e+04 ...
                                                 86213.000000
count
            4.592964e+07 ...
                                                  3257.049157
mean
            2.246004e+08 ...
                                                   3934.312440
std
            0.000000e+00
min
                                                     0.000000
25%
            5.264100e+05
                                                   636.000000
50%
            3.590096e+06
                                                   2050.000000
75%
            1.701230e+07
                                                   4682.000000
            3.263129e+09
                                                117497.000000
max
```

df.dtypes

```
runcell(0, 'C:/Users/muham/.spyder-py3/sidphase4.py')
country
                                         object
iso_code
                                         object
date
                                        object
total_vaccinations
                                        float64
people_vaccinated
                                        float64
people_fully_vaccinated
                                        float64
daily_vaccinations_raw
                                        float64
daily_vaccinations
                                        float64
total_vaccinations_per_hundred
                                        float64
people_vaccinated_per_hundred
                                        float64
people_fully_vaccinated_per_hundred
                                        float64
                                        float64
daily_vaccinations_per_million
                                         object
vaccines
source_name
                                         object
source_website
                                         object
dtype: object
```

```
df["date"]= pd.to_datetime(df.date)
x= df.groupby("date").daily_vaccinations.sum()
plt.figure(figsize= (15,5))
sns.lineplot(x.index,x.values)
plt.show()
```



```
df["Total_vaccinations(count)"]= df.groupby("country").total_vaccinations.tail(1)


df.groupby("country")["Total_vaccinations(count)"].mean().sort_values(ascending= False).head(20)

x= df.groupby("country")["Total_vaccinations(count)"].mean().sort_values(ascending= False).head(20)


sns.set_style("whitegrid")

plt.figure(figsize= (8,8))
```


ax= sns.barplot(x.values,x.index)
ax.set_xlabel("Total vaccinations(count)")
plt.show()



df["Full_vaccinations(count)"]= df.groupby("country").people_fully_vaccinated.tail(1)
df.groupby("country")["Full_vaccinations(count)"].mean().sort_values(ascending= False).head(20)
sns.set_style("whitegrid")
plt.figure(figsize= (8,8))
ax= sns.barplot(x.values,x.index)
ax.set_xlabel("Fully vaccinated(count)")
plt.show()



x= df.groupby("country").daily_vaccinations.mean().sort_values(ascending= False).head(20)
x
plt.figure(figsize= (8,8))
ax= sns.barplot(x.values,x.index)
ax.set_xlabel("daily vaccinations(avg)")
plt.show()



Done by

MUHAMMED NIHAL K P

3rd year CSBS

JCT COLLEGE OF ENGINEERING AND TECHNOLOGY