LUCID
MEDICAL DIAGNOSTICS

Client	: **DIRECT**	
Patient Name	: Mr. HARI KRISHNA PALADUGU	30940
Age/Gender	: 54 Years/ Male	
Phone	: 9866101122	
Ref. Dr.	: SELF	
Req. No		
	: **0921030613**	

Sample Type	: Oropharyngeal Swab
Registered On	: 13 August 2022 09:25AM
Collected On	: 13 August 2022 09:25AM
Reported On	: 13 August 2022 05:15PM

Molecular & Genetics

SARS-CoV-2 Detection By RT PCR

Test Name	Observed Values
SARS-CoV-2 virus detection (N Gene) :	Not Detected

Interpretation: Specimen is Negative for COVID-19 (SARS-COV-2)

LIMITATIONS

- Performance of 2019-nCoV Real-Time RT-PCR Diagnostic Panel has only been established in upper and lower respiratory specimens (nasopharyngeal or oropharyngeal swabs, sputum, lower respiratory tract aspirates, bronchoalveolar lavage, and nasopharyngeal wash/aspirate or nasal aspirate).

- Negative results do not preclude 2019-nCoV infection and should not be used as the sole basis for treatment or other patient management decisions. Optimum specimen types and timing for peak viral levels during infections caused by 2019-nCoV have not been determined. Collection of multiple specimens (types and time points) from the same patient may be necessary to detect the virus.

- A false negative result may occur if a specimen is improperly collected (late or very early in the infection), transported or handled. False negative results may also occur if amplification inhibitors are present in the specimen or if inadequate numbers of organisms are present in the specimen. Positive results do not rule out bacterial infection or co-infection with other viruses.

- Test performance can be affected because the epidemiology and clinical spectrum of infection caused by 2019-nCoV is not fully known.

NOTE

1. ICMR Regd No. For COVID-19 Testing: LMDPST

2. COVID-19 test is conducted using ICMR/NABL/USFDA approved Kit.

3. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.

End of Report

Dr.S.Jalandhar Reddy
Molecular Biologist