21 When implementing linear regression of some dependent variable $\diamondsuit \diamondsuit$ on the set of independent variables $\diamondsuit \diamondsuit = (\diamondsuit \diamondsuit_1, ..., \diamondsuit \diamondsuit_r)$, where $\diamondsuit \diamondsuit$ is the number of predictors, which of the following statements will be true?

- a) $\diamondsuit \diamondsuit_0, \diamondsuit \diamondsuit_1, ..., \diamondsuit \diamondsuit_r$ are the regression coefficients.
- b) Linear regression is about determining the **best predicted weights** by using the **method of ordinary least squares**.
- **C)** E is the random interval
- d) Both and b

22)

What indicates that you have a **perfect fit** in linear regression?

- a) The value $\diamond \diamond^2 < 1$, which corresponds to SSR = 0
- b) The value $\diamond \diamond^2 = 0$, which corresponds to SSR = 1
- c) The value $\diamond \diamond^2 > 0$, which corresponds to SSR = 1
- d) The value $\diamond \diamond^2 = 1$, which corresponds to SSR = 0


23)

In simple linear regression, the value of **what** shows the point where the estimated regression line crosses the �� axis?

- a) Y
- b) B0
- c) B1
- d) F

24)

Check out these four linear regression plots:



Which one represents an **underfitted** model?

- a)The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

25)

There are five basic steps when you're implementing linear regression:

- a. Check the results of model fitting to know whether the model is satisfactory.
 b. Provide data to work with, and eventually do appropriate transformations.
 c. Apply the model for predictions.
- d. Import the packages and classes that you need.
- e. Create a regression model and fit it with existing data.

However, those steps are currently listed in the wrong order. What's the correct order?

- a) e, c, a, b, d
- b) e, d, b, a, c
- c) d, e, c, b, a

d) d, b, e, a, c
26) Which of the following are optional parameters to LinearRegression in scikit-learn?
a) Fit b) fit_intercept c) normalize d) copy_X e) n_jobs f) reshape
27) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as �� ² ?
a)Multiple linear regression
b) Simple linear regression
c) Polynomial regression
28) You should choose statsmodels over scikit-learn when:
A)You want graphical representations of your data.
b) You're working with nonlinear terms.
c) You need more detailed results.
d) You need to include optional parameters.
29) is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.
a) Pandas
b) <mark>Numpy</mark>
c) Statsmodel
d) scipy

30) _____ is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.

- a) Bokeh
- b) Seaborn c)

Matplotlib d)