## **Web Development Basics Quiz**

b) text-fontc) font-typed) text-family

<ul><li>1. Which of the following tags is used to define the structure of an HTML document?</li><li>a) <head></head></li><li>b) <html></html></li><li>c) <title>&lt;/li&gt;&lt;/ul&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d) &lt;body&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt; &lt;li&gt;2. In CSS, which property is used to change the background color of an element?&lt;/li&gt; &lt;li&gt;a) background-color&lt;/li&gt; &lt;li&gt;b) color&lt;/li&gt; &lt;li&gt;c) background&lt;/li&gt; &lt;li&gt;d) background-image&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt; &lt;li&gt;3. What does the acronym "URL" stand for?&lt;/li&gt; &lt;li&gt;a) Universal Resource Locator&lt;/li&gt; &lt;li&gt;b) Unified Resource Link&lt;/li&gt; &lt;li&gt;c) Uniform Resource Link&lt;/li&gt; &lt;li&gt;d) Unified Retrieval Link&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt; &lt;li&gt;4. Which HTML tag is used to create an unordered list?&lt;/li&gt; &lt;li&gt;a) &lt;ul&gt; &lt;li&gt;b) &lt;ol&gt; &lt;li&gt;c) &lt;li&gt;d) &lt;list&gt;&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt; &lt;li&gt;5. What is the correct syntax for adding an external JavaScript file to an HTML documental a) &lt;script src="script.js"&gt;&lt;/script&gt;&lt;/script&gt;&lt;/script&gt;script.js&lt;/script&gt;&lt;/script:&lt;/li&gt; &lt;li&gt;c) &lt;script type="text/javascript" src="script.js"&gt;&lt;/script&gt;&lt;/script&gt;&lt;/script&gt;&lt;/script&gt;&lt;/li&gt; &lt;li&gt;d) &lt;javascript src="script.js"&gt;&lt;/javascript&gt;&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;td&gt;nt?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;6. Which CSS property is used to specify the font family for an element? a) font-family&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title></li></ul>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- 7. What does the CSS property "display: inline-block;" do?
  - a) Makes the element inline but allows it to have padding and margins
  - b) Makes the element block-level but allows it to flow with surrounding content
  - c) Makes the element inline and ignores any padding and margins
  - d) Makes the element block-level and ignores any padding and margins
- 8. In JavaScript, which method is used to add new elements to the end of an array?
  - a) push()
  - b) add()
  - c) append()
  - d) insert()
- 9. What is the purpose of the HTML <canvas> element?
  - a) To display images
  - b) To create animations
  - c) To draw graphics dynamically
  - d) To embed videos
- 10. Which CSS property is used to create a drop shadow effect?
  - a) shadow
  - b) box-shadow
  - c) text-shadow
  - d) drop-shadow
- 11. Which CSS property is used to control the spacing between lines of text?
  - a) line-height
  - b) text-spacing
  - c) font-spacing
  - d) line-spacing
- 12. In HTML, which tag is used to create a hyperlink that opens in a new tab or window?
  - a) <a href="#" target=" self">
  - b) <a href="#" target="\_blank">
  - c) <a href="#" target=" parent">
  - d) <a href="#" target="\_top">
- 13. What is the purpose of the CSS property "border-radius"?
  - a) To specify the width of a border
  - b) To define the style of a border
  - c) To round the corners of an element
  - d) To add shadows to an element

14. Which HTTP method is idempotent, meaning it can be called multiple times without different
outcomes?
a) GET
b) POST
c) PUT
d) DELETE
15. What is the purpose of the HTML <meta/> tag?
a) To define a paragraph of text

- b) To create a metadata block for the webpage
- c) To display an image
- d) To define a list of items
- 16. Which CSS property is used to change the size of an element relative to its parent?
  - a) width
  - b) height
  - c) margin
  - d) padding
- 17. What does the "href" attribute define in an HTML anchor (<a>) tag?
  - a) Image source
  - b) Hyperlink reference
  - c) Heading reference
  - d) Horizontal reference
- 18. Which CSS selector targets all elements of a specific type?
  - a) Class selector
  - b) ID selector
  - c) Tag selector
  - d) Attribute selector
- 19. What is the purpose of the HTTP status code 404?
  - a) Forbidden
  - b) Not Found
  - c) Internal Server Error
  - d) OK

20. Which JavaScript function is used to find the length of a string?
a) count()
b) size()
c) length()
d) strlen()
21. What is the correct way to include an external CSS file in an HTML document?
a) <style src="style.css"></style>

- b) <cs>>style.css</cs>>
- c) c) link rel="stylesheet" href="style.css">
- d) <include src="style.css"></include>
- 22. In HTML, which attribute is used to specify the alternate text for an image?
  - a) alt
  - b) title
  - c) description
  - d) src
- 23. What is the purpose of the JavaScript function "parseInt()"?
  - a) To convert a string to a floating-point number
  - b) To convert a string to an integer
  - c) To round a number to the nearest integer
  - d) To convert a number to a string
- 24. Which CSS property is used to change the appearance of the mouse cursor when it hovers over an element?
  - a) cursor-type
  - b) mouse-cursor
  - c) cursor
  - d) hover-cursor
- 25. What does the HTML <form> element represent?
  - a) A section of a document that contains interactive controls for submitting data
  - b) A container for metadata
  - c) A block of text
  - d) A multimedia object

- 26. In CSS, what does the "box-sizing: border-box;" property do?
  - a) Includes padding and border in the element's total width and height
  - b) Excludes padding and border from the element's total width and height
  - c) Applies a border around the element's content box
  - d) Adjusts the spacing between elements
- 27. Which HTML element is used to define the structure of a webpage's header?
  - a) <header>
  - b) <head>
  - c) <h1>
  - d) <title>
- 28. What is the purpose of the JavaScript "querySelector()" method?
  - a) To select the first element that matches a specified CSS selector
  - b) To select all elements that match a specified CSS selector
  - c) To modify the style of an element
  - d) To create a new element
- 29. Which CSS property is used to control the vertical alignment of text within an element?
  - a) text-align
  - b) vertical-align
  - c) align-items
  - d) line-align
- 30. What does the CSS property "position: fixed;" do?
  - a) Positions the element relative to its normal position in the document flow
  - b) Positions the element relative to its first positioned (not static) ancestor element
- c) Positions the element relative to the viewport, so it stays in the same place even when the page is scrolled
  - d) Positions the element relative to the browser window