

Answer to the Question no-02

It is already in 1NF, because there is no multivalued, composite attributes or nested relations present in given schema.

The schema is not in 2NF because there are partial dependencies due to FD1 and FD2 present.

Decomposing to 2NF:

R_1 -

<u>Project-ID</u>	Project-Title
-------------------	---------------

R_2 -

<u>Student-ID</u>	Student-Name	Semester
-------------------	--------------	----------

R -

<u>Project-ID</u>	<u>Student-ID</u>	Course	Section	Grade	Submission	Bonus
-------------------	-------------------	--------	---------	-------	------------	-------

This is not in 3NF because there are transitive dependencies due to FD3 and FD4.

Decomposing to 3NF:

Ra.

<u>Project-ID</u>	<u>Student-ID</u>	Submission	Grade	Section	course
-------------------	-------------------	------------	-------	---------	--------

Rb.

<u>Submission</u>	Bonus
-------------------	-------

Ra.1

<u>Project-ID</u>	<u>Student-ID</u>	Submission	Course	Section
-------------------	-------------------	------------	--------	---------

Ra.2

<u>Course</u>	<u>Section</u>	Grade
---------------	----------------	-------

Now this is in 3NF.

Answer to the Question no-02

It is in 1NF because there is no multivalued, composite attributes or nested relations present. But it is not in 2NF because there are partial dependencies present.

Normalizing to 2nf -

R₁

<u>Author Name</u>	Author Affiliation
--------------------	--------------------

R₂

<u>Book Title</u>	Publisher	Price	Type
-------------------	-----------	-------	------

R

<u>Author Name</u>	<u>Book Title</u>	Year	Category
--------------------	-------------------	------	----------

Now this is in 3NF because there are no transitive dependencies.