

BH03

Page 1 of 3

Project Name: Area 2 - Golden Valley Bridge M5 J11 MP82/4 to MP82/6 +30m Project No: 30743






Borehole ID: BH03

Location: Area 2 - Golden Valley Bridge M5 J11 MP82/4 to MP82/6 +30m Co-ords (British National Grid): 389710.8 - 221155.531 Level: 31.1

Hole Type: RC Logged By: Dates: 2015-05-07 - 2015-05-20

Client: Highways England Contractor: GEOTECHNICAL ENGINEERING LIMITED Project Engineer: SKANSKA

Plant Used: SPT Hammer Serial No:

Well	Water	Samples		Result	Depth (m)	Level (m)	Legend	Stratum Description	Depth m	
		Depth (m)	Type							
		0.0 - 0.2	B D	40		30.60		Firm dark grey CLAY with rare roots up to 5mm diam	0.5	
		0.5 - 0.7	B D							
		0.7 - 1.15 0.7 - 1.3	D X							
		1.3 - 1.33 1.33 - 1.4 1.4 - 2.5	X D C	250		30.15		Very stiff grey CLAY with rare gypsum crystals 1mm	1.0	
										1.5
		2.5 - 4.0	C	250				Hard Extremely weak fissured dark grey silty CLAY MUDSTONE	2.0	
										2.5
		4.0 - 5.5	C	300				Strong grey fossiliferous LIMESTONE with frequent off white and light grey circular 1 2mm diam and rectangular 5mm x 1 5mm fossil fragments and rare coarse gravel sized bivalve shells	3.0	
				3.5						
				4.0						
								Very stiff fissured grey CLAY	4.5	
					4.85	26.25				
					4.95	26.15				

IMPORTANT: This is a basic log auto-generated from AGS data held by the National Geoscience Data Centre (NGDC) and does not necessarily include all of the information supplied in the original AGS file. If you wish to deposit AGS files to the NGDC please see www.bgs.ac.uk/services/ngdc. Generated 07-09-2026 at 07:56. BGS Reference 2020020409472818231

Borehole Log

BH03

Page 2 of 3

Project Name: Area 2 - Golden Valley Bridge M5 J11 MP82/4 to MP82/6 +30m Project No: 30743

Borehole ID: BH03

Location: Area 2 - Golden Valley Bridge M5 J11 MP82/4 to MP82/6 +30m Co-ords (British National Grid): 389710.8 - 221155.531 Level: 31.1

Hole Type: RC Logged By: Dates: 2015-05-07 - 2015-05-20

Client: Highways England Contractor: GEOTECHNICAL ENGINEERING LIMITED Project Engineer: SKANSKA

Plant Used: SPT Hammer Serial No:

Well	Water	Samples		Result	Depth (m)	Level (m)	Legend	Stratum Description	Depth m
		Depth (m)	Type						
		5.5 - 7.0	C	375	5.10	26.00		Very stiff fissured grey CLAY	5.5
		7.0 - 8.5	C	500				Weak grey MUDSTONE Fractures are horizontal closely and medium spaced planar rough and clean Locally decomposed to firm grey clay 15 25mm thick	6.0
									6.5
									7.0
								Weak grey MUDSTONE Fractures are horizontal extremely closely and very closely spaced planar rough Locally decomposed to firm dark grey clay 10mm thick	7.5
					7.90	23.20			8.0
					8.20	22.90			8.5
		8.5 - 10.0	C	750				Medium strong dark grey MUDSTONE Fractures are horizontal very closely to medium spaced planar rough locally smooth and clean Locally with a slight soft grey clay infill up to 2mm	9.0
									9.5

750

IMPORTANT: This is a basic log auto-generated from AGS data held by the National Geoscience Data Centre (NGDC) and does not necessarily include all of the information supplied in the original AGS file. If you wish to deposit AGS files to the NGDC please see www.bgs.ac.uk/services/ngdc. Generated 07-09-2026 at 07:56. BGS Reference 2020020409472818231

Borehole Log

BH03

Page 3 of 3

Project Name: Area 2 - Golden Valley Bridge M5 J11 MP82/4 to MP82/6 +30m Project No: 30743

Borehole ID: BH03

Location: Area 2 - Golden Valley Bridge M5 J11 MP82/4 to MP82/6 +30m Co-ords (British National Grid): 389710.8 - 221155.531 Level: 31.1

Hole Type: RC Logged By: Dates: 2015-05-07 - 2015-05-20

Client: Highways England Contractor: GEOTECHNICAL ENGINEERING LIMITED Project Engineer: SKANSKA

Plant Used: SPT Hammer Serial No:

Well	Water	Samples		Result	Depth (m)	Level (m)	Legend	Stratum Description	Depth m
		Depth (m)	Type						
		10.0 - 11.5	C	750				Medium strong dark grey MUDSTONE Fractures are horizontal very closely to medium spaced planar rough locally smooth and clean Locally with a slight soft grey clay infill up to 2mm	10.5
		11.5 - 13.0	C	750	11.75	19.35			11.5
					12.00	19.10		Medium strong dark grey MUDSTONE Fractures are extremely to very closely spaced horizontal planar smooth and clean	12.0
				**	13.00	18.10		Medium strong becoming strong grey MUDSTONE Fractures are closely and medium spaced horizontal planar and curvi planar rough and clean	13.0
									13.5
									14.0
									14.5

IMPORTANT: This is a basic log auto-generated from AGS data held by the National Geoscience Data Centre (NGDC) and does not necessarily include all of the information supplied in the original AGS file. If you wish to deposit AGS files to the NGDC please see www.bgs.ac.uk/services/ngdc. Generated 07-09-2026 at 07:56. BGS Reference 2020020409472818231

GENERAL REMARKS

EQUIPMENT: Geotechnical P60 Slope Climbing rig. METHOD: Hand dug inspection pit 0.00-0.70m. Dynamic sampled (98mm) 0.70-1.30m, (74mm) 1.30-1.33m and (113mm) 1.33-1.40m. Waterflush rotary core drilled (116mm) 1.40-13.00m. CASING: 140mm diam to 1.20m. BACKFILL: On completion, hole backfilled with bentonite pellets and arisings.