
OSP Software Troubleshooting - Can't Open Installer Window


Refer to this section if you don't see the OSP installer window open, and instead see an "Unidentified Developer" message in installation step 4 of the "OSP Software Quick Start Guide - Release 2020B".

If you received the message, that means you need to change permissions on your computer to allow the installer to run.




1. Open System Preferences


Press command + space to open Spotlight Search and start typing "system preferences".




2. Go to "Security and Privacy"



3. In the "General" tab, you should see the "unidentified developer" message here as well. Click the "Open Anyway" button.




4. If you receive this popup, confirm by pressing the "Open" button.



5. You should see this installer window opened.

Return to installation step #4 in the "OSP Software Quick Start Guide".




OSP Software Troubleshooting - Terminal Tabs Won't Open


Refer to this section if the five terminal tabs don't open when you enter the "run_osp" command during installation step 5 of the "OSP Software Quick Start Guide - Release 2020B".

1. Open System Preferences


Press command + space to open Spotlight Search




2. Go to "Security and Privacy"




3. Go to the "Privacy" Tab. On the left sidebar, scroll down to "Accessibility", then click on the lock icon at the bottom.




4. Use Touch ID or enter your password to unlock these settings.




5. Click on the checkbox next to Terminal to enable Terminal access. You should see a checkmark.




6. Go to the left sidebar again and scroll to "Automation". Click on the checkbox next to "System Events.app".



7. Go to the left sidebar again and scroll to "Microphone". Check and/or click the checkbox next to "Terminal" to enable the Terminal access to the Microphone.



8. Click on the lock icon to save these changes. Return to step 5 of "OSP Software Quick Start Guide" and enter "run_osp" again.



maynephung — -bash — 80×24 ...

start-ews ..tart-ews-php ... Last login: Mon Dec 7 13:05:07 on ttys004 You have new mail. The default interactive shell is now zsh. To update your account to use zsh, please run `chsh -s /bin/zsh`. For more details, please visit https://support.apple.com/kb/HT208050. MacBook-Pro:~ waynephung\$ run_osp Setting OSP_MEDIA to /Library/OSP/1.2.3/release/media Running all processes in Terminal tabs. If you get 'execution error: Not authorized to send Apple events.. Then you must goto Sytem Preferences -> Security & Privacy -> Privacy -> Automation and check the Terminal/System Events checkbox. Sytem Preferences -> Security & Privacy -> Privacy -> Accessibility and check the Terminal box Warning: closing tabs may not stop the running process. tab 1 of window id 113384 tab 1 of window id 113386 tab 1 of window id 113388

Links to Other Resources

Getting Started Guides

Below are links to two guides that extensively cover the installation steps, troubleshooting steps, and sanity checks for OSP.

OSP Software Getting Started Guide

OSP Hardware Getting Started Guide

Sanity Check Guides

Below are links to three other guides to help you check that OSP software is working.

Audio Input and Output Sources

Node.js Version of EWS

PHP/Laravel Version of EWS

OSP Website

of OSP hardware and software features. View general information of what OSP is.

See the people who have previously and are currently contributing to OSP.

Read the latest release notes and development

OSP Forum

An upcoming online community to connect audiologists, hearing aid

researchers, and other people using OSP. Anyone can search and read OSP

documentation and OSP-related topics.

Once you make a new account, you'll be able to make new forum topics, communicate issues, and make

suggestions to OSP features.