

PhantomBuster Deep Research Report

Architecture · Pricing · Weaknesses · Clone Stack · Build Roadmap

Prepared for PRD → Production Clone

Author	Nihal Mishra — Markeye
Date	May 17, 2026
Classification	Internal — Confidential
Goal	Build self-hosted PhantomBuster clone, own the stack

01 — What Is PhantomBuster?

PhantomBuster is a cloud-based web automation and lead extraction SaaS launched in 2016. It serves 2.5M+ users running 270,000+ automations daily across LinkedIn, Twitter/X, Instagram, Facebook, Google Maps, Reddit, and more. The core idea is simple: simulate human browser actions on websites — scraping profiles, sending connection requests, enriching contact data — without using official platform APIs.

Core Architecture (How It Actually Works)

PhantomBuster does NOT use platform APIs. It runs a headless Chrome/Chromium browser in the cloud authenticated via your session cookie (li_at for LinkedIn). Every action — visiting a profile, clicking 'Connect', sending a message — is a browser simulation.

Layer	What It Does	Tech Under the Hood
Browser Engine	Simulates real user in Chrome	Headless Chromium + CDP
Session Auth	Logs in as you via cookies	li_at / session_key cookie injection
Stealth Layer	Evades bot detection	UA spoofing, randomized delays, IP rotation
Task Scheduler	Queues & runs Phantoms	Cloud job queue (execution hours model)
Data Store	Stores extracted lead data	CSV/JSON output + CRM sync via Zapier/n8n
API Layer	External access to results	REST API with JSON
Credit System	Tracks email enrichment	Email/AI/URL finder credits

Phantom vs Workflow — Key Concepts

Phantom = a single-task automation (e.g. 'LinkedIn Profile Scraper'). One Phantom occupies one slot in your plan. 100+ Phantoms available covering LinkedIn, Instagram, Twitter, Google Maps, etc.

Workflow = chain of multiple Phantoms. E.g.: Scrape profiles → Enrich emails → Send connection requests → Follow-up message. This is where real power lies.

■ **Detection risk: PhantomBuster runs from datacenter IPs. LinkedIn's anti-bot system scores IP type + browser fingerprint + timing patterns. Datacenter IP = high risk score.**

02 — Pricing Model & Hidden Costs

PhantomBuster uses a usage-based subscription model built around 3 core resources: Execution Hours, Phantom Slots, and Credits. ALL three reset monthly. Unused credits expire. This is their core monetization lever — you run out mid-month on the cheapest plan extremely fast.

Plan Breakdown (as of May 2026)

Plan	Price/mo	Exec Hours	Slots	Email Credits	AI Credits
Starter	\$69	20 hrs	5	500/mo	Limited
Pro ■	\$159	80 hrs	15	30,000/mo (AI)	Yes
Team	\$439	300 hrs	50	10,000 emails	Full
Trial	Free 14d	~60 hrs total	5	Limited	No

Annual billing = ~20% discount. Up to 100 workspace members on any plan (shared resources).

The Real Cost Trap

20 execution hours sounds like a lot. It is NOT. A mid-volume LinkedIn campaign (profile scraping + connection requests + follow-up messages) burns 20 hours in under a week. Power users immediately hit the \$159 Pro plan.

- Billing is per execution time — errors and retries STILL consume hours
- No credit rollover — unused hours vanish at month-end
- Complex workflows can consume 2 slots instead of 1 (hidden slot cost)
- Email enrichment = separate credits, depletes independently of exec hours
- Agency use = per-workspace pricing, expensive to scale to multiple clients

Our Clone Pricing Advantage

Component	SaaS Cost	Self-Hosted Cost
Automation engine	Phantombuster \$69–439/mo	Playwright — \$0
Scheduling	Included in plan	n8n self-hosted — \$0
Lead DB / CRM	Basic CSV export	Supabase free tier — \$0
Proxy (residential)	Included (datacenter IPs)	Decodo/Smartproxy \$14–30/mo
VPS hosting	N/A (their cloud)	Hetzner/DO \$5–10/mo
LLM personalization	\$159+ plan	Claude/Groq API — pay per use

Component	SaaS Cost	Self-Hosted Cost
TOTAL	\$69–\$439/mo	\$20–50/mo (own it forever)

03 — Pros, Cons & Weaknesses

PhantomBuster Strengths

- ✓ 100+ pre-built Phantoms — huge automation library, works across 15+ platforms
- ✓ No-code interface — non-technical users can run campaigns in minutes
- ✓ Cloud execution — runs 24/7 without your machine being on
- ✓ REST API access — can be integrated into external stacks via Zapier/n8n/API
- ✓ Workspace model — up to 100 team members share one subscription (no per-seat fee)
- ✓ G2 rating 4.4/5 — proven product with real user satisfaction
- ✓ CSV/JSON export — data portability built-in
- ✓ HubSpot/Salesforce/Pipedrive native integration on higher plans
- ✓ AI-powered Phantoms added in 2024/25 — auto-personalization at scale

PhantomBuster Weaknesses

- ✗ Datacenter IPs — LinkedIn detects them; account ban risk is HIGH (not if, when)
- ✗ Cookie-based auth — li_at expires, requires daily refresh; fragile at scale
- ✗ Execution hour pricing — burn rate unpredictable; mid-month lock-outs common
- ✗ No credit rollover — unused hours wasted every month
- ✗ Limited customization — pre-built Phantoms can't be deeply modified
- ✗ Learning curve — chaining Phantoms into Flows is confusing for new users
- ✗ Not built for AI agent workflows — requires middleware for intelligent automation
- ✗ Expensive for agencies — per-workspace model, can't white-label natively
- ✗ LinkedIn-specific features are weak vs dedicated tools (LinkedHelper, Expandi)
- ✗ Support limitations — Starter plan gets minimal support
- ✗ No multi-account safe management — one account per session cookie set
- ✗ Blank field handling in templates — leaves gaps if data is missing

Market Sentiment Summary

G2 / Capterra reviews converge on three themes: (1) It saves enormous time when it works. (2) The LinkedIn ban risk is real and under-communicated. (3) The pricing model is frustrating — users constantly run out of hours. This creates the exact market gap our clone exploits.

■ **KEY INSIGHT: Users aren't abandoning PhantomBuster because it fails — they're abandoning it because they don't want to pay \$159+/mo for a tool they technically could run themselves. That's our ICP.**

04 — Technical Internals & Clone Architecture

How PhantomBuster Executes Phantoms (Internal Flow)

1. **Auth** — User provides li_at cookie (LinkedIn session). PB injects it into a fresh Chromium instance.
2. **Launch** — Headless Chrome launches with custom User-Agent, viewport, timezone to mimic real device.
3. **Navigate** — Browser navigates to target URL (LinkedIn search, profile, post, etc.)
4. **Extract** — DOM is parsed via jQuery evaluation — structured data extracted from page elements.
5. **Rate Limit** — Randomized delays (1-5s) injected between actions to mimic human behavior.
6. **Store** — Results written to CSV/JSON. Available via API or dashboard download.
7. **Webhook** — Optional Zapier/n8n/webhook trigger fires on completion.

Detection Surface (LinkedIn Anti-Bot Signals)

LinkedIn scores each session against these signals — ANY combination triggers restriction:

Signal	PhantomBuster Risk	Our Clone Solution
IP Type	HIGH — datacenter IP	Residential proxy (Decodo/Brightdata)
WebDriver flag	MEDIUM — headless detection	puppeteer-extra-stealth plugin
Canvas fingerprint	MEDIUM — generic headless	Fingerprint randomization
Timing patterns	LOW — has randomization	Human-like jitter (1-8s delays)
Session cookie age	HIGH — daily refresh needed	Persistent session management
Action volume	HIGH if misconfigured	Configurable daily limits (<100 req/day)
Browser history	HIGH — blank for headless	Warm-up profile with history

Clone Tech Stack (Production-Ready)

This is the exact stack to build our Phantombuster clone:

Layer	Tool	Why	Cost
Browser Automation	Playwright + stealth	Cross-browser, Python-native, stealth plugins	Free
Stealth/Fingerprint	playwright-stealth / rebrowser-patches	Defeats navigator.webdriver, CDP detection	Free

Layer	Tool	Why	Cost
Proxy Rotation	Decodo (Smartproxy)	115M+ residential IPs, \$3.90/GB starter	\$14–30/mo
Scheduling/Orchestration	n8n (self-hosted)	Visual workflows, webhook triggers, already deployed	Free
Lead CRM / Database	Supabase	Postgres, REST API, already on stack	Free tier
AI Personalization	Claude API (claude-haiku-4-5)	Message personalization, lead scoring	Pay-per-use
Session Management	Redis (Upstash)	Cookie storage, session persistence across runs	Free tier
Job Queue	BullMQ (Node) or Celery (Python)	Async task execution, retry logic	Free
API Layer	FastAPI	REST endpoints to trigger runs, get results	Free
VPS	Hetzner CX21 or DigitalOcean \$10	2GB RAM sufficient for Playwright	\$5–10/mo
Dashboard UI	Next.js or simple React + Supabase	Campaign manager, lead viewer	Free/Vercel
Email Enrichment	Apollo free tier / Hunter.io / Anymailfinder	Email from LinkedIn profile	Free/cheap
CAPTCHA Solving	2Captcha / AntiCaptcha	If triggered, auto-solve	\$2–5/mo

05 — Open Source Foundations to Fork

Primary Fork: OpenOutreach

github.com/eracle/OpenOutreach — Python, MIT licensed. The closest open-source PhantomBuster clone available. Already production-tested.

Feature	Status
LinkedIn automation via Playwright + stealth	✓ Built-in
LLM-powered lead discovery (no CSV needed)	✓ Built-in (GPT/Claude-compatible)
Connection request with Jinja2 templating	✓ Built-in
DjangoCRM web interface	✓ Built-in
Gaussian Process model for ICP learning	✓ Built-in
Proxy support	✗ Needs adding
Multi-campaign management	✗ Needs adding
n8n webhook integration	✗ Needs adding
Email enrichment pipeline	✗ Needs adding
Supabase backend	✗ Replace Django DB

Other Critical Repos

[puppeteer-extra](#) / [playwright-extra](#)

github.com/berstend/puppeteer-extra

Stealth plugin ecosystem — essential for bot detection evasion

[browser-use](#)

github.com/browser-use/browser-use

AI-controlled browser agent (Python). Better for intelligent multi-step flows

[Stagehand](#)

github.com/browserbase/stagehand

Node.js AI browser framework. GPT/Claude integration for page reasoning

[Apify SDK](#)

github.com/apifytech/apify-js

Full scraping platform SDK. Actor marketplace concept — clone the modular Phantom idea

mcp-phantombuster

github.com/globodai-group/mcp-phantombuster

MCP server wrapping PhantomBuster API — study their endpoint design for cloning

06 — Build Roadmap (Markeye Clone)

Phase 1 — Core Engine (Day 1: 4–8 hrs)

Goal: Working LinkedIn automation that sends personalized connection requests.

- Fork OpenOutreach → remove Django → replace with FastAPI + Supabase
- Wire residential proxy (Decodo) into Playwright config
- Test stealth: verify navigator.webdriver = false on LinkedIn
- Run first campaign: 10 connection requests with Claude-personalized messages
- Store results in Supabase leads table
- Expose n8n webhook trigger (campaign_id → run automation)

Phase 2 — Campaign Manager (Day 2: 4–6 hrs)

- Multi-campaign support: create/pause/resume campaigns via API
- Daily limit enforcement: configurable cap per LinkedIn account
- Session persistence: store li_at in Redis (Upstash), auto-detect expiry
- Error handling: auto-retry on soft blocks, alert on hard ban
- Message sequencing: connect → wait 24hr → follow-up DM
- CSV import: bulk lead upload as fallback to AI discovery

Phase 3 — Email Enrichment + AI Layer (Day 3: 4–6 hrs)

- Email enrichment: integrate Apollo free API / Hunter.io per-profile
- Claude AI scoring: qualify leads vs ICP before sending request
- Personalization engine: scrape profile data → generate custom message via Claude
- Warm-up mode: gradually increase daily limits over 7 days for new accounts
- Workflow chaining: scrape → enrich → score → connect → follow-up (full Phantom chain)

Phase 4 — Dashboard + Productize (Day 4–5)

- React dashboard: campaign overview, lead table, reply tracking
- White-label wrapper: per-client instance setup (for agency delivery)
- Webhook output: push qualified leads to client CRM / Slack / email
- Auth layer: per-user API keys, rate limits
- Packaging: Docker Compose (Playwright + FastAPI + Redis + n8n) — 1-command deploy
- Docs: README + Loom walkthrough for client handoff

Timeline Summary

Phase	Focus	Hrs	Deliverable
Phase 1	Core engine	4–8	Working automation sending connections
Phase 2	Campaign manager	4–6	Multi-campaign, rate limits, session mgmt
Phase 3	AI enrichment	4–6	Full scrape→enrich→connect→followup chain
Phase 4	Dashboard + ship	8–12	Productized, white-labeled, client-ready
TOTAL	—	20–32 hrs	Production PhantomBuster clone

07 — Differentiation & Monetization

Our Clone vs PhantomBuster — Differentiation

Feature	PhantomBuster	Markeye Clone
IP type	Datacenter (HIGH ban risk)	Residential (LOW ban risk)
Auth model	Cookie refresh daily	Persistent session + auto-refresh
AI personalization	Add-on credits	Native Claude integration
Lead scoring	None	Claude-powered ICP scoring
Self-hosted	No (their cloud)	Yes — client owns infra
White-label	No	Yes — per-client deployment
Pricing model	\$69–439/mo SaaS	One-time setup fee + infra cost
Multi-platform	Yes (100+ Phantoms)	LinkedIn-first, expandable
n8n integration	Requires Zapier (paid)	Native — built-in
Customization	Limited (pre-built only)	Full code access

Monetization Models

Internal Tool (Phase 0)

Use for Markeye's own outreach. Save \$159/mo. Prove it works. Build case study.

Client Zero DFY (\$2,500–5,000)

Deploy for 1 agency/SaaS client. Run their LinkedIn outreach as a managed service.

White-label Setup (\$4,500 one-time)

Install on client's VPS, train them, hand off. Include 30-day support.

Retainer (\$1,500–3,000/mo)

Run campaigns for clients monthly. Leads-per-month SLA model.

Product (\$49–149/mo SaaS)

Multi-tenant version. Sell seats. Self-service dashboard. Scale beyond agency.

■ **Revenue math: 5 white-label clients at \$4,500 = \$22,500. Then 10 retainer clients at \$2,000/mo = \$20,000 MRR. This single product hits your 90-day \$10K target.**

08 — Risks & Mitigations

Risk	Severity	Mitigation
LinkedIn bans client account	HIGH	Residential proxies + rate limiting + warm-up. Stay under 80 connections/day.
LinkedIn ToS violation	MEDIUM	Disclaim in client contract. Same risk PB users accept.
Playwright detected by LinkedIn	MEDIUM	puppeteer-extra-stealth + fingerprint rotation + real browser profile warm-up
Proxy IP flagged	MEDIUM	Rotate IPs per session. Use sticky session only for same account.
li_at cookie expires	LOW	Auto-detect 401 response → alert user → re-auth flow
LinkedIn changes DOM structure	MEDIUM	Use LinkedIn internal API (Voyager) where possible — more stable than DOM scraping
Client scales too fast	HIGH	Enforce hard daily caps in config. Gradual ramp: 20 → 50 → 80/day over 14 days
Email enrichment accuracy	LOW	Use waterfall: Apollo → Hunter → Anymailfinder. Verify before sending.
Legal exposure (GDPR/India IT Act)	LOW	Only scrape public profile data. Don't store sensitive personal data without consent.

The IP Problem — The Real Moat

The single hardest problem in LinkedIn automation is IPs, not code. PhantomBuster fails here. Most DIY builders fail here. If you solve it (residential proxies + proper session management), you beat 90% of alternatives.

- Cheapest residential proxy: Decodo (Smartproxy) — starts at \$3.90/GB
- Low-volume LinkedIn use: 1–3 GB/month sufficient (~\$14–30/mo total)
- Alternative: Run on YOUR home IP via Raspberry Pi or laptop with cron — \$0 proxy cost
- For client deployments: always include residential proxy cost in pricing

09 — Quick Reference & Next Steps

Essential GitHub Repos

- github.com/eracle/OpenOutreach — PRIMARY FORK (Python, Playwright, DjangoCRM)
- github.com/berstend/puppeteer-extra — Stealth plugins (puppeteer-extra-plugin-stealth)
- github.com/microsoft/playwright — Core browser automation framework
- github.com/browser-use/browser-use — AI agent browser control (Python)
- github.com/browserbase/stagehand — LLM-native browser automation (Node)
- github.com/apifytech/apify-js — Modular scraping platform SDK
- github.com/globodai-group/mcp-phantombuster — MCP server for PB API (study for design)

Key Services & Pricing

Service	Purpose	Cost	Link
Decodo (Smartproxy)	Residential proxies	\$3.90/GB (\$75 min)	decodo.com
Brightdata	Residential proxies (enterprise)	\$5.88/GB+	brightdata.com
IPRoyal	Budget residential proxies	\$1.75–2.50/GB	iproyal.com
Upstash Redis	Session/cookie store	Free tier	upstash.com
2Captcha	CAPTCHA solving	\$0.50/1000	2captcha.com
Hunter.io	Email enrichment	25 free/mo	hunter.io
Apollo.io	Email + phone enrichment	Free tier (limited)	apollo.io
Anymailfinder	Email enrichment waterfall	Pay-per-find	anymailfinder.com
Hetzner CX21	VPS for automation runner	~€4.15/mo	hetzner.com

Immediate Next Steps

- [] Clone OpenOutreach repo and run setup locally
- [] Sign up Decodo trial (free trial available) — get proxy credentials
- [] Configure Playwright + stealth plugin + proxy in OpenOutreach
- [] Test: visit 5 LinkedIn profiles, confirm no detection
- [] Replace DjangoDB with Supabase (leads table schema in PRD)
- [] Build n8n webhook trigger: POST /run-campaign → Playwright job
- [] First live campaign: 10 connections to target ICP, track results
- [] If successful: package into Docker Compose for client delivery

- [] Pitch to first client as 'custom LinkedIn automation infra' at \$2,500 setup

TOTAL SELF-HOSTED COST: ~\$20–50/mo vs PhantomBuster's \$69–439/mo

Markeye clone = same power + residential IPs + AI brain + zero SaaS dependency

Generated by Claude for Markeye — May 17, 2026 — Confidential