



Standard Schedules Information Manual

Issued March 2010



Standard Schedules Information Manual

Issued March 2010

NOTICE

DISCLAIMER. The information contained in this publication is subject to constant review in the light of changing government requirements and regulations. No subscriber or other reader should act on the basis of any such information without referring to applicable laws and regulations and/or without taking appropriate professional advice. Although every effort has been made to ensure accuracy, the International Air Transport Association shall not be held responsible for any loss or damage caused by errors, omissions, misprints or misinterpretation of the contents hereof. Furthermore, the International Air Transport Association expressly disclaims any and all liability to any person or entity, whether a purchaser of this publication or not, in respect of anything done or omitted, and the consequences of anything done or omitted, by any such person or entity in reliance on the contents of this publication.

© International Air Transport Association. All Rights Reserved. No part of this publication may be reproduced, recast, reformatted or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system, without the prior written permission from:

Senior Vice President
Marketing and Commercial Services
International Air Transport Association
800 Place Victoria
P.O. Box 113
Montreal, Quebec
CANADA H4Z 1M1

Table of Contents

	Page
Foreword	v
Summary of Changes	vi
Introduction	viii
The Objectives of the Manual	ix
The Benefits of Implementation	ix
Amendment Procedure	x
Description of the Contents — the Chapters	x
Appendices to the SSIM	xi
Attachments to the SSIM	xiii
 Chapter 1 — DEFINITIONS	 1
Chapter 2 — INFORMATION REQUIRED FOR STANDARD SCHEDULES	7
Chapter 3 — STANDARD PRINT LAYOUTS FOR SCHEDULES INFORMATION	101
Chapter 4 — STANDARD SCHEDULES MESSAGE PROCEDURE	105
Chapter 5 — AD HOC SCHEDULES MESSAGE PROCEDURE	163
Chapter 6 — AIRPORT COORDINATION/SCHEDULE MOVEMENT PROCEDURES	217
Chapter 7 — PRESENTATION AND TRANSFER OF A SCHEDULE DATA SET	365
Chapter 8 — EDIFACT PROCEDURES (This Chapter has been rescinded)	375
Chapter 9 — LEG SCHEDULE MESSAGE PROCEDURE (This Chapter has been rescinded)	377
 Appendix A — ATA/IATA Aircraft Types	 379
Appendix B — Meal Service Codes	409
Appendix C — Service Types	411
Appendix D — Passenger Terminal Indicators	413
Appendix E — Reject Reason	427
Appendix F — UTC — Local Time Comparisons and ISO Two Letter Country Codes ...	431
Appendix G — Traffic Restriction Codes Table	453
Appendix H — Explanatory Notes on SSIM Applications	457
Appendix I — Region Codes	505
Appendix J — Information Codes for Use in the Airport Coordination Process	521
Appendix K — General Aviation Slot Clearance Request	523
Appendix X — IATA PADIS XML Standards	533



Attachment 1 — SISC Participants	535
Attachment 2 — Participants in IATA Schedules Conferences	545
Section I — Airlines	545
Section II — Airport Coordinators and Schedules Facilitators	580
Section III — Non Airline Contacts	591
Attachment 3 — MCT Coordinator Contacts	593

FOREWORD

The Standard Schedules Information Manual (SSIM) is constituted under IATA Passenger Services Conference Recommended Practice 1761b that was declared effective on 01 July 1972.

The Manual is designed to help originators and recipients of schedule information in terms of electronic data processing and conventional manual message procedures. Its use is encouraged for all IATA Member airlines and their business partners as the standard for the exchange of scheduling information throughout the industry.

This issue of the Standard Schedules Information Manual (SSIM) is effective as of 01 March 2010.

This issue supersedes the October 2009 issue.

SSIM is published on a yearly basis in March.

Further information on SSIM, Schedules Information Standards Committee (SISC) and related scheduling matters can be obtained from the IATA Internet site at www.iata.org/sked.

△ SUMMARY OF CHANGES

Important Information

The following is a summary of the main enhancements reflected in this issue:

Chapter/Section	Explanation
Chapter 1	- Change of data element names and descriptions: <i>Code Sharing — Commercial Duplicate; Code Sharing — Shared Airline; Operating Airline disclosure — Code Share and/or Wet Lease</i> - Definition of XML included - Removal of terms related to EDIFACT
Chapter 2	- New note added to refer to Appendix H for Period of Schedule Validity - Change of data element names: <i>Code Sharing — Commercial Duplicate; Code Sharing — Shared Airline; Operating Airline disclosure — Code Share and/or Wet Lease</i> with additional examples and clarification of usage. - Note to clarify start of season - New code for Wi-Fi In-Flight Service - Removal of references to Chapter 8 — EDIFACT Procedures - Data Element Listing — Removal of data elements only pertinent to EDIFACT
Chapter 4	- Change of data element names: <i>Code Sharing — Commercial Duplicate; Code Sharing — Shared Airline; Operating Airline disclosure — Code Share and/or Wet Lease</i> - Editorial text changes for Passenger/Aircraft STA/STD.
Chapter 5	- Change of data element names: <i>Code Sharing — Commercial Duplicate; Code Sharing — Shared Airline; Operating Airline disclosure — Code Share and/or Wet Lease</i> - Editorial text changes for Passenger/Aircraft STA/STD.
Chapter 6	Editorial change of term Historical to Historic
Chapter 7	Editorial text changes for Passenger/Aircraft STA/STD.
Chapter 8	Removal of Chapter 8 — EDIFACT Procedures from SSIM
Chapter 9	Removal of Chapter 9 — Leg Schedule Message Procedure from SSIM

Chapter/Section	Explanation
Appendix A	New Aircraft Types — 75T; 76F; P18
Appendix C	Table format created for Servic Types
Appendix D	- Table format created for Passenger Terminal Indicators - New terminal codes: KBP Kiev Terminal F; SVO Moscow Terminal D, E, and F; BOD billi Terminal; VKO Terminal A; - Amended entries: FCO Rome - Deleted entries: DTW LC Smith Terminal and International Terminal; LHR Terminal 2; ACK Main Terminal and Continental Express Terminal - Reflects changes notified to airlines attending the Schedules - Conferences up to message APP/D/003/27OCT09
Appendix F	- Reflects changes notified to airlines attending the Schedules - Conferences up to message APP/F/019/15JAN10
Appendix H	- Clarification of code share explanatory notes for usage and examples - Editorial text changes for Passenger/Aircraft STA/STD - Text added to clarify usage of DST with end dates - Removal of references to Chapter 8 — EDIFACT Procedures
Appendix I	Amendments to existing Country names

To facilitate identification of changes from the previous issue, the position and kind of change is indicated by a symbol on the margin of the page.

When the change affects a major part or all of any chapter, appendix or page, the symbol will be placed at its heading.

If a change involves a single paragraph, sentence or line, the symbol will appear beside the item concerned.

The following symbols are used:

- — Revised and/or inclusion of additional text;
- △ — Editing change only;
- ⊗ — Deleted text, appears normally between two lines.

Any suggestions for changes or additional subjects that you would like to be incorporated into future editions, should be addressed to the IATA Management (E-mail: ssim@iata.org).

INTRODUCTION

Airline schedules data (timetable information) is distributed throughout the airline industry to a growing number of recipients such as airline reservations systems, timetable agencies, airline partnerships, traffic handling agencies, airport coordinators, air traffic control authorities and Government departments.

Airline schedules data is initially associated with airline reservations and ticketing systems and subsequently with the exchange of other data required for timetable planning and production, and for airline operational purposes.

It is recommended that at least 360 days of advance schedules data, including Minimum Connect Time data, should be distributed on an equal basis to all schedules aggregators, reservations and ticketing systems in which a carrier participates, to maximise the efficiencies of such systems.

Due to the ever-increasing volume of data being exchanged, the industry requires speedier and more efficient methods of exchanging this data.

The airlines considered it essential that compatible timetable systems needed to be developed to ensure that airline timetable information was exchanged on a cost-effective basis within the airline industry. As such, all parties have needed to make use of computer facilities and established procedures to ease the burden of handling the significant amounts of data being exchanged within the industry.

To facilitate the exchange of data, the IATA Member Airlines initiated the development of an official set of Recommended Practices to guide the industry along mutually compatible lines for schedule data handling procedures. These Recommended Practices and associated industry code sets are published in the Standard Schedules Information Manual (SSIM).

The responsibility for maintaining the Standard Schedules Information Manual (SSIM) is mandated to the Schedules Information Standards Committee (SISC).

The Schedules Information Standards Committee (SISC) is established by the IATA Passenger Services Conference (PSC) with the following terms of reference:

- Develop and maintain a set of common standards for the exchange of schedule data, including industry standard code sets for a variety of schedule related data elements;
- Disseminate and encourage the use of common schedule data handling procedures and standard formats for the exchange of schedule information as published in the Standard Schedules Information Manual (SSIM);
- Liaise with other IATA committees and working groups, in particular the Schedule Policy Working Group (SPWG), as well as other organisations as appropriate to meet changing industry requirements and to further the objectives of the SISC;
- The Joint Schedules Advisory Group (JSAG) will ensure formal liaison between the airport coordinator community and SISC;
- SISC will provide an annual report to the PSC comprising all proposed and adopted changes to SSIM. In addition a written report of the work of SISC will be made to the Heads of Delegation Meeting of the regularly scheduled IATA Schedules Conferences;
- The PSC will be responsible for final endorsement of proposed changes to SSIM;
- Participation is by schedules specialists from IATA airlines and industry experts in the IATA Strategic Partnership programme;
- A rapporteur will be established to provide liaison for non-IATA airlines participating in the Schedules Conference;
- Airport Coordinators participating in the IATA Schedule Conference are invited to participate in SISC.

The Objectives of the Manual

The primary objective of the Manual is to provide the airline industry with an official set of neutral Recommended Practices to guide the industry along mutually compatible lines in the development of schedule data handling procedures.

The secondary objective is to achieve the highest possible degree of standardisation in technique, format and conventions and to incorporate, to the maximum possible extent, all relevant IATA standards and Recommended Practices in common use.

The Manual does not dictate the way in which airlines, or other organisations, should handle their own internal schedule information. It aims to set common standards for external exchanges; each individual organisation will determine the extent to which it will adopt SSIM standards internally.

It is very important to maintain a degree of flexibility of expression in all the media described in the subsequent Chapters. Rigid rules describe the presentation of the fixed basic data elements, but provision has been made for the inclusion of additional explanatory data in Variable Data Elements. This facilitates clarification or enlargement of the fixed data, or the addition of specialised information not otherwise allowed for in the SSIM standards. It is believed that this will help many potential users.

The ultimate objective, of course, is that the Manual should be widely disseminated and used throughout the world. IATA is actively pursuing this aim and a growing number of airlines and agencies have already implemented many of the recommendations in the Manual.

The Benefits of Implementation

As increasing use is made of these practices, significant benefits will accrue to the industry; some of these are:

- (a) faster more efficient input procedures will save manpower and time for both airlines and agencies;
- (b) timetable agency publication lead times will reduce making it possible to include more up-to-date information;
- (c) the “down” time of computer reservations systems for updating processes will be very greatly reduced;
- (d) new season’s timetables will be processed faster and more accurately and can be updated much more efficiently;
- (e) airlines or agencies with computer facilities adapted to handle information in the standard format will be able to process and forward this information on behalf of airlines which do not have such facilities;
- (f) the wider the recommended practices are implemented, the more feasible it becomes to set up schedule data banks for many analytical purposes;
- (g) the exchange and consolidation of computerised timetable data will greatly facilitate operational control, airport and airspace coordination, both on a day-to-day basis and for future seasons. This will also facilitate fast-time ATC Simulation.

This Manual is the first step towards realisation of these benefits that are considered essential for maximum efficiency and cost effectiveness in the air transport industry.

Note: All SSIM Chapters provide for the use of three-letter Airline Designators.

Amendment Procedure

The following is the procedure for introducing and adopting amendments to the Standard Schedules Information Manual (SSIM).

Proposed changes and additions shall be addressed to the IATA Management (E-mail: ssim@iata.org) for consideration by the Schedules Information Standards Committee (SISC). SISC Participants are listed in Attachment 1.

Proposed amendments to SSIM will be discussed and agreed by SISC and will be submitted to the PSC for endorsement.

SSIM amendments will be circulated to the PSC accredited representative list who will be given 30 days to comment on any proposal. If a majority of the industry representatives agreed with the standards they will be adopted.

Additionally, a report on the amendments to SSIM agreed by SISC will be submitted to JSAG.

All agreed amendments become effective on the date recommended and shall be published in the next issue of SSIM.

A minimum of six months notice shall normally be provided for major amendments. However, circumstances beyond the control of SISC (for example, new legal regulations) may arise which dictate a shorter period of notice.

Amendments to Appendix A (ATA/IATA Aircraft Types) shall be advised to the IATA Management (Email: SSIM@iata.org).

Description of the Contents — the Chapters

Chapter 1: Definitions

Chapter 2: Information Required for Standard Schedules

The elements of information essential for the full presentation of airline schedules, are set out in alphabetical order. Construction rules are described and subsequent chapters deal with the formatting of these elements in order to perform specific data transmittal functions.

Chapter 3: Standard Print Layouts for Schedules Information

Two examples of layouts are shown. One of these illustrates a horizontal presentation, which best suits single sector operations, while the other shows a vertical presentation more suitable for multi-sector operations.

These presentations serve as examples of how the minimum data requirements of printed schedules can be arranged to create printed schedules used for interline exchange, information and working purposes, particularly at IATA Schedules Conferences.

Chapter 4: Standard Schedules Message Procedure

Some schedule information is passed between airlines and to timetable agencies by telegraph message. The standard telegraph message format described is mainly used for amendment to previously disseminated schedules; such amendments may cover long term or short term periods.

The format, although primarily aimed at automated handling, can also be manually interpreted and will be of more general interest, since the recommended practice is not dependent on automation.

Chapter 5: Ad Hoc Schedules Message Procedure

This is an extension of Chapter 4, to cover “ad hoc” or “occasional” changes to established and previously disseminated schedules, but which affect a flight on single dates. Such an “ad hoc” change of plan may be notified at any stage in advance of the operation and may refer to an “extra” flight.

In the case of a previously advised flight, it may reflect the cancellation of the whole or part of a flight, or a change of routing, timing, equipment or configuration.

The telegraph message formats described in this chapter are intended to cover a wider variety of planning and operations control functions than are necessary in the case of the more basic schedule changes covered in the previous chapter.

It should be noted that procedures for the reporting of unplanned eventualities such as diversions are covered in the IATA Airport Handling Manual.

Chapter 6: Airport Coordination/Schedule Movement Procedures

Standard procedures are recommended where it is necessary to obtain clearance or provide information of schedule times of arrival and departure.

Submissions may be by telegraph message or hard copy format. A standard layout, which covers both telegraph and manual presentation, is described.

Chapter 7: Presentation and Transfer of a Schedule Data Set

The current standards to be applied for the exchange of complete schedules for processing by computerized systems are described.

It is used as the main method of bulk transfer of full schedules between those airlines and agencies who are developing schedule databases and scheduling systems, built around the use of computers.

This schedule transfer also involves other organisations, such as air traffic control authorities and timetable agencies.

Appendices to the SSIM

Appendices cover the basic table data commonly employed in airline scheduling and general information which users will find useful.

Appendix A — ATA/IATA Aircraft Types

This comprises encoding and decoding lists for current (and future) operational aircraft. The codes are the standard ATA/IATA 3-character codes.

In normal circumstances the Subtype Code should be used. However, this does not preclude the use of the more commonly understood General Designator for publication purposes.

Appendix B — Meal Service Codes

Coding of the Meal Service Codes that indicate meal services provided on each flight leg.

Appendix C — Service Types

Coding list of the Service Types for the classification of a Flight or Flight Leg as well as the type of service provided.

Appendix D — Passenger Terminal Indicators

Coding of Passenger Terminals at airports having more than one terminal.

Appendix E — Reject Reason

Standard texts to be used as Reject Reason on SSM and ASM messages.

Appendix F — UTC – Local Time Comparisons and ISO Two Letter Country Codes

The time differences from UTC for all countries of the world are summarised. The list includes the periods of validity of Daylight Saving Time where applicable.

The list is updated periodically.

This Appendix includes ISO 2-letter country codes, and a decoding list (ISO 3166, as amended).

Appendix G — Traffic Restriction Codes Table

Coding of all Traffic Restriction codes and their associated appropriate texts.

Appendix H — Explanatory Notes on SSIM Application

Currently this Appendix gives the user of SSIM useful information on how to deal with the following subjects:

- Ad Hoc Schedules Messages in the Operations Control Environment
- Airline Seating Description
- Clearances/Movement Advices for Flights Partly out of Scheduling Season
- Commercial Agreements Between Two or More Airlines
- Daylight Saving Time
- Defaults
- Duplicate Flight Legs
- Electronic Ticketing Information
- Fictitious Points
- Legs/Segments
- Minimum Connecting Time
- Partial Cancellation of Flights
- Partnership Specification
- Time Mode
- Traffic Restriction Codes D, E and G
- Traffic Restriction Code Qualifiers 710-712
- Train Stations at Multi-Terminal Airports
- Withdrawal of Ad Hoc Schedule Changes

Appendix I — Region Codes

Coding of Region Codes, and the Countries and US States that constitute these Regions.

This Appendix includes ISO 2-letter country codes and IATA TC areas.

Appendix J — Information Codes for Use in the Airport Coordination Process

Coding of Information Codes for Additional Information Codes, Coordinator Reason Codes (SAL/SAQW/SCR) and Coordinator Reason Codes (SHL).

Appendix X — IATA PADIS XML Standards

References to IATA PADIS XML Standards.

Attachments to the SSIM

Attachment 1 — SISC Members and Observers

A list of the names, titles and contact details of airline and non-airline participants to the Schedules Information Standards Committee (SISC).

Attachment 2 — Participants in IATA Schedules Conferences

A list of the names, titles and contact details of participants in IATA Schedules Conferences in three Sections:

Section I — Airlines

Section II — Airport Coordinators and Schedules Facilitators

Section III — Non-Airline Contacts

Attachment 3 — MCT Coordinator Contacts

A list of names, titles and contact details of Minimum Connecting Time Coordinators of scheduled carriers.



CHAPTER 1 — DEFINITIONS

1.1 Definitions

‘AD HOC SCHEDULE’ — A variation, addition or cancellation from the basic schedule of one or more flights on single dates.

‘ADMINISTRATING CARRIER’ — The airline that has the financial and commercial responsibility of a flight and that may or may not be the Operating Carrier.

‘AHC’ — Airport Handling Committee (IATA).

‘AHM’ — Airport Handling Manual (IATA).

‘AIRCRAFT’ — A transport vehicle which is certified as airworthy by a competent aeronautical authority. As used herein, the definition may include surface vehicles, the bookings and traffic handling for which are dealt with in a similar manner to that used for aircraft.

‘AIRCRAFT CONFIGURATION’ — Planned utilisation layout of aircraft interior space.

‘AIRIMP’ — Reservations Interline Message Procedures’ — Passenger (ATA/IATA).

‘ALL-CARGO AIRCRAFT’ — A version of an aircraft type which carries cargo and mail only.

‘ARINC’ — Aeronautical Radio Incorporated.

‘ATA’ — Air Transport Association of America.

‘BASIC SCHEDULE’ — The planned regularly operated flights of an airline.

‘BOARD POINT’ — Station of embarkation.

‘BOOKING’ — See RESERVATION.

‘BULKHEAD’ — A rigid partition.

‘BUSINESS DAYS’ — In the context of Airport Coordination/Advice Procedures, business days refers to business days in the country of the message originator.

‘CABIN’ — A compartment where passenger seats are installed.

‘CARGO’ — Any goods carried on an aircraft and covered by an air waybill.

‘CHANGE OF EQUIPMENT EN ROUTE’ — A scheduled change of aircraft, occurring one or more times en route, but identified by one Airline Designator/Flight Number between the Station of origin and the Station of final destination.

→ *For further guidance, see also Appendix H: Duplicate Flight Legs.*

‘CHANGE OF GAUGE EN ROUTE’ — See CHANGE OF EQUIPMENT EN ROUTE.

‘CITY PAIR’ — See SEGMENT.

‘CLASS’ — Seating of passengers based on fare paid or facilities and services offered.

‘CODE SHARE FLIGHT’ — A generic term referring to various types of operational or commercial △ arrangements between two or more airlines. See OPERATING AIRLINE DISCLOSURE — CODE SHARE or OPERATING AIRLINE DISCLOSURE — SHARED AIRLINE OR WET LEASE DESIGNATION.

‘COMMERCIAL DUPLICATE’ — Refer to OPERATING AIRLINE DISCLOSURE — CODE SHARE. △

‘COMPARTMENT’ — A space designated within the aircraft for the carriage of passengers or deadload.

'COMPOSITE FLIGHT' — A flight composed of two or more member flights of any type, but which is identified with an Airline Designator/Flight Number combination different from any of its member flights.

→ *For further guidance, see also Appendix H: Duplicate Flight Legs.*

'CONDITIONAL' — The status of a data element, composite data element, simple data element or component data element, marked C, which becomes mandatory under certain circumstances which have to be specified. May be omitted if these circumstances do not prevail.

'CONFIGURATION' — See AIRCRAFT CONFIGURATION.

'CONNECTION' — (Also known as TRANSFER) The ability to transfer passengers, baggage, cargo or mail from one flight to another within a reasonable time period. On-line connections concern transfers between flights of the same airline designator and interline connections between flights of different airline designators.

'CONTAINER' — See UNIT LOAD DEVICE.

'COORDINATED AIRPORT (LEVEL 3)' — An airport where, in order to land or take off, during the periods for which it is coordinated, it is necessary for an air carrier or any other aircraft operator to have a slot allocated by a coordinator.

'COORDINATOR' — Natural or legal person with detailed knowledge of airline scheduling coordination, responsible for the allocation of slots at a coordinated airport.

'DATA' — A representation of facts, concepts or instructions in a formalised manner suitable for communication, interpretation or processing by human beings or by automatic means.

'DATA ELEMENT' — A data element is a sequence of alpha-numeric characters which, depending on their specific context and position, has a unique meaning, e.g. Flight Designator, Days of Operation.

'DOMESTIC FLIGHT LEG' — A flight between two stations to which the same ISO country code applies.

'DUPLICATE LEG' — A single, non-operational, leg of a flight that, for commercial/technical reasons, is displayed under more than one Flight Number by the operating carrier, or is displayed by a different Airline Designator/Flight Number by an airline other than the operating carrier.

→ *For further guidance, see also Appendix H: Duplicate Flight Legs.*

'EN ROUTE' — (Equivalent to "THROUGH"). Between station of origin and station of destination.

'FICTITIOUS POINT' — A Location Identifier reserved for the purpose of schedule construction to overcome day/date duplication and to describe legs with elapsed times greater than 23 hours 59 minutes.

'FLIGHT' — The operation of one or more legs with the same Flight Designator.

'FUNNEL FLIGHT' — (Also known as COMPLEXING, STARBURST, W or Y FLIGHTS) A flight composed of two or more member flights which is identified by the Airline Designator and Flight Number of one of the members. Only one Airline Designator/Flight Number is operational on any one leg, but a leg may have multiple, non-operational Flight Numbers.)

→ *For further guidance, see also Appendix H: Duplicate Flight Legs.*

'HARD COPY' — A paper record of information stored or relayed.

'HISTORIC SLOT' — A slot that has been allocated to, and operated by, an airline in one scheduling season which can be claimed again in the next equivalent season, subject to certain operating criteria.

'IATA' — International Air Transport Association.

'ICAO' — International Civil Aviation Organization.

‘IDENTIFIER’ — A character or group of characters used to identify or name an item of data and possibly to indicate certain properties of that data.

‘INTERNATIONAL FLIGHT LEG’ — A flight leg between two stations to which different ISO country codes apply.

‘ISO’ — International Organisation for Standardisation.

‘ITINERARY’ — A single flight or a series of identical flights defined by a continuous Period and Days of Operation (and Frequency Rate if applicable), each of which consists of one or more contiguous legs which, taken together, describe the complete routing of that flight.

‘JOINT OPERATION FLIGHT’ — A flight on which more than one airline operates one or more of its legs. Only one Flight Designator exists for each operating flight.

‘JSAG’ — Joint Scheduling Advisory Group.

‘LEG’ — The operation between a departure station and the next arrival station.

‘LEVEL 1’ — See Non Coordinated Airport.

‘LEVEL 2’ — See Schedules Facilitated Airport.

‘LEVEL 3’ — See Coordinated Airport.

‘MAIL’ — All types of material communications carried on an aircraft, e.g. General Post Office mail, diplomatic mail, military mail and company (airline) mail.

‘MANDATORY’ — The status of a data element, composite data element, simple data element or component data element, marked M, containing information which forms a fundamental part of the procedure and must always be included.

‘MARKETING CARRIER’ — The carrier that sells with its own code as part of a code-share agreement on a flight actually operated by another carrier.

‘MCT’ — Minimum Connecting Time.

→ *For further guidance, see also Appendix H: Minimum Connecting Time.*

‘NON-COORDINATED AIRPORT (LEVEL 1)’ — An airport where the capacities of all the systems at the airport are adequate to meet the demands of users.

‘NON-OPERATIONAL (COMMERCIAL) LEG’ — See OPERATIONAL LEG.

‘OFF POINT’ — Station of disembarkation.

‘ON-LINE CONNECTION’ — see CONNECTION.

‘OPERATING AIRLINE DISCLOSURE — CODE SHARE’ — A flight where the operating airline □ allows seats/space to be sold by one or more other airlines and all participants to such an agreement sell their seats/space on that flight under their own Flight Designator. More than one Flight Designator is used for a single operating flight, including at least one with the Airline Designator of the operating airline, and at least one with the Airline Designator of a non-operating airline. Also refer to CODE SHARE or OPERATING AIRLINE DISCLOSURE — SHARED AIRLINE OR WET LEASE DESIGNATION.

‘OPERATING AIRLINE DISCLOSURE — SHARED AIRLINE OR WET LEASE □ DESIGNATION’ — A flight designated by a Flight Designator of one airline but operated by another airline on its behalf as part of a commercial agreement, for example, franchise/commuter style operations. Only the Airline Designator of the first (non-operating) airline is used in the Flight Designator(s) of the operating flight. Also refer to CODE SHARE or OPERATING AIRLINE DISCLOSURE — CODE SHARE.

‘OPERATING CARRIER’ — The Carrier that holds the Air Operator's Certificate for the aircraft used for that flight.

‘OPERATION’ — The act of a transport vehicle travelling from point to point.

'OPERATIONAL LEG' — A flight leg which is physically operated and identified by its Airline Designator and Flight Number. Any other Airline Designators and/or Flight Numbers associated with the same flight leg are considered to be non-operational flight legs.

→ For further guidance, see also Appendix H: Duplicate Flight Legs.

'OPTIONAL' — The status of a data element, marked O, which may be omitted if not required by the carrier or by Governmental regulations. Omission of this element is independent of all other elements and does not have any effect on other elements.

'ORIGINATING FLIGHT' — A flight designated by a Flight Designator, commencing at the station in question.

'OUTSTANDING REQUEST DATA' — The data from the original slot allocation requests as recorded on the coordinator list of outstanding requests for possible improvement.

'PASSENGER' — Any person carried on an aircraft and covered by a ticket.

'PSC' — Passenger Services Conference (IATA).

'PRM' — Passenger Reservations Manual (IATA).

'QUALIFIER' — A data element whose value, extracted from a code list, gives specific meaning to the function of another data element or a segment.

'RESERVATION' — (Equivalent to the term "BOOKING"). The allotment in advance of seating or sleeping accommodation for a passenger or of space or weight capacity for baggage, cargo or mail.

'RESERVATIONS CONTROL CARRIER' — The airline which controls the reservations for a flight.

'ROTATION' — The operation of consecutive legs with the same aircraft irrespective of the Flight Designator(s).

'ROUTING' — A list of consecutive legs in operational sequence between the station of origin and the station of destination of any flight.

'SC (SCHEDULES CONFERENCE)' — A forum organised by IATA for the coordination of airline schedules held twice yearly to coincide with the commercial aviation industry's two scheduling seasons.

'SCHEDULES FACILITATED AIRPORT (LEVEL 2)' — An airport where there is potential for congestion at some periods of the day or week, which is likely to be resolved by voluntary co-operation between airlines.

'SCHEDULES FACILITATOR' — A person appointed by the appropriate authority to collect and review airline schedules at Level 2 airports, and to recommend schedule adjustments as necessary.

'SCR (SLOT CLEARANCE REQUEST/REPLY)' — Standard message used by airlines and coordinators, for planning purposes for the clearance of flights at coordinated airports (Level 3). SCRs should not be used to notify coordinators of on-the-day operational variations.

'SECTOR' — See LEG.

'SEGMENT' — (Sometimes referred to as CITY PAIR) The operation between board point and any subsequent off point within the same flight.

'SHARED AIRLINE DESIGNATION FLIGHT' — refer to OPERATING AIRLINE DISCLOSURE — SHARED AIRLINE OR WET LEASE DESIGNATION.

'SISC' — Schedules Information Standards Committee (IATA).

'SITA' — Société Internationale de Télécommunications Aéronautiques.

△

‘SLOT’ — The scheduled time of arrival or departure available for allocation by, or as allocated by, a coordinator for an aircraft movement on a specific date at a coordinated airport. An allocated slot will take account of all the scheduling limitations at the airport e.g. runway(s), taxiways, aircraft parking stands, gates, terminal capacity (e.g. check-in and baggage delivery), environmental constraints e.g. surface access etc.

‘SPWG’ — Schedule Policy Working Group.

‘SSIM’ — Standard Schedules Information Manual (IATA).

‘STATION’ — A place to which a Location Identifier has been assigned.

‘STOPOVER’ — (Equivalent to the term “BREAK OF JOURNEY”) A deliberate interruption of a through journey by the passenger at a station between the station of initial origin and the station of ultimate destination.

‘SYSTEMS AND COMMUNICATIONS REFERENCE (SCR)’ — A multi-volume set of documents which describe the protocols, standards and implementation issues related to inter-system communications for the airline and aeronautical communities.

‘TECHNICAL LANDING’ — A landing for non-traffic purposes.

‘TERMINATING FLIGHT’ — A flight, designated by a Flight Designator, ending at the station in question.

‘TRANSFER’ — See CONNECTION.

‘TRANSIT FLIGHT’ — A flight, designated by a Flight Designator, during an en route landing at the station in question.

‘TRANSIT STATION/AIRPORT’ — A scheduled en route stopping station on a flight.

‘TRANSIT TIME’ — The time an aircraft remains in transit at the station in question.

‘TRIP’ — The flight(s) that form the total route of a specific origin and destination. A single trip can be served by one or multiple carriers.

‘TURNAROUND’ — The station in an aircraft rotation, where the flight number changes.

‘UN/ECE’ — United Nations Economic Commission for Europe.

‘UNIT LOAD DEVICE’ — A load carrying device which interfaces directly with aircraft loading and restraint systems and meets all restraint requirements without the use of supplementary equipment. As such, it becomes a component part of the aircraft. The device can be either a combination of components or one complete structural unit. A combination unit is an aircraft pallet plus net plus non-structural igloo, or pallet plus net. A structural unit is a lower deck or a main deck cargo container, or a structural igloo assembly.

‘UTC’ — Universal Time Coordinated.

‘XML’ — XML (extensible markup language) — An open standard for describing data from the W3C. It is used for defining data elements on a Web page and business-to-business documents and has become the format for electronic data interchange and Web services. *See Appendix X for further information.*



CHAPTER 2 – INFORMATION REQUIRED FOR STANDARD SCHEDULES

2.1 Data Requirements

When exchanging schedules information, it is essential to standardise the set of data elements used. The main reason for this is that when the information is used in automated systems, the size of investment in computers and communications facilities demands that the appropriate data be processed in these systems. However, manual systems will also benefit from such development.

A data element is in this connection defined as a sequence of alphanumeric, alphabetic or numeric characters that, depending on the specific context, has a unique meaning.

Each individual data element must be described and used in the same way. For the successful automation of schedules information to occur, each data element must imply one and only one meaning to each computer system and individual who uses the data element.

Likewise, it is necessary to set size limits for the data elements and define rules for the construction and interpretation of the contents so that the transmission and processing of the data elements can be conducted in an orderly fashion.

This Chapter contains a presentation of the rules applied when defining data elements and message formats in this manual and when referring to data elements in the procedures presented in this manual, as well as defining terms used by those handling schedules information.

2.2 Data Representation

2.2.1 Character Set

To ensure worldwide transmission of information, the use of principle characters is limited to:

Character	Values	Notes
alpha roman capitals	A — Z	26 alphabetic values
numerals	0 — 9	10 numeric values
full stop/period	.	1 special character
slash	/	1 special character
minus sign	–	1 special character
plus sign	+	not transmittable in telegraph messages
asterisk	*	not transmittable in telegraph messages

In order to avoid ambiguity in *printed* presentations, fonts must be used that have distinguishable characters to clearly represent the number zero, the capital letters 'I' and 'O', and the small letter 'i'.

Type or print techniques employing variable horizontal spacing should be avoided.

2.2.2 Symbols

Formats, layouts and examples are described in this manual by use of the following symbols:

Symbol	Description
a	alphabetic (mandatory)
n	numeric (mandatory)
x	any character (mandatory)
(a)	alphabetic (optional)
(n)	numeric (optional)
(x)	any character (optional)
[n]	indication of maximum number [n] of repeats of the information contained within parenthesis
→	mandatory space (SP)
(→)	optional space (SP)
<	mandatory carriage return (CR)
≡	mandatory line feed (LF)
␣	mandatory blank
0	zero

Chapter 7 is a fixed format application.

All data elements must appear in their correct position and blanks are mandatory where appropriate.

2.2.3 Information Separators

The following rules are applied with regard to information separators:

DATA ELEMENTS are separated by a space (→).

LINES OF TEXT are separated by a CR immediately followed by LF (<≡).

SUB-MESSAGES, whenever multiple action messages are forwarded within a single telegraph message, they are separated by two slashes immediately followed by the combination CR and LF(// <≡).

Note 1: In some cases, data within a Data Element is separated by the use of a single slash (/). When a maximum character count applies in the format of such a Data Element, the slash does not constitute a character to be included in that count.

Note 2: Two slashes (//) can be used without immediately being followed by the CR and LF characters.

This applies to some Data Element formats described in this Chapter, and to line wrapping conventions only applicable in Chapter 6.

2.2.4 Data Element Status

In connection with format descriptions, the following symbols are used when stating the status of occurrence for each data element:

M Mandatory

A mandatory data element contains information that forms a fundamental part of the data communication and must be included under all circumstances.

C Conditional

A conditional data element becomes mandatory under certain conditions that are stated or implied in the Technical Specifications.

The element must be omitted if these conditions do not apply.

The conditions will usually take the form of a dependence on other elements or the existence, alteration or deletion of fundamental data.

The recipient of conditional data may interpret it as optional.

O Optional

An optional data element may be omitted if not required.

Omission of the element is independent of all other elements and does not have any effect on these.

— not permitted

2.3 Data Elements and Data Element Identifiers

2.3.1 General

The following sections in this Chapter constitute the common reference for all the descriptions in the subsequent Chapters of this Manual.

The characteristics of each data element are defined and are valid throughout the Manual.

They are also independent of the method for communication.

The definition and use of each data element is presented in alphabetical order by means of a **Data Element Glossary** (Section 2.6).

The Glossary also includes certain terms and their definitions deemed necessary for clarity.

When data elements have different formats in different Chapters, the specific formats within each Chapter have been specified.

Examples on the use of each data element are also included within each Chapter.

When appropriate, more than one example is shown for clarity.

Many data elements are identified by means of a numeric **DATA ELEMENT IDENTIFIER (DEI)**.

These data elements normally modify or amplify various other data elements or constitute additional data to the flight.

When a data element is associated with a Data Element Identifier, the appropriate numeric value is identified in the Glossary entry.

It should be especially noted that Data Element Identifiers do not always apply to all Chapters of SSIM.

2.3.2 Relationship Between Data Elements and their Associated Data Element Identifiers

A Data Element Identifier is always related to a data element, except in cases where the Data Element Identifier itself implies the condition.

In general, the Data Element Identifier indicates the type of information explained under the related data element. It is used, where necessary, to modify or amplify various schedule data elements, or add additional ones.

Data Element Identifiers normally have optional status.

However, many of the Data Element Identifiers and associated data elements are conditional, based on the 'conditions' of the schedule.

Examples include Data Element Identifiers below 100 and those associated with traffic restrictions. Others, such as 201 (Subject to Government Approval) and 210 (Plane Change at Board Point without Aircraft Type Change) become essential when such conditions are applicable.

Also, such data elements may be required when, because of technical format limitations, certain information exceeds the field size of the original data element.

An example is Data Element Identifier 106 (Passenger Reservations Booking Designator Exceeding Maximum Length).

To provide complete schedule information, it is strongly recommended that the maximum possible use be made of data elements associated with Data Element Identifiers.

In Chapters 4 and 5 applications, the Data Element Identifier is preceded by the Segment to which it refers (except Data Elements 1–7 and 9) and the data element is preceded by a slash (/).

See the appropriate data element for format rules.

For Chapter 7 application the Data Element Identifier is stated in the Segment Data Record (Record Type 4).

The associated data element (when applicable) is also stated in this record starting in byte 40.

The format for this data element is fixed, i.e. any byte within the format that does not apply has to be filled by a space.

For format rules, see the associated data element in this Chapter.

In some cases, it becomes necessary to express certain data elements that are usually leg related as applying only to a stated segment or group of segments within an itinerary.

The facility to "override" (or replace) the leg related information with alternative information for certain segment(s) is provided by Data Element Identifiers.

For Chapter 7, although no order is prescribed when multiple Data Element Identifiers follow the same Flight Leg Record, the following is recommended:

- when multiple data records apply to different Off Points, the records should be ordered according to the occurrence of the Off Point in the itinerary;
- if multiple data records apply to the same Off Point, they should appear together and be ordered according to the numeric sequence of the Data Element Identifiers starting with the lowest number.

However, systems should be able to process the records in any order.

2.3.3 Listings

The alphabetical listing of all data elements can be found in Section 2.4.1: Alphabetic List.

The numeric listing of all Data Element Identifiers and associated data elements can be found 2.4.1: Numeric List.

2.4 Data Element Listings

2.4.1 Alphabetic List



Data Element	DEI (as applicable)	Applicable (X) Chapters				
		Ch 3	Ch 4	Ch 5	Ch 6	Ch 7
Action Code					X	
Action Identifier			X	X		
Aircraft Configuration/Version (ACV)		X	X	X		X
Aircraft Configuration/Version Exceeding Maximum Length	108		X	X		X
Aircraft Owner	3		X	X		X
Aircraft Owner Specification	113		X	X		X
Aircraft Registration				X		
Aircraft Rotation Layover			X			X
Aircraft Type		X	X	X	X	X
Aircraft Type Publication Override	121		X	X		X
Airline Designator		X	X	X	X	X
Arrival Date					X	
ASM Withdrawal Indicator			X			
Blocked Seats and/or Unit Load Devices	104		X	X		X
Board Point Indicator						X
Cabin Crew Employer	5		X	X		X
Cabin Crew Employer Specification	115		X	X		X
Change Reason				X		
Clearance/Advice Airport					X	
Cleared Time					X	
Cockpit Crew Employer	4		X	X		X
Cockpit Crew Employer Specification	114		X	X		X
Continuation/End Code			X	X		X
Coordinator Reason					X	
Creation Date						X
Creation Time						X
Creator Reference			X	X	X	X
Data Element Identifier			X	X		X
Data Element Identifiers — Free Format Bilateral Use	800-899		X	X		X
Data Element Identifiers — Free Format Internal Use	900-999		X	X		X
Data Set Serial Number						X
Date of Message			X	X	X	
Date Variation			X			X
Day(s) of Operation		X	X		X	X
Departure Date					X	
Destination Station					X	
Duplicate Airline Designator Marker						X
Duplicate Leg Cross Reference — Duplicate Leg Identification	10		X	X		X
Duplicate Leg Cross Reference — Operational Leg Identification	50		X	X		X
Electronic Ticketing Information	505		X	X		X
Error Line			X	X		
Flaglanding at Board Point Only	303		X	X		X

Data Element	DEI (as applicable)	Applicable (X) Chapters				
		Ch 3	Ch 4	Ch 5	Ch 6	Ch 7
Flaglanding at Off Point Only	301		X	X		X
Flaglanding at Off Point and Board Point	302		X	X		X
Flight Designator		X	X	X	X	X
Flight Identifier				X		
Flight Identifier Date				X		
Flight Leg(s) Change Identifier			X	X		
Flight Number		X	X	X	X	X
Flight Number Override	122		X	X		X
Flight Transit Layover						X
Frequency Rate			X		X	X
General Information					X	X
Historic Slot Reason					X	
Incoming Message Reference					X	
In-Flight Service Information	503		X	X		X
Itinerary Variation Identifier (IVI)						X
Itinerary Variation Identifier Overflow						X
Joint Operation Airline Designators	1		X	X		X
Joint Operation Airline Designators Segment Override	125		X	X		X
Leg Sequence Number						X
Meal Service Note	7		X	X		X
Meal Service Note Exceeding Maximum Length	109		X	X		X
Meal Service Segment Override	111		X	X		X
Message Group Serial Number			X	X		
Message Sequence Reference			X	X		
Message Serial Number			X	X		
Minimum Connecting Time International/Domestic Status						X
Minimum Connecting Time International/Domestic Status Override	220		X	X		X
Next Station					X	
Number of Seasons						X
Number of Seats					X	
Off Point Indicator						X
On-Time Performance Indicator	501		X	X		X
Onward Flight	6		X	X		X
Operating Airline Disclosure	127		X	X		X
Operating Airline Disclosure — Code Share	2		X	X		X
Operating Airline Disclosure — Shared Airline or Wet Lease Designation	9		X	X		X
Operational Suffix			X	X	X	X
Origin Station					X	
Overmidnight Indicator					X	
Partnership Specification	11		X	X		X
Passenger Check-In	299		X	X		X
Passenger Reservations Booking Designator (PRBD)		X	X	X		X
Passenger Reservations Booking Designator Exceeding Maximum Length	106		X	X		X
Passenger Reservations Booking Designator Segment Override	101		X	X		X

△
△
△

Data Element	DEI (as applicable)	Applicable (X) Chapters				
		Ch 3	Ch 4	Ch 5	Ch 6	Ch 7
Passenger Reservations Booking Modifier (PRBM)			X	X		X
Passenger Reservations Booking Modifier Exceeding Maximum Length	107		X	X		X
Passenger Reservations Booking Modifier Segment Override	102		X	X		X
Passenger Terminal		X				X
Passenger Terminal Identifier — Arrival	98		X	X	X	
Passenger Terminal Identifier — Departure	99		X	X	X	
Passenger Terminal Segment Override — Arrival	198		X	X		X
Passenger Terminal Segment Override — Departure	199		X	X		X
Period of Operation		X	X		X	X
Period of Schedule Validity						X
Plane Change without Aircraft Type Change	210		X	X		X
Previous Station					X	
Record Serial Number						X
Record Type						X
Reject Reason			X	X		
Release (Sell) Date						X
Request All Reservations	507		X	X		X
Requested Timings					X	
Restricted Payload	105		X	X		X
Schedule Status						X
Schedule Validity Discontinue Date			X			
Schedule Validity Effective Date			X			
Scheduled Time of Aircraft Arrival (Aircraft STA)		X	X	X	X	X
Scheduled Time of Aircraft Departure (Aircraft STD)		X	X	X	X	X
Scheduled Time of Passenger Arrival (Passenger STA)			X	X		X
Scheduled Time of Passenger Departure (Passenger STD)			X	X		X
Season					X	X
Segment			X	X		X
Segment Information			X	X		
Serial Number Check Reference						X
Service Type		X	X	X	X	X
Standard Message Identifier (SMI)			X	X	X	
Station		X	X	X	X	X
Subject to Government Approval	201		X	X		X
Supplementary Information			X	X	X	
Time Mode			X	X		X
Timing Flexibility Identifier					X	
Title of Contents						X
Title of Data						X
Traffic Restriction Code						X
Traffic Restriction Code Applicable to Cargo Only	172		X	X		X
Traffic Restriction Code Applicable to Cargo/Mail Only	171		X	X		X
Traffic Restriction Code Applicable to Mail Only	173		X	X		X
Traffic Restriction Code Applicable to Passengers Only	170		X	X		X
Traffic Restriction Code Information — Free Format	713-799		X	X		X

Data Element	DEI (as applicable)	Applicable (X) Chapters				
		Ch 3	Ch 4	Ch 5	Ch 6	Ch 7
Traffic Restriction Code Leg Overflow Indicator						X
Traffic Restriction Code Qualifier at Board and Off Points	712		X	X		X
Traffic Restriction Code Qualifier at Board Point	710		X	X		X
Traffic Restriction Code Qualifier at Off Point	711		X	X		X
Traffic Restriction Note	8		X	X		
UTC/Local Time Variation						X
UTC/Local Time Variation Specification	97		X	X		

2.4.2 Numeric List

Data Element Identifier	Name of Data Element	
1	Joint Operation Airline Designators	
2	Operating Airline Disclosure — Code Share	△
3	Aircraft Owner	
4	Cockpit Crew Employer	
5	Cabin Crew Employer	
6	Onward Flight	
7	Meal Service Note	
8	Traffic Restriction Note	
9	Operating Airline Disclosure — Shared Airline or Wet Lease Designation	△
10	Duplicate Leg Cross Reference — Duplicate Leg Identification	
11	Partnership Specification	
50	Duplicate Leg Cross Reference — Operational Leg Identification	
97	UTC/Local Time Variation Specification	
98	Passenger Terminal Identifier — Arrival	
99	Passenger Terminal Identifier — Departure	
101	Passenger Reservations Booking Designator Segment Override	
102	Passenger Reservations Booking Modifier Segment Override	
104	Blocked Seats and/or Unit Load Devices	
105	Restricted Payload	
106	Passenger Reservations Booking Designator Exceeding Maximum Length	
107	Passenger Reservations Booking Modifier Exceeding Maximum Length	
108	Aircraft Configuration/Version Exceeding Maximum Length	
109	Meal Service Note Exceeding Maximum Length	
111	Meal Service Segment Override	
113	Aircraft Owner Specification	
114	Cockpit Crew Employer Specification	
115	Cabin Crew Employer Specification	
121	Aircraft Type Publication Override	
122	Flight Number Override	
125	Joint Operation Airline Designators Segment Override	
127	Operating Airline Disclosure	△
170	Traffic Restriction Code Applicable to Passengers Only	
171	Traffic Restriction Code Applicable to Cargo/Mail Only	
172	Traffic Restriction Code Applicable to Cargo Only	
173	Traffic Restriction Code Applicable to Mail Only	
198	Passenger Terminal Segment Override — Arrival	
199	Passenger Terminal Segment Override — Departure	
201	Subject to Government Approval	

Data Element Identifier	Name of Data Element
210	Plane Change without Aircraft Type Change
220	Minimum Connecting Time International/Domestic Status Override
299	Passenger Check-In
301	Flaglanding at Off Point Only
302	Flaglanding at Off Point and Board Point
303	Flaglanding at Board Point Only
501	On-Time Performance Indicator
503	In-Flight Service Information
505	Electronic Ticketing Information
507	Request All Reservations
710	Traffic Restriction Code Qualifier at Board Point
711	Traffic Restriction Code Qualifier at Off Point
712	Traffic Restriction Code Qualifier at Board and Off Points
713-799	Traffic Restriction Code Information — Free Format
800-899	Data Element Identifiers — Free Format Bilateral Use
900-999	Data Element Identifiers — Free Format Internal Use

2.5 Glossary Introduction

The Data Element glossary entry is comprised of one of more of the following components:

- A Data Element Table that includes:
 - The Data Element Name
 - The Data Element Identifier (if applicable)
 - The Data Element Description
 - The Application, Format and Example for each applicable SSIM Chapter
 - Special Characteristics

e.g.

[Data Element Name] AIRCRAFT OWNER

DEI 3

[Data Element Description]		
Information provided to whomever it may concern that the flight(s) will be operated with an aircraft not belonging to the fleet of the Adminstrating Carrier		
Application	Format	Example
Chapters 4,5	xx(a) or X	AB or X
Chapter 7	xx(a) or XØØ	ABØ or XØØ
[Special Characteristics] DEI 3 is only applicable to Chapters 4 and 5		

- **Default**
Defines any specific defaults for the data element
- **Format**
Specifies the format of the data element
- **Use**
Defines the general use of the data element (if additional to the Description)
- **Specific Applications — by applicable Chapter**
When required, specifies use, conditions and interpretations for each Chapter
- **Values**
Lists the permitted values for the element or references where the values may be found
- **Notes**
Explanatory notes on the use and application of the data element

2.6 Data Element Glossary

ACTION CODE

DEI – – –

Indication of the type of request/advice record or reply record in the Airport Clearance/Advice Procedure

Application	Format	Example
Chapter 6	a	C

Use

The application of these Action Codes is explained in Chapter 6.

Values

Code	Message	User	Description
A	SCR SMA	Airline Airline	Acceptance of an offer – no further improvement desired Acceptance of an offer – no further improvement desired
B	SCR	Airline	New entrant
C	SAQ SCR SMA WCR	Airline Airline Airline Airline	Schedule to be changed Schedule to be changed for an operational reason or towards the initial requested time of the airline Schedule to be changed Outstanding Request to be changed for an operational reason
D	SCR SMA	Airline Airline	Delete schedule Delete schedule
E	SCR SMA	Airline Airline	Eliminate schedule Eliminate schedule
F	SCR	Airline	Historic schedule
H	SAQ SCR SHL SAL SMA SIR SIR	Coordinator Coordinator Coordinator Coordinator Schedules Facilitator Coordinator Schedules Facilitator	Holding Holding Eligible for historic precedence Return to historic Holding (Voluntary Reschedule Offer) Holding Holding
I	SCR SAQ	Airline Coordinator	Revised schedule (Continuation from previous adjacent Season) Availability information
K	SCR SAL SAL SMA	Coordinator Coordinator Schedules Facilitator Schedules Facilitator	Confirmation Confirmation Confirmation Confirmation
L	SCR	Airline	Revised schedule (No offer acceptable)
M	SCR WCR	Airline Airline	Scheduled to be changed for reason other than Action Code C Outstanding Request to be changed for reason other than Action Code C
N	SCR SMA SAQ WCR	Airline Airline Airline Airline	New schedule New schedule New schedule New Outstanding request
O	SCR SAL SAL SMA SIR	Coordinator Coordinator Schedules Facilitator Schedules Facilitator Coordinator	Offer Offer Offer – voluntary reschedule request Offer – voluntary reschedule request Offer
P	SCR SCR SMA SIR WCR WIR	Airline Coordinator Airline Coordinator Coordinator Coordinator	Acceptance of an offer – maintain Outstanding Request Pending (action or advice) Acceptance of an offer – improvement desired Pending Pending (for improvement) Pending (for improvement)
Q	SIR WIR	Airline Airline	Request for schedule information Request for schedule information
R	SCR SMA SAQ WCR	Airline Airline Airline Airline	Revised schedule (Offer acceptable) Revised schedule Revised schedule Revised Outstanding Request

Code	Message	User	Description
T	SCR	Coordinator	Allocated subject to conditions
	SAL	Coordinator	Allocated subject to conditions
	SHL	Coordinator	Allocated subject to conditions
	SIR	Coordinator	Allocated subject to conditions
	SMA	Schedule Facilitator	Allocated subject to conditions
U	SAQ	Coordinator	Refusal
	SCR	Coordinator	Refusal
	SHL	Coordinator	Not eligible for historic precedence
	SIR	Coordinator	No slot allocated
	SAL	Coordinator	No slot allocated
	SMA	Schedules Facilitator	Not confirmed
V	SCR	Airline	New entrant with year round status
W	SCR	Coordinator	Unable to reconcile flight information
	SMA	Schedules Facilitator	Unable to reconcile flight information
	WCR	Coordinator	Unable to reconcile flight information
X	SCR	Coordinator	Cancellation
	WCR	Schedules Facilitator	Cancellation
	SMA	Coordinator	Removed/Deleted Outstanding Request
Y	SCR	Airline	New schedule (Continuation from previous adjacent Season)
Z	SCR	Airline	Decline offer
	SMA	Airline	Decline offer
	WCR	Airline	Remove Outstanding Requests for flights with or without slots

△

⊗

ACTION IDENTIFIER

DEI – – –

An identifier to state the extent of difference from previous information in order to enable the recipient to determine the required action

Application	Format	Example
Chapters 4,5	aaa	NEW

Chapters 4 and 5 Format

Three alphabetic characters

Use

Used by the originator of telegraph messages according to the rules stated in the appropriate SSIM Chapter.

Additional Action Identifiers may be used by certain carriers in connection with the handling of flights during the operations phase.

These may include identifiers to handle, for example, aircraft/crew changes or re-instating flights.

Values

Identifier	Description
SKD	Schedule update (Chapter 4 only)
NEW	Insertion of new flight information
CNL	Cancellation
RIN	Reinstatement (Chapter 5 only)
RPL	Replacement of existing flight information
REV	Revision to Period of Operation and/or Day(s) of Operation (Chapter 4 only)
FLT	Change of Flight Designator or Flight Identifier
EQT	Change of equipment information
TIM	Change of time information
CON	Change of Aircraft Configuration/Version
RRT	Change of routing (Chapter 5 only)
ADM	Change of existing flight information expressed by use of Data Element Identifier only
RSD	Repeat/Request for schedule data (Chapter 4 only)
ACK	Acknowledgement
NAC	Not Actioned

AIRCRAFT CONFIGURATION/VERSION (ACV)

DEI – – –

Identification of the physical cabin layout of an aircraft		
Application	Format	Example
Chapters 3,4,5	a(x)(x)(x).....	FYPP F32Y247K93PP20 FYVV9406
Chapter 7	a(x)(x)(x).....(20 char.)	F014Y119V VT3M33000000

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Use

ACV may also optionally specify the number of seats fitted per compartment and/or the planned available capacity for cargo and/or mail.

The ACV data element can only be used for legs, and not for segments which are not also legs.

As it is a physical description, this field does not necessarily specify the codes to be used for publication, reservation and other public information purposes, or classes provided.

When this physical description does not sufficiently detail the categories of compartments or class of service provided for such purposes, use should be made of the data element Passenger Reservations Booking Designator.

Chapters 3, 4, 5 and 7 Applications

The presentation consists of a string of characters in which the codes are in the mandatory sequence P through V V.

The presentation in Chapter 7 is limited to 20 characters.

It consists of either:

- A sequence of passenger codes in the order presented in the table below, **or**
 - A sequence of passenger codes in the order presented in the table below, each Aircraft Compartment/Class of Service Code followed by a non-zero quantitative specification of the number of seats available (see Note 3 below), **and/or**
- A sequence of cargo codes in the order presented in the table below, each optionally followed by a non-zero quantitative specification of the capacity available (see Note 3 below), **or**
- The characters “**BB**” indicate the sole carriage of non-containerized cargo and/or mail. (It may be assumed that all aircraft in revenue service carry such cargo and/or mail thus not necessitating its specification.) **and optionally**
- The characters “**V V**” followed by an aircraft version reference code as assigned by the Administrating Carrier, the definition of which is notified to the intended recipient for use as appropriate.

Notes:

- Whilst specification of the number of seats fitted is optional, when a value is quoted the total seats must equal the seating capacity of the aircraft.
- Where it is not possible to express the Aircraft Configuration/Version within the available field (maximum line length in Chapters 4 and 5, 20 characters in Chapter 7), “**XX**” will be stated in the first two positions.

Also, for Chapter 7 purposes only, the third through twentieth positions will be blank, thus indicating that reference should be made to Data Element Identifier 108 (Aircraft Configuration/Version Exceeding Maximum Length) for full Aircraft Configuration/Version specification.

In Chapters 4 and 5 applications, this shall also apply when the combined full formats of the following data elements result in an Equipment Data line overflow:

- Passenger Reservations Booking Designator (PRBD)
- Passenger Reservations Booking Modifier (PRBM)
- Aircraft Configuration/Version (ACV)
- The first conditional or optional Data Element:

Operating Airline Disclosure — Code Share

Aircraft Owner;

Cockpit Crew Employer;

Cabin Crew Employer;

Onward Flight;

or

Operating Airline Disclosure — Shared Airline or Wet Lease Designation

3. Each Aircraft Compartment/Class of Service Code, together with its specification of numeric nonzero value, must not exceed four characters.

The numeric specification may optionally include leading zeros.

4. Information regarding movable bulkheads must, if required, be covered by Data Element Identifiers 800-899 (Data Element Identifiers — Free Format for Bilateral Use) or 900-999 (Data Element Identifiers — Free Format for Internal use) or by the aircraft version reference code following the characters “VV” as described above.

5. Information regarding blocked seats and/or Unit Load Devices must, if required, be covered by Data Element Identifier 104 (Blocked Seats and/or Unit Load Devices).

Values for Aircraft Compartment/Class of Service Codes

Passenger Codes	Compartment
P	First Class Premium
F	First Class
A	First Class Discounted
J	Business Class Premium
C	Business Class
D, I, Z	Business Class Discounted
W	Economy/Coach Premium
S, Y	Economy/Coach
B, H, K, L, M, N, Q, T, V, X	Economy/Coach Discounted
G	Conditional Reservation
U	Shuttle Service — No reservation needed — Seat guaranteed
E	Shuttle Service — No reservation allowed — Seat to be confirmed at check-in Passenger Service — Reservations permitted
O, R	Use varies by Airline

Notes: “Shuttle Service” and “Passenger Service” relate to Service Type Codes contained in SSIM Appendix C.

Aircraft Compartment/Class of Service Codes have a different purpose from Service Type Codes.

The codes here are used when describing the physical cabin layout, or the Reservations Classes used (see Passenger Reservations Booking Designator).

Service Type Codes describe the classification of a route or flight and the type of service provided.

Cargo Codes	Description
LL	Unit Load Devices (Containers)
PP	Pallets

AIRCRAFT CONFIGURATION/VERSION EXCEEDING MAXIMUM LENGTH

DEI 108

Identification of the complete Aircraft Configuration/Version specification when it exceeds the maximum length available		
Application	Format	Example
Chapters 4,5,7	a(x) ...	P12F24C100Y264LL10PP12

Use

In the absence of Data Element Identifier 108, it is assumed that the complete Aircraft Configuration/Version is contained within its dedicated data element.

Chapters 4 and 5 Applications

The maximum line length constraint of 58 characters must be protected.

A “NIL” statement is not required when previous information transmitted about the same flight leg is modified to the extent that Data Element Identifier 108 is not required.

AIRCRAFT OWNER

DEI 3

Information provided to whomever it may concern that the flight(s) will be operated with an aircraft not belonging to the fleet of the Administrating Carrier		
Application	Format	Example
Chapters 4,5	xx(a) or X	AB or X
Chapter 7	xx(a) or XØØ	ABØ or XØØ
DEI 3 is only applicable to Chapters 4 and 5		

Default

When the data element is not stated, the default applies, i.e. the aircraft belongs to the fleet of the carrier as stated in the airline designator of the flight designator.

Use

When there is a legal requirement to disclose the Aircraft Owner, and the default stated above does not apply, the use of this data element is mandatory.

Chapters 4, 5 and 7 Applications

The Aircraft Owner consists of:

- (a) The Data Element Identifier, always the digit “3” (not applicable in Chapter 7);
- (b) The Airline Designator for the carrier to whose fleet the aircraft belongs.

When the aircraft owner/cabin crew employer/cockpit crew employer has no Airline Designator, a letter “X” will be specified to indicate that it's incorporated/registered name in plain text will be found under Data Element Identifier 113/115/114 (Aircraft Owner Specification/Cabin Crew Employer Specification/Cockpit Crew Employer Specification).

AIRCRAFT OWNER SPECIFICATION

DEI 113

Identification of the aircraft owner's incorporated/registered name when it does not have its own Airline Designator		
Application	Format	Example
Chapters 4,5,7	x(x) ...	ABC AIRWAYS INC

Use

This data element is used when the letter 'X' is specified under Aircraft Owner.

When there is a legal requirement to disclose the Aircraft Owner, and the identification of the Aircraft Owner's incorporated/registered name is required as stated above, the use of this data element is mandatory.

When specifying a full company name, users should be aware that some computer systems have limitations on the number of characters that can be stored and/or displayed.

As such, specifications of more than 35 characters may be truncated.

AIRCRAFT REGISTRATION

DEI ---

The complete alphanumeric identification assigned by the appropriate licensing authority to an individual aircraft		
Application	Format	Example
Chapter 5	xx(x)(x)(x)(x)(x)(x)(x)	OHLMG

Format

Two (2) to ten (10) alphanumeric characters.

Hyphens contained within the registration shall not be included.

Chapter 5 Application

Normally used in the operations control phase only.

AIRCRAFT ROTATION LAYOVER

DEI ---

A single numeric value to denote that the layover of the aircraft at the leg arrival station is 24 or more hours		
Application	Format	Example
Chapter 4	/n	/1
Chapter 7	n	2

Use

Can only be used as part of Onward Flight.

Chapter 4 Application

This field is preceded by a slash.

Values

Code	Description
1	24 to 47:59 hours layover
2	48 to 71:59 hours layover, etc.

AIRCRAFT TYPE

DEI – – –

The ATA/IATA standard 3-character code that normally covers the manufacturer and main model of a commercial aircraft		
Application	Format	Example
Chapters 3,4,5,6,7	xxx	D92

Use

For timetable publication purposes, the Aircraft Type can be overridden with the objective of consolidating otherwise equal itineraries (see Aircraft Type Publication Override).

Values

Refer to SSIM Appendix A.

Note: When there is a plane change en-route without Aircraft Type change, this information must be provided using Data Element Identifier 210 (Plane Change at Board Point without Aircraft Type Change).

AIRCRAFT TYPE PUBLICATION OVERRIDE

DEI 121

An element to allow carriers to override the Aircraft Type stated in Equipment Information elsewhere		
Application	Format	Example
Chapters 4,5,7	xxx	747
DEI 121 is only applicable to Chapters 4, 5 and 7		

Use

This data element allows carriers to publish a consolidated schedule as a combination of different itinerary variations where the only difference is the Aircraft Type.

It is also possible to override codes listed in SSIM Appendix A with non-aircraft codes.

Although this is not generally recommended, this could well be used for Surface Vehicles, e.g. trains, to reflect different types of equipment not listed in SSIM Appendix A.

Chapters 4, 5 and 7 Applications

The alphanumeric string of characters stated in this data element will override the Aircraft Type stated in Equipment Information (Chapters 4 and 5) or Record Type 3 (Chapter 7) for timetable publication purposes.

AIRLINE DESIGNATOR

DEI – – –

The 2-character code assigned to a carrier by IATA and published in the IATA Airline Coding Directory or the 3-alphabetic codes assigned to a carrier by ICAO		
Application	Format	Example
Chapters 3,4,5,6,7	xx(a)	ABC

Use

Carriers not assigned IATA 2-character codes may use the ICAO 3-letter codes.

However, for publication and reservations purposes, 3-letter codes must currently not be used as some computer systems would be unable to read them.

Reference should also be made to IATA Resolution 762 and ATA Resolution 5.38.

The data element format provides for 3-character designators.

When the industry formally adopts the three character designators, the format will be 'aaa'.

Meanwhile, the present official format is 'xx' but effectively is 'xa' or 'ax' in practice, in order to avoid confusion with the Flight Number.

Values

Refer to the IATA Airline Coding Directory.

ARRIVAL DATE

DEI - - -

The date of arrival of an aircraft at the Clearance/Advice Airport for flights operating on single dates		
Application	Format	Example
Chapter 6	nnaaa	19NOV

Use

The element is used for terminating, transit or turnaround operations.

ASM WITHDRAWAL INDICATOR

DEI - - -

An indicator to advise the recipient that all currently held basic and ad hoc schedule information pertaining to the stated Flight Designator and relevant Period and Day(s) of Operation is overridden by the schedule information contained in the telegraph message		
Application	Format	Example
Chapter 4	XASM	XASM

Chapter 4 Application

May be used on a Standard Schedules Message (SSM), with Action Identifiers **“SKD”**, **“NEW”**, **“RPL”** or **“CNL”**.

BLOCKED SEATS AND/OR UNIT LOAD DEVICES

DEI 104

The number of seats or ULDs by compartment, that are blocked/unavailable out of the total capacity shown in the Aircraft Configuration/Version, or capacity leased to other carriers		
Application	Format	Example
Chapters 4,5	a(a)n(x)(x)(x)(x)(x)(x)...	F1Y3
Chapter 7	a(x)(x)(x)(x)(x)(x)(x)...	PP2
DEI 104 is only applicable to Chapters 4, 5 and 7		

→ For further guidance refer to Appendix H: Aircraft Seating Description

BOARD POINT INDICATOR

DEI - - -

A single alpha character to indicate the departure station of a segment (Board Point) to which a data element associated with a Data Element Identifier applies		
Application	Format	Example
Chapter 7	a	A

Values

A single byte field where the departure station (board point) on the first leg of a flight is indicated by “**A**”, the departure station on the second leg is indicated by “**B**” and so on.

```

3 SQ 0010101J20AUG0828AUG081234   SF001200120-0700       HKG06300630+08001
4 SQ 0010101J      AB010SFHKGAI 8001 /US 5402
4 SQ 0010101J      AB106SFHKGFPACZJDYSEBMWHQNVTLKG
4 SQ 0010101J      AB109SFHKGMM M M M M M M M M M M M M M M M M M
4 SQ 0010101J      AB503SFOHKG 9
4 SQ 0010101J      AB505SFOHKGET
3 SQ 0010102J21AUG0829AUG08 2345    HKG08000800+08001     SIN11401140+0800
4 SQ 0010102J      BC010HKGSINAI 8001 /US 5402
4 SQ 0010102J      BC106HKGSINFAPCZJDYSBEMWQNVTVHLKG
4 SQ 0010102J      BC109HKGSINM M M M M M M M M M M M M M M M M M
4 SQ 0010102J      BC503HKGSIN 9
4 SQ 0010102J      BC505HKGSINET
```

CABIN CREW EMPLOYER

DEI 5

Information provided to whomever it may concern that the flight(s) will be operated with cabin crew not employed by the Aircraft Owner		
Application	Format	Example
Chapters 4,5	xx(a) or X	AB or X
Chapter 7	xx(a) or XØØ	ABØ or XØØ
DEI 5 is only applicable to Chapters 4 and 5		

Default

When the data element is not stated, the default applies (i.e., the cabin crew is employed by the Aircraft Owner).

Use

When there is a legal requirement to disclose the Cabin Crew Employer, and the default stated above does not apply, the use of this data element is mandatory.

Chapters 4, 5 and 7 Applications

For Chapters 4, 5 and 7 applications, the Cabin Crew Employer consists of:

- (a) The Data Element Identifier, always the digit “5” (not applicable in Chap 7);
- (b) The Airline Designator for the carrier by which the cabin crew is employed.

When the aircraft owner/cabin crew employer/cockpit crew employer has no Airline Designator, the letter “X” will be specified to indicate that it's incorporated/registered name in plain text will be found under Data Element Identifier 113/115/114 (Aircraft Owner Specification/Cabin Crew Employer Specification/Cockpit Crew Employer Specification).

CABIN CREW EMPLOYER SPECIFICATION

DEI 115

Identification of the cabin crew employer's incorporated/registered name when it does not have its own Airline Designator		
Application	Format	Example
Chapters 4,5,7	x(x)...	ABC AIRWAYS INC

Use

It is used when the letter ‘X’ is specified under Cabin Crew Employer.

When there is a legal requirement to disclose the Cabin Crew Employer, and the identification of the Cabin Crew Employer's incorporated/registered name is required as stated above, the use of this data element is mandatory.

CHANGE REASON

DEI – – –

A set of codes assigned by the airlines to be able to inform recipients of the main reason for an ad hoc schedule change and to simultaneously provide statistical information

Application	Format	Example
Chapter 5	aaaa	POSI

Values

Code	Interpretation
AIRS	Airspace restrictions
ARPT	Airfield restrictions
COMM	Commercial reasons, demand or lack of demand
CREW	Crew shortage
DAMA	Aircraft damage
EQUI	Equipment shortage
FUEL	Fuel shortage
HDLG	Ground handling
HOLI	Holiday
INDU	Industrial dispute
OPER	Operational reasons
PERF	Aircraft performance
POLI	Political situation
POSI	Aircraft positioning
REPO	Aircraft re-positioning
ROTA	Aircraft rotation
RTNS	Return to normal schedule or reinstatement of flight status prior to issuance of ASM(s) (withdrawal of ASM change)
RUNW	Runway restrictions
TECH	Technical reasons, maintenance, etc.
WEAT	Weather conditions

CLEARANCE/ADVICE AIRPORT

DEI – – –

The airport at which clearance is requested or for which schedule data is advised

Application	Format	Example
Chapter 6	aaa	LHR

Values

Refer to the IATA 3-letter Location Identifiers.

CLEARED TIME

DEI – – –

Information provided by Coordinators to indicate the slot time currently held		
Application	Format	Example
Chapter 6	aa.nnnn	AA.0910

Format

An optional element consisting of four digits. In the case of Chapter 6, these digits are preceded by a code defining flight arrival or flight departure.

Chapter 6 Application

Used within the WIR message. Cleared Time is always preceded by a blank space, then **AA** and a full stop/period if it refers to the flight arrival, or **AD** and a full stop/period if it refers to the flight departure. It is positioned after the Passenger Terminal Identifier (if applicable), or Frequency Rate, or the Service Type if no Frequency Rate applies.

Chapter 6 describes the procedure to be followed when the use of Cleared Time results in the maximum message line length being exceeded.

COCKPIT CREW EMPLOYER

DEI 4

Information provided to whomever it may concern that the flight(s) will be operated with a cockpit crew not employed by the Aircraft Owner		
Application	Format	Example
Chapters 4,5	xx(a) or X	AB or X
Chapter 7	xx(a) or XØØ	ABØ or XØØ
DEI 4 is only applicable to Chapters 4 and 5		

Default

When the data element is not stated, the default applies (i.e. the cockpit crew is employed by the Aircraft Owner).

Use

When there is a legal requirement to disclose the Cockpit Crew Employer, and the default stated above does not apply, the use of this data element is mandatory.

Chapters 4, 5 and 7 Applications

The Cockpit Crew Employer consists of:

- (a) The Data Element Identifier, always the digit “4” (not applicable in Chapter 7);
- (b) The Airline Designator of the carrier that employs the cockpit crew.

When the aircraft/owner/cabin crew employer/cockpit crew employer has no Airline Designator, the letter “X” will be specified to indicate that it's incorporated/registered name in plain text will be found under Data Element Identifier 113/115/114 (Aircraft Owner Specification/Cabin Crew Employer Specification/Cockpit Crew Employer Specification).

COCKPIT CREW EMPLOYER SPECIFICATION

DEI 114

Identification of the cockpit crew employer's incorporated/registered name when it does not have its own Airline Designator		
Application	Format	Example
Chapters 4,5,7	x(x)...	ABC AIRWAYS INC

Use

Used when the letter “X” is specified under Cockpit Crew Employer.

When there is a legal requirement to disclose the Cockpit Crew Employer, and identification of the Cockpit Crew Employer's incorporated/registered name is required as stated above, the use of this data element is mandatory.

When specifying a full company name, users should be aware that some computer systems have limitations on the number of characters that can be stored and/or displayed.

As such, specifications of more than 35 characters may be truncated.

CONTINUATION/END CODE

DEI – – –

Indication that this is either the last message/data set in a data transfer or that further messages/data sets are to be expected		
Application	Format	Example
Chapters 4,5,7	a	E

Chapters 4, 5 and 7 Applications

The code is a single character field indicating whether or not additional messages or seasons/carriers/physical data sets are to follow:

E	for final message/data set in the series
C	to be continued within the same series

Chapters 4 and 5 Applications

The element is part of the Message Sequence Reference.

COORDINATOR REASON

DEI – – –

Information provided by Coordinators to advise airlines of their reason(s) for being unable to provide slot(s) requested		
Application	Format	Example
Chapter 6	aa.x(x)(x)	CA.SEC

Format

An optional element consisting of up to three alphanumeric characters. In the case of Chapter 6, these characters are preceded by a code defining flight arrival or flight departure.

Chapter 6 Application

Used within the SCR, SAL and SHL messages. Coordinator Reason is always preceded by a blank space, then **CA** and a full stop/period if it refers to the flight arrival, or **CD** and a full stop/period if it refers to the flight departure. It is positioned after the Passenger Terminal Identifiers and/or the Requested Timings if used, or Frequency Rate, or the Service Type if no Frequency Rate applies.

Chapter 6 describes the procedure to be followed when the use of Coordinator Reason results in the maximum message line length being exceeded.

CREATION DATE

DEI – – –

The computer-generated date of data set creation		
Application	Format	Example
Chapter 7	nnaaann	10JUN01

Use

This is a mandatory field and is used in conjunction with Creation Time to identify the exact time of data set creation.

These elements can also be used as the basis to determine precedence compared to other schedule data procedures.

Chapter 7 Application

The Creation Date is specified in Record Type 2 and is expressed as the day of the month (first two numerics), followed by the month (first three alphabetic characters in English spelling), followed by the year (last two numerics).

CREATION TIME

DEI – – –

The computer-generated time of data set creation		
Application	Format	Example
Chapter 7	nnnn	1128

Use

This is a mandatory field and is expressed by four digits indicating the 24 hours clock timing in the range 0000 through 2400.

Chapter 7 Application

It is placed in Record Type 2 and is used in conjunction with Creation Date to identify the exact time of data set creation.

These elements can also be used as the basis to determine precedence compared to other schedule data procedures.

CREATOR REFERENCE

DEI – – –

Unique identification assigned by the originator of the data and referenced by the recipient whenever appropriate		
Application	Format	Example
Chapters 4,5	/x(x)(x)(x)(x)(x)(x)(x)... (max. 35 characters)	/ABC011 S80/05APR /EMAIL@AIRLINE.COM/ABC011 S03/ 05APR
Chapter 6	/x(x)(x)(x)(x)(x)(x)(x)(x)... (max. 69 characters)	//LT//BLOCK/ABCD123/HDQACXH@ coorlaus.com.au
Chapter 7	x(x)(x)(x)(x)(x)(x)(x)(x)... (35 characters)	ABC1234/05APR00000000...

Use

It consists of up to 35 characters in free format with the exception of chapter 6 where up to 69 characters can be used.

In telegraph messages, it is preceded by a slash and the last 6 characters are recommended to be a slash followed by the date.

When an email address is to be included in the Creator Reference, it should come first (after the slash, in the case of Chapters 4 and 5 applications). This may then be followed by a space and new/followed by the normal originator's internal reference. In the case of chapter 6 messages, the email is the last element of the creator's reference (see 6.4.2).

DATA ELEMENT IDENTIFIER

DEI – – –

Identification of a specific data element in SSIM		
Application	Format	Example
Chapters 4,5	n(n)(n)	809
Chapter 7	(n)nn	050

Chapters 4 and 5 Applications

Refer to the Technical Specifications in the appropriate Chapters.

Chapter 7 Application

A 3-byte numeric field in the Segment Record

For a general description of the relationship between Data Element Identifier and its corresponding data element see Section 2.3: **Data Elements and Data Element Identifiers**.

Note: Once data has been transmitted for **segments** using Data Element Identifiers (except Data Element Identifiers 106-109) it can only be modified or deleted in the following ways:

When using Chapters 4 and 5 (SSM and ASM), either by using Action Identifiers “**SKD**”, “**NEW**”, “**CNL**” or “**RPL**” (replacing or deleting **all** data);

or

by specific replacement using the same Data Element Identifier(s) with Action Identifier “**ADM**” to specify new or revised information

or

by specific deletion, by using the same Data Element Identifier(s) but stating “**NIL**” after the Data Element Identifier — e.g. AAABBB 111/NIL.

When using Chapter 7 complete replacement of all data is being carried out, including any segment data previously specified using Data Element Identifiers.

In cases where a single Data Element Identifier contains a list of items/codes (e.g. In-Flight Service Information — Data Element Identifier 503), it is not possible to add, delete or revise the individual items/codes in the list on their own. In such cases, a **complete** revised list of items/codes must be transmitted.

APPLICATION OF DATA ELEMENT IDENTIFIERS

→ For further guidance, refer to Appendix H: Legs/Segments

The following table lists all Data Element Identifiers in numerical order stating their position in SSM (Chapter 4) and ASM (Chapter 5) use as well as the applicable Record Type for Chapter 7 use. Where alternatives exist, the data may only be placed in one position for each sub-message of Itinerary Variation.

The applicable positions as listed in the table below are as follows:

F	Flight Information
P	Period/Frequency Information
E	Equipment Information
L	Routing or Leg Information
S	Segment Information
3	Record Type 3 — Flight Leg (Data Element Identifier not used)
4	Record Type 4 — Segment Data
★	State the leg in this position (see Note 1 below)

Note 1: The Data Element Identifiers marked S★ or 4★ can only be used for legs, and not for segments which are not also legs. For example, Data Element Identifier 503 is shown as S★, and is clearly defined in this Chapter as being a leg based data element. Therefore on a flight routing AAA-BBB-CCC, it would be wrong to show on the Segment Information line of an SSM:

AAACCC 503/8,

but correct to show:

AAABBB 503/8 and/or BBBCCC 503/8

When QQQ is used as part of the segment specification, this rule still applies.

This means that, on a flight routing AAA-BBB-CCC, QQQQQQ 503/9, for example, can only be used when it applies to BOTH the legs AAA-BBB and BBB-CCC. QQQQQQ has no meaning for AAA-CCC, because 503 is a leg based data element.

QQQ means all Board or Off Points (or both) depending upon which position it is in.

For segment based Data Element Identifiers, such as 8, 11, 101, 102, 111 etc, on a flight routing AAA-BBB-CCC, QQQCCC means AAA-CCC and BBB-CCC, but not AAA-BBB because BBB is not stated as an Off Point.

Similarly, AAAQQQ means AAA-BBB and AAA-CCC, but not BBB-CCC because BBB is not stated as a Board Point.

QQQQQQ means all segments — AAA-BBB, AAA-CCC and BBB-CCC.

For station oriented Data Element Identifiers, such as 97, 98, 99, 198 and 199, the format or meaning of the Data Element Identifier defines whether it is the Board Point or Off Point of the stated segment that is being referenced.

Flight Routing: AAA-BBB-CCC	Leg based data element applied to:	Segment based data element applied to:
If QQQ-CCC	BBB-CCC	AAA-CCC and BBB-CCC
If AAA-QQQ	AAA-BBB	AAA-BBB and AAA-CCC
If QQQ-QQQ	AAA-BBB and BBB-CCC	AAA-BBB and BBB-CCC and AAA-CCC

Note 2: The application of a data element should be stated at the highest applicable level possible (levels are F, P, E, L, S) and not repeated at a lower level in the same message.

For example, in Chapter 4, if Service Type “J”, Aircraft Type “744”, and Aircraft Configuration/Version “PCY” (i.e. all Equipment information) applies to all legs of a multi-leg flight, this information should be stated only once (level E) prior to the information relating to the first leg (level L); it should not be re-stated before each set of leg information.

Data Element Identifier	Name of Data Element	Chap. 4	Chap. 5	Chap. 7
1	Joint Operation Airline Designators	F/P/L	F/L	3
2	Operating Airline Disclosure — Code Share	F/P/E/L	F/E/L	3
3	Aircraft Owner	F/P/E/L	F/E/L	3
4	Cockpit Crew Employer	F/P/E/L	F/E/L	3
5	Cabin Crew Employer	F/P/E/L	F/E/L	3
6	Onward Flight	P/E/L	F/E/L	3
7	Meal Service Note	L	L	3
8	Traffic Restriction Note	S	S	3(4)
9	Operating Airline Disclosure — Shared Airline or Wet Lease Designation	F/P/E/L	F/E/L	3
10	Duplicate Leg Cross Reference — Duplicate Leg Identification	S★	S★	4★
11	Partnership Specification	S	S	4
50	Duplicate Leg Cross Reference — Operational Leg Identification	S★	S★	4★
97	UTC/Local Time Variation Specification	S★	S★	3 ¹
98	Passenger Terminal Identifier — Arrival	S★	S★	3 ²
99	Passenger Terminal Identifier — Departure	S★	S★	2 ²
101	Passenger Reservations Booking Designator Segment Override	S	S	4
102	Passenger Reservations Booking Modifier Segment Override	S	S	4
104	Blocked Seats and/or Unit Load Devices	S★	S★	4★
105	Restricted Payload	S★	S★	4★
106	Passenger Reservations Booking Designator Exceeding Maximum Length	S★	S★	4★
107	Passenger Reservations Booking Modifier Exceeding Maximum Length	S★	S★	4★
108	Aircraft Configuration/Version Exceeding Maximum Length	S★	S★	4★
109	Meal Service Note Exceeding Maximum Length	S★	S★	4★
111	Meal Service Segment Override	S	S	4
113	Aircraft Owner Specification	S★	S★	4★
114	Cockpit Crew Employer Specification	S★	S★	4★
115	Cabin Crew Employer Specification	S★	S★	4★
121	Aircraft Type Publication Override	S	S	4
122	Flight Number Override	S	S	4
125	Joint Operation Airline Designators Segment Override	S	S	4
127	Operating Airline Disclosure	S★	S★	4★
170	Traffic Restriction Code Applicable to Passengers Only	S ³	S ³	4

Data Element Identifier	Name of Data Element	Chap. 4	Chap. 5	Chap. 7
171	Traffic Restriction Code Applicable to Cargo/Mail Only	S ³	S ³	4
172	Traffic Restriction Code Applicable to Cargo Only	S ³	S ³	4
173	Traffic Restriction Code Applicable to Mail Only	S ³	S ³	4
198	Passenger Terminal Segment Override — Arrival	S	S	4
199	Passenger Terminal Segment Override — Departure	S	S	4
201	Subject to Government Approval	S	S	4
210	Plane Change without Aircraft Type Change	S★	S★	4★
220	Minimum Connecting Time International/Domestic Status Override	S	S	4
299	Passenger Check-In	S★	S★	4★
301	Flaglanding at Off Point Only	S★	S★	4★
302	Flaglanding at Off Point and Board Point	S★	S★	4★
303	Flaglanding at Board Point Only	S★	S★	4★
501	On-Time Performance Indicator	S★	S★	4★
503	In-Flight Service Information	S★	S★	4★
505	Electronic Ticketing Information	S★	S★	4★
507	Request All Reservations	S	S	4
710	Traffic Restriction Code Qualifier at Board Point	S ³	S ³	4
711	Traffic Restriction Code Qualifier at Off Point	S ³	S ³	4
712	Traffic Restriction Code Qualifier at Board and Off Points	S ³	S ³	4
713-799	Traffic Restriction Code Information — Free Format	S ³	S ³	—
800-899	Data Element Identifiers — Free Format Bilateral Use	S(★)	S(★)	4
900-999	Data Element Identifiers — Free Format Internal Use	S(★)	S(★)	4

¹ See UTC/Local Time Variation (for Departure and Arrival Station).

² See Passenger Terminal.

³ Sub-element to Traffic Restriction Note.

**DATA ELEMENT IDENTIFIERS – FREE FORMAT
BILATERAL USE**
DEI 800-899

A free format text field assigned by the individual carrier for bilateral purposes		
Application	Format	Example
Chapters 4,5	xxx... (max. 58 char.)	IN FLIGHT MOVIE
Chapter 7	xxx... (max. 155 char.)	

**DATA ELEMENT IDENTIFIERS – FREE FORMAT
INTERNAL USE**
DEI 900-999

A free format text field assigned by the individual carrier for internal purposes.		
Application	Format	Example
Chapters 4,5	xxx... (max. 58 char.)	RULE 69 APPLIES
Chapter 7	xxx... (max. 155 char.)	

DATA SET SERIAL NUMBER
DEI – – –

Indication of the position of the physical data set within the logical data set in which it occurs		
Application	Format	Example
Chapter 7	nnn	002

Use

A 3 byte mandatory field in Record Type 1.

DATE OF MESSAGE
DEI – – –

The date of request/advice/reply		
Application	Format	Example
Chapters 4,5,6	nnaaa	03N0V

Use

Expressed as the first two numerics for the day of the month followed by the first three alphabetic characters (in English spelling) for the month.

Chapters 4 and 5 Applications

This element is part of the Message Sequence Reference.

DATE VARIATION

DEI – – –

The relationship between Day(s)/Period of Operation of the flight origin station and the Scheduled Time of Aircraft Departure/Arrival in the same time mode

Application	Format	Example
Chapter 4	(M)n	2
Chapter 7	Nn	01

Chapter 4 Application

The code values are as follows:

1	Arrival/departure on the next day
2	Arrival/departure two days later etc.
0	Arrival/departure on the same day (optional)
M1	Arrival/departure on the previous day etc.

Chapter 7 Application

The code values are as follows:

- 1 Arrival/departure on the next day
- 2 Arrival/departure two days later etc.
- 0 Arrival/departure on the same day
- A Arrival/departure is previous day

The first indicator stated in the format applies to the Departure Variation and the second indicator applies to the Arrival Variation.

Chapter 7 Example:

```

3 XX 12340101J 15AUG0615DEC061234567 ATL20002000-0500SLGW09000900...01
3 XX 12340102J 16AUG0616DEC061234567 LGW10301030+0000SFRA13301330...11
3 XX 12340103J 16AUG0616DEC061234567 FRA16001600-0100SIN04000400...12
3 YY 010101J 15AUG0615DEC061234567 AKL10301030+1000 HNL21152115...0A
3 YY 010102J 14AUG0614DEC061234567 HNL23002300-1000 LAX07000700...A0

```

DAY(S) OF OPERATION

DEI – – –

The day(s) of the week when a flight is operated		
Application	Format	Example
Chapter 3	nnnnnnn ¹	1.3.5.7
Chapter 4	n(n)(n)(n)(n)(n)(n)	1357
Chapter 6	nnnnnnnn	1030507
Chapter 7	(n)(n)(n)(n)(n)(n)(n)	1030507

¹ 'n' may be substituted by full stop/period.

Use

When used in a context where flights are cancelled/deleted, Day(s) of Operation specifies the day(s) of the week to be cancelled.

The Day(s) of Operation shall be stated as numbers 1 through 7, where Monday is Day 1.

Ascending order is mandatory.

Days of Operation should be compatible with Period of Operation.

If schedule information is received with incompatible Period of Operation/Days of Operation, then the incompatible days of operation should be eliminated.

For example, AB1234 12SEP01-13SEP01, days 1234567, change the days to 17.

The Day(s) of Operation must conform to the applicable Time Mode.

Applicability of Day(s) of Operation

Chapters 3,4	Day(s) refer to departure from origin station
Chapter 6	Day(s) refer to operation at Clearance/Advice Airport
Chapter 7	Day(s) refer to departure from leg departure station

Non-operative days are to be filled as follows:

Chapter 3 applications	Insert full stops/periods
Chapter 4 applications	no fill
Chapter 6 applications	zero (0) fill
Chapter 7 applications	blank fill

Chapters 4 and 7 Applications

The day(s) always relate to the Scheduled Time of Aircraft Departure (STD) — not the Passenger STD.

Chapter 7 Application

The Day(s) of Operation relate to each leg of the flight.

Consequently, downline legs of a flight having an STD on the next (or previous) day(s) shall have the Day(s) of Operation adjusted correspondingly in relation to the Day(s) of Operation on the first leg.

DEPARTURE DATE

DEI – – –

The departure date of an aircraft		
Application	Format	Example
Chapter 6	nnaaa	20NOV

Chapter 6 Application

The element describes the date of departure of an aircraft from the Clearance/Advice Airport for flights operating on single dates.

The element is used where the departure is an initial departure, and not associated with any same or previous day arrival.

DESTINATION STATION

DEI – – –

The airport of final destination of the aircraft with the same departure Flight Designator.		
Application	Format	Example
Chapter 6	aaa	SYD

Use

This field is mandatory when final destination is different from Next Station.

Values

Refer to the IATA 3-letter Location Identifiers.

DUPLICATE AIRLINE DESIGNATOR MARKER

DEI – – –

Identification of a duplicate airline designation		
Application	Format	Example
Chapter 7	X	X

Chapter 7 Application

Used to specify that the data in the IATA Airline Designator (bytes 3–4) in Record Type 2 refers to a duplicate IATA designator and, as a result, the identity (name) of the airline must be stated in bytes 109–149 as part of 'General Information'.

DUPLICATE LEG CROSS REFERENCE — DUPLICATE LEG IDENTIFICATION

DEI 10

The Flight Designator(s) (and Operational Suffix, when applicable) of flight leg(s) that are duplicates, due to commercial/technical reasons, of this operational leg		
Application	Format	Example
Chapters 4,5	xx(a)nnn(n)(a) [/xx(a)nnn(n)(a)....]	ABC123/DEF012A
Chapter 7	xx(a)(n)(n)(n)(a) [/xx(a)(n)(n)(n)(a)....]	ABC01230/DEF0012A
DEI 10 is only applicable to Chapters 4, 5 and 7		

→ For further guidance, refer to Appendix H: Duplicate Flight Legs

Use

This data element can only be applied to an operational leg.

As such, it cannot be used in conjunction with a segment that is not also a leg.

The Flight Designators (and Operational Suffix, when applicable) of the duplicated leg(s) are listed in this data element.

Chapters 4, 5 and 7 Applications

In the extreme case of maximum line length being exceeded in Chapters 4, 5 and 7, all additional Flight Designators (and Operational Suffix) not accommodated within the available line/record length shall be stated by repeated use of Data Element Identifier 10.

Segment Information lines (Chapters 4 and 5) and Segment Data Records (Chapter 7) pertaining to Data Element Identifier 10 shall be kept as one group and be interpreted as one single data element.

Updated transmissions of the same flight or flight leg(s) replace the complete previous set of lines/records irrespective of the number of lines/records transmitted.

Note 1: The duplicate Flight Designator(s) leg must have the Duplicate Leg Cross Reference — Operational Leg Identification data element specifying the operational Flight Designator.

Note 2: Use of this data element is as important for operational functions as it is for commercial functions.

Note 3: Some receiving systems may make flight display decisions based on data present in this data element and, in some cases, based on the order of the Duplicate Leg Identifications.

DUPLICATE LEG CROSS REFERENCE — OPERATIONAL LEG IDENTIFICATION

DEI 50

The Flight Designator (and Operational Suffix, when applicable) of the operational flight leg of which this flight leg is a duplicate		
Application	Format	Example
Chapters 4,5	xx(a)nnn(n)(a)	ABC001A
Chapter 7	xx(a)(n)(n)(n)(a)	ABC0001A
DEI 50 is only applicable to Chapters 4, 5 and 7		

→ For further guidance, refer to Appendix H: Duplicate Flight Legs

Use

This data element can only be applied to non-operational legs (duplicate Flight Designator leg(s)). As such, it cannot be used in conjunction with a segment that is not also a leg.

The Flight Designator (and Operational Suffix, when applicable) of the operational flight leg is listed in this data element.

Note 1: The operational Flight Designator leg must have a Duplicate Leg Cross Reference — Duplicate Leg Identification data element specifying the duplicate Flight Designator(s).

Note 2: Use of this data element is as important for operational functions as it is for commercial functions.

Note 3: For use of DEI 50 in Electronic Ticketing Procedures, refer to IATA Resolution 722f and 722g and ATA Resolutions 20.60 and 20.61.

ELECTRONIC TICKETING INFORMATION

DEI 505

Identification of a flight leg as an Electronic Ticketing Candidate		
Application	Format	Example
Chapters 4,5	aa	EN
Chapter 7	aa	ET
DEI 505 is only applicable to Chapters 4, 5 and 7		

→ For further guidance, refer to Appendix H: Electronic Ticketing Information and PSC Resolutions 722f/g/h

Default: In the absence of any information to the contrary, it is assumed that the default situation for a Carrier is **"EN"**.

A default can be specified for a Carrier in one of the following ways:

- (a) For Chapter 7, by using bytes 189 and 190 of Record Type 2.
- (b) By bilateral agreement between the parties concerned.



Note: It is not possible to transmit a default for a Carrier using Chapters 4 or 5.

Use

Used to identify whether or not a flight leg is an Electronic Ticketing Candidate.

When a segment is made up of more than one leg, the segment can be an Electronic Ticketing Candidate only if all the legs contained within the segment are designated for Electronic Ticketing Candidates. (See Appendix H, 'Electronic Ticketing Information' and 'Legs/Segments'.)

For example, in the case of an itinerary AAA-BBB-CCC-DDD, where legs AAA-BBB and BBB-CCC are Electronic Ticketing Candidates, and leg CCC-DDD is not an Electronic Ticketing Candidate, the segments AAA-BBB, BBB-CCC, and AAA-CCC are Electronic Ticketing Candidate, because both the constituent legs/segments AAA-BBB and BBB-CCC are Electronic Ticketing Candidates.

However, the segments AAA-DDD and BBB-DDD are not Electronic Ticketing Candidates, because they contain the leg CCC-DDD that is not an Electronic Ticketing Candidate.

Values

EN	Not Electronic Ticketing Candidate
ET	Electronic Ticketing Candidate

ERROR LINE

DEI - - -

Identification of the message line number on which an error was found		
Application	Format	Example
Chapters 4,5	nnn	123

Use

May be used in a Standard Schedules Message (SSM), or in an Ad Hoc Schedules Message (ASM), with Action Identifier **"NAC"**.

When a message cannot be processed successfully, the recipient may send an SSM or ASM message, using Action Identifier **"NAC"**, to advise the sender of the original message that the message content has not been successfully processed in the recipient's system. Error Line identifies a line number in the original message or submessage containing an error.

Error Line is always followed by a space and then a Reject Reason to explain the error.

The line count commences at the first mandatory line (i.e. the Action Identifier) in the message, or submessage, received.

When the error found in a message is not related to a specific line number, 000 should be used as the line number.

FLAGLANDING AT BOARD POINT ONLY

DEI 303

Indication that a flaglanding occurs at the Board Point only		
Application	Format	Example
Chapters 4,5,7	*	*
*The Data Element Identifier implies this condition. No additional data is required.		

FLAGLANDING AT OFF POINT ONLY

DEI 301

Indication that a flaglanding occurs at the Off Point only		
Application	Format	Example
Chapters 4,5,7	*	*
*The Data Element Identifier implies this condition. No additional data is required.		

FLAGLANDING AT OFF POINT AND BOARD POINT

DEI 302

Indication that a flaglanding occurs at both the Off Point and the Board Point		
Application	Format	Example
Chapters 4,5,7	*	*
*The Data Element Identifier implies this condition. No additional data is required.		

FLIGHT DESIGNATOR

DEI - - -

Identification of the flight or a series of similar flights operated by a carrier		
Application	Format	Example
Chapter 3	xx(a)(→)n(n)(n)(n)	QF150
Chapters 4,5,6	xx(a)nnn(n)	QF002
Chapter 7	xx(a)(n)(n)(n)n	QF00002

Use

The Flight Designator consists of:

- (a) Airline Designator of the Adminstrating Carrier; and
- (b) Flight Number (optional in some Slot/Schedule and Outstanding Request messages in Chapter 6).

Note: For commercial joint operations in connection with the presentation of schedules information to the public, reference should be made to the Joint Operation Airline Designators data element.

FLIGHT IDENTIFIER

DEI - - -

Identification of a unique flight operated on a specific date			
Application		Format	Example
Chapter 5	Airline Designator	xx(a)	AB
	Flight Number	nnn(n)	1234
	Operational Suffix	(a)	A
	Separator	/	/
	Flight Identifier Date	nn(aaa(nn))	06APR

→ For further guidance, refer to Appendix H: Time Mode

Use

The Flight Identifier is a composite data element, used only in ASM messages in Chapter 5, consisting of:

- (a) The Flight Designator (consisting of Airline Designator and Flight Number);
- (b) Optionally the Operational Suffix (see Operational Suffix for explanation regarding a description of the element and its use in various situations);
- (c) A sub-element separator which is a slash (/);
- (d) The Flight Identifier Date from the station of origin.

Rules are specified separately for data elements (a), (b) and (d) above.

Example:

AB1234A/06APR

FLIGHT IDENTIFIER DATE

DEI – – –

The date of the scheduled aircraft departure from the station of origin expressed in abbreviated alphanumeric format		
Application	Format	Example
Chapter 5	nn(aaa)(nn)	07OCT01

Use

The Flight Identifier Date must conform to the applicable time mode.

The abbreviated alphanumeric format consists of:

- (a) Date expressed in two digits in the range of 01–31;
- (b) Month given in three alphabetic characters and is always the first three alphabetic characters of the month in English spelling.
The month may be omitted but only when the operation referred to is within 3 days of the current date;
- (c) Year expressed by last two digits of the year.
This is mandatory for dates more than 11 months from current date.
It is optional in all other cases.

FLIGHT LEG(S) CHANGE IDENTIFIER

DEI – – –

Identification of the leg or group of consecutive legs that are affected by a change		
Application	Format	Example
Chapters 4,5	aaa/aaa(/aaa)... (max. 12 Stations)	BCN/HAM/CPH

Use

The Flight Leg(s) Change Identifier consists of:

- (a) The first Station affected by a change;
- (b) A data element separator by means of a slash (/);
- (c) All subsequent Stations affected by the change, each station being separated by a slash.

Chapter 4 Application

The notification of intermediate stations is optional for SSM messages in Chapter 4.

For the Action Identifiers “EQT” and “CON” the FLCI is conditional and is submitted on the Routing or Leg Information line. The routing supplied in the FLCI refer to the preceding Equipment Information line. Therefore the information given in the Equipment Information line applies only to the leg(s) stated in the FLCI.

For the Action Identifier “ADM” the FLCI replaces the stations and timings of Routing or Leg Information line(s). Therefore only the DEIs 1, 2, 3, 4, 5, 6, 7, 9 stated in that line apply only to the

leg(s) stated in the FLCI. Other DEIs referring to any segment of the entire routing may be stated in Segment Information line(s).

Chapter 5 Application

For ASM messages the FLCI is part of the Flight Information and therefore part of the identifier, i.e. the information stated in the ASM message relates to the leg or group of legs mentioned in the FLCI.

FLIGHT NUMBER

DEI – – –

A multi-purpose reference assigned by a carrier in connection with the planning and control of the operation of flights		
Application	Format	Example
Chapter 3	n(n)(n)(n)	83
Chapters 4,5,6	nnn(n)	123
Chapter 7	(n)(n)(n)n	000 2

→ For further guidance, refer to Appendix H: Fictitious Points; Time Mode; and Train Stations at Multi-Terminal Airports.

Use

In order to facilitate interline information exchange the following rules shall be applied and considered when assigning Flight Numbers. These rules must be observed without regard to leading zeros.

Failure to observe them may result in the inability of some systems to process the data.

- The Flight Number shall identify a flight or series of similar flights.
- The Flight Number shall be assigned such that it applies to only one scheduled departure from origin station per day (UTC and local).
For UTC applications (including Airport Clearance/Advice), the Operational Suffix when used shall be considered to be part of the Flight Number for this purpose.
- At any given station on any one date (UTC and local) there may only be at most one scheduled departure and at most one scheduled arrival with the same Flight Number. This rule applies to ALL Stations in the flight routing. For UTC applications (including Airport Clearance/Advice) the Operational Suffix when used shall be considered to be part of the Flight Number for this purpose.
- The Flight Number shall be assigned for a flight such that no one station on the routing may occur more than once except that the origin station may be the same as the final destination station.
(e.g. AAA-AAA and AAA-BBB-CCC-AAA are permitted; AAA-BBB-CCC-AAA-DDD is not permitted).
- The Flight Number may consist of up to 4 numeric digits (see format above), except that in Chapters 4, 5 and 6, a minimum of 3 digits, zero filled as necessary, is mandatory.
The Flight Number is to be used in accordance with the format set out in PSC Resolution 761 which governs the rules affecting Flight Number.
- The Flight Number must never appear on its own but must always form part of the Flight Designator.

Note 1: This field is fixed formatted, right justified and zero and/or blank filled in respect of Chapter 7 Schedule Data Set formats.

Note 2: It should be assumed that, when leading zeros appear as part of a number in the Flight Number field, they should be included with the Flight Number for commercial display purposes. If it is required to be specific as to whether leading zeros should be used for commercial display purposes, then Data Element 122 (Flight Number Override) must be provided to specify the Flight Number with or without the leading zeros.

Note 3: The use of leading zeros does not create a different Flight Number. For example, Flight Numbers 123 and 0 123 are the same.

FLIGHT NUMBER OVERRIDE

DEI 122

Identification of Flight Number by a carrier for commercial display purposes		
Application	Format	Example
Chapters 4,5,7	n(n)(n)(n)	0123
DEI 122 is only applicable to Chapters 4, 5 and 7		

Use

This Data Element enables carriers to override an existing Flight Number. It is used to be specific as to whether or not leading zeros should be used for commercial display purposes.

The use of leading zeros does not create a different Flight Number. For example, Flight Numbers 123 and 0123 are the same.

Flight Number Override **cannot** be used to overcome UTC or Local day duplication problems.

FLIGHT TRANSIT LAYOVER

DEI ---

Indication that there is a layover of the flight at the leg arrival station of 24 hours or more between the arrival and the departure of the next leg of the same flight		
Application	Format	Example
Chapter 7	n	1

Values

1	24 to 47.59 hours layover
2	48 to 71.59 hours layover, etc.

FREQUENCY RATE

DEI ---

An indication that a flight operates at fortnightly intervals (every 2 weeks) on the day(s) of the week stated under Day(s) of Operation		
Application	Format	Example
Chapter 4	/an	/W2
Chapters 6,7	2	2

Default When the data element is not stated, the default applies, i.e. the flight operates at weekly intervals on the day(s) of the week stated under Day(s) of Operation.

Use

When the Frequency Rate is used, the start date of the Period of Operation must be the first date on which the flight operates, and the end date must be the last date on which the flight operates. The start and end dates may **not** be expressed as "00XXX00" or "00XXX".

Chapter 6 application for slot coordination purposes

The Frequency Rate may not be used when submitting, deleting or changing flights that do not consist of a series of flights (five or more slots). It is also recommended that flights filed with a Frequency Rate are filed separately for each day of the week they might operate.

GENERAL INFORMATION

DEI – – –

Optional free text that does not directly relate to the data lines in the message		
Application	Format	Example
Chapter 6	GI → XXX...	GI BRGDS...
Chapter 7	xxx... (82 char.)	LASTØ SSMØ REFLECTEDØ 02145001ØØØØØØØØØØ

Chapter 6 Application

It always starts on a new line, after all data lines and any Supplementary Information have been stated.

It always begins with the character combination “GI”, followed by a blank space, and then, the free text information.

Chapter 7 Application

General Information is an optional 61 byte field in Record Type 2 used for free text relating to the contents, use, restrictions etc. of the data set.

If the Duplicate Airline Designator Marker (byte 108) has been set in Chapter 7, bytes 109–149 are reserved for specification of name of the airline.

HISTORIC SLOT REASON

DEI – – –

Information provided by Coordinators to advise airlines of their reason(s) why a slot cannot be considered as historic		
Application	Format	Example
Chapter 6	x(x)(x)	N8Ø

Chapter 6 Application

Used within the SHL message.

Values

Refer to SSIM 6.3.1.

INCOMING MESSAGE REFERENCE

DEI – – –

The message reply reference to a Slot/Schedule or Outstanding Request message		
Application	Format	Example
Chapter 6	REYT/x(x)(x)(x)(x)... (max. 35 characters)	REYT/ABC011 S80/05APR

Format

The reference abbreviation “REYT” and the Creator Reference as used by the request/information originator.

IN-FLIGHT SERVICE INFORMATION

DEI 503

In-flight service information provided on individual flight legs		
Application	Format	Example
Chapters 4,5	n(n)(n)/(n(n)(n))...	1/7/8
Chapter 7	(n)(n)n/(n)(n)n...	ØØ1/ØØ7/Ø12
DEI 503 is only applicable to Chapters 4, 5 and 7		

Format

The format incorporates the possibility to expand the code list to three-digit codes.

Default usage:

- *Default values can only be submitted using chapter 7. It is not possible to transmit defaults for a Carrier using Chapters 4 or 5.*
- *In the absence of any information provided to the contrary, code "9" (non smoking) applies.*
- *Should a Carrier wish to change the default from Non-smoking to Smoking for a given flight Δ leg, this can be accomplished by using the DEI 503 with the value "8".*
- *Any default value(s) specified applies all services of the Carrier and not just to the services of that Carrier for the stated Period of Schedule Validity.*
- *Where a Carrier has provided default value(s), but wishes to state additional In-Flight Service Information codes for specific flight legs, the In-Flight Service Information stated for such flight legs must contain ALL codes applicable to that flight leg, including a repeat of any such codes contained in the default value(s) for the Carrier.*
- *Defaults for all in-flight services can be specified for a Carrier in one of the following ways:*
 - (a) *For Chapter 7, by using bytes 170 to 188 of Record Type 2 to specify up to five defaults. Δ*
 - (b) *By bilateral agreement between the parties concerned.*

Use

It is the responsibility of the information sender to ensure that In-Flight Service Information codes used do not contradict each other.

For example, use of codes "8" and "9" on the same flight leg is contradictory, since either the flight leg is all 'Non-smoking', or 'smoking' is allowed on some parts of the aircraft.

In cases where a Carrier has provided default values, but wishes to entirely remove all values for a Y specific flight leg, this may be accomplished by using "NIL", instead of an In-Flight Service Information code.

For example:

In Chapter 7: AB503AAABBBNIL

In cases where only some of the values supplied in the default need to be removed, carriers need to state the remaining values in a DEI 503.

Chapters 4 and 5 Applications

The maximum line length constraint of 58 characters must be protected.

In cases where a Carrier has previously provided in flight service values, but wishes to entirely remove all values for a specific flight leg, this may be accomplished by using "NIL", instead of an In-Flight Service Information code.

In Chapters 4 and 5: AAABBB 503/NIL

Values

The codes to be used are jointly agreed with the Passenger and Airport Data Interchange Standards (PADIS) Board.

1	Movie
2	Telephone
3	Telex
4	Audio programming
5	Television
6	Reservation booking service
7	Duty Free sales
8	Smoking
9	Non-smoking
10	Short Feature Video
11	No Duty Free sales
12	In-seat power source
13	Internet access
14	E-Mail
15	In-seat Video Player/Library
16	Lie-flat Seat
17	Additional Services
18	Wi-Fi

□

ITINERARY VARIATION IDENTIFIER (IVI)

DEI – – –

A number used to differentiate between itineraries having the same Flight Designator (without regard to Operational Suffixes, if any).

An **Itinerary** is a single flight or a series of identical flights defined by a continuous Period and Day(s) of Operation (and Frequency Rate if applicable), each of which consists of one or more contiguous legs which, taken together, describe a complete routing of that flight.

Application	Format	Example
Chapter 7	nn	02

→ For further guidance, refer to Appendix H: Daylight Saving Time

Format

A number between 01 and 99

Use

Itinerary Variation Identifiers shall be assigned such that the itinerary with the earliest effective date shall be assigned IVI “01”, that with the next effective date, IVI “02”, etc.

Where two or more itineraries have equal effective dates, the itinerary with the earliest discontinue date shall be assigned the smallest IVI, etc; where two or more itineraries have the same Period of Operation, IVIs are then assigned in any order.

This does not preclude the use of the identifier in describing a flight for any other reason, that is to say splitting records and giving them more than the number of Itinerary Variation Identifiers strictly necessary.

Note: When more than 99 IVIs are required for the same Flight Designator, use should be made of the Itinerary Variation Identifier Overflow data element.

In such cases, the IVI may equal “00”, when the true IVI is ‘100’, ‘200’, etc.

Examples of use of Itinerary Variation Identifier

REMARKS	IVI	Leg Sequence Number	Flight Designator	Operational Suffix	Period of Operation	Day(s) of Operation	Routing	A/C Type	Configuration
Legal because repeats the leg A-B to avoid ambiguity.	01	01	ABC123		01APR310CT	123456	A -B	767	Y
	02	01	ABC123		01APR310CT	7	A -B	767	Y
	02	02	ABC123		01APR310CT	7	B -C	767	Y
Illegal because no way of knowing that A-B-C operates through-out the season on day 7 because IVI 02 has no leg 01	01	01	ABC123		01APR310CT	1234567	A -B	767	Y
	02	02	ABC123		01APR310CT	7	B -C	767	Y
Legal (Two Itinerary Variation Identifiers because of routing change)	01	01	ABC123		01APR310CT	123456	A -B	747	FY
	01	02	ABC123		01APR310CT	123456	B -C	747	FY
	02	01	ABC123		01APR310CT	7	A -C	747	FY
Legal (Two Itinerary Variation Identifiers because of day change)	01	01	ABC123		01APR310CT	123456	A -B	747	FY
	01	02	ABC123		01APR310CT	123456	B -C	747	FY
	02	01	ABC123		01APR310CT	7	B -C	747	FY
Legal	01	01	ABC123		01APR310CT	12345 7	A -B	M80	FY
	01	02	ABC123		01APR310CT	12345 7	B -C	M80	FY
	02	01	ABC123		01APR310CT	6	A -B	M80	FY
	02	02	ABC123		01APR310CT	6	B -D	M80	FY
Illegal because IVI 01 has different days of operation for legs 01 and 02 and also because IVI 02 has no leg 01	01	01	ABC123		01APR310CT	1234567	A -B	M80	FY
	01	02	ABC123		01APR310CT	12345 7	B -C	M80	FY
	02	02	ABC123		03JUL31JUL	6	B -C	M80	FY
Legal Aircraft change	01	01	ABC123		01APR310CT	1234	A -B	767	FY
	01	02	ABC123		01APR310CT	1234	B -C	767	FY
	02	01	ABC123		01APR310CT	567	A -B	M80	FY
	02	02	ABC123		01APR310CT	567	B -C	M80	FY
Legal whole route described within IVI and Leg Sequence Number	01	01	ABC123		01APR310CT	1234	A -B	767	Y
	01	02	ABC123		01APR310CT	1234	B -C	M80	Y
Legal Configuration change	01	01	ABC123		01APR310CT	1234	A -B	ERJ	FY
	01	02	ABC123		01APR310CT	1234	B -C	ERJ	FY
	02	01	ABC123		01APR310CT	567	A -B	ERJ	Y
	02	02	ABC123		01APR310CT	567	B -C	ERJ	Y
Legal provided that leg 02 departs on the next day	01	01	ABC123		01APR310CT	1 3 5	A -B	744	PJY
	01	02	ABC123		02APR01NOV	2 4 6	B -C	744	PJY
	02	01	ABC123		01APR310CT	2 4 67	A -B	777	PJY
	02	02	ABC123		02APR01NOV	1357	B -C	777	PJY
Illegal because the Operational Suffix has been considered as part of the Flight Designator in assigning the IVI	01	01	ABC123		01APR240CT	1234567	A -B	ERJ	FY
	01	01	ABC123	Z	240CT240CT	7	A -B	ERJ	FY
Legal	01	01	ABC123		01APR240CT	1234567	A -B	ERJ	FY
	02	01	ABC123	Z	240CT240CT	7	A -B	ERJ	FY
Legal on a multi-leg flight, the operational suffix is applied to both legs	01	01	ABC123	A	01APR310CT	1234567	A -B	767	Y
	01	02	ABC123	A	01APR310CT	1234567	B -C	767	Y
Illegal on a multi-leg itinerary, the suffix must apply to all legs of the itinerary	01	01	ABC123	A	01APR310CT	1234567	A -B	767	Y
	01	01	ABC123	-	01APR310CT	1234567	B -C	767	Y
Legal on a single leg flight the operational suffix has been applied to the itinerary	01	01	ABC123		01APR310CT	1234567	A -B	767	Y
	02	01	ABC123	A	240CT240CT	7	A -B	767	Y

ITINERARY VARIATION IDENTIFIER OVERFLOW

DEI – – –

The number of hundreds to be added to the number in the IVI field to give the true IVI		
Application	Format	Example
Chapter 7	n	2

Format

A one byte conditional field in Chapter 7 Record Types 3 and 4

Use

The Itinerary Variation Identifier Overflow data element is used when more than 99 IVIs are required for the same Flight Designator.

Chapter 7 Application

The element specifies how many hundreds, with a value of between 1 and 9, need to be added to the number in the IVI field to give the true number of IVIs.

For example, if the IVI field contains “34”, and the IVI Overflow field contains “2”, then the true IVI is “234” (i.e. 34 plus 200).

The field should be left blank when the true IVI is less than 100.

JOINT OPERATION AIRLINE DESIGNATORS

DEI 1

Identification of flights or legs of flights jointly operated by two or more carriers		
Application	Format	Example
Chapters 4,5	xx(a)/xx(a)/(xx(a))	AB/BC/DE
Chapter 7	xx(a)xx(a)((x)(x)(a))	ABØBCØDEØ
DEI 1 is only applicable to Chapters 4 and 5		

→ For further guidance, refer to Appendix H: Commercial Agreements between two or more Airlines

Note: For descriptions of other data elements applicable to Commercial Agreements, see **Operating Airline Disclosure — Shared Airline or Wet Lease Designation and Operating Airline Disclosure — Code Share**.

Use

Joint Operations always involve both an Administrating Carrier, (i.e., the airline which schedules the flight) and a Reservations Control Carrier, (i.e., the airline which controls the reservations for the flight).

Irrespective of how many carriers participate in such a joint operation, there can be only one Administrating Carrier and **one** Reservations Control Carrier.

The Administrating Carrier's Airline Designator will appear as part of the Flight Designator of the joint operation.

The Reservations Control Carrier will be the first (i.e., 'left-hand') carrier named in the series of Airline Designators used to denote the joint operation.

All Joint Operation Airline Designators common to each of the legs making up the segment shall be deemed to be Joint Operation Airline Designators on the segment, unless specified otherwise by using the Joint Operation Airline Designators Segment Override, which is also used to specify joint operation on multi-leg segments.

Example:

Carrier XA operates flight 901 over itinerary AAA-BBB-CCC, and is in joint operation with carrier XB from BBB to CCC. Furthermore, carrier XB controls all reservations boarding BBB.

The Flight Designator of this service will be XA901.

The Joint Operation Airline Designators for the leg BBB-CCC will be XB/XA.

△

Chapters 4, 5 and 7 Applications

The Joint Operation Airline Designators consist of:

- (a) Data Element Identifier, always the digit 1 (not applicable in Chapter 7);
- (b) The Airline Designators for a minimum of 2 and a maximum of 3 carriers and appearing in the order as agreed by the carriers concerned.

(The Airline Designator of the Administration Carrier need not necessarily be shown first. See above.)

JOINT OPERATION AIRLINE DESIGNATORS SEGMENT OVERRIDE

DEI 125

Specification of a joint operation over a segment differing from what applies to the legs within the segment		
Application	Format	Example
Chapters 4,5,7	xx(a)/xx(a)/xx(a))	ABC/DEF

→ For further guidance, refer to Appendix H: Commercial Agreements between two or more Airlines

Use

The data element **either** overrides the information given under Joint Operation Airline Designator for the legs of a flight within the stated segment, **or** specifies the joint operation on a multi-leg segment in cases where there is no joint operation on the individual legs that constitute the stated segment.

It is also permissible to specify a single Airline Designator using this facility, which, if equivalent to the Adminstrating Carrier, indicates the absence of joint operation over the segment specified and, if different from the Adminstrating Carrier, indicates the alternative Reservations Control Carrier applicable to the segment.

LEG SEQUENCE NUMBER

DEI - - -

The sequence number of the leg for the flight and itinerary variation being specified within each Itinerary Variation Identifier		
Application	Format	Example
Chapter 7	nn	03

Format

2 numeric bytes to recommended maximum of 20 legs.

MEAL SERVICE NOTE

DEI 7

Indicates the meal service provided on a leg.		
Application	Format	Example
Chapters 4,5	aa(a)/(aa(a))... (max. 5 classes) or /a(a) or aa(a)/(aa(a))...(//a(a)) (max. 5 groups)	FL/CS/YS or /B or CL//S
Chapter 7	a(a)(a)(a)(a)(a)(a)(a)(a)	LSLØLØØØØØØØ
DEI 7 is only applicable to Chapters 4 and 5		

Note: The Meal Service Notes applicable to each of the legs in a segment shall apply to the segment unless otherwise stated using Data Element Identifier 111 (Meal Service Segment Override).

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Use

To indicate the meal service provided on a leg, and is primarily used for public information purposes.

The note may include up to two meal codes for each class.

The absence of a meal service code for any or all Classes indicates that there is 'No meal service information available', and not 'No meal'. To specifically state that there is 'No meal' code N should be used.

Chapters 4, 5 and 7 Applications

The Meal Service Note consists of:

- (a) Data Element Identifier, always the digit 7 (not applicable in Chapter 7);
- (b) For Chapters 4 and 5 variable format coding with one or two codes per class (as specified in the Passenger Reservations Booking Designator, or Aircraft Configuration/Version as applicable) preceded by a Class Code in the Passenger Reservations Booking Designator.

The Passenger Reservations Booking Designator Codes and their associated Meal Code(s) must be separated by a slash (/). A simpler specification can be made if meal service is equal in all classes, or within a trailing group of classes as specified in the Passenger Reservations Booking Designator. In this case, the first class code (of the group) is replaced by a slash (/) and no subsequent classes need to be specified;

- (c) For Chapter 7, a fixed format 10 byte field, with 2 bytes per class (as specified in the Passenger Reservations Booking Designator, or Aircraft Configuration/Version as applicable), blank filled, with the first 2 bytes specifying the meal(s) applicable to the first class stated, the next 2 bytes to the next class, and so on;
- (d) Whenever Meal Codes for more than one class are given, the Meal Codes must be stated in the same order as the corresponding class codes in the Passenger Reservations Booking Designator or Aircraft Configuration/Version, as appropriate;
- (e) For Chapters 4 and 5, in the case of no Meal Service for a class, all the classes having a Meal Service shall be specified. The simplified specification (see (b) above) shall not be used;
- (f) If the Meal Service Note is applicable to more than 5 classes (including a non-specified group of classes in Chapters 4 and 5), "XX" will be stated on the first two positions.

This indicates that reference should be made to Data Element Identifier 109 (Meal Service Note Exceeding Maximum Length) for full Meal Service Note specification.

- (g) In cases where both ACV and PRBD are used, the Meal Service Note shall apply to the PRBD.

Values

Refer to SSIM Appendix B.

MEAL SERVICE NOTE EXCEEDING MAXIMUM LENGTH

DEI 109

Identification of the full Meal Service Information applicable for more than 5 classes of service		
Application	Format	Example
Chapters 4,5	aa(a)/aa(a)/aa(a)/ aa(a)/aa(a)/aa(a)...(//a(a))	FBS/JB/YS/MS/BS/KS/LS/MS/QS or FBS/JB//S
Chapter 7	(a)(a)(a)(a)(a)(a) (a)(a)(a)(a)(a)...	BSBBSBSBSBSBSBSBSBSBS

Use

A “NIL” statement is not required when previous information transmitted about the same flight leg is modified to the extent that Data Element Identifier 109 is not required.

In the absence of Data Element Identifier 109, it is assumed that the complete Meal Service Note is contained within Data Element Identifier 7 (Chapters 4, 5) and in the Type 3 Record bytes 101–110.

Chapters 4 and 5 Applications

Data Element Identifier 109 can include a non-specific group of classes.

The maximum line length constraint of 58 characters must not be exceeded.

In the extreme case of maximum line length being exceeded in Chapters 4, 5 all additional meal services not accommodated within the available line/record length shall be stated by repeated use of Data Element Identifier 109.

Segment Information lines (Chapters 4 and 5) pertaining to Data Element Identifier 109 shall be kept as one group and be interpreted as one single data element.

Updated transmissions of the same flight or flight leg(s) replace the complete previous set of lines/records irrespective of the number of lines/records transmitted.

MEAL SERVICE SEGMENT OVERRIDE

DEI 111

Information provided by carriers to specify the meal service information that applies to a segment, and not leg by leg		
Application	Format	Example
Chapters 4,5	aa(a)/aa(a)/aa(a)/ aa(a)/aa(a)/aa(a)...(//a(a))	FBS/JB/YS/MS/BS/KS/LS/MS/QS or FBS/JB//S
Chapter 7	aa(a)/aa(a)/aa(a)/ aa(a)/aa(a)/aa(a)...	BSBBSBSBSBSBSBSBSBSBS

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Chapters 4 and 5 Applications

Data Element Identifier 111 can include a non-specific group of classes. The maximum line length constraint of 58 characters must not be exceeded.

In the extreme case of maximum line length being exceeded in Chapters 4, 5 all additional meal services not accommodated within the available line/record length shall be stated by repeated use of Data Element Identifier 111.

Segment Information lines (Chapters 4 and 5) pertaining to Data Element Identifier 111 shall be kept as one group and be interpreted as one single data element.

Once DEI 111 is repeated, use of the ‘//’ simpler specification should not be used.

Updated transmissions of the same flight or flight leg(s) replace the complete previous set of lines/records irrespective of the number of lines/records transmitted.

Examples of use of DEI 111

Flight routing: AMS-LHR-JFK complimentary beverage instead of snack served to passengers AMS-JFK

	PRBD	Meal Service note	Meal Service segment override DEI 111
AMS-LHR	FCM	FB/CS/MC	
LHR-JFK	PCM	PL/CL/MS	
AMS-JFK (DEI 101)	PCY		PBL/CCL/YCS

SSM
 LT
 09OCT00531E001/
 NEW
 BA4854
 01SEP 30SEP 12345
 J 744 FAJCDRIYBHKMLVSNQ06.F14C70M185
 AMS1320 LHR1350 7/XX
 LHR1450 JFK1545
 AMSLHR 10/AZ3538/UX3503
 AMSLHR 98/5
 AMSLHR 109/FB/AB/JB/CS/DS/RS/IS/YC/BC/HC/KC/MC/LC/VC/SC
 AMSLHR 109/NC/QC/OC/GC
 AMSLHR 503/9
 AMSLHR 505/ET
 LHRJFK 10/AZ3538/UX3503
 LHRJFK 98/7
 LHRJFK 99/5
 LHRJFK 109/FL/AL/JL/CL/DL/RL/IL/YS/BS/HS/KS/MS/LS/VS/SS
 LHRJFK 109/NS/QS/OS/GS
 LHRJFK 503/9
 LHRJFK 505/ET
 AMSJFK 111/FBL/ABL/JBL/CCL/DCL/RCL/ICL/YCS/BCS/HCS/KCS
 AMSJFK 111/MCS/LCS/VCS/SCS/NCS/QCS/OCs/GCS

MESSAGE GROUP SERIAL NUMBER

DEI - - -

The number assigned from 00001 in ascending order each day to define the sequence of message groups for that day		
Application	Format	Example
Chapters 4,5	nnnnn	00004

Format

A 5 digit number that is part of the Message Sequence Reference.

MESSAGE SEQUENCE REFERENCE

DEI – – –

Unique identification assigned by the originator of a Standard Schedules Message (SSM) or Ad Hoc Schedules Message (ASM) to indicate that there may be some other related part messages associated with the physical SSM or ASM

	Application	Format	Example
Chapters 4,5	Date of Message	nnaaa	27JAN
	Message Group Serial Number	nnnnn	00004
	Continuation/End Code	a	E
	Message Serial Number	nnn	001

Format

The Message Sequence Reference consists of:

- (a) Date of Message;
- (b) The Message Group Serial Number;
- (c) The Continuation/End Code which will be “C” whenever there are more messages to follow, and “E” for the final message within the Message Group Serial Number;
- (d) The Message Serial Number.

It is recommended to use the Message Sequence Reference when messages are decoded by a computer and must be processed in the same order as they are sent.

MESSAGE SERIAL NUMBER

DEI – – –

The sequence of the message within the Message Group Serial Number

Application	Format	Example
Chapters 4,5	nnn	001

Chapters 4 and 5 Applications

A 3 digit number that is part of the Message Sequence Reference.

MINIMUM CONNECTING TIME INTERNATIONAL/ DOMESTIC STATUS

DEI – – –

Identification of the international/domestic status on each flight leg to control the correct generation of flight connections between two flights

Application	Format	Example
Chapter 7	aa	DD

→ For further guidance, refer to Appendix H: Minimum Connecting Time

Default:

The country codes of the origin and destination stations on the flight leg are compared. When the countries are the same, the leg status is “DD” or domestic.

When the countries are different, the leg status is “II” or international.

This Data Element is only used in Chapter 7. In Chapters 4 and 5 when the status of the flight leg, or segment, for Minimum Connecting Time (MCT) application cannot be interpreted correctly based on this default, then use of Data Element Identifier 220 (Minimum Connecting Time International/Domestic Status Override) is necessary.

Note: The International/Domestic Status specified may be based on the default or known exceptions in applicable markets, rather than additionally using Data Element Identifier 220 to deal with the exceptions.

This means a leg status of “DI” or “ID” is possible when an exception applies.

When a segment, that is not also a leg, differs from the default stated above, it is necessary to use Data Element Identifier 220 to specify the International/Domestic Status.

Chapter 7 Application

A two byte optional field in Record Type 3.

When used, it consists of two characters.

The first character specifies the departure status of either “D” for domestic or “I” for International, and the second character specifies the arrival status (“D” or “I”) of the specified leg.

Functional use of this Data Element requires the arrival status of one flight leg and the departure status of the connecting flight leg to be combined. This combined status, either “DD”, “II”, “DI” or “ID”, identifies the connection status for MCT application.

It is very important to correctly identify the connection status in order to find the accurate Minimum Connect Time data to use in the building of the connection travel option.

These principles apply equally when Data Element Identifier 220 has been used to specify International/Domestic Status.

Example 1: Single leg flight combinations

Flight Number	Board Point	Departure D/I	Off Point	Arrival D/I	D/I Definition
1	YUL	I	ORD	D	International departure from YUL with domestic arrival in ORD.
20	ORD	D	LAX	D	Domestic departure from ORD with domestic arrival in LAX.
330	LAX	I	HKG	I	International departure from LAX with international arrival in HKG.
4400	HKG	I	SIN	I	International departure from HKG with international arrival in SIN.

The resulting values for MCT application at ORD, LAX and HKG are as follows:

Connect Point	D/I Status for MCT	Domestic/International Definition
ORD	DD	Domestic arrival in ORD and domestic departure to LAX
LAX	DI	Domestic arrival in LAX and international departure to HKG
HKG	II	International arrival in HKG and international departure to SIN

Example 2: A multi leg flight combination

Flight Number	Board Point	Departure D/I	Off Point	Arrival D/I	D/I Definition
19	SYD	I	HNL	I	International departure from SYD with international arrival in HNL,
	HNL	D	LAX	D	<i>Flight continues...</i> Domestic departure from HNL with domestic arrival in LAX.
237	LAX	D	BOS	D	Domestic departure from LAX with domestic arrival in BOS.

The resulting value for MCT application at LAX, regardless of whether the origin point is SYD or HNL, is the same:

Connect Point	D/I Status for MCT	Domestic/International Definition
LAX	DD	Domestic arrival in LAX and domestic departure to BOS

MINIMUM CONNECTING TIME INTERNATIONAL/ DOMESTIC STATUS OVERRIDE

DEI 220

Information required to control of the correct generation of flight connections		
Application	Format	Example
Chapters 4,5,7	a/a	D/I
DEI 220 is only applicable to Chapters 4, 5 and 7		

Use

Used when the status (Domestic or International) of the flight leg or segment for Minimum Connecting Time (MCT) application cannot be interpreted unambiguously.

It may also be applied to override the status normally derived from analyzing the routing of the flight. The use of this data element uniquely defines if a flight leg or segment shall be processed for MCT application as Domestic or International individually at both Board Point and Off Point.

In cases where this data element has not been used, and the status (Domestic or International) of, say, an arriving flight at a Station is either ambiguous, or different to that which would be derived from the default interpretation, it is likely that the Minimum Connecting Time used for any passengers with onward connections booked from the arrival station will be wrong. This could result in passengers and/or their baggage missing their onward flight.

The default interpretation is that where the Countries of origin and destination are the same, the status is domestic, and where they are different, the status is international.

Chapters 4, 5 and 7 Applications

The following codes are used in Chapters 4, 5 and 7:

D	Domestic
I	International

The first indicator stated in the format applies to the Board Point and the second indicator (preceded by a slash) to the Off Point. Both indicators have to be used in order to avoid ambiguity.

Example 1:

Flight XY123 operates SYD-HNL-LAX

By default definition, the segments of this flight are defined as follows:

Segment	Board Point Country	Off Point Country	Default Int./ Dom. Status (Board Point)	Default Int./ Dom. Status (Off Point)
SYD-HNL	AU	US	International (I)	International (I)
SYD-LAX	AU	US	International (I)	International (I)
HNL-LAX	US	US	Domestic (D)	Domestic (D)

However, passengers travelling SYD-LAX may either clear immigration procedures in HNL arriving in LAX as “Domestic” passengers or remain in transit at HNL as International Passengers.

(a) Immigration clearance at first entry point (HNL)

All SYD-LAX passengers clear immigration at HNL travelling onwards HNL-LAX as Domestic Passengers:

Segment	Board Point Country	Off Point Country	Default Int./ Dom. Status (Board Point)	Default Int./ Dom. Status (Off Point)
SYD-HNL	AU	US	International (I)	International (I)
SYD-LAX	AU	US	International (I)	Domestic (D)
HNL-LAX	US	US	Domestic (D)	Domestic (D)

Use DEI 220 to uniquely define the MCT Status for SYD-LAX passengers:

SYDLAX 220/I/D

(b) Progressive immigration clearance (passengers clear immigration at each Off Point — HNL or LAX)

SYD-LAX passengers remain in transit at HNL, requiring HNL-LAX Domestic passengers to adhere to International MCT status on arrival at LAX:

Segment	Board Point Country	Off Point Country	Default Int./ Dom. Status (Board Point)	Default Int./ Dom. Status (Off Point)
SYD-HNL	AU	US	International (I)	International (I)
SYD-LAX	AU	US	International (I)	International (I)
HNL-LAX	US	US	Domestic (D)	International (I)

Use DEI 220 to uniquely define the MCT Status for HNL-LAX passengers:

HNLLAX 220/D/I

Example 2:

Flight CD789 operates JER-LGW

JER and LGW have the same ISO Country code, meaning that, by default definition, the segment JER-LGW is Domestic at both Board (JER) and Off (LGW) Points.

However, passengers travelling JER-LGW are required to clear customs procedures at LGW, arriving as “International” passengers.

The Minimum Connecting Time International/Domestic Status Override is used to uniquely define that the departure from JER (the Board Point) is Domestic for MCT application, and the arrival at LGW (the Off Point) is International for MCT application, on this particular flight routing:

JERLGW 220/D/I

Example 3:

Flight EF135 operates LHR-DUB

LHR and DUB have different ISO Country codes, meaning that, by default definition, the segment LHR-DUB is International at both Board (LHR) and Off (DUB) Points.

However, passengers travelling LHR-DUB are not required to clear customs or immigration procedures at DUB, departing LHR and arriving DUB as “Domestic” passengers.

The Minimum Connecting Time International/Domestic Status Override is used to uniquely define that the departure from LHR (the Board Point) is Domestic for MCT application, and the arrival at DUB (the Off Point) is Domestic for MCT application, on this particular flight routing:

LHRDUB 220/D/D

Example 4:

Flight AB456 operates YVR-YYC-LHR

YVR and YYC have the same ISO Country code, meaning that, by default definition, the segment YVR-YYC is Domestic at both Board (YVR) and Off (YYC) Points.

However, if a Traffic Restriction is applied which does not allow local traffic, but may allow connecting or stopover traffic, to be carried on the YVR-YYC segment, it may be necessary to treat the segment as "International" for MCT application.

The Minimum Connecting Time International/Domestic Status Override is used to uniquely define that the departure from YVR (the Board Point) for passengers travelling to YYC is International for MCT application, and the arrival at YYC (the Off Point) for passengers who have travelled from YVR is International for MCT application, on this particular flight routing:

YVRYYC 220/I/I

NEXT STATION

DEI - - -

The next station on the routing		
Application	Format	Example
Chapter 6	aaa	PER

Use

The next station on the routing is the station after the one to which the Schedules Clearance Request/Reply, Scheduled Movement Advice or Schedule Information Request/Reply is applicable.

Values

Refer to IATA 3 letter Location Identifiers

NUMBER OF SEASONS

DEI - - -

The number of Seasons that have been included in the data set		
Application	Format	Example
Chapter 7	n	2

Format

A one byte optional field in Record Type 1

NUMBER OF SEATS

DEI - - -

The total number of seats on the aircraft (all compartments combined)		
Application	Format	Example
Chapter 6	nnn	092

Use

If a cargo flight, then zero should be specified.

If transit or turnaround change from cargo to passenger flight, then the number of seats fitted should be specified.

Chapter 6 Application

The field is right justified, zero filled to 3 characters.

DEI - - -

Application	Format	Example
Chapter 7	a	c

```

3 SQ 0010101J20AUG0828AUG081234   SF001200120-0700       HKG06300630+08001
4 SQ 0010101J      AB010SF0HKGAI 8001 /US 5402
4 SQ 0010101J      AB106SF0HKGFPACZJDYSEBMWHQNVTLKG
4 SQ 0010101J      AB109SF0HKGM M M M M M M M M M M M M M M M
4 SQ 0010101J      AB503SF0HKG 9
4 SQ 0010101J      AB505SF0HKGET
3 SQ 0010102J21AUG0829AUG08 2345   HKG08000800+08001     SIN11401140+0800
4 SQ 0010102J      BC010HKGSINAI 8001 /US 5402
4 SQ 0010102J      BC106HKGSINFAPACZJDYSBEMWQNTVHLKG
4 SQ 0010102J      BC109HKGSINM M M M M M M M M M M M M M M M
4 SQ 0010102J      BC503HKGSIN 9
4 SQ 0010102J      BC505HKGSINET
```

DEI 501

Application	Format	Example
See Below	See Below	See Below
DEI 501 is only applicable to Chapters 4, 5 and 7		

Format 1: 10 Percent Accuracy

Application	Format	Example
Chapters 4,5	n aa ann	9DEC01
Chapter 7	n ba ann	9BJAN01

0	On-time performance 0-9 percent
1	On-time performance 10-19 percent

8	On-time performance 80-89 percent
9	on-time performance 90-100

Format 2: 1 Percent Accuracy

Application	Format	Example
Chapters 4,5,7	nnaaann	95DEC01

Chapters 4, 5 and 7 Format

Format consists of two numerics in the range 00 through 99 followed by the month and year.

Values for 00 through 99 are:

00	On-time performance 0 percent
01	On-time performance 1 percent

98	On-time performance 98 percent
99	On-time performance 99–100 percent

Format 3: No Historic Information

Application	Format	Example
Chapters 4,5	Naaann	NDEC01
Chapter 7	NØaaann	NØJAN01

Chapters 4, 5 and 7 Format

The first character is “N” (indicating that no on-time performance information is applicable to this segment), followed by the month and year.

Format 4: Undetermined

Application	Format	Example
Chapters 4,5	Uaaann	UDEC01
Chapter 7	UØaaann	UØDEC01

Chapters 4, 5 and 7 Format

The first character is “U” (indicating that no on-time performance information is required for this segment because the flight is scheduled to operate three times or less during a month), followed by the month and year.

ONWARD FLIGHT

DEI 6

The Flight Designator for the next leg operated by the same aircraft		
Application	Format	Example
Chapter 4	xx(a)nnn(n)(a)/(n)	AY652
Chapter 5	xx(a)nnn(n)(a) (/nn(aaa(nn)))	AY652/15
Chapter 7	xx(a)(n)(n)(n)n(n)(a)	KLØ01232Z
DEI 6 is only applicable to Chapters 4 and 5		

Chapters 4, 5 and 7 Applications

Used to indicate the Flight Designator of the next leg operated by the same aircraft where different from the leg being stated.

The Onward Flight is thus used to express the rotation (next use) of the aircraft operating the leg being stated, e.g. return flight or next flight.

The Onward Flight consists of:

- (a) Data Element Identifier, always the digit 6 (not applicable in Chap 7);
- (b) The Flight Designator for the aircraft when departing;

(c)

- (i) Operational Suffix and Aircraft Rotation Layover (Chap 4);
- (ii) Operational Suffix and Flight Identifier Date (Chap 5);
- (iii) Aircraft Rotation Layover and Operational Suffix (Chap 7).

Note: When there is a date variation between the arrival and departure of the onward flight, the Date Variation is added to this element for Chapter 4 applications.

The Flight Identifier Date is added for Chapter 5 applications.

OPERATING AIRLINE DISCLOSURE

DEI 127

To state the operator of the flight in a code share, shared airline designation or wet lease situation			
Application	Condition	Format	Example
Chapters 4,5	Airline Designator	xx(a)	BA or AAL
	Airline Designator and Name	xx(a)/x(x)...	BA/BRITISH AIRWAYS or CPB/CORPORATE EXPRESS AIRLINES
	Name – text only	/x(x)...	/LOGANAIR /BRIT AIR DBA AIR FRANCE /SUN-AIR OF SCANDINAVIA FOR BRITISH AIRWAYS /CL FOR LH
Chapter 7	Airline Designator	xx(a)	BA or AAL
	Airline Designator and Name	xx(a)/x(x)...	BAØ/BRITISH AIRWAYS CPB/CORPORATE EXPRESS AIRLINES
	Name – text only	/x(x)...	/LOGANAIR /BRIT AIR DBA AIR FRANCE /SUN-AIR OF SCANDINAVIA FOR BRITISH AIRWAYS /CL FOR LH

→ For further guidance, refer to Appendix H: Commercial Agreements between two or more airlines

Use

Information that states the actual operator of the flight, when the operator is different from both the Adminstrating Carrier and the Aircraft Owner. The use of this data element is mandatory when there is a legal requirement to disclose the operator of a service.

If the operator of the service has its own Airline Designator, it is expected that this code is submitted and must be specified in the first two or three bytes of the data element.

If the operator has no airline designator (or chooses not to use it) then the full company name, or other additional text required for marketing purposes will be supplied as free text.

When a Designator is not supplied in the first 3 bytes the data element will start with a slash (/) followed by the operating airline's name or other relevant text.

If the operator supplies both a code and additional text to its company name, the additional text is specified after the Airline Designator with the designator and text separated by a slash (/).

When there is a requirement to disclose an Airline name **and** a corporate (or network) name, it is recommended that the form “**AIRLINE X DBA ABC EXPRESS**” be used where ‘**DBA**’ means ‘doing business as’.

When both Code Share and Wet Lease conditions exist on the same flight, and there is a requirement to disclose both Airlines, it is recommended that the form “**AIRLINE ABC FOR AIRLINE XYZ**” be used.

AIRLINE ABC is the airline providing the aircraft and crew and is actually operating the flight (the Wet Lease Carrier).

AIRLINE XYZ is the administrating (airline) in a Code Share arrangement.

Chapters 4 and 5 Applications

DEI 127 is required when the letter “X” is specified in Data Element Identifier 2 (Operating Airline Disclosure – Code Share) or in Data Element Identifier 9 (Operating Airline Disclosure – Shared Airline or Wet Lease Designation).

Note: For Chapters 4 & 5 the technical specifications require that a slash (/) be used between the Data Element Identifier number and the commencement of the plain text data element content. In situations where the data element content itself also requires commencement with a slash (/) then two slashes (//) are required. For example, in the case of **GVAFRA 127//ABC AIRWAYS INC** the first slash is required by the message technical specification and the second is required as the commencement of the plain text data element content because ABC AIRWAYS INC is a plain text name and not an Airline Designator code.

Chapter 7 Application

DEI 127 is used when either ‘X’ or ‘Z’ has been specified in byte 149 to indicate the following conditions exist:

‘X’ Operating Airline Disclosure – Shared Airline or Wet Lease Designation

‘Z’ Operating Airline Disclosure – Code Share

When specifying either a full company name or multiple names, users should be aware that some computer systems have limitations on the number of characters that can be stored and/or displayed.

As such, specifications of more than 35 characters may be truncated.

Note 1: The carrier code is for use when applications cannot store data larger than airline code — such as the “dual” display in City Pair Availability, where free text cannot be accommodated.

Therefore, in City Pair Availability, a CRS could display the following:

UA/ZW

Note 2: Free text following the slash is provided for applications capable of displaying free text — such as invoicing and PNR data, where the 2/3 character limitation does not exist. Therefore, on an invoice, for example, it would read:

OPERATED BY AIR WISCONSIN DBA UNITED EXPRESS

Examples of data that can be supplied in the formats for DEI 127

For chapter 4/5/7 as there are several potential options to display airline designators or airline designators and name, the following examples of data formats could then be supplied.

	Chapter 7	Chapter 4/5
Airline Designator	AB127AAABBBBA AB127AAABBBBAF	AAABBB 127/BA AAABBB 127/BAF
Airline Designator and Name	AB127AAABBBBA/BRITISH AIRWAYS AB127AAABBB2H/THALYS INTERNATIONAL AB127AAABBBBPCPB/CORPORATE EXPRESS AIRLINES	AAABBB 127/BA/BRITISH AIRWAYS AAABBB 127/2H/THALYS INTERNATIONAL AAABBB 127/CPB/CORPORATE EXPRESS AIRLINES
Name — text only	AB127AAABBB/LOGANAIR AB127AAABBB/SUN-AIR OF SCANDINAVIA FOR BRITISH AIRWAYS AB127AAABBB/BRIT AIR DBA AIR FRANCE	AAABBB 127//LOGANAIR AAABBB 127//SUN-AIR OF SCANDINAVIA FOR BRITISH AIRWAYS AAABBB 127//BRIT AIR DBA AIR FRANCE

OPERATING AIRLINE DISCLOSURE — CODE SHARE

DEI 2

To state the carrier actually operating a flight, or flight leg(s) in a commercial duplicate code share operation

Application	Format	Example
Chapters 4,5	xx(a)	AB or 3B or 6X or AGL
	X	X
Chapter 7	a	L
DEI 2 is only applicable to Chapters 4 and 5		

→ For further guidance and examples when a combination of Code Share/Wet Lease agreements is in place refer to Appendix H: Commercial Agreements between two or more airlines.

Use

Information supplied on a flight that will give details of the Carrier who is operating a flight/flight legs.

When the carrier in the Flight Designator has sold seats on its flight/flight legs that are also distributed under a non-operational carrier code, the non-operational carrier should provide details of the operating carrier using DEI 2.

The use of this Data Element is mandatory when there is a legal requirement to disclose the Actual Operator of a flight, and the operator is different from both the Adminstrating Carrier and the Aircraft Owner.

Use of this data element is as important for operational functions as it is for commercial functions.

Chapters 4 and 5 Applications

Code Share details consist of The Data Element Identifier 2 followed by either:

The Airline Designator specifying the operator

or

The letter "X". 'X' indicates that the carrier has no Airline Designator (or chooses not to use it). The full company name or other additional text required for marketing or disclosure purposes, is specified using Data Element Identifier 127 (Operating Airline Disclosure).

Refer to Operating Airline Disclosure DEI 127 for the full formats.

Chapter 7 Application

Code Share details are supplied in the record type 3 by supplying a letter 'L' or 'Z' in byte 149.

'L' indicates the operator is the Airline Designator specified in the Aircraft Owner field byte 129–131.

'Z' indicates that the carrier has no Airline Designator (or chooses not to use it). The full company name, or other additional text required for marketing or disclosure purposes, is specified using Data Element Identifier 127 (Operating Airline Disclosure).

Refer to Operating Airline Disclosure DEI 127 for the full formats.

Example 1: Airline Designator supplied with DEI 2

SSM

LT

24MAY00144E003/REF 123/449

NEW XASM

AZ544 2/AF

12AUG 30SEP 1234567/W2

G M80 FCYML/FNCN.FCM

GVA1830/0/1815 FRA1945/0/1955 7/FDC/CD/YS/MS/LS

GVAFRA 8/Z/173/A

GVAFRA 50/AF836

Example 2: Text supplied with DEI 2

SSM
LT
25MAY00144E003/REF 123/449
NEW XASM
US7192 2/X
04JUN 02JUL 12345/W2
J CR7 FAYBMQNVWLSTGKUER .F6Y60
DEN1459 PDX1636
DENPDX 10/UA7192
DENPDX 127//SKYWEST AIRLINES DBA UNITED EXPRESS

SSM
LT
14MAY23985E001
RPL
FI055
28MAY09 30JUN09 5
J J31 YBHKMLVTSNQOG .Y999
OSL1855 AAL2005 2/X 7//M
AAL2025 AAR2045 2/X 7//M
OSLAAL 8/G
OSLAAL 50/BA8280
OSLAAL 127//SUN-AIR OF SCANDINAVIA FOR BRITISH AIRWAYS
OSLAAL 503/9
OSLAAL 505/ET
AALAAR 8/A
AALAAR 50/BA8280
AALAAR 127//SUN-AIR OF SCANDINAVIA FOR BRITISH AIRWAYS
AALAAR 503/9
OSLAAR 8/G

SSM
LT
25MAY00144E003/REF 123/449
NEW XASM
SK3205 2/X
04JUN 02JUL 12345/W2
J CR7 FAYBMQNVWLSTGKUER .F6Y60
FRA0930 DRS1030
FRADRS 50/LH1052
FRADRS 127//EW FOR LH

Example 3: Airline Designator and *additional* text to carriers registered name has been supplied

SSM
LT
14MAY36714E001
RPL
UA002
25AUG09 25SEP09 6
J SF3 JCRIYBHKMLVSNQ0G.C32
SYY1930 GLA2030 2/X
SYYGLA 50/US2830
SYYGLA 98/M
SYYGLA 505/ET
SYYGLA 503/9
SYYGLA 127/US/US AIRWAYS EXPRESS-PSA AIRLINES

[illegible]

OPERATING AIRLINE DISCLOSURE — SHARED AIRLINE or WET LEASE DESIGNATION

DEI 9

To state the carrier actually operating a flight, or flight legs on behalf of the Carrier specified by the Airline Designator in the Flight Designator		
Application	Format	Example
Chapters 4,5	xx(a)	AB or 3B or 6X or AGL
	X	9/X
Chapter 7	a	S
DEI 9 is only applicable to Chapters 4 and 5		

→ For further guidance and examples when a combination of Code Share/Wet Lease agreements is in place refer to Appendix H: Commercial Agreements between two or more airlines

Information supplied on a flight/flight leg providing details of the carrier who is operating the flight/flight leg on behalf of the carrier in the flight designator.

Note: DEI 9 Operating Airline Disclosure – Shared Airline or Wet Lease Designation is not to be used in situations where all parties in a code share agreement require their individual flights to be distributed/displayed. Refer to DEI 2 Operating Airline Disclosure – Code Share for the correct usage in this situation.

The use of this data element is mandatory when there is a legal requirement to disclose the Actual Operator of the flight, and this is different from both the Adminstrating Carrier and the Aircraft Owner.

Use of this data element is as important for operational functions as it is for commercial functions.

Chapters 4 and 5 Applications

Shared Airline Designation (Code Share/Wet Lease) consist of Data Element Identifier 9 followed by either:

The Airline Designator specifying the code of the operator

or

The letter 'X'. 'X' indicates that the carrier has no Airline Designator (or chooses not to use it). The full company name, or other text required for marketing or disclosure purposes, is specified using Data Element Identifier 127 (Operating Airline Disclosure).

Chapter 7 Application

Code Share details are supplied in the record type 3 by supplying a letter 'S' or 'X' in byte 149:

'S' indicates the operator is the Airline Designator specified in the Aircraft Owner field byte 129–131

'X' indicates the that the carrier has no Airline Designator (or chooses not to use it). The full company name, or other additional text required for marketing or disclosure purposes, is specified using Data Element Identifier 127 (Operating Airline Disclosure).

Refer to Operating Airline Disclosure DEI 127 for the full formats

Example 1: Airline Designator supplied with DEI 9

SSM
 LT
 24MAY00144E003/REF 123/449
 NEW XASM
 LX544 9/AF
 12AUG 30SEP 1234567/W2
 G M80 FCYML/FNCN.FCM
 GVA1830/0/1815 FRA1945/0/1955 7/FDC/CD/YS/MS/LS
 GVAFRA 8/Z/173/A

Example 2: Text supplied with DEI 9

SSM
 LT
 15MAY00982E001
 RPL XASM
 LX1617 9/X
 25MAY09 26MAY09 12
 J AR1 CDZJYBMHUGQKVLWTE.CYVVAR1S97
 MXP1055 ZRH1200 7/CM/DM/ZM/JM//R
 MXPZRH 10/LH5194
 MXPZRH 99/1
 MXPZRH 127//SWISS EUROPEAN AIR LINES
 MXPZRH 503/9
 MXPZRH 505/ET

SSM
 LT
 14MAY23985E001
 RPL
 SK005
 28MAY09 30JUN09 5
 J J31 YBHKMLVTSNQ0G.Y999
 OSL1855 AAL2005 9/X 7//M
 AAL2025 AAR2045 9/X 7//M
 OSLAAL 8/G
 OSLAAL 127//SUN-AIR OF SCANDINAVIA
 OSLAAL 503/9
 OSLAAL 505/ET
 AALAAR 127//SUN-AIR OF SCANDINAVIA
 AALAAR 505/ET
 AALAAR 503/9
 OSLAAR 8/G

Example 3: Airline Designator and *additional* text to carriers registered name has been supplied

SSM
 LT
 14MAY36714E001
 RPL
 US002
 25AUG09 25SEP09 6
 J SF3 JCRIYBHKMLVSNQ06.C32
 DEN1930 ORD2030 9/X
 DENORD 98/1
 DENORD 127/US/US AIRWAYS EXPRESS-PSA AIRLINES
 DENORD 505/ET
 DENORD 503/9

SSIM details	Byte 129–131	Byte 149
3 SK 2040101J11MAY0911MAY091 1KRS06200620+0200 OSL07100710+0200	BU	S
4 SK 2040101J AB109KRS0SLK K K K K K K K K K K K K K K		
4 SK 2040101J AB503KRS0SL 9		
3 UA 56620101J04JUN0901SEP0912345 ORD10261026-05002 SDF12501250-0400		X
4 UA 56620101J AB0110RDSDF*A		
4 UA 56620101J AB1270RDSDF/UNITED EXPRESS/EXPRESSJET AIRLINES		
4 UA 56620101J AB2990RDSDF/UNITED AIRLINES TERM 1		
4 UA 56620101J AB5050RDSDFET		
4 UA 56620101J AC0110RDORD*A		
3 UA 28300101J14MAY0901JUN0912345 7 CLT11251125-0400 OAJ12201220-0400		X
4 UA 28300101J AB011CLTOAJ*A		
4 UA 28300101J AB127CLTOAJUS/US AIRWAYS EXPRESS-PSA AIRLINES		
4 UA 28300101J AB299CLTOAJ/US AIRWAYS		
4 UA 28300101J AB505CLTOAJET		

OPERATIONAL SUFFIX

DEI – – –

A code assigned by the administrating carrier for operational purposes		
Application	Format	Example
Chapters 4,5,6,7	a	B

→ For further guidance, refer to Appendix H: Time Mode

→ For further examples, refer to Itinerary Variation

Format

An optional one alphabetic character that immediately follows the Flight Number.

The use and meaning of the suffix will be defined by the Administrating Carrier.

Use

When supplying Operational Suffix details for multi-leg flights, the suffix will apply to all legs of the itinerary.

It is recommended that Suffix Z be reserved for use in connection with UTC day/date Flight Designator duplications.

Suffix Z may be used regardless of whether the Time Mode used in a data transmission is UTC or Local. If data is transmitted in Local Time, but the receiving system needs to convert it to UTC, the lack of Suffix Z where UTC day/date duplications occur may cause problems.

The appropriate IATA/ATA Resolutions covering the reservations area specify that Flight Numbers should only be numeric and thus not contain any alpha characters.

For this reason, the Operational Suffix must not be considered as part of the Flight Number for publication and reservations purposes as some computer systems will be unable to read it.

Note: Based on this recommendation it is common practice in the Industry to program for suffix Z to be used for UTC day/date duplications. Receiving systems may not be able to read other alpha characters and the resulting display will be incorrect.

Chapter 4/5 Application

The operational suffix is specified only once as part of the flight number.

SSM

LT

24MAY00144E003/REF 123/449

NEW XASM

LX544A

12AUG 30SEP 1234567

G M80 FCMYL

GVA1830 FRA1945 7FDC/CD/YS/MS/LS

FRA2045 HAM 2130

GVAFRA 8/Z 173/A

GVAFRA 10/LX836

Chapter 7 Application

The Operational Suffix is specified byte 2 of Record Types 3 and 4.

3SAA 0010101J01MAR0229MAR0212345 7 LHR10301030+0000 JFK17301730-0500 777

3SAA 0010102J01MAR0229MAR0212345 7 JFK18451845-0500 LAX23452345-0800 777

ORIGIN STATION

DEI – – –

The airport of origin of the aircraft with the same arrival Flight Designator		
Application	Format	Example
Chapter 6	aaa	LHR

Use

This field is mandatory when Origin Station is different from Previous Station.

Values

Refer to the IATA 3-letter Location Identifiers.

OVERMIDNIGHT INDICATOR

DEI – – –

Indication that the aircraft transit/turnaround occurs over midnight		
Application	Format	Example
Chapter 6	(n)	1

Use

“night” is defined as **over midnight**.

Overmidnight Indicators greater than the value 9 are not allowed.

Values

Code	Description
→	No nightstop (in message formats, the blank will not be transmitted)
1	1 night
2	2 nights
3	3 nights
4	4 nights
5	5 nights
6	6 nights

PARTNERSHIP SPECIFICATION

DEI 11

Indication that a flight segment is being marketed as part of a partnership or alliance with one or more carriers		
Application	Format	Example
Chapters 4,5	xx(x)... (max. 35 characters)	UF0
Chapter 7	xx(x)... (max. 35 characters)	ABCDEFGHI
DEI 11 is only applicable to Chapters 4, 5 and 7		

Use

The purpose of this data element is to indicate to reservations systems and airline guides which flight segments are performed under a partnership/alliance arrangement for display purposes.

“Onliance” Connections are connections between flights of different airline designators that share the same Partnership Specification on all flights from origin to final destination.

The “Onliance” connection is considered an interline connection for the application of Minimum Connecting Time and Traffic Restrictions.

The “Onliance” connection is considered an online connection for display sequencing where an online preference is given.

In the case of multi-leg flights, no assumption can be made about multi leg segments.

For example, routing AAA-BBB-CCC might have “Alliance XXX” specified on legs AAA-BBB and BBB-CCC. No assumption can be made about Partnership Specification on segment AAA-CCC.

In cases where a flight segment may need to be identified as participating in more than one partnership/alliance, multiple specification of Data Element Identifier 11 items may be filed.

Chapters 4, 5 and 7 Applications

Segment information lines (Chapters 4 and 5) and Segment Data Records (Chapter 7) pertaining to Data Element Identifier 11 shall be kept as one group.

Updated transmissions of the same flight or flight segment(s) replace the complete previous set of lines/records irrespective of the number of lines/records transmitted.

The characters will be translated by the receiving body through bilateral agreements.

PASSENGER CHECK-IN

DEI 299

The Airline or agency counter where a passenger should go to check-in for a flight			
Application	Condition	Format	Example
Chapters 4,5	<i>Airline Designator</i>	xx(a)	AB or ABC
	<i>Airline Designator and Text description</i>	xx(a)/x(x)...	AB/COUNTER 61
	<i>Text Description only</i>	/x(x)...	/HALL B
Chapter 7	<i>Airline Designator</i>	xx(a)	ABØ/ or ABC
	<i>Airline Designator and Text description</i>	xx(a)/x(x)...	ABØ/COUNTER 61
	<i>Text Description only</i>	/x(x)...	/HALL B
DEI 299 is only applicable to Chapters 4, 5, 7			

Use

A station oriented data element that is used on a flight leg, the Board Point of the stated leg being the station for which Passenger Check-In information is being provided.

If the Airline or agency being specified has its own Airline Designator, it must be specified in the first 2 or 3 bytes of the data element.

Otherwise, the data element must start with a slash (/) followed by the Airline or agency's incorporated/registered name in plain text, or any other plain text pertaining to where a passenger should go to Check-in.

If the Airline or agency being specified wants to provide additional text to its incorporated/registered name, it can be specified in plain text after the Airline Designator and separated by a slash (/).

The maximum number of characters allowed in this Data Element is 35, excluding any slashes (/).

When specified, the Airline Designator is for use when applications cannot store data larger than the 2 or 3 character designator codes, where free text cannot be accommodated.

Free text following the slash is provided for applications capable of displaying free text, where the 2 or 3 character limitation does not exist.

In the absence of Passenger Check-In information, no default can be assumed.

Note: For Chapters 4 & 5 the technical specifications require that a slash (/) be used between the Data Element Identifier number and the commencement of the plain text data element content. In situations where the data element content itself also requires commencement with a slash (/) then two slashes (//) are required. For example, in the case of **GVAFRA 299//HALL B** the first slash is required by the message technical specification and the second is required as the commencement of the plain text data element content because **HALL B** is a plain text description of where a passenger should go to Check-in and not an Airline Designator code.

PASSENGER RESERVATIONS BOOKING DESIGNATOR (PRBD) DEI – – –

The Passenger Reservations Booking Designator is a leg oriented (see Note 4) data element specifying the codes to describe the reservations classes provided, and optionally the number of seats allocated for each class or group of classes		
Application	Format	Example
Chapters 3,4,5	a(x)(x)(x)	PFCYBV
Chapter 7	a(x)(x)(x) (20 char.)	F008C038BQV14500000000

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Use

Used for publication, reservations and other public information purposes, and may differ from the physical aircraft layout that may be defined in the Aircraft Configuration/Version.

Chapters 3, 4, 5 and 7 Applications

A string of characters consisting of a series of single alphabetic codes from those listed in the Aircraft Configuration/Version table and/or AIRIMP Section 7.1.1.

Optionally, all codes may be followed by a numeric value to indicate the number of seats for each code.

The numeric value may also relate to a group of codes to specify the combined number of seats for each group of codes, but this facility may not be used unless the Aircraft Configuration/Version data element has also been stated.

The codes can be stated in any sequence. Receiving systems unable to process all codes specified in this data element will normally process their maximum number in the order presented.

Some receiving systems are unable to introduce new reservations classes by using Data Element Identifier 101 (Passenger Reservations Booking Designator Segment Override), unless they are stated in the Passenger Reservations Booking Designator.

Note 1: While specification of the number of seats is optional, when a value is quoted the total seats must equal the saleable seating capacity of the aircraft.

Note 2: When it is not possible to express the Passenger Reservations Booking Designator within the available field (maximum line length in Chapters 4 and 5 or 20 characters in Chapter 7), “XX” will be stated in the first two positions.

For Chapter 7 purposes only, the third through twentieth positions will be blank to indicate that reference should be made to Data Element Identifier 106 (Passenger Reservations Booking Designator Exceeding Maximum Length) for full Passenger Reservations Booking Designator specification.

In Chapters 4 and 5 applications, this shall also apply when the combined full formats of the following data elements result in an Equipment Data line overflow:

- Passenger Reservations Booking Designator (PRBD)
- Passenger Reservations Booking Modifier (PRBM)
- Aircraft Configuration/Version (ACV)
- The first conditional or optional Data Element:

Operating Airline disclosure — Code Share,

Aircraft Owner,

Cockpit Crew Employer,

Cabin Crew Employer,

Onward Flight

or

Operating Airline Disclosure — Shared Airline or Wet Lease Designation

△

△

Note 3: Each numeric specification must not exceed three digits.

Leading zeros may optionally be used.

Note 4: For segments where all of the reservations classes are not identical on each of the legs making up the segment, those reservations classes applicable to the segment should, for reasons of clarity, be stated using the Data Element Identifier 101 (Passenger Reservations Booking Designator Segment Override).

→ Refer also to the Note under “Passenger Reservations Booking Modifier” regarding the relationship between Data Element Identifiers 101 and 102 (Passenger Reservations Booking Modifier Segment Override).

Note 5: In the case of a multi-leg segment where Data Element Identifier 101 has not been used, the Passenger Reservations Booking Designator used on the leg which has the same Board Point as the multi-leg segment is assumed to apply.

PASSENGER RESERVATIONS BOOKING DESIGNATOR EXCEEDING MAXIMUM LENGTH

DEI 106

The complete Passenger Reservations Booking Designator when it is in excess of the maximum length		
Application	Format	Example
Chapters 4,5,7	a(x)(x)(x)(x)(x)...	F24JCD64WYMBQKLT VH254

Chapters 4 and 5 Applications

A “NIL” statement is not required when previous information transmitted about the same flight leg is modified to the extent that Data Element Identifier 106 is not required.

In the absence of Data Element Identifier 106, it is assumed that the complete Passenger Reservations Booking Designator is contained within its dedicated data element.

The maximum line length constraint of 58 characters must be protected.

PASSENGER RESERVATIONS BOOKING DESIGNATOR SEGMENT OVERRIDE

DEI 101

Identification by carriers of a Passenger Reservations Booking Designator that applies over a segment		
Application	Format	Example
Chapters 4,5,7	a(x)(x)(x)(x)(x)(x)...	C64M254

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Use

When used, the Data Element overrides the information given in the Passenger Reservations Booking Designator.

Some receiving systems are unable to introduce new reservations classes by using this Data Element, unless they have already been used in the Passenger Reservations Booking Designator.

Chapters 4 and 5 Applications

The maximum message length constraint of 58 characters must be protected for Chapter 4 and 5 applications.

PASSENGER RESERVATIONS BOOKING MODIFIER (PRBM) DEI – – –

A modifying code applicable to the appropriate Passenger Reservations Booking Designator Code		
Application	Format	Example
Chapters 4,5	aa(aa)(aa).....	FNYN
Chapter 7	(a)(a)(a)(a)(a)	BNBBB

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Chapters 4 and 5 Applications

The relevant Passenger Reservations Booking Designator Code is stated before the modifier.

When it is not possible to express the Passenger Reservations Booking Modifier within the available line length, “XX” will be stated in the first two positions.

This will indicate that reference should be made to Data Element Identifier 107 (Passenger Reservations Booking Modifier Exceeding Maximum Length) for full Passenger Reservations Booking Modifier specification.

This shall also apply when the combined full formats of the following data elements result in an Equipment Data line overflow:

- Passenger Reservations Booking Designator (PRBD)
- Passenger Reservations Booking Modifier (PRBM)
- Aircraft Configuration/Version (ACV)
- The first conditional or optional Data Element:

Operating Airline Disclosure — Code Share,
Aircraft Owner,
Cockpit Crew Employer,
Cabin Crew Employer,
Onward Flight
or

Operating Airline Disclosure — Shared Airline or Wet Lease Designation



Chapter 7 Application

If any Passenger Reservations Booking Designator Code other than the first five are to be modified, “XX” will be stated in the first two positions.

This will indicate that reference should be made to Data Element Identifier 107 (Passenger Reservations Booking Modifier Exceeding Maximum Length) for full Passenger Reservations Booking Modifier specification.

The modifier must be a single, non-blank, alphabetic character that is different from the Passenger Reservations Booking Designator Code which it modifies.

The modifier is inserted in the appropriate sequential order (as specified in the Passenger Reservations Booking Designator or Aircraft Configuration/Version, as appropriate) for the leg concerned to indicate that a modifier is applicable.

Non-applicable and non-existent classes are to be blank-filled.

Note: Modifiers shall apply to multi-leg segments of a flight only when the Passenger Reservations Booking Designator and the Passenger Reservations Booking Modifier are equal on each of the legs making up the segment.

When classes and/or modifiers are different over a multi-leg segment, the override facility (Data Element Identifiers 101 (Passenger Reservations Booking Designator Segment Override)/102 (Passenger Reservations Booking Modifier Segment Override)) must be used.

The following rules apply when using Data Element Identifier 101 and Data Element Identifier 102 override facility:

- (a) Data Element Identifier 102 is used to display modifier information for multi-leg segments. However, Data Element Identifier 102 must always appear with a corresponding Data Element Identifier 101, even if the classes on all legs making up the segment are equal to the classes in the segment.
- (b) Data Element Identifier 102 must specify only the Passenger Reservations Booking Designator Codes to be modified and their modifiers.
“Blanks” in the modifier position are not permitted.
- (c) The presence of only a Data Element 101 indicates that there are no applicable modifiers for the Passenger Reservations Booking Designator.

(When a Data Element Identifier 101 is used without Data Element Identifier 102, then any Passenger Reservations Booking Modifiers on the legs of that segment do not apply.)

PASSENGER RESERVATIONS BOOKING MODIFIER EXCEEDING MAXIMUM LENGTH

DEI 107

The complete Passenger Reservations Booking Modifier when it is in excess of the maximum length available		
Application	Format	Example
Chapters 4,5	aa(aa)(aa)(aa)(aa)(aa)...	FNCNYNBOHOKO
Chapter 7	(a)(a)(a)(a)(a)(a)...	NØNNØØ

Chapters 4 and 5 Applications

The maximum line length constraint of 58 characters must be protected.

A “NIL” statement is not required when previous information transmitted about the same flight leg is modified to the extent that Data Element Identifier 107 is not required.

In the absence of Data Element Identifier 107, it is assumed that the complete Passenger Reservations Booking Modifier is contained within its dedicated data element.

PASSENGER RESERVATIONS BOOKING MODIFIER SEGMENT OVERRIDE

DEI 102

A modified Passenger Reservations Booking Designator, e.g. night class or off peak, that may not apply leg by leg, but over a segment		
Application	Format	Example
Chapters 4,5,7	aa(aa)(aa)...	FNYN

→ For further guidance, refer to Appendix H: Aircraft Seating Description

Use

When provided by a carrier, the data overrides the information given in the Passenger Reservations Booking Modifier.

PASSENGER TERMINAL

DEI — — —

The physical terminal used by a passenger at any airport where more than one terminal exists		
Application	Format	Example
Chapters 3,7	x(x)	2A

Use

If the terminal used by a flight at an airport included in SSIM Appendix D is not pre-determined, the Passenger Terminal shall be stated as “0” (zero).

If the terminal varies by segment, report the terminal that pertains to the departure/arrival leg in the appropriate Passenger Terminal field.

Any terminal information that differs by segment shall be supplied using Data Element Identifiers 198 (Passenger Terminal Segment Override — Arrival) or 199 (Passenger Terminal Segment Override — Departure).

Chapters 3 and 7 Format

A two byte field.

Chapters 4 and 5 Applications

Specification is achieved by using Data Element Identifiers 98 (Passenger Terminal Identifier — Arrival) and 99 (Passenger Terminal Identifier — Departure).

Values

Refer to SSIM Appendix D.

PASSENGER TERMINAL IDENTIFIER — ARRIVAL

DEI 98

The passenger arrival terminal		
Application	Format	Example
Chapters 4,5	x(x)	2W
Chapter 6	TA.x(x)	TA.M
DEI 98 is only applicable to Chapters 4 and 5		

Chapters 4 and 5 Applications

The Passenger Terminal Identifier always refers to the Off Point of the stated segment.

Chapter 6 Application

The Passenger Terminal Identifier — Arrival is always preceded by a blank space, then TA and a full stop/period. It is positioned after the Frequency Rate, or the Service Type if no Frequency Rate applies.

Chapter 6 describes the procedure to be followed when the use of the Passenger Terminal Identifier — Arrival results in the maximum message line length being exceeded.

Values

Refer to SSIM Appendix D.

PASSENGER TERMINAL IDENTIFIER — DEPARTURE

DEI 99

The passenger departure terminal		
Application	Format	Example
Chapters 4,5	x(x)	2W
Chapter 6	TD.x(x)	TD . D
DEI 99 is only applicable to Chapters 4 and 5		

Chapters 4 and 5 Applications

The Passenger Terminal Identifier always refers to the Board Point of the stated segment.

Chapter 6 Application

The Passenger Terminal Identifier — Departure is always preceded by a blank space, then TD and a full stop/period. It is positioned after the Passenger Terminal Identifier — Arrival if used, or the Frequency Rate, or the Service Type if no Frequency Rate applies.

Chapter 6 describes the procedure to be followed when the use of the Passenger Terminal Identifier — Departure results in the maximum message line length being exceeded.

Values

Refer to SSIM Appendix D.

PASSENGER TERMINAL SEGMENT OVERRIDE — ARRIVAL

DEI 198

The Passenger Terminal for deplaning passengers that may not apply leg by leg but over a segment		
Application	Format	Example
Chapters 4,5,7	x(x)	I
DEI 198 is only applicable to Chapters 4, 5 and 7		

Use

Provided by a carrier to advise that deplaning passengers arrive at different terminals (e.g. Domestic, International).

The Passenger Terminal Segment Override always refers to the Off Point of the stated segment.

PASSENGER TERMINAL SEGMENT OVERRIDE — DEPARTURE

DEI 199

The Passenger Terminal for enplaning passengers that may not apply leg by leg but over a segment		
Application	Format	Example
Chapters 4,5,7	x(x)	I
DEI 199 is only applicable to Chapters 4, 5 and 7		

Use

Provided by a carrier when enplaning passengers depart from different terminals (e.g. Domestic, International).

The Passenger Terminal Segment Override always refers to the Board Point of the stated Segment.

PERIOD OF OPERATION

DEI – – –

The date limits for the first and last operation of a flight		
Application	Format	Example
Chapters 3,4	nnaaa(nn)→nnaaa(nn)	01JUN 00XXX
Chapter 6	nnaaannaaa	27APR27SEP
Chapter 7	nnaaannnnaaann	10APR0112MAY01

Use

When used in a context where flights are cancelled and/or deleted, the Period of Operation specifies the period for which the operation is being cancelled.

Applicability of Period of Operation:

Chapters 3,4	Dates refer to departure from origin station
Chapter 6	Dates refer to operation at Clearance/Advice Airport
Chapter 7	Dates refer to departure from leg departure station

Chapters 4 and 7 Applications

The dates always relate to the Scheduled Time of Aircraft Departure (STD) — not the Passenger STD.

Chapter 7 Application

The Period of Operation relates to each leg of the flight.

Consequently, downline legs of a flight having an STD on the next (or previous) day(s) shall have the Period of Operation adjusted correspondingly in relation to the Period of Operation on the first leg.

This adjustment is necessary also in cases where the dates fall outside the applicable Season or Period of Schedule Validity stated in Record Type 2.

For Chapters 4 and 7 applications also refer to **Date Variation**.

Chapter 7 Example:

```

3 XX 12340101J 15AUG0828SEP081234567 ATL20002000-0400SLGW09000900+0100S...01
3 XX 12340102J 16AUG0629SEP081234567 LGW10301030+0100SFRA13301330+02001...11
3 XX 12340103J 16AUG0629SEP081234567 FRA16001600+02001SIN04000400+08001...12
3 YY 110101J 28JUN0828AUG081234567 AKL10301030+1200SHNL21152115-1000M...0A
3 YY 110102J 27JUN0827AUG081234567 HNL23002300-1000MLAX07000700-07001...A0

```

Other Applications

For ad hoc modifications, inclusive dates are allowed.

Therefore, the start date quoted may be up to six days before the first actual date, and the end date may be up to six days after the last actual date depending on the Day(s) of Operation related to the Period of Operation.

In Chapter 7 the adjustment of dates on downline legs departing on the next (or previous) day must also be applied when using inclusive dates.

The Period of Operation consists of the first date as specified above and the last date as indicated above.

Apart from Chapter 6 application, either date can be stated as “00XXX00” (the last two characters being optional in Chapters 3 and 4). In order to maintain a constant Local Time “00XXX00” should not be used when a Station in the itinerary observes Daylight Saving Time as the conversion from UTC to LT or LT to UTC will result in incorrect times and, in extreme cases, negative flight times.

When the first date is so specified, the data is effective immediately (in Chapter 7 on the first date in the Period of Schedule Validity applied to the first leg of the itinerary).

When the second date is so specified, it is effective indefinitely (in Chapter 7 until the last date in the Period of Schedule Validity applied to the first leg of the itinerary).

Note 1: The date shall be expressed as the first two numerics for the date and first three alphabetic characters (in English spelling) for the month and (optionally) two last numerics for the year.

The year is not quoted for Chapter 6 purposes.

The year may be omitted in Chapters 3 and 4 only if the first and last operations are within 11 months from the current date, or are indefinite.

Note 2: The Period of Operation must conform to the applicable Time Mode.

PERIOD OF SCHEDULE VALIDITY

DEI – – –

The limits of the Period of Operation of the first leg of each itinerary variation		
Application	Format	Example
Chapter 7	nnaaannnnnaaann	28MAR0130OCT01

□

→ For further guidance, refer to Appendix H: Daylight Saving Time

Format

Consists of a first and last date.

The last date can be specified as “00XXX00” to indicate that the specified schedule is valid indefinitely.

Note: The Period of Schedule Validity must conform to the applicable Time Mode.

PLANE CHANGE WITHOUT AIRCRAFT TYPE CHANGE

DEI 210

A plane change but without Aircraft Type change at the board point of the stated segment		
Application	Format	Example
Chapters 4,5,7	*	*
DEI 210 is only applicable to Chapters 4, 5 and 7. *The Data Element Identifier implies this condition. No additional data is required.		

→ For further guidance, refer to Appendix H: Duplicate Flight Legs

Use

When there is a legal requirement to disclose Plane Change without Aircraft Type Change, the use of this data element is mandatory.

PREVIOUS STATION

DEI – – –

The previous station on the routing		
Application	Format	Example
Chapter 6	aaa	FRA

Use

The previous station on the routing before the station to which the Schedules Clearance Request/Reply, Scheduled Movement Advice or Schedule Information Request/Reply is applicable.

Values

Refer to IATA 3 letter Location Identifiers

RECORD SERIAL NUMBER

DEI – – –

The number of the record in computerized schedule formats		
Application	Format	Example
Chapter 7	nnnnnn	001049

Format

A 6 byte numeric field occurring in all records on each physical data set irrespective of type and numbered sequentially beginning with “000001”.

Use

Enables a check to be made for possible errors and, for records found to be in error, enables them to be unambiguously identified.

When the number of records exceed “999999”, it is suggested that the re-numbering starts at “000002” since “000001” is reserved for Record Type 1.

RECORD TYPE

DEI – – –

The type of records in the computerized schedules formats for Chapter 7		
Application	Format	Example
Chapter 7	n	1

Values

1	Header Record
2	Carrier Record
3	Flight Leg Record
4	Segment Data Record
5	Trailer Record

REJECT REASON

DEI – – –

Information provided to advise the sender of an SSM or ASM why the message has not been successfully processed		
Application	Format	Example
Chapters 4,5	(x(x)(x)(x)...) (max. 63 characters)	STATION CODE INVALID

Use

May be used in a Standard Schedules Message (SSM), or in an Ad Hoc Schedules Message (ASM), with Action Identifier “NAC”.

When a message cannot be processed successfully, the recipient may send an SSM or ASM message, using Action Identifier “NAC”, to advise the sender of the original message that the message content has not been successfully processed in the recipient's system. Reject Reason provides an explanation as to why the message could not be successfully processed.

Reject Reason is always preceded by an Error Line, to identify the line in the original message, or submessage, containing an error, and a space.

Values

Refer to SSIM Appendix E for standard Reject Reason texts.

RELEASE (SELL) DATE

DEI – – –

The Release (Sell) Date is intended to show the first date when a specified schedule can be opened for sale		
Application	Format	Example
Chapter 7	nnaaann	14MAR01

REQUEST ALL RESERVATIONS

DEI 507

Indication that all reservations must be requested from the control point in advance of any sale		
Application	Format	Example
Chapters 4,5,7	*	*
DEI 507 is only applicable to Chapters 4, 5, and 7 *The Data Element Identifier implies this condition. No additional data required.		

Use

This data element should be used to indicate that carrier requires booking agents to request all reservations from the control point in advance (rather than using “Free Sale”, “Sell and Report” or other reservation facilities) for traffic intending to enplane at the board point for carriage to and subsequent deplaning at the off point.

The segment should be displayed and construction of transfer connections is allowed, but the flight segment must be accompanied by appropriate text, e.g.

REQ ALL RES

REQUESTED TIMINGS

DEI – – –

Information provided by Coordinators to advise airlines of the initial slot time(s) they requested		
Application	Format	Example
Chapter 6	aa.nnnn	RD.0910

Format

An optional element consisting of four digits. In the case of Chapter 6, these digits are preceded by a code defining flight arrival or flight departure.

Chapter 6 Application

Used within the SAL and SIR messages. Initial Requested Time is always preceded by a blank space, then **RA** and a full stop/period if it refers to the flight arrival, or **RD** and a full stop/period if it refers to the flight departure. It is positioned after the Passenger Terminal Identifiers (if applicable), or Frequency Rate, or the Service Type if no Frequency Rate applies.

Chapter 6 describes the procedure to be followed when the use of Initial Requested Time results in the maximum message line length being exceeded.

RESTRICTED PAYLOAD

DEI 105

Application	Format	Example
Chapters 4,5,7	(n)(n)(n)(n)(n)na	49950K
DEI 105 is only applicable to Chapters 4, 5 and 7		

Use

Provided by a carrier when the standard payload of an aircraft is restricted on a certain leg.

When used, the payload restriction quantity is suffixed by “**K**” for kilograms and by “**L**” for pounds.

SCHEDULE STATUS

DEI – – –

The status of the specified schedule provided to a recipient		
Application	Format	Example
Chapter 7	a	P

Chapter 7 Application

The following codes are used:

P	Provisional, Draft, Proposed, Subject to Change, etc.
C	Confirmed, Effective, Working, Firm, etc.

SCHEDULE VALIDITY DISCONTINUE DATE

DEI – – –

The end date of a schedule update or a request for a schedule update for a specific Flight Designator		
Application	Format	Example
Chapter 4	nnaaa(nn)	01MAY

Format

The date is expressed as the first two numerics for the day of the month and the first three alphabetic characters (in English spelling) for the month and, optionally, the two last numerics for the year.

The year may be omitted if the date is within 11 months from the current date.

Use

The date always relates to the Aircraft (not Passenger) STD.

The Schedule Validity Discontinue Date must conform to the applicable Time Mode.

SCHEDULE VALIDITY EFFECTIVE DATE

DEI – – –

The start date of a schedule update or a request for a schedule update for a specific Flight Designator		
Application	Format	Example
Chapter 4	nnaaa(nn)	01MAY

Format

The date shall be expressed as the first two numerics for the day of the month and first three alphabetic characters (in English spelling) for the month and, optionally, the two last numerics for the year.

The year may be omitted if the date is within 11 months from the current date.

Use

The date always relates to the Aircraft (not Passenger) STD.

The Schedule Validity Effective Date must conform to the applicable Time Mode.

SCHEDULED TIME OF AIRCRAFT ARRIVAL (AIRCRAFT STA) DEI – – –

The scheduled arrival time of an aircraft at the terminal or arrival gate/position at an airport		
Application	Format	Example
Chapters 3,4,6,7	nnnn	2400
Chapter 5	(nn)nnnn	301900

Use

STA shall always be expressed by four digits indicating the 24 hours clock timing and be in the range of 0001 through 2400.

Arrivals at midnight (i.e. the end of the day) are always stated as 2400.

The 24 hour clock format is hhmm (hours and minutes). Where 'hh' does not exceed 24 and 'mm' does not exceed 59. It is expected that system validation will accept only valid time values (hours and minutes) and will not make any conversions should a time be submitted where the value of the 'hours' exceeds 24 and 'minutes' exceeds 59. The only valid value in the hour 24 is minutes 00).

For example:

'hh' hours

2400, 0001, 1340, 1540 are valid values

2701 is not valid and should not be converted to 0301 but rejected as an error also

2401 should not be converted but rejected as an error.

'mm' minutes

0006, 0053, 0059 are valid values

0066 is not valid and should not be converted to 0106 but rejected as an error

STA always refers to the on-block time of the aircraft.

STA can be expressed in local time in Chapters 3, 4, 5 and 7.

Chapter 5 Application

The time may optionally be preceded by the 2 numeric digits of the day of month.

If any of the arrival or departure dates within a sub-message is different from the Flight Identifier Date, the specification of the date is mandatory.

SCHEDULED TIME OF AIRCRAFT DEPARTURE (AIRCRAFT STD)

DEI – – –

The scheduled departure time of an aircraft from the terminal or departure gate/position at an airport		
Application	Format	Example
Chapters 3,4,6,7	nnnn	0000
Chapter 5	(nn)nnnn	010145

Use

STD shall always be expressed by four digits indicating the 24 hours clock timing and be in the range of 0000 through 2359.

Departures at midnight (i.e. the beginning of the new day) are always stated as 0000.

The 24 hour clock format is hhmm (hours and minutes). Where 'hh' does not exceed 23 and 'mm' does not exceed 59. It is expected that system validation will accept only valid time values (hours and minutes) and will not make any conversions should a time be submitted where the value of the 'hours' exceeds 23 and 'minutes' exceeds 59.

For example:

'hh' hours

2359, 0001, 1340, 1540 are valid values

2701 is not valid and should not be converted to 0301 but rejected as an error

'mm' minutes

0006, 0053, 0059 are valid values

0066 is not valid and should not be converted to 0106 but rejected as an error

STD always refers to the off-block time of the aircraft.

STD can be expressed in local time in Chapters 3, 4, 5 and 7.

Chapter 5 Application

The time may optionally be preceded by the 2 numeric digits of the day of the month.

If any of the arrival or departure dates within a sub-message is different from the Flight Identifier Date, the specification of the date is mandatory.

SCHEDULED TIME OF PASSENGER ARRIVAL (PASSENGER STA)

DEI - - -

The Scheduled Time of Arrival of the passenger at the terminal or arrival gate at an airport		
Application	Format	Example
Chapters 4,5,7	nnnn	1540

Default: If the data element is not stated the default applies, i.e. the Passenger STA will be the same as the Aircraft STA.

Note that there is no default for Chapter 7, since the Passenger STA is a mandatory field on Record Type 3.

Use

It is only different from the Aircraft STA when a transfer is effected between aircraft and terminal/gate by another transport mode (e.g. mobile lounge) for which a different arrival time is scheduled.

The Passenger STA shall always be expressed by four digits indicating the 24 hours clock timing and be in the range of 0001 through 2400.

Arrivals at midnight (i.e. the end of the day) are always stated as 2400.

Note: Every arrival time in UTC converted to 2400 in LT may cause problems in some CRS, as they cannot handle 2400 LT.

The 24 hour clock format is hhmm (hours and minutes). Where 'hh' does not exceed 24 and 'mm' does not exceed 59. It is expected that system validation will accept only valid time values (hours and minutes) and will not make any conversions should a time be submitted where the value of the 'hours' exceeds 24 and 'minutes' exceeds 59. (The only valid value in the hour 24 is minutes 00).

For example:

'hh' hours

2400, 0001, 1340, 1540 are valid values

2701 is not valid and should not be converted to 0301 but rejected as an error, also

2401 should not be converted but rejected as an error.

'mm' minutes

0006, 0053, 0059 are valid values

0066 is not valid and should not be converted to 0106 but rejected as an error

SCHEDULED TIME OF PASSENGER DEPARTURE (PASSENGER STD)

DEI – – –

The Scheduled Time of Departure of the passenger at the terminal or departure gate at an airport		
Application	Format	Example
Chapters 4,5,7	nnnn	1255

Default: If the data element is not stated the default applies, i.e. the Passenger STD will be the same as the Aircraft STD.

Note that there is no default for Chapter 7, since the Passenger STD is a mandatory field on Record Type 3.

Use

It is only different from the Aircraft STD when a transfer is effected between terminal/gate and aircraft by another transport mode (e.g. mobile lounge) for which a different departure time is scheduled.

The Passenger STD shall always be expressed by four digits indicating the 24 hours clock timing and be in the range of 0000 through 2359.

Departures at midnight (i.e. the beginning of the new day) are always stated as 0000.

Note: Every departure time in UTC converted to 0000 in LT may cause problems in some CRS, as they cannot handle 0000 LT.

The 24 hour clock format is hhmm (hours and minutes). Where 'hh' does not exceed 23 and 'mm' does not exceed 59. It is expected that system validation will accept only valid time values (hours and minutes) and will not make any conversions should a time be submitted where the value of the 'hours' exceeds 23 and 'minutes' exceeds 59.

For example:

'hh' hours

2359, 0000, 1340, 1540 are valid values

2701 is not valid and should not be converted to 0301 but rejected as an error

'mm' minutes

0006, 0053, 0059 are valid values

0066 is not valid and should not be converted to 0106 but rejected as an error

SEASON

DEI – – –

A set of schedules that is valid within a specified IATA Season		
Application	Format	Example
Chapters 6,7	ann	S02

□

→ For detailed DST information per country, refer to Appendix F

Format

The Season consists of either "S" for Summer or "W" for Winter followed by the two last digits of the year when the IATA Season begins.

Use

The IATA Seasons relate to UTC, are Northern Hemisphere related, and are named Summer and Winter.

△

'Summer' begins on the last Sunday in March and 'Winter' begins on the last Sunday in October.

SEGMENT

DEI — — —

The Board Point followed by the Off Point		
Application	Format	Example
Chapters 4,5,7	aaaaaa	FRALHR

Use

The Segment will always be associated with a Data Element Identifier.

Chapters 4 and 5 Applications

To compress message size the special Station QQQ may be used within Segment to indicate all Board Points and/or all Off Points.

e.g. QQQDDD or DDDQQQ in a flight operation AAA-BBB-CCC-DDD-EEE-FFF covers all Segments to/from DDD.

QQQQQQ would cover all legs and segments AAA-FFF inclusive.

Note: Once data has been transmitted for **segments** using Data Element Identifiers, it can only be modified or deleted in the following ways:

For SSM and ASM, either by using Action Identifiers “SKD”, “NEW”, “CNL” or “RPL” (replacing or deleting **all** data);

or

by specific replacement using the same Data Element Identifier(s) with Action Identifier “ADM” to specify new or revised information

or

by specific deletion, by using the same Data Element Identifier(s) but stating “NIL” after the Data Element Identifier — e.g. AAABBB 111/NIL.

Chapter 7

Complete replacement of all data is being carried out, including any segment data previously specified using Data Element Identifiers.

In cases where a single Data Element Identifier contains a list of items/codes (e.g. In-Flight Service Information — Data Element Identifier 503, it is not possible to add, delete or revise the individual items/codes in the list on their own. In such cases, a **complete** revised list of items/codes must be transmitted.

SEGMENT INFORMATION

DEI — — —

Additional information in the form of Data Element Identifiers — with or without a data element — that is associated with Segments			
Application		Format	Example
Chapters 4,5	Segment	aaaaaa	LHR0P0
	Separator	(blank)	(blank)
	Data Element Identifier	nn(n)	101
	Separator	(/)	/
	Data Element	(x(x)(x)(x)...)	C64M254

Format

Segment Information consists of:

- Segment;
- Data Element Identifier;
- data element (as applicable).

SERIAL NUMBER CHECK REFERENCE

DEI – – –

A check number to ensure that data set records are processed in the correct sequence		
Application	Format	Example
Chapter 7	nnnnnn	00254

Format

A six byte mandatory field in Record Type 5.

Use

It must be equal to the Record Serial Number of the previous record irrespective of its Record Type and one less than the Record Serial Number of the same Trailer Record.

SERVICE TYPE

DEI – – –

Classification of or flight or flight leg as well as the type of service provided		
Application	Format	Example
Chapters 3,4,5,6,7	a	J

Use

The Service Type is a leg oriented data element.

For multi-leg flights where the Service Type differs by leg, no assumption can be made about multi-leg segments.

For example, a flight routing AAA-BBB-CCC might have Service Type “J” on leg AAA-BBB and Service Type “C” on leg BBB-CCC.

No assumption can be made about Service Type on the segment AAA-CCC.

If segment AAA-CCC carries Charter traffic only, which is not to be sold in reservations systems, then Traffic Restriction ‘A’ should be used for this segment.

Any other information about the Service Type of the segment may be provided by using Bilateral Information Data Element Identifiers (800-899), based upon bilateral agreement/understanding between the parties concerned.

Note: The Service Type is **not** a substitute for the Aircraft Configuration/Version.

Values

Refer to SSIM Appendix C.

STANDARD MESSAGE IDENTIFIER (SMI)

DEI – – –

Unique identification of a SSIM Standard Message		
Application	Format	Example
Chapters 4,5,6	aaa	SSM

Format

A 3-letter code appearing first in a Standard Message Text (SMT).

The SMI is always recognised from the remainder of the SMT by being separated by a Line Separator(<≡).

Use

The SMI is used by the recipient (human or computer) to determine the subsequent handling of the textual content in the message.

SMIs are assigned and controlled by IATA Management and are published in the IATA Airline Coding Directory.

Each SMI has a reference to the source where complete documentation is available.

Values

This manual constitutes the source documentation for the following approved SMIs:

ASM	Ad Hoc Schedules Message	⊗
SAL	Slot Preliminary Allocation List	
SAQ	Slot/Schedule Availability Query	△
SCR	Slot Clearance Request/Reply	
SHL	Slot Historic and Non-Historic Allocation List	△
SIR	Slot/Schedule Information Request/Reply	
SMA	Schedule Movement Advice	△
SSM	Standard Schedules Message	
WCR	Outstanding Request Change Request/Reply	△
WIR	Outstanding Request Information Request/Reply	

STATION

DEI – – –

Identification of an airport for airline purposes.		
Application	Format	Example
Chapters 3,4,5,6,7	aaa	JKF

Values

The 3-letter Location Identifiers for airports, for airline purposes, are assigned by IATA in accordance with IATA Resolution 763, and are published in the IATA Airline Coding Directory.

Fictitious Points

→ For further guidance, refer to Appendix H: Fictitious Points

The following Stations (Location Identifiers) have been reserved as “fictitious points” for the purpose of schedule construction to:

- (a) overcome day duplication problems;
- (b) describe legs of elapsed times covering more than 23:59 hours.

Fictitious Point	Fictitious Country and Time Zone	Applicable UTC Variation
QZX	ZZ 1	UTC
QPX	ZZ 2	UTC + 7
QMX	ZZ 3	UTC – 7
QPY	ZZ 4	UTC + 14
QMY	ZZ 5	UTC – 14

When a fictitious point is used at the beginning or the end of a routing, the leg(s) and its (their) related segments containing such a fictitious point are deemed as non-operational and segments including them are never saleable.

In all other cases, the fictitious point is deemed to be a technical stop.

SUBJECT TO GOVERNMENT APPROVAL

DEI 201

Indication that the operation of, and/or carriage of traffic on, a particular leg or segment is subject to Government approval		
Application	Format	Example
Chapters 4,5,7	*	*
DEI 201 is only applicable to Chapters 4, 5 and 7 and its use implies this condition. No additional data is required.		

Use

The flight segment should be displayed and construction of transfer connections is allowed, but the display of the flight segment must be accompanied by appropriate text, e.g.

SUBJ GOVT APPROVAL

SUPPLEMENTARY INFORMATION

DEI – – –

Supplementary free text information		
Application	Format	Example
Chapters 4,5,6	SI→x(x)(x)...	SI SUBJECT TO CLEARANCE

Format

The Supplementary Information always starts on a new line and consists of:

- Supplementary Information Identifier, always the character combination “SI”;
- Information separator, always a space;
- Free text information, which is recommended not to exceed 3 lines of text.

Chapters 4, 5 and 6 Applications

Supplementary Information is such free text information that cannot be stated within the frames of the standard format for a message or record.

The Supplementary Information is always placed after the processable text pertaining to an Action Identifier, or a complete message.

TIME MODE

DEI – – –

Indication of whether Local Time or UTC (Universal Time Coordinated) is being used		
Application	Format	Example
Chapters 4,5	aa(a)	UTC
Chapter 7	a	L

→ For further guidance, refer to Appendix H: Time Mode

Values

Code	Description	Application
LT	Local Time	Chapters 4 and 5
UTC	UTC	Chapters 4 and 5
L	Local Time	Chapter 7
U	UTC	Chapter 7

TIMING FLEXIBILITY IDENTIFIER

DEI ---

Identification of the timing flexibility of a Carrier when requesting a slot from an Airport Coordinator		
Application	Format	Example
Chapter 6	aa.nnnnnnnn	FA.10001230

Format

An optional element consisting of eight digits. In the case of Chapter 6, these digits are preceded by a code defining flight arrival or flight departure.

The first four digits are used for the earliest possible timing, followed by four digits for the latest possible timing.

Use

Linked flights should always be filed with an arrival **and** a departure Timing Flexibility Identifier.

If the Operator cannot accept flexibility on one of the two legs, this will be indicated by providing the same timings in the timing flexibility range as for the slot request, for example, 12351235.

If the Operator has timing flexibility that exceeds the Day(s) of Operation, this can be indicated by first providing the earliest time possible for the arrival in the first day(s), and then the latest timing acceptable in the next day(s).

If the result is that the first four digits represent a time later than the time in the next four digits, it means that the flexibility extends into the next day(s), for example, 12350820.

Chapter 6 Application

Used within the SCR message. Timing Flexibility Identifier is always preceded by a blank space, then **FA** and a full stop/period if it refers to the flight arrival time, or **FD** and a full stop/period if it refers to the flight departure time. It is positioned after the Passenger Terminal Identifier (if applicable), or Frequency Rate, or the Service Type if no Frequency Rate applies.

Chapter 6 describes the procedure to be followed when the use of the Timing Flexibility Identifier results in the maximum message line length being exceeded.

TITLE OF CONTENTS

DEI ---

The application of the data set in plain language		
Application	Format	Example
Chapter 7	AIRLINE ØSTANDARDØ SCHEDULEØ DATAØ SETØØØØØ	AIRLINEØSTANDARDØ SCHEDULEØDATAØSETØØØØØ

Format

A mandatory 34 byte field in Record Type 1.

Use

For SSIM data sets, this field always reads "AIRLINE STANDARD SCHEDULE DATA SET".

TITLE OF DATA

DEI ---

The title of the information included in the data set in plain language		
Application	Format	Example
Chapter 7	xxx... (29 char.)	SASØIATAØDRAFTØW01ØØØØØ

Chapter 7 Format

An optional 29 byte field in Record Type 2.

TRAFFIC RESTRICTION CODE

DEI — — —

Information provided by a carrier to specify restrictions to carry traffic or specify limitations on the carriage of traffic		
Application	Format	Example
Chapter 7	(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)	BBABZBBB

Note: Refer to **Traffic Restriction Note** for specific Chapters 4 and 5 applications.

→ Refer to Appendix G for the Traffic Restriction Codes Table.

Default: In the absence of any information to the contrary, it is assumed that any Traffic Restriction stated applies to all forms of traffic (passenger, cargo, mail) at Board and/or Off Point.

General Traffic Restriction Information

A Traffic Restriction Code allows a carrier to specify:

- (a) any restriction on the carriers right to carry traffic
- (b) any limitations on the actual carriage of traffic on a segment

Use of Traffic Restriction Overflow indicator 'Z' (chapter 7 only)

'Z' is used instead of a valid Traffic Restriction when the following circumstances exist:

- (a) A different Traffic Restriction applies to passenger, cargo or mail
- (b) A Traffic Restriction applies to one or two categories of service only but not to all three categories
- (c) A Traffic Restriction is required on the 12 leg of a flight (leg sequence number >11)

The 'Z' indicator is placed in the byte where the Traffic Restriction Code would have been placed. And in these conditions, the Traffic Restriction code details must be supplied with the appropriate Data Element Identifier 170-173 in the Segment Data Record (type 4 record):

170 — Traffic Restriction Code Applicable to Passengers only

171 — Traffic Restriction Code Applicable to Cargo/Mail only

172 — Traffic Restriction Code Applicable to Cargo only

173 — Traffic Restriction Code Applicable to Mail only

Note: more than one traffic restriction cannot be applied to a segment for the **same** category of service.

Note: This is not necessary when Traffic Restriction Codes **M, Q, T, V, W** or **X** apply to passengers and Traffic Restriction Codes **A, O, A, K, N** or **Y** respectively apply to cargo/mail because this is assumed. Therefore, only the passenger restriction needs to be specified.

Additional Traffic Restriction Code Information (Chapter 7 only)

Other Data Element Identifiers can be used to either modify how the Traffic Restriction code is applied to the Segment or to provide free format text relating to the Traffic Restriction Code.

The Data Element Identifiers and related data elements that can be used for these purposes are:

710 — Traffic Restriction Code Qualifier at Board Point

711 — Traffic Restriction Code Qualifier at Off Point

712 — Traffic Restriction Code Qualifier at Board and Off Points

713-799 — Traffic Restriction Code Information — Free Format

The Chapter 7 application is explained below.

Chapter 7 Application

Flights with 1 to 11 legs – bytes 150–160

The Traffic Restriction code is input in the appropriate byte of the 11 byte field in the SSIM Flight Leg Record (record type 3) starting at byte 150 through and including byte 160.

Each byte from 150 to 160 relates sequentially to the **Off Points** in the routing, and these bytes therefore accommodate a flight with 11 non-stop legs.

When the Traffic Restriction applies to all categories of traffic (passenger/cargo/mail) then the Traffic Restriction Code is placed in the byte that matches the off point on that leg. (Refer to example).

When the Traffic Restriction is not applicable to all categories of service or a different Traffic Restriction applies to only some categories, then the **Traffic Restriction Overflow Indicator 'Z'** is placed in the byte where the Traffic Restriction Code would have been placed. In these circumstances the Traffic Restriction code is supplied with the appropriate Data Element Identifier 170-173 in the Segment Data Record (type 4 record).

Flights with 12 or more legs

Traffic Restriction Overflow Indicator 'Z' is placed in byte 161. When 'Z' is used in these circumstances the Traffic Restriction code is supplied with the appropriate Data Element Identifier 170-173 in the Segment Data Record (type 4 records).

Chapter 7 Application Examples

For details of longer Flight Routings refer to Chapter H.

This diagram represents the Leg Sequence number and Traffic Restriction Code Fields and byte positions of the leg records in the Flight Itinerary:

Example 1 Routing LHR – FCO – THR – DEL – BKK

LHR FCO	Different restrictions apply	Overflow indicator Z is placed on line 01 (depart LHR) in byte 150 (off point FCO) K applies to passenger traffic; use DEI 170 with K in first text position A applies to cargo traffic: use DEI 172 with A in first text position
FCO THR	Q restriction applies	Q is placed on line 02 (depart FCO) in byte 151 (off point THR)
THR DEL	No Traffic Restriction applies	leave blank
DEL BKK	A restriction applies	A is placed on line 04 (depart DEL) in byte 153 (off point BKK)

Record Type 1	Leg Seq. Number 12-13	Dep STN 37-39	Arr STN 55-57	Applicable byte position for Traffic Restriction Codes relevant to each off point on each leg											
				150	151	152	153	154	155	156	157	158	159	160	161
			Off >	FCO	THR	DEL	BKK								
3	01	LHR	FCO	Z											
3	02	FCO	THR		Q										
3	03	THR	DEL	-											
3	04	DEL	BKK				A								

Example 2 Routing LHR – AMS – FCO – BKK – SIN – BNE – PER – ADL

LHR AMS	B Restriction applies	B is placed on line 01 (depart LHR) in byte 151 (off point AMS)
LHR FCO	Q Restriction applies	Q is placed on line 01 (depart LHR) in byte 152 (off point FCO)
LHR PER	Q Restriction applies	Q is placed on line 01 (depart LHR) in byte 156 (off point PER)
BKK SIN	No Traffic Rights	W is placed on line 04 (depart BKK) in byte 153 (off point SIN)
BKK PER	Different Restrictions apply	Overflow Indicator Z is placed on line 04 (depart BKK) in byte 155 (off point PER) W applies to passenger traffic use DEI 170 with W in first text position of DEI DG170BKKPERW A applies to cargo traffic use DEI 172 with A in first text position of DEI DG172BKKPERA
BNE PER	Different Restrictions apply	Overflow Indicator Z is placed on line 06 (depart BNE) in byte 155 (off point PER) X applies to passenger traffic use DEI 170 with X in first text position of DEI FG170BNEPERX A applies to cargo traffic use DEI 172 with A in first text position of DEI FGBNEPERA
PER ADL	A restriction applies	A is placed on line 07 (depart PER) in byte 156 (off point ADL)

Record Type 1	Leg Seq. Number 12-13	Dep STN 37-39	Arr STN 55-57	Applicable byte position for Traffic Restriction Codes relevant to each off point on each leg											
				150	151	152	153	154	155	156	157	158	159	160	161
			Off >	AMS	FCO	BKK	SIN	BNE	PER	ADL					
3	01	LHR	AMS	B		Q			Q						
3	02	AMS	FCO												
3	03	FCO	BKK												
3	04	BKK	SIN				W		Z						
3	05	SIN	BNE												
3	06	BNE	PER						Z						
3	07	PER	ADL							A					

TRAFFIC RESTRICTION CODE APPLICABLE TO CARGO ONLY DEI 172

A Traffic Restriction only applicable to cargo traffic

Application	Format	Example
Chapters 4,5,7	a	K
DEI 172 is only applicable to Chapters 4, 5 and 7		

Use

Can only be used when “Z” has been specified instead of a valid Traffic Restriction Code.

Chapters 4 and 5 Applications

Specified as a sub-element within Traffic Restriction Note.

TRAFFIC RESTRICTION CODE APPLICABLE TO CARGO/MAIL ONLY

DEI 171

A Traffic Restriction Code only applicable to cargo/mail traffic		
Application	Format	Example
Chapters 4,5,7	a	N
DEI 171 is only applicable to Chapters 4, 5 and 7		

Use

Can only be used when “Z” has been specified instead of a valid Traffic Restriction Code.

Chapters 4 and 5 Applications

Specified as a sub-element within Traffic Restriction Note.

TRAFFIC RESTRICTION CODE APPLICABLE TO MAIL ONLY

DEI 173

A Traffic Restriction Code only applicable to mail traffic		
Application	Format	Example
Chapters 4,5,7	a	A
DEI 173 is only applicable to Chapters 4, 5 and 7		

Use

Can only be used when “Z” has been specified instead of a valid Traffic Restriction Code.

Chapters 4 and 5 Applications

Specified as a sub-element within Traffic Restriction Note.

TRAFFIC RESTRICTION CODE APPLICABLE TO PASSENGERS ONLY

DEI 170

A Traffic Restriction Code only applicable to passenger traffic		
Application	Format	Example
Chapters 4,5,7	a	A
DEI 170 is only applicable to Chapters 4, 5 and 7		

Use

Can only be used when “Z” has been specified instead of a valid Traffic Restriction Code.

Chapters 4 and 5 Applications

Specified as a sub-element within Traffic Restriction Note.

TRAFFIC RESTRICTION CODE INFORMATION — FREE FORMAT

DEI 713-799

Free format data elements used to relay additional information concerning Traffic Restriction Codes		
Application	Format	Example
Chapters 4,5	xxx...(max. 58 characters)	RESTRICTION APPLIES TO ECONOMY CLASS
Chapter 7	xxx...(max. 155 char.)	
DEI 713-799 is only applicable to Chapters 4, 5 and 7		

Chapters 4 and 5 Applications

Specified as a sub-element within Traffic Restriction Note.

TRAFFIC RESTRICTION CODE LEG OVERFLOW INDICATOR DEI – – –

Indication of a Traffic Restriction Code overflow situation		
Application	Format	Example
Chapter 7	Z	Z

Format

The byte contains “Z” instead of the Traffic Restriction code with the applicable Traffic Restriction Code being stated using Data Element Identifier(s) 170–173 as appropriate.

Use

The ‘Z’ indicator is used instead of a valid Traffic Restriction when:

- (a) A different Traffic Restriction applies to Passenger, Cargo or Mail
- (b) A Traffic Restriction applies to one or two categories only, but not to all three categories
- (c) A Traffic Restriction is required on leg 12 of a flight (leg sequence number >11)

TRAFFIC RESTRICTION CODE QUALIFIER AT BOARD AND OFF POINTS DEI 712

Indication that traffic restriction requirements must be met at both the Board Point and the Off Point		
Application	Format	Example
Chapters 4,5,7	*	*
DEI 712 is only applicable to Chapters 4, 5 and 7. *The Data Element implies this condition. No additional data is required.		

Use

This data element cannot be used in combination with a Traffic Restriction Qualifier at Board Point (DEI 710) or Traffic Restriction Qualifier at Off Point (DEI 711) on the same segment.

Use DEI 712 (Traffic Restriction Qualifier at Board and Off Points) to require traffic restriction application at both Board **and** Off points of the Segment.

→ For further guidance, see also Appendix H, Traffic Restriction Qualifiers 710-712

Chapters 4, 5 and 7 Applications

- Traffic Restriction **K** without DEI 710, 711 or 712
The Segment must have a connection at **either** the Board Point **or** the Off Point, or the trip will not be displayed.
- Traffic Restriction **K** with DEI 712 (a combination of DEI 710/711)
The Segment must have a connection at **both** the Board Point **and** at the Off Point, or the trip will not be displayed.

TRAFFIC RESTRICTION CODE QUALIFIER AT BOARD POINT DEI 710

Indication that traffic restriction requirements must be met at the Board Point and that no restrictions are implied at the Off Point		
Application	Format	Example
Chapters 4,5,7	*	*
DEI 710 is only applicable to Chapters 4, 5 and 7. *The Data Element implies this condition. No additional data is required.		

Use

This data element cannot be used in combination with a Traffic Restriction Qualifier at Off Point (DEI 711) or Traffic Restriction Qualifier at Board and Off Points (DEI 712) on the same segment.

Use DEI 712 (Traffic Restriction Qualifier at Board and Off Points) to require traffic restriction application at both Board **and** Off points of the Segment.

→ For further guidance, see also Appendix H, Traffic Restriction Qualifiers 710-712

Chapters 4, 5 and 7 Applications

- Traffic Restriction **K** without DEI 710, 711 or 712
The Segment must have a connection at **either** the Board Point **or** the Off Point, or the trip will not be displayed.
- Traffic Restriction **K** with DEI 710
The Segment must have a connection at the Board Point, or the trip will not be displayed.
- Traffic Restriction **K** with DEI 712 (a combination of DEI 710/711)
The Segment must have a connection at **both** the Board Point **and** at the Off Point, or the trip will not be displayed.

TRAFFIC RESTRICTION CODE QUALIFIER AT OFF POINT DEI 711

Indication that traffic restriction requirements must be met at the Off Point and that no restrictions are implied at the Board Point		
Application	Format	Example
Chapters 4,5,7	*	*
DEI 711 is only applicable to Chapters 4, 5 and 7. *The Data Element implies this condition. No additional data is required.		

Use

This data element cannot be used in combination with a Traffic Restriction Qualifier at Board Point (DEI 710) or Traffic Restriction Qualifier at Board and Off Points (DEI 712) on the same segment.

Use DEI 712 (Traffic Restriction Qualifier at Board and Off Points) to require traffic restriction application at both Board **and** Off points of the Segment.

→ For further guidance, see also Appendix H, Traffic Restriction Qualifiers 710-712

Chapters 4, 5 and 7 Applications

- Traffic Restriction **K** without DEI 710, 711 or 712
The Segment must have a connection at **either** the Board Point **or** the Off Point, or the trip will not be displayed.
- Traffic Restriction **K** with DEI 711
The Segment must have a connection at the Off Point, or the trip will not be displayed.
- Traffic Restriction **K** with DEI 712 (a combination of DEI 710/711)
The Segment must have a connection at **both** the Board Point **and** at the Off Point, or the trip will not be displayed.

TRAFFIC RESTRICTION NOTE

DEI 8

Indication that certain restrictions apply to carriage of passengers, cargo and/or mail, on a flight or part of a flight						
Application	Element	Format	Ex 1	Ex 2	Ex 3	Ex 4
Chapters 4,5	Segment	aaaaaa	FCOMAD	LHRCAI	LHRBOS	FCOMAD
	Space	→				
	Data Element Identifier	8	8	8	8	8
	Separator	/	/	/	/	/
	Traffic Restriction Code	a	Q	Z	Y	Q
	Separator	(/)		/	/	/
	Additional Data Element Identifier	(nnn)		170	710	782 STPVR MAX 24 HRS
	Separator	(/)		/		
	Data Element	(a)		Q		

→ Refer to Appendix G for the Traffic Restriction Codes Table

Refer to **Traffic Restriction Code** for General Traffic Restriction information

Default: In the absence of any information to the contrary, it is assumed that any Traffic Restriction stated applies to all forms of traffic (passenger, cargo, mail) and at both Board and Off Points.

Format

The Traffic Restriction Note consists of:

- (a) Segment — mandatory;
- (b) Data Element Identifier 8 — mandatory;
- (c) The applicable Traffic Restriction Code that may be found in the Traffic Restriction Codes Table — mandatory.

Statement of the standard text is not required.

- (d) An appropriate Data Element Identifier, conditional;
- (e) The Data Element detail relevant to the Data Element Identifier that is used — conditional
 - (i) DEI 170-173 Data Element is the Traffic Restriction
 - (ii) DEI 710-712 Data Element is not required
 - (iii) DEI 713-799 Data Element is the relevant text for the DEI submitted

If more than one Traffic Restriction is required then each restriction needs to be stated separately.

Use

General Traffic Restriction Information

A Traffic Restriction Code allows a carrier to specify:

- (a) any restriction on the carrier's right to carry traffic, and
- (b) any limitations on the actual carriage of traffic on a segment

Use of Traffic Restriction Overflow Indicator 'Z'

'Z' is used instead of a valid Traffic Restriction when the following circumstances exist:

- (a) a different Traffic Restriction applies to passenger, cargo or mail
- (b) a Traffic Restriction applies to one or more categories of service only but not to all three

The 'Z' indicator is placed in the position where the Traffic Restriction would have been submitted. For these conditions the Traffic Restriction code must then be supplied as a Data Element within the appropriate Data Element Identifier 170-173

170 — Traffic Restriction Code Applicable to Passengers only

171 — Traffic Restriction Code Applicable to Cargo/Mail only

172 — Traffic Restriction Code Applicable to Cargo only

173 — Traffic Restriction Code Applicable to Mail only

Note: more than one traffic restriction cannot be applied to a segment for the **same** category of service.

Additional Traffic Restriction Code Information

Other Data Element Identifiers can be used to either modify how the Traffic Restriction code is applied to the Segment or to provide free format text relating to the Traffic Restriction Code.

The Data Element Identifiers and related data elements that can be used for these purposes are:

710 — Traffic Restriction Code Qualifier at Board Point

711 — Traffic Restriction Code Qualifier at Off Point

712 — Traffic Restriction Code Qualifier at Board and Off Points

713-799 — Traffic Restriction Code Information — Free Format

Example 1	Traffic Restriction Q applies to all categories of traffic	FCOMAD 8/Q
Example 2	Traffic Restriction Q applies to passenger traffic, no restriction submitted for cargo	LHRCAI 8/Z/170/Q
Example 2a	Traffic Restriction Q applies to passenger traffic, and a different Traffic Restriction A applies to cargo	GRUGIG 8/Z/170/Q GRUGIG 8/Z/172/A
Example 3	Traffic Restriction Y applies at board point	LHRBOS 8/Y/710
Example 4	Traffic Restriction Q applies to all categories of traffic in addition DEI 782 to convey free text has been submitted	FCOMAD 8/Q/782/STPVR MAX 72 HRS

UTC/LOCAL TIME VARIATION

DEI – – –

Indication of the difference in hours and minutes between UTC and local time		
Application	Format	Example
Chapter 7	±nnnn	+0100

→ For further guidance, refer to Appendix H: Time Mode/Daylight Saving Time.

Format

UTC is to be expressed as +0000 (Chapter 7).

Use

The difference will be negative if UTC is later than the local time.

The sign difference is always applied to UTC in order to obtain local time.

Chapters 4 and 5 Applications

The specification is achieved by using Data Element Identifier 97 (UTC/Local Time Variation Specification).

Chapter 7 Application

The UTC/Local Time Variation has a fixed format consisting of:

- (a) A plus or minus sign;
- (b) Four numerics where the two first express the 'hour' and the two last express the 'minutes'.

Values

Refer to SSIM Appendix F.

UTC/LOCAL TIME VARIATION SPECIFICATION

DEI 97

Identification of a UTC/Local Time Variation where the originator of an SSM/ASM wants to override a UTC/Local Time Variation held in the recipient's systems		
Application	Format	Example
Chapters 4,5	aaa/xnnnn	ABC/P0200

Format

The 'x' represents either "M" (minus) or "P" (plus).

UTC is to be represented as P0000.

Chapters 4 and 5 Applications

The UTC/Local Time Variation Specification always refers to the Station stated within the format for the Board/Off Point of the stated Segment.

This data element need not be stated if the UTC/local time variation is in agreement with SSIM Appendix F.

The UTC/Local Time Variation Specification always refers to the Station stated within its format. If this Station equals the Board Point of the stated Segment, it refers to the departure time from that Board Point, whereas if it equals the Off Point of the stated Segment, it refers to the arrival time at that Off Point.

In cases where QQQ has been used for Board and/or Off Point in the stated Segment, and the Station stated in the UTC/Local Time Variation Specification does not equal either Board or Off Point, the variation must be assumed to apply to departure and/or arrival times at that Station as appropriate.

CHAPTER 3 – STANDARD PRINT LAYOUTS FOR SCHEDULES INFORMATION

3.1 General

It is anticipated that schedules information will be transmitted electronically using the formats described in Chapters 4, 5 or 7. However should it prove necessary for the data to be distributed in a paper format the Print Layouts described in this chapter should be used.

3.2 Description

The recommended layouts are designed for printers with a fixed horizontal spacing of 10 character positions per inch and a vertical spacing of 6 lines per inch. For preferred type fonts for printed presentations refer to Chapter 2.

Page Headings should be used; they should contain the following information:

- Airline Designator (designator of the airline issuing the document)

- Schedule status, e.g. Draft, etc.

- Date of issue

- Season and/or period of validity

- Brief description of page contents, e.g. geographical area¹

- Page number

- UTC or local time

¹ It is recommended that the stations served by a flight be specified either by using the Location Identifier or the full name. The specification of country names therefore becomes unnecessary, but if country names are specified, they should be based on ISO Standard 3166 as reflected in Appendix F.

3.3 Data Elements Required

In order to ensure correct interpretation of schedule information in printed format, a minimum data element requirement must be observed.

The following data elements are considered essential and they shall be present in any printed schedule according to format requirements outlined in Chapter 2:

- Flight Designator (Airline Designator and Flight Number)

- Period of Operation

- Day(s) of Operation (frequency)

- Service Type

- Aircraft Type

- Aircraft Configuration/Version **and/or** Passenger Reservations Booking Designator

- Stations, Passenger Terminal (if applicable), Scheduled Times of Aircraft Departure and Arrival (leg information)

Other data elements may be included at the discretion of the carrier. It is recommended that such optional items follow the coding and formatting rules for Chapter 4 applications.

Flights and their data elements may be presented **horizontally** or **vertically** as shown in examples of Section 3.6.

It is desirable to highlight **changes** to the previous issue.

3.4 Code Sharing Flights

It is recommended that a black diamond (◆) symbol be used to denote code sharing flights, or flight legs, in printed time tables. These are flights, or flight legs, which are either physically operated under a different Flight Designator by another carrier, or under another carrier's Flight Designator.

It is also recommended, in order to help clarification for readers of printed timetables, that the carrier physically operating such flights, and/or franchise/commuter type flights, is identified. This may be accomplished by using the operating carrier's Airline Designator after the symbol, or by having a table at the beginning of the timetable identifying, by Flight Designator range, who the operating carriers are.

In cases where disclosure of Aircraft Owner/Wet Lease Airline is a legal requirement, the same principles can be used.

3.5 Plane Change

It is recommended that a symbol or plain text be used to show when a change of aircraft en route is required on a multi-leg flight. If a symbol is used, it is recommended that it be an open triangle (△), and its purpose should be described at the beginning of the time table.

3.6 Examples (for demonstration only)

3.6.1 Horizontal presentation (Swiss Final Draft W02)

* EDS SPIDER * GERMANY * SWISS
 UTC TIMES * FRANKFURT * WINTER 2002/2003

FLTNR	CAR	NUM	EFFECTIVITY	FROM	TO	OPSDAY	A/C	A/C	A/P	PT	STD	MI	A/P	PT	STA	MI	S	T	CONF
							CAR	TYP	FROM	D			TO	A					
LX	1070	♦(A)	27OCT	29MAR	12345..		319	ZRH	A		0655		FRA	2	0805		J		CY
		♦(A)	27OCT	29MAR	7		AR1	ZRH	A		0655		FRA	2	0805		J		CY
		♦(A)	02NOV	29MAR	6.		ER4	ZRH	A		0655		FRA	2	0805		J		CY
LX	1072	♦(B)	28OCT	27DEC	12345..		AR1	ZRH	A		1120		FRA	2	1225		J		CY
		♦(B)	03JAN	28MAR	12345..		AR1	ZRH	A		1120		FRA	2	1225		J		CY
LX	1074		27OCT	29MAR	12345..		AR1	ZRH	A		1510		FRA	2	1620		J		CY
LX	1076		27OCT	29MAR	12345.7		319	ZRH	A		1655		FRA	2	1800		J		CY
			02NOV	29MAR	6.		AR1	ZRH	A		1655		FRA	2	1800		J		CY
LX	1080		27OCT	29MAR	1234567		AR1	ZRH	A		1910		FRA	2	2020		J		CY

LX	1081	♦(C)	27OCT	29MAR	1234567		ER4	FRA	2		0600		ZRH	A	0700		J		CY
LX	1071	♦(D)	27OCT	29MAR	12345..		319	FRA	2		0850		ZRH	A	0955		J		CY
		♦(D)	27OCT	29MAR	7		AR1	FRA	2		0850		ZRH	A	0955		J		CY
		♦(D)	02NOV	29MAR	6.		ER4	FRA	2		0850		ZRH	A	0955		J		CY
LX	1073	♦(E)	28OCT	27DEC	12345..		AR1	FRA	2		1310		ZRH	A	1410		J		CY
		♦(E)	03JAN	28MAR	12345..		AR1	FRA	2		1310		ZRH	A	1410		J		CY
LX	1075		27OCT	29MAR	12345..		AR1	FRA	2		1735		ZRH	A	1840		J		CY
LX	1077		27OCT	29MAR	12345.7		319	FRA	2		1855		ZRH	A	2000		J		CY
			02NOV	29MAR	6.		AR1	FRA	2		1855		ZRH	A	2000		J		CY

(A). OPERATING ALSO AS
 (B). OPERATING ALSO AS
 (C). OPERATING ALSO AS
 (D). OPERATING ALSO AS
 (E). OPERATING ALSO AS

AA 6271
 AA 6234
 AA 6235
 AA 6311
 AA 6313

ZRH-FRA
 ZRH-FRA
 FRA-ZRH
 FRA-ZRH
 FRA-ZRH

3.6.2 Vertical presentation (SAS W00 Draft)

SAS DRAFT 01SEP00 29OCT00-24MAR01 PASSENGER FLIGHTS TIME UTC PAGE 129

FAR EAST THAILAND AND SINGAPORE

SCANDINAVIA-BANGKOK AND SINGAPORE

29OCT00-24MAR01

SK971 763 C66M122 J 29OCT00 24MAR01 12345..	SK973 343 C45M256 J 29OCT00 24MAR01 1234567	FLIGHT NO AIRCRAFT VERSION STC PERIOD DAYS	SK972 763 C66M122 J 29OCT00 24MAR01 .23456.	SK974 343 C45M256 J 29OCT00 24MAR01 1234567
1435 0130	1800 0535	D CPH A A BKK D	1935 1110	0020 △1525
0230 0450	763 C66M122 △0635 0855	AIRCRAFT VERSION D BKK A A SIN D	1010 0800	763 C66M122 1425 1200

△ = aircraft change

Passenger Terminals: CPH 3
BKK 1
SIN 1

CHAPTER 4 – STANDARD SCHEDULES MESSAGE PROCEDURE

4.1 INTRODUCTION

4.2 PRINCIPLES AND RULES

4.3 MESSAGE STANDARDS

4.3.1 Introduction

4.3.2 Security of Message Exchanges

4.3.3 SSM Composition

4.4 SSM ACTION SUB-MESSAGES

NEW Insertion of New Flight Information

CNL Cancellation

RPL Replacement of Existing Flight Information

SKD Schedule Update

ACK Acknowledgement

ADM Change of Existing Information Expressed by the Use of Data Element Identifier Only

CON Change of Aircraft Configuration/Version

EQT Change of Equipment Information

FLT Change of Flight Designator

NAC Not Actioned

REV Revision of Period of Operation and/or Day(s) of Operation

RSD Request for Schedule Data

TIM Change of Time Information

4.5 TECHNICAL MESSAGE SPECIFICATION

4.5.1 SSM Message Specification

4.6 SSM SUB-MESSAGE DEFINITION

4.6.1 NEW – Insertion of New Flight Information

4.6.2 CNL – Cancellation

4.6.3 RPL – Replacement of Existing Flight Information

4.6.4 SKD – Schedule Update

4.6.5 ACK – Acknowledgement

4.6.6 ADM – Change of Existing Information Expressed by the Use of Data Element Identifier Only

4.6.7 CON – Change of Aircraft Configuration/Version

4.6.8 EQT – Change of Equipment Information

4.6.9 FLT – Change of Flight Designator

4.6.10 NAC – Not Actioned

4.6.11 REV – Revision of Period of Operation and/or Day(s) of Operation

4.6.12 RSD – Request for Schedule Data

4.6.13 TIM – Change of Time Information

4.7 ADDITIONAL MESSAGE EXAMPLES

4.7.1 NEW – Insertion of New Flight Information

4.7.2 CNL – Cancellation

4.7.3 SKD – Schedule Update Message

4.7.4 EQT – Change of Equipment Information

4.7.5 TIM – Change of Time Information

4.1 Introduction

In order to allow all airlines to electronically exchange information on amendments to their basic schedules, i.e. the planned and regularly operated flights, standard message formats have been agreed.

These formats also allow the airlines to submit these amendments to schedule aggregators.

The message formats have been designed to provide as much clarity as possible for the message users and the received message details can be processed either by computer or by manual methods.

Permanent changes to the basic schedules are transmitted using the Standard Schedules Message (SSM).

A message may consist of one or more Action sub-messages. Each sub-message will have its own Action Identifier to identify a specific change being made to the basic schedule.

The rules for the use and composition of this message, together with detailed specifications and examples, are explained in the following Sections of this Chapter.

Deviations from the basic schedules on single days may be transmitted in the Ad Hoc Schedule Message (ASM). The rules for the use and composition of this message, together with detailed specifications and examples, are explained in Chapter 5.

The Standard Schedules Message (SSM) forms part of a complex system of timetable information exchange.

In order to facilitate industry-wide acceptance of these standards, a range of optional features is included to ensure complete compatibility with the standards set in Chapter 7 for the exchange of computerized schedules.

These features include items such as the use of local dates and times, leg and segment oriented traffic, and sales information in the form of fixed or free format data elements.

4.2 Principles and Rules

In order to ensure full interline exchangeability, it is strongly recommended that airlines adhere to the rules for the construction of the standard messages as described in this Chapter.

The common rules for the data elements as described in Chapter 2 of this Manual should also be followed.

- The SSM exchange usually takes place on the basis of bilateral understanding.
- The schedules advised in the SSM are generally considered released and open for sale with effect from the issuance of the message.
- The addresses of the SSM are bilaterally agreed. The SSM may contain a number of Flight Designators for any one carrier (represented by a unique Airline Designator) and multiple periods of validity. It is the responsibility of the recipient to select the areas of the schedule that meet their own requirements.
- The information received by SSM supersedes any corresponding information (within the definitions of the Action Identifiers) previously advised by computerized schedules or SSM.
- For the purpose of synchronisation with computerized schedules data sets, it is recommended that a computer generated time stamp be used in the message envelope.
- The schedules advised by SSM will not normally override any changes that have previously been advised by Ad Hoc Schedules Message (ASM). Therefore, the Periods of Operation can be quoted irrespective of any existing ad hoc changes. These ad hoc changes will remain in effect unless modified by another Ad Hoc Schedules Message or unless the ASM Withdrawal Indicator has been used.
- The periods of validity need not conform to discrete IATA seasons and can give open-ended Periods of Operation. This will result in a reduction in the number and length of messages.

- It is recommended that at least 360 days of advance schedules data, including Minimum Connect Time data, should be distributed on an equal basis to all schedule aggregators, reservations and ticketing systems in which a carrier participates, to maximise the efficiencies of such systems.
- It must be assumed that some recipients will convert the contents of the SSM from UTC to local dates/times and vice versa. The UTC/local time relationship must therefore be based on the current information in Appendix F and any subsequent updates transmitted by message.
- If the (time) relation used is different or doubtful, it should be stated using Data Element Identifier 97 (UTC/Local Time Variation Specification).
- Where a series of interrelated messages are to be sent, each part message must conform to the rules for constructing SSM messages, but must be shown as a part message by means of the Message Sequence Reference.
- If a Flight Leg(s) Change Identifier in a sub-message does not match the routing of the flight(s) being changed, that sub-message may be ignored by the recipient.
- If a Segment on a line of a sub-message does not match a Segment of the flight(s) being changed, that line of the sub-message may be ignored by the recipient.
- If a change or cancellation is received for which the period and/or days of operation to be changed/cancelled do not match those stored, or a new flight is added which is already stored, it is recommended that the correct schedule information should be requested from the sender, e.g. by use of SSM/RSD sub-message.
- The ACK/NAC exchange takes place on the basis of bilateral agreement.
- It is assumed that it is the responsibility of the SSM sender to ensure that they receive an ACK or a NAC and take the appropriate action if they do not.

4.3 Message Standards

4.3.1 Introduction

The technical specifications for message construction are based on the guidelines of the ATA/IATA Systems and Communications Reference Manuals.

The standard message is enclosed within the standard communications “envelope”, i.e. signal identifiers, serial number, priority, address, originator and date/time of transmission.

The message will then read line by line by always starting at the left, i.e. left justified. For Type B messages, the maximum line length of the message must not exceed 69 printable characters including spaces. Some systems may restrict line length limits to less than 69 characters.

Although the Systems and Communications Reference Manual defines the maximum number of characters for one telegraph (Type B) message as 3,840, some service providers have the capability to increase this limit to 64,000 characters.

Type B users are, however, cautioned that some systems may not be able to receive or process messages with more than 3,840 characters.

This maximum length limitation takes into account all printed and non-printed characters, such as letter shifts, figure shifts and new line.

In the extreme case of a Flight, Period/Frequency, Equipment or Leg Information line overflow, the excess elements should be stated on an additional line immediately following and must start with a Data Element Identifier.

When the message limit is exceeded, messages must be broken into separate parts with a break between two sub-messages. Use can be made of the Message Sequence Reference to connect the related parts of the total message.

4.3.2 Security of Message Exchanges

To secure the exchange of SSMs between computers, it is recommended that the following techniques be used:

- Sequence all SSMs using the Message Sequence Reference;
- Process all SSMs in the same order as they are produced, according to the Message Sequence Reference;
- Request the re-transmission of a missing SSM using a "REPEAT" message:

SSM

REP

⟨Message Sequence Reference⟩

An "REP" message is sent by the receiver to inform the sender that a message has not been received. The SSM originator will identify the missing message by its Message Sequence Reference and will re-transmit the original message identified with original Message Sequence Reference and with the same data content.

- Inform the receiver of the last message sent within the current date of issue using an "END" message:

SSM

REP

⟨Message Sequence Reference⟩

The "END" message is designed to close the current sequence of messages before opening another one. It will allow recovery with an "REP" of the last message of the current sequence if this message has not been received. The Message Group Serial Number of the "END" message will be the previous Message Group Serial Number incremented by 1. The "END" message is unique for each date of issue.

4.3.3 SSM Composition

Each SSM message consists of 5 major components:

- Message address/originator in accordance with communications instructions;
- Message Header including the Schedule Standard Message Identifier (SSM), the Time Mode and an optional Message Reference;
- One or more Action Sub-Messages that always include the Action Identifier, the flight identification and appropriate data elements, and always ends with a Sub-Message separator;
- An optional Supplementary Information Sub-Message applicable to the whole message;
- Message End in accordance with communications instructions.

The SSM Action Sub-Messages are defined in Section 4.4.

The general technical specifications for SSM message construction are defined in Section 4.5.

The SSM Action Sub-Message composition and examples are defined in Section 4.6.

4.4 SSM Action Sub-Messages

The SSM Action Sub-Messages are an integral part of the SSM. The most widely used Sub-Messages with their Action Identifier, name and their functional use are:

NEW Insertion of New Flight Information

This sub-message inserts a new Flight Designator or adds new Periods of Operation and/or new Day(s) of Operation (at the Frequency Rate, if stated) for an existing Flight Designator. When used in conjunction with an SKD sub-message, the data contained in the NEW submessage supersedes the data, if any, for the period specified by its associated SKD sub-message.

CNL Cancellation

This sub-message cancels (i.e. withdraws) the complete routing of a Flight Designator within the Period and on the Day(s) of Operation (and at the Frequency Rate, if stated).

RPL Replacement of Existing Flight Information

This sub-message replaces all existing information pertaining to a Flight Designator within the Period and on the Day(s) of Operation (at the Frequency Rate, if stated) by the new information. Other Periods and other Day(s) of Operation during the period stated (if existing) are not affected. The extension of periods and/or the addition of days of operation are not permitted using RPL sub-messages.

SKD Schedule Update

This sub-message cancels all existing information for the Flight Designator specified from the Schedule Validity Effective Date as specified to (and including) the Schedule Validity Discontinue Date, if stated.

It indicates that revised schedule information, if any, will follow immediately in one or more associated sub-messages using Action Identifier NEW.

This Action Identifier may only occur once in a message, or a series of messages linked by Message Sequence Reference, and when used, must occur as the first action sub-message in the group of linked messages. It must be followed only by NEW sub-messages with the same Flight Designator.

Other SSM Action Sub-Message with their Action Identifier, name and functional use are:

ACK Acknowledgement

This sub-message advises the sender that the message content has been accepted by the receiving system and has been **successfully processed**.

It is recommended that ACK messages are not sent when the message first arrives with the recipient – but when the message has been successfully passed through the recipients system and processed correctly.

ADM Change of Existing Information Expressed by the Use of Data Element Identifier Only

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only those data elements which are specified by the use of a Data Element Identifier.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- When cancelling existing information the statement 'NIL' must be made
- If changes are leg related, replacement data need only be transmitted for legs where the data has changed. For example, in the case of Data Element Identifier 10, it is not necessary to transmit all legs that have Data Element Identifier 10 information, only those legs where DEI 10 needs changing

CON Change of Aircraft Configuration/Version

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only the Aircraft configuration Version information and/or the conditional data elements (if supplied) that can be transmitted in this type of message.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- Data Elements previously transmitted and therefore already held in a recipients system and not included in the message remain unchanged

EQT Change of Equipment Information

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only the Equipment information and/or the conditional data elements (if supplied) that can be transmitted in this type of message.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- Data Elements previously transmitted and therefore already held in a recipients system and not included in the message remain unchanged

FLT Change of Flight Designator

This sub-message only changes the Flight Designator (and its associated data elements) and/or the Operational Suffix, for the Period and Day(s) of Operation (at the Frequency Rate, if stated).

Other data elements, Periods and Day(s) of Operation of the original Flight Designator and Operational Suffix are not affected.

NAC Not Actioned

This sub-message advises the sender of the original message that the message content has not been successfully processed in the recipients system. The NAC message will contain a text message that explains the reason for the error and include the line number(s) in the message where the error has occurred.

It is recommended that in the case of a format error only one reason for error is displayed. Format errors are likely to cause a corrupted message that cannot be validated further. In the case of a validation error, some receiving systems may advise when more than one validation error has occurred.

Users are advised to research the complete message before re-sending the message.

A list of error messages currently in use and their text structure can be found in Appendix E.

REV Revision of Period of Operation and/or Day(s) of Operation

This sub-message only changes the Period of Operation and/or Day(s) of Operation (at the Frequency Rate, if stated) within a Flight Designator. REV may only be used when there is no change of equipment, routing and timings within the Period of Operation and/or on the Day(s) of Operation being revised.

By stating the Period of Operation and Day(s) of Operation to be changed, and then the revised Period(s) of Operation and Day(s) of Operation, additions and deletions can be made.

A Period of Operation can be extended and/or Day(s) of Operation be added by the use of **REV** provided that they did not exist before and that there is no change of equipment, routing and timing data.

A Period of Operation can be shortened and/or Day(s) of Operation be deleted by replacing the old data with the revised data and accepting that periods and/or days not referred to in the revised data are implicitly cancelled.

A **REV** sub-message can combine additions and deletions providing that there is no change of equipment, routing and timing data.

RSD Request for Schedule Data

This sub-message enables a Request or Repeat of schedule data for the Flight Designator specified from the Schedule Validity Effective Date as specified to (and including) the Schedule Validity Discontinue Date, if stated.

The reply to an RSD message must always begin with an SKD sub-message, followed by any associated NEW sub-messages.

The action identifier RSD may not be used in a message with any other action identifiers.

The reply to any SSM containing RSD sub-messages must be addressed to the specific telegraphic address from which the RSD sub-message was originated unless otherwise bilaterally agreed.

TIM Change of Time Information

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only the Timing information and/or the conditional data elements (if supplied) that can be transmitted in this type of message.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- Data Elements previously transmitted and therefore already held in a recipients system and not included in the message remain unchanged.

4.5 Technical Message Specification

The logical structure (i.e. message specification) for the SSM is defined in the table below and includes the status, format description and example for each data element.

Reference should be made to the Data Element Glossary in Chapter 2 (Section 2.6) for the exact composition and detailed descriptions of each data element used in the SSMs.

Data expressed by Data Element Identifiers in connection with all Action Identifiers except NEW, CNL, RPL remain unchanged from previously supplied data. Where desired, removal of such data is achieved by specification of text “NIL” using Action Identifier ADM.

Certain elements may have a different meaning depending on their position within the message. It is recommended that caution be taken in the use of these elements to avoid the exchange of ambiguous or contradictory information.

This applies to the following elements:

- Joint Operation Airline Designators
- Operating Airline Disclosure — Code Share
- Aircraft Owner
- Cockpit Crew Employer
- Cabin Crew Employer
- Onward Flight
- Operating Airline *Disclosure* — Shared Airline or Wet Lease Designation.

△

△

4.5.1 SSM Message Specification

Data Element	Sub-Message Action Identifiers													Format	Data Element Example	Notes
	N E W	C N L	R P L	S K D	A C K	A D M	C O N	E Q T	F L T	N A C	R E V	R E D	T I M			
Message Heading																
Standard Message Identifier	M	M	M	M	M	M	M	M	M	M	M	M	M	SSM	SSM	
End of line	M	M	M	M	M	M	M	M	M	M	M	M	M	<=		
Time Mode	C	C	C	C	C	C	C	C	C	C	C	C	C	aa(a)	UTC or LT	If data element not provided assume UTC
End of line	C	C	C	C	C	C	C	C	C	C	C	C	C	<=		
Message Reference																
Message Sequence Reference	C	C	C	M	C	C	C	C	C	C	C	-	C	nnnnnnnnnnnn	24MAY00144E003	
Creator Reference	O	O	O	O	C	O	O	O	O	C	O	O	O	/x(x[-34])	/REF 123/449	If included, must begin with slash (/)
End of line	C	C	C	M	C	C	C	C	C	C	C	C	C	<=		Mandatory if any of above elements included
Action Information																
Action Identifier	M	M	M	M	M	M	M	M	M	M	M	M	M	aaa	SKD	
Separator (Space)	C	C	C	C										→	Space	Mandatory if ASM Withdrawal Indicator included
ASM Withdrawal Indicator	C	C	C	C										XASM	XASM	
End of line	M	M	M	M	M	M	M	M	M	M	M	M	M	<=		
Flight Information																
Flight Designator	M	M	M	M		M	M	M	M		M	M	M	XX(a)nnn(n)	LX544	
Operational Suffix	C	C	C			C	C	C	C		C		C	a	A	
Separator (Space)											M			→	Space	
Existing Period of Operation (From and To Dates)											M			nnaaa(nn) → nnaaa(nn)	12AUG02 Space 30SEP02	From and To Dates must be separated by a Space Year is Optional in both dates
Separator (Space)											M			→	Space	
Existing Day(s) of Operation											M			n(n) (n) (n) (n) (n) (n)	1234567	
Existing Frequency Rate											C			/W2	/W2	If included, must begin with slash (/)
Separator (Space)	C		C			C								→	Space	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	C		C			C								1/xx(a)/xx(a) (/xx(a))	1/LX/LH	If required
Separator (Space)	C		C			C	C	C						→	Space	If included, there must be a minimum of 2 or a maximum of 3 Airline Designators with each preceded by a slash (/)
Operating Airline Disclosure — Code Share (DEI 2)	C		C			C	C	C						2/xx(a) or 2/X	2/DL or 2/X	Mandatory if the next element included
Separator (Space)	C		C			C	C	C						→	Space	If required
Aircraft Owner (DEI 3)	C		C			C	C	C						3/xx(a) or 3/X	3/LX or 3/X	Mandatory if the next element included
Separator (Space)	C		C			C	C	C						→	Space	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	C		C			C	C	C						4/xx(a) or 4/X	4/LH or 4/X	If required
Separator (Space)	C		C			C	C	C						→	Space	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	C		C			C	C	C						5/xx(a) or 5X	5/LX or 5/X	If required
Separator (Space)	C		C			C	C	C						→	Space	Mandatory if the next element included



Data Element	Sub-Message Action Identifiers												Format	Data Element Example	Notes
	N E W	C N L	R P L	S K D	A C K	A D M	C O N	E Q T	F L T	N A C	R E V	R S D	T I M		
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C	C				C	C	C					9/xx (a) or 9/X	9/DL or 9/X	If required
End of line	M	M	M	M		M	M	M	M		M	M	M	<E	
For different Flight Designators with identical data, repeat from Flight Information		C				C	C	C			C		→		
Period/Frequency Information															
Schedule Validity Effective Date				M							M		nnaaa (nn)	12AUG (02)	Year is Optional
Separator (Space)				C							C		→	Space	Mandatory if Schedule Validity Discontinue Date included
Schedule Validity Discontinue Date				O							O		nnaaa (nn)	25SEP (0/2)	Year is Optional
Period of Operation (From and To Dates)	M	M	M			M	M	M	M		M	M	nnaaa (nn) → nnaaa (nn)	12AUG02 Space 30SEP02	From and To Dates must be separated by a Space
														Year is Optional in both dates	
Separator (Space)	M	M	M			M	M	M	M		M	M	→	Space	
Days of Operation	M	M	M			M	M	M	M		M	M	n (n) (n) (n) (n) (n) (n)	1 (2) (3) (4) (5) (6) (7)	
Frequency Rate	C	C	C			C	C	C	C		C	C	/W2	/W2	If included, must begin with slash (/)
Separator (Space)	C		C			C							→	Space	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	C		C			C							1/xx (a) /xx (a) (/xx (a))	1/LX/LH	If required
															If included, there must be a minimum of 2 or a maximum of 3 Airline Designators with each preceded by a slash (/)
Separator (Space)	C		C			C	C	C					→	Space	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)	C		C			C	C	C					2/xx (a) or 2/X	2/DL or 2/X	If required
Sparator (Space)	C		C			C	C	C					→	Space	Mandatory if the next element included
Aircraft Owner (DEI 3)	C		C			C	C	C					3/xx (a) or 3/X	3/LX or 3/X	If required
Separator (Space)	C		C			C							→	Space	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	C		C			C	C	C					4/xx (a) or 4/X	4/LH or 4/X	If required
Separator (Space)	C		C			C	C	C					→	Space	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	C		C			C	C	C					5/xx (a) or 5/X	5/LX or 5/X	If required
Separator (Space)	C		C			C	C	C					→	Space	Mandatory if the next element included
Onward Flight (DEI 6)	O		O			O	O	O					6/xx (a) nnn (n) (a) (/n)	6/S0103C/1	If required
Separator (Space)	C		C			C	C	C					→	Space	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C		C			C	C	C					9/xx (a) or 9/X	9/DL or 9/X	If required
End of line	M	M	M	M		M	M	M	M		M	M	M	<E	
For different (revised) periods/frequencies with different data, repeat from Period/Frequency Information	C	C	C			C	C	C			C		C		If required

Data Element	Sub-Message Action Identifiers													Format	Data Element Example	Notes
	N E W	C N L	R P L	S K D	A C K	A D M	C O N	E Q T	F L T	N A C	R A V	R E D	T I M			
New Flight Information																
Flight Designator					-	-	-	-	M	-		-	-	xx (a) nnn (n)	LX544	
Operational Suffix					-	-	-	-	C	-		-	-	a	A	If included
End of line					-	-	-	-	M	-		-	-	<≡		
Equipment Information																
Service Type	M		M				M	M						a	G	
Separator (Space)	M		M				M	M						→	Space	
Aircraft Type	M		M				M	M						xxx	M80	
Separator (Space)	M		M				M	M						→	Space	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	M		M				M	M						a (x) (x) (x) (x) . .	FCML	
Passenger Reservations Booking Modifier	C		C				C	C						/aa (aa) (aa) (aa) . . .	/FNCN	If included, must begin with a slash (/)
Aircraft Configuration/Version	C		C				C	C						. a (x) (x) (x) (x) . .	. FCM	If included, must start with a period (.)
Separator (Space)	C		C				C	C						→	Space	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)	C		C				C	C						2/xx (a) or 2/X	2/DL or 2/X	If required
Separator (Space)	C		C				C	C						→	Space	Mandatory if the next element included
Aircraft Owner (DEI 3)	C		C				C	C						3/xx (a) or 3/X	3/LX or 3/X	If required
Separator (Space)	C		C				C	C						→	Space	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	C		C				C	C						4/xx (a) or 4/X	4/LH or 4/X	If required
Separator (Space)	C		C				C	C						→	Space	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	C		C				C	C						5/xx (a) or 5/X	5/LX or 5/X	If required
Separator (Space)	C		C				C	C						→	Space	Mandatory if the next element included
Onward Flight (DEI 6)	O		O				O	O						6/xx (a) nnn (n) (a) (/n)	6/SQ103C/1	If required
Separator (Space)	C		C				C	C						→	Space	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C		C				C	C						9/xx (a) or 9/X	9/DL or 9/X	If required
End of line	M		M				M	M						<≡		
For different data in different period/frequency, repeat from Period/Frequency Information	C		C				C	C								
Routing or Leg Information																
Flight Leg(s) Change Identifier							C	C	C					aaa/aaa (/aaa [-10])	L0S/ABJ	Included if change does not apply to whole routing
Departure Station	M		M							M	aaa			M aaa	GVA	
Scheduled Time of Aircraft Departure (Aircraft STD)	M		M							M	nnnn			M nnnn	1830	
Date Variation for STD	C		C								(M) n			/ (M) n	/0	If included, must begin with a slash (/)
Scheduled Time of Passenger Departure (Passenger STD)	C		C							C	/nnnn			C /nnnn	/1815	If included, must begin with a slash (/)
Separator (Space)	M		M							M	→			M →	Space	Mandatory if the next element included
Arrival Station	M		M							M	aaa			M aaa	FRA	
Scheduled Time of Aircraft Arrival (Aircraft STA)	M		M							M	nnnn			M nnnn	1945	
Date Variation for STA	C		C							C	/ (M) n			C / (M) n	/0	If included, must begin with a slash (/)
Scheduled Time of Passenger Arrival (Passenger STA)	C		C							C	/nnnn			C /nnnn	/1955	If included, must begin with a slash (/)

Data Element	Sub-Message Action Identifiers													Format	Data Element Example	Notes
	N E W	C N L	R P L	S K D	A C K	A D M	C O N	E Q T	F L T	N A C	R A V	R E S	T I M			
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	C	C			C									1/xx(a)/xx(a) (/xx(a))	1/LX/LH	If required If included, there must be a minimum of 2 or a maximum of 3 Airline Designators with each preceded by a slash (/)
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)	C	C			C									2/xx(a) or 2/X	2/DL or 2/X	If required
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Aircraft Owner (DEI 3)	C	C			C									3/xx(a) or 3/X	3/LX or 3/X	Included only if same physical aircraft continues
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	C	C			C									4/xx(a) or 4/X	4/LH or 4/X	If required
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	C	C			C									5/xx(a) or 5/X	5/LX or 5/X	If required
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Onward Flight (DEI 6)	O	O			O									6/xx(a)nnn(n) (a) (/n)	6/S0103C/1	If required
Separator (Space)	C	C			C								C	→	Space	Mandatory if the next element included
Meal Service Note (DEI 7)	O	O			O								O	7/aa(a) (/aa(a)) [·4] or 7//a(a) or 7/aa(a) (/aa(a)) [·3] //a(a))	7/FDC/CD/YS/ MS/LS 7//S 7/CL//S	If required
Separator (Space)	C	C			C									→	Space	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C	C			C									9/xx(a) or 9/X	9/DL or 9/X	If required
End of line	M	M				C	C	C					M	<≡		
For next leg or group of consecutive legs, repeat from Routing or Leg Information; if different aircraft type etc., repeat from Equipment Information	C	C				C	C	C								
Segment Information																
Traffic Restriction Note (DEI 8)	C	C			C									aaaaaa→8/a (/nnn) (/x(x[·53]))	6VAFRA 8/Z/173/A	If required Note: Only Data Element Identifiers 170-173, 710-799 are allowed as Traffic Restriction Qualifiers.
Or																
Other Segment Information	C	C				C	C	C	C				C	aaaaaa→nn(n) (/x(x[·57]))	6VAFRA 10/LX836	If required
End of line	C	C				C	C	C	C				C	<≡		Mandatory if one of above elements included
For further Segment Information, repeat from Segment Information	C	C				C	C	C	C				C			If required

Data Element	Sub-Message Action Identifiers													Format	Data Element Example	Notes
	N E W	C N L	R P L	S K D	A C K	A D M	C O N	E Q T	F L T	N A C	R A V	R E D	T S I M			
Sub-Message Supplementary Information	O	O	O	O		O	O	O	O		O	O	O			All the following elements must be included if Sub-Message Supplementary Information is included
Supplementary Information Indicator	M	M	M	M		M	M	M	M		M	M	M	SI	SI	
Separator (Space)	M	M	M	M		M	M	M	M		M	M	M	→	Space	
Supplementary Information	M	M	M	M		M	M	M	M		M	M	M	x(x)...	ABCDEF	Free Text
End of line	M	M	M	M		M	M	M	M		M	M	M	<=		
Sub-Message Separation	C	C	C	C		C	C	C	C		C	C	C	//		Also used if Supplementary Information for Whole Message follows
End of line	C	C	C	C		C	C	C	C		C	C	C	<=		Mandatory if Sub-Message Separation included
For more sub-messages, repeat from applicable Action Information, or, if necessary, create a new physical message and repeat from Message Heading	C	C	C	C		C	C	C	C		C	C	C			
Supplementary Information for Whole Message	O	O	O	O		O	O	O	O		O	O	O			
Supplementary Information Indicator	M	M	M	M		M	M	M	M		M	M	M	SI	SI	
Separator (Space)	M	M	M	M		M	M	M	M		M	M	M	→	Space	
Supplementary Information	M	M	M	M		M	M	M	M		M	M	M	x(x)...		Free Text
End of line	M	M	M	M		M	M	M	M		M	M	M	<=		
Reject Information																
Blank Line Separator										M				<=		
Error Line (First)										M				nnn	004	
Separator (Space)										M				→	Space	
Reject Reason (First)										M				x(x[.63]	INVALID DEI 711	
End of line										M				<=		
Error Line (Other)										O				nnn	006	
Separator (Space)										C				→	Space	Mandatory if Reject Reason (Other) included
Reject Reason (Other)										C				x(x[.63]	SYSTEM ERROR	
End of line										C				<=		Mandatory if Reject Reason (Other) included
For further Reject Reasons, repeat from Error Line (Other)																
Repeat of Rejected Message																
Blank Line Separator										M				<=		
Message Lines before Action Identifier										O				x(x)...		
Message Lines from Action Identifier										M				x(x)...		
End of line										M				<=		

4.6 SSM Sub-Message Definition

The Sub-Message definition details the specific use of each functional sub-message and includes an example for each sub-message. Additional examples are included as Section 4.7.

Additional explanatory notes for each sub-message and data element are included when not covered by the general notes in SSM Message Specifications above.

The 'Status' column in each Table reflects the Status as shown in the SSM Message Specification Table (Section 4.5).

Reference should be made to the Data Element Glossary in Chapter 2 (Section 2.6) for the exact composition and detailed descriptions of each data element used in the SSM sub-messages.

4.6.1 NEW – Insertion of New Flight Information

Example:

```
SSM
LT
24MAY00144E003/REF 123/449
NEW XASM
LX544A 1/LX/LH 3/LX 4/LH 5/LX 9/LX
12AUG 30SEP 1234567/W2 6/LX545A/1
G M80 FCYML/FNCN.FCM
GVA1830/0/1815 FRA1945/0/1955 7/FDC/CD/YS/MS/LS
GVAFRA 8/Z/173/A
GVAFRA 10/LX836
```

→ Refer to Section 4.7 for additional examples on the use of 'NEW'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	24MAY00144E003	C	Mandatory if linked to a previous SKD message, or, if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/ REF 123/449	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Action Information			
Action Identifier	NEW	M	
Separator (Space)	Space	C	Mandatory if ASM Withdrawal Indicator included
ASM Withdrawal Indicator	XASM	C	If applicable Must not be used if linked to a previous SKD message
End of line	<≡	M	
Flight Information			
Flight Designator	LX544	M	
Operational Suffix	A	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	1/LX/LH	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)			If applicable, applies to all legs subsequently stated. △
			Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below. △
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/LX	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/LH	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/LX	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			If applicable, applies to all legs subsequently stated. △
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above. △
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
Schedule Validity Effective Date		-	
Separator (Space)		-	
Schedule Validity Discontinue Date		-	
Period of Operation – From and To Dates	12AUG 30/SEP	M	First date and Last date of Operation of the new schedule separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Days of Operation	1234567	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)
The following data elements may be stated here if they have not already been stated under Flight Information:			If stated, the data elements apply for this period and frequency only
Joint Operation Airline Designators;			
Operating Airline Disclosure — Code Share (DEI 2)			
Aircraft Owner;			
Cockpit Crew Employer;			
Cabin Crew Employer			
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight (DEI 6)	6/LX545A/1	O	Applies to the last leg of this flight for this period and frequency only
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			
			If stated, the data elements apply for this period and frequency only.
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Equipment Information			Applies to all legs subsequently stated until repeated with the exception of the Onward Flight, which, if stated, applies to the last of the subsequently stated legs. <i>Period/Frequency Information and Equipment Information may be repeated on separate lines for different information in a different period/frequency.</i>
Service Type	G	M	
Separator (Space)	Space	M	
Aircraft Type	M80	M	
Separator (Space)	Space	M	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	FCYML	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position
Passenger Reservations Booking Modifier	/FNCN	C	If included, must start with a slash (/)
Aircraft Configuration/Version	.FCM	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.
<i>The following data elements may be stated here if they have not already been stated under Flight Information or Period/Frequency Information:</i>			If stated, the data elements apply for this period and frequency only
Operating Airline Disclosure — Code Share (DEI 2)			△
Aircraft Owner;			
Cockpit Crew Employer;			
Cabin Crew Employer;			
Onward Flight;			
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			△
End of line	<≡	M	

	Data Element	Data Element Example	Status	Use and Explanatory Notes
	Routing or Leg Information			<i>Routing or Leg Information may be repeated on a separate line for the next leg/group of consecutive legs. If the Equipment Information for such legs is different, the Equipment Information is repeated first.</i>
	Flight Leg(s) Change Identifier		-	
	Departure Station	GVA	M	
△	Scheduled Time of Aircraft Departure (Aircraft STD)	1830	M	
	Date Variation for STD	/0	C	If included, must begin with a slash (/). Specification of a zero value is optional.
△	Scheduled Time of Passenger Departure (Passenger STD)	/1815	C	If included, must begin with a slash (/)
	Separator (Space)	Space	M	Mandatory if the next element included
	Arrival Station	FRA	M	
△	Scheduled Time of Aircraft Arrival (Aircraft STA)	1945	M	
	Date Variation for STA	/0	C	If included, must begin with a slash (/). Specification of a zero value is optional.
△	Scheduled Time of Passenger Arrival (Passenger STA)	/1955	C	If included, must begin with a slash (/)
	The following data elements may be stated here if they have not already been stated under Flight Information, Period/Frequency Information or Equipment Information:			If stated, the data element apply to this leg only
	Joint Operation Airline Designators;			
△	Operating Airline Disclosure — Code Share (DEI 2)			
	Aircraft Owner;			
	Cockpit Crew Employer;			
	Cabin Crew Employer;			
	Onward Flight			
	Separator (Space)	Space	C	
	Meal Service Note (DEI 7)	7/FDC/CD/YS/MS/LS	O	If required
	Separator (Space)	Space	C	Mandatory if the next element included

Data Element	Data Element Example	Status	Use and Explanatory Notes	
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)		C	This data element may be stated here if it has not already been stated under Flight Information, Period/Frequency Information or Equipment Information. If stated, the data elements applies to this leg only.	△
End of line	<≡	M		
Segment Information			If applicable, the information is composed of either the Traffic Restriction Note or the optional/conditional other Segment Information. <i>Additional Segment Information may be repeated on separate lines.</i>	
Traffic Restriction Note	GVAFRA 8/Z/173/A	C	If applicable	
or				
Other Segment Information	GVAFRA 10/LX836	C	If applicable	
End of line	<≡	C	Mandatory if one of above elements included	
Sub-Message Supplementary Information				
Supplementary Information Indicator	SI	M		
Separator (Space)	Space	M		
Supplementary Information		M	Free Text	
End of line	<≡	M		
Sub-Message Separation			Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>	
End of line	<≡	C	Mandatory if Sub-Message Separation included	
Supplementary Information for Whole Message				
Supplementary Information Indicator	SI	M		
Separator (Space)	Space	M		
Supplementary Information		M	Free Text	
End of line	<≡	M		

4.6.2 CNL – Cancellation

The Cancellation (CNL) Action Sub-Message may only be used to remove operations.

The Action Identifier ADM and the cancel code 'NIL' is used to cancel existing administrative information.

Example:

```
SSM
UTC
13JUN00901E002/REF150/212
CNL XASM
AA407P
12AUG 30SEP 1234567/W2
```

→ Refer to Section 4.7 for additional examples on the use of 'CNL'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	13JUN00901E002	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 150/212	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if either of any of above elements included
Action Information			
Action Identifier	CNL	M	
Separator (Space)	Space	C	Mandatory if ASM Withdrawal Indicator included
ASM Withdrawal Indicator	XASM	C	If applicable
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical data/Information</i>
Flight Designator	AA407	M	
Operational Suffix	P	C	If applicable
End of line	<≡	M	
For different Flight Designators with identical data		C	Repeat Flight Information
Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
Period of Operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Operation of the cancelled schedule Separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Days of Operation	1234567	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)
End of line	<≡	M	
Sub-Message Supplementary Information			O
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation			C
	//		Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information, or, if necessary, create a new physical message and repeat from Message Heading.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message			O
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.3 RPL – Replacement of Existing Flight Information

The Replacement of Existing Flight Information (RPL) Sub-Message replaces all information pertaining to a Flight Designator on the periods/days stated.

Example:

```
SSM
UTC
13AUG00031C012/REF 92/101
RPL XASM
SQ102C1/SQ/MH 2/QF 3/QF 4/SQ 5/MH
12AUG 30SEP 1234567/W2 6/SQ103C/1
C 310 F10Y100/F0.F10Y120
SIN0730/0715 KUL0820/0835 7/FB/YS
QQQQQQ 8/Z/171/A
QQQQQQ 50/QF123
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	13AUG00031C012	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 92/101	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	RPL	M	
Separator (Space)	Space	C	Mandatory if ASM Withdrawal Indicator included
ASM Withdrawal Indicator	XASM	C	If applicable
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes	
Flight Information				
Flight Designator	SQ102	M		
Operational Suffix	C	C	If applicable	
Separator (Space)	Space	C	Mandatory if the next element included	
Joint Operation Airline Designators (DEI 1)	1/SQ/MH	C	If applicable, applies to all legs subsequently stated	
Separator (Space)	Space	C	Mandatory if the next element included	
Operating Airline Disclosure — Code Share (DEI 2)	2/QF	C	If applicable, applies to all legs subsequently stated.	△
			Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below.	△
Separator (Space)	Space	C	Mandatory if the next element included	
Aircraft Owner (DEI 3)	3/QF	C	If applicable, applies to all legs subsequently stated	
Separator (Space)	Space	C	Mandatory if the next element included	
Cockpit Crew Employer (DEI 4)	4/SQ	C	If applicable, applies to all legs subsequently stated	
Separator (Space)	Space	C	Mandatory if the next element included	
Cabin Crew Employer (DEI 5)	5/MH	C	If applicable, applies to all legs subsequently stated	
Separator (Space)	Space	C	Mandatory if the next element included	
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			If applicable, applies to all legs subsequently stated.	△
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.	△
End of line	<≡	M		

Data Element	Data Element Example	Status	Use and Explanatory Notes
Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
Period of Operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Operation of the replaced schedule separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Days of Operation	1234567	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)
<i>The following data elements may be stated here if they have not already been stated under Flight Information:</i>			If stated, the data element apply for this period and frequency only
Joint Operation Airline Designators;			
Operating Airline Disclosure — Code Share (DEI 2)			
Aircraft Owner;			
Cockpit Crew Employer;			
Cabin Crew Employer			
Onward Flight (DEI 6)	6/SQ103C/1	O	Applies to the last leg of this flight for this period and frequency only
Separator (Space)	Space	C	Mandatory if the next element included
<i>This data element may be stated here if it has not already been stated under Flight Information</i>		C	If stated, the data element applies for this period and frequency only
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Equipment Information			Applies to all legs subsequently stated until repeated with the exception of the Onward Flight, which, if stated, applies to the last of the subsequently stated legs. <i>Period/Frequency Information and Equipment Information may be repeated on separate lines for different information in a different period/frequency.</i>
Service Type	C	M	
Separator (Space)	Space	M	
Aircraft Type	310	M	
Separator (Space)	Space	M	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	F10Y100	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position
Passenger Reservations Booking Modifier	/F0	C	If included, must start with a slash (/)
Aircraft Configuration/Version	.F10Y120	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.
<i>The following data elements may be stated here if they have not already been stated under Flight Information or Period/Frequency Information:</i>			If stated, the data elements apply for this period and frequency only
Operating Airline Disclosure — Code Share (DEI 2)			△
Aircraft Owner;			
Cockpit Crew Employer;			
Cabin Crew Employer;			
Onward Flight;			
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			△
End of line	<≡	M	

	Data Element	Data Element Example	Status	Use and Explanatory Notes
	Routing or Leg Information			<i>Routing or Leg Information may be repeated on a separate line for the next leg/group of consecutive legs.</i> <i>If the Equipment Information for such legs is different, the Equipment Information is repeated first.</i>
	Flight Leg(s) Change Identifier		-	
	Departure Station	SIN	M	
△	Scheduled Time of Aircraft Departure (Aircraft STD)	0730	M	
	Date Variation for STD	/0	C	If included, must begin with a slash (/) Specification of a zero value is optional
△	Scheduled Time of Passenger Departure (Passenger STD)	/0715	C	If included, must begin with a slash (/)
	Separator (Space)	Space	M	Mandatory if the next element included
	Arrival Station	KUL	M	
△	Scheduled Time of Aircraft Arrival (Aircraft STA)	0820	M	
	Date Variation for STA	/0	C	If included, must begin with a slash (/) Specification of a zero value is optional
△	Scheduled Time of Passenger Arrival (Passenger STA)	/0835	C	If applicable
	<i>The following data elements may be stated here if they have not already been stated under Flight Information, Period/Frequency Information or Equipment Information:</i>			If included, must begin with a slash (/) If stated, the data elements apply to this leg only
△	Joint Operation Airline Designators;			
	Operating Airline Disclosure — Code Share (DEI 2)			
	Aircraft Owner;			
	Cockpit Crew Employer;			
	Cabin Crew Employer;			
	Onward Flight			
	Separator (Space)	Space	C	
	Meal Service Note (DEI 7)	7/FB/YS	O	If required
	End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Segment Information			If required, the information structure is either the Traffic Restriction Note or other optional/conditional Segment Information. <i>Additional Segment Information may be repeated on separate lines.</i>
Traffic Restriction Note	QQQQQQ 8/Z/171/A	C	If applicable.
or			
Other Segment Information	QQQQQQ 50/QF123	C	If required
End of line	<≡	C	Mandatory if one of above elements included
For further Segment Information		C	If required, additional Segment Information may be repeated on separate lines
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.4 SKD – Schedule Update

The Schedule Update (SKD) Sub-Message is not usually a stand-alone message unless the whole Flight Designator is to be cancelled.

It is normally used in conjunction with its associated NEW sub-message.

Example:

```
SSM
LT
24MAY00144E003/REF 123/449
SKD XASM
LX544
12AUG 25SEP
```

→ Refer to Section 4.7 for additional examples on the use of 'SKD'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	24MAY00144E003	C	Mandatory if linked to a previous SKD sub-message or if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 123/449	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	SKD	M	
Separator (Space)	Space	C	
ASM Withdrawal Indicator	XASM	C	
End of line	<≡	M	
Flight Information			
Flight Designator	LX544	M	
Operational Suffix		C	If applicable
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Period/Frequency Information			
Schedule Validity Effective Date	12AUG	M	First date of operation. Year is Optional.
Separator (Space)	Space	C	Mandatory if the next element included
Schedule Validity Discontinue Date	25SEP	O	Last date of operation. Year is Optional.
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.5 ACK – Acknowledgement

Example:

```
SSM
LT
17NOV00026E001/LY0005/21NOV
ACK
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
			If used in the original SSM, the Message Reference line in the ACK sub-message should exactly match the Message Reference line sent in the original SSM
Message Sequence Reference	17NOV00026E001	C	Mandatory. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/LY0005/21NOV	C	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of the above Included
Action Information			
Action Identifier	ACK	M	
End of line	<≡	M	

4.6.6 ADM – Change of Existing Information Expressed by the Use of Data Element Identifier Only

The Change of Existing Information expressed by the use of Data Element Identifier only (ADM) Sub-Message is also used to be able to delete existing information. In this case, the cancel code 'NIL' is used instead of the field information.

Example:

```
SSM
UTC
30JUL00916C003/REF 70/891
ADM
RG878A 1/RG/AV 3/AV 4/AV 5/RG 9/TP
12AUG 30SEP 1234567/W2 6/RG879A/1
GIG/BOG 7/CDC/YD
GIGBOG 8/Z/171/Q
QQQQQQ 121/NIL
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	30JUL00916C003	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 70/891	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	ADM	M	
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical data/information</i>
Flight Designator	RG878	M	
Operational Suffix	A	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	1/RG/AV	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)			If applicable, applies to all legs subsequently stated.
			Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below.
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/AV	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/AV	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/RG	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/TP	C	If applicable, applies to all legs subsequently stated.
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
period of operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Operation separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Days of Operation	1234567	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)
<i>The following data elements may be stated here if they have not already been stated under Flight Information:</i>			If stated, the data elements apply for this period and frequency only
Joint Operation Airline Designators:			
Operating Airline Disclosure — Code Share (DEI 2)			△
Aircraft Owner:			
Cockpit Crew Employer:			
Cabin Crew Employer			
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight (DEI 6)	6/RG879A/1	O	Applies to the last leg of this flight for this period and frequency only. The composition of the data elements is stated under 'Period/Frequency Information'.
Separator (Space)	Space	C	Mandatory if the next element included
<i>This data element may be stated here if it has not already been stated under Flight Information</i>			C If stated, the data element applies for this period and frequency only
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			△
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Routing or Leg Information			
Flight Leg(s) Change Identifier	GIG/B0G	C	If change to data elements stated below do not apply to entire routing
<i>The following data elements may be stated here if they have not already been stated under Flight Information, Period/Frequency Information or Equipment Information:</i> Joint Operation Airline Designators; Operating Airline Disclosure — Code Share (DEI 2) Aircraft Owner; Cockpit Crew Employer; Cabin Crew Employer; Onward Flight			If stated, the data elements apply to the leg(s) described by the Flight Leg(s) Change Identifier only
Separator (Space)	Space	C	Mandatory if the next element included
Meal Service Note (DEI 7)	7/CDC/YD	O	If required
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)		C	If stated, the data element applies to the leg(s) described by the Flight Leg(s) Change Identifier only
End of line	<≡	M	
Segment Information			
			This information structure is either the Traffic Restriction Note (if applicable) or other optional/conditional Segment Information.
			<i>Additional Segment Information may be repeated on separate lines.</i>
Traffic Restriction Note	GIGB0G 8/Z/171/Q	C	If applicable.
or			
Other Segment Information	QQQQQQ 121/NIL	C	If applicable and if required
End of line	<≡	C	Mandatory if one of above elements included
Sub-Message Supplementary Information			
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Sub-Message Separation	//	C	Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.7 CON – Change of Aircraft Configuration/Version

Example:

```
SSM
LT
21DEC00191C007/REF 71/210
CON
MS855A 3/MS 4/BA 5/MS 9/WT
12AUG 30SEP 1234567/W2 6/MS856A/1
G 767 FY/F0.FCM
LOS/ABJ
QQQQQQ 910//SPARES PACK
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	21DEC00/191C007	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).

Data Element	Data Element Example	Status	Use and Explanatory Notes
Creator Reference	/REF 71/210	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	CON	M	
End of line	<≡	M	
Flight Information			
			<i>Flight Information may be repeated on a separate line for different flights with identical data/information</i>
Flight Designator	MS855	M	
Operational Suffix	A	C	If applicable
Operating Airline Disclosure — Code Share (DEI 2)		C	Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below.
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/MS	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/BA	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/MS	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/WT	C	Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above
End of line	<≡	M	
Period/Frequency Information			
			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
period of operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Operation separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Days of Operation	1234567	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)

Data Element	Data Element Example	Status	Use and Explanatory Notes
<i>The following data elements may be stated here if they have not already been stated under Flight Information:</i>			If stated, the data elements apply for this period and frequency only
Operating Airline Disclosure — Code Share (DEI 2)			△
Aircraft Owner;			
Cockpit Crew Employer;			
Cabin Crew Employer			
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight (DEI 6)	6/MS856A/1	O	If applicable, applies to the last leg of this flight for this period and frequency only
Separator (Space)	Space	C	Mandatory if the next element included
<i>This data element may be stated here if it has not already been stated under Flight Information:</i>		C	If stated, the data element applies for this period and frequency only
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			△
End of line	<≡	M	
Equipment Information			<i>For different information in different period/frequency, repeat Period/Frequency Information and Equipment Information on separate lines</i>
Service Type	G	M	
Separator (Space)	Space	M	
Aircraft Type	767	M	
Separator (Space)	Space	M	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	FY	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position
Passenger Reservations Booking Modifier	/F0	C	If applicable
Aircraft Configuration/Version	.FCM	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.

Data Element	Data Element Example	Status	Use and Explanatory Notes
<i>The following data elements may be stated here if they have not already been stated under Flight Information or Period/Frequency Information:</i> Operating Airline Disclosure — Code Share (DEI 2) Aircraft Owner; Cockpit Crew Employer; Cabin Crew Employer; Onward Flight; Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			If stated, the data elements apply for this period and frequency only
End of line	<≡	M	
Routing or Leg Information			
Flight Leg(s) Change Identifier	L0S/ABJ	C	Included if change does not apply to entire routing
End of line	<≡	C	Mandatory if Flight Leg(s) Change Identifier included
Segment Information			
Other Segment Information	QQQQQQ 910/SPARES PACK	C	<i>Additional Segment Information may be repeated on separate lines</i> If applicable. Only Data Element Identifiers 101-108, 113-115, 127, 800-999 are allowed.
End of line	<≡	C	Mandatory if Other Segment Information included
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.8 EQT – Change of Equipment Information

Example:

```
SSM
LT
21DEC001191C007/REF 71/210
EQT
MS855A 3/DI 4/BA 5/BA 9/WT
12AUG 30SEP 1234567/W2 6/MS856A/1
G 767 FY/F0.FCM
LOS/ABJ
QQQQQQ 910/SPARES PACK
```

→ Refer to Section 4.7 for additional examples on the use of 'EQT'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	21DEC001191C007	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 71/210	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Action Information			
Action Identifier	EQT	M	
End of line	<≡	M	
Flight Information			
			<i>Flight Information may be repeated on a separate line for different flights with identical information</i>
Flight Designator	MS855	M	
Operational Suffix	A	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)		C	Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/DI	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/BA	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/BA	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/WT	C	Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above
End of line	<≡	M	
Period/Frequency Information			
			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
period of operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Operation separated by a Space Year is Optional in both dates
Separator (Space)	Space	M	
Days of Operation	1234567	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)
<i>The following data elements may be stated here if they have not already been stated under Flight Information:</i>			If stated, the data elements apply for this period and frequency only

Data Element	Data Element Example	Status	Use and Explanatory Notes
Operating Airline Disclosure — Code Share (DEI 2)			△
Aircraft Owner; Cockpit Crew Employer; Cabin Crew Employer			
Onward Flight (DEI 6)	6/MS856A/1	O	If applicable, applies to the last leg of this flight for this period and frequency only
Separator (Space)	Space	C	Mandatory if the next element included
<i>This data element may be stated here if it has not already been stated under Flight Information</i>		C	If stated, the data element applies for this period and frequency only
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			△
End of line	<≡	M	
Equipment Information			<i>Period/Frequency Information and Equipment Information may be repeated on separate lines for different information in a different period/frequency</i>
Service Type	G	M	
Separator (Space)	Space	M	
Aircraft Type	767	M	
Separator (Space)	Space	M	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	FY	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position
Passenger Reservations Booking Modifier	/F0	C	If included, must start with a slash (/)
Aircraft Configuration/Version	.FCM	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.
<i>The following data elements may be stated here if they have not already been stated under Flight Information or Period/Frequency Information:</i>			If stated, the data elements apply for this period and frequency only

	Data Element	Data Element Example	Status	Use and Explanatory Notes
△	Operating Airline Disclosure — Code Share (DEI 2)			
	Aircraft Owner;			
	Cockpit Crew Employer;			
	Cabin Crew Employer;			
	Onward Flight;			
△	Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			
	End of line	<≡	M	
	Routing or Leg Information			
	Flight Leg(s) Change Identifier	L0S/ABJ	C	Included if change does not apply to entire routing
	End of line	<≡	C	Mandatory if Flight Leg(s) Change Identifier included
	Segment Information			Additional Segment Information may be repeated on separate lines
	Other Segment Information	QQQQQQ 910/SPARES PACK	C	If applicable. Only Data Element Identifiers 101-108, 113-115, 127, 800-999 are allowed.
	End of line	<≡	C	Mandatory if Other Segment Information included
	Sub-Message Supplementary Information			O
	Supplementary Information Indicator	SI	M	
	Separator (Space)	Space	M	
	Supplementary Information		M	Free Text
	End of line	<≡	M	
	Sub-Message Separation			C
		//		Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
	End of line	<≡	C	Mandatory if Sub-Message Separation included
	Supplementary Information for Whole Message			O
	Supplementary Information Indicator	SI	M	
	Separator (Space)	Space	M	
	Supplementary Information		M	Free Text
	End of line	<≡	M	

4.6.9 FLT – Change of Flight Designator

Example:

```
SSM
UTC
21OCT00033E001/REF901/22
FLT
GF184A
01JUL 30SEP 67/W2
GF186A
DHAMCT 122/184
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	21OCT00033E001	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF901/22	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	FLT	M	
End of line	<≡	M	
Flight Information			
Flight Designator	GF184	M	
Operational Suffix	A	C	If applicable
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
period of operation – From and To Dates	01JUL 30SEP	M	First date and Last date of Operation separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Days of Operation	67	M	
Frequency Rate	/W2	C	If included, must begin with a slash (/)
End of line	<≡	M	
New Flight information			
Flight Designator	GF186	M	
Operational Suffix	A	C	If applicable
End of line	<≡	M	
Segment Information			Additional Segment Information may be repeated on separate lines
Other Segment Information	DHAMCT 122/184	C	If applicable. Only Data Element Identifiers 10, 50, 122, 800-999 are allowed.
End of line	<≡	C	Mandatory if Other Segment Information included
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation	//	C	Applicable if more sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.10 NAC – Not Actioned

Example:

```
SSM
LT
17NOV00026E001/LY0005/21NOV
NAC
004 AIRCRAFT TYPE INVALID
006 TIME INVALID
LONABCR
.FRASPLH 17054NOV01

SSM
LT
17NOV00026E001/LY0005/21NOV
NEW
IC953
01JUN00 30SEP00 26
J 32T DW
BLR0045 MAA0130 7//S
MAA0625 KUL+820 7//S
MAAKUL 99/2
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	17NOV00026E001	C	If used in the original SSM, the Message Reference line in the NAC sub-message should exactly match the Message Reference line sent in the original SSM Mandatory. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/LY0005/21NOV	C	If included, must begin with a slash (/)
End of line	<≡	C	Included if any of the above included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Action Information			
Action Identifier	NAC	M	
End of line	<≡	M	
Reject Information			
Blank Line Separator	<≡	M	May be repeated as necessary
Error Line (First)	004	M	Line number on which the error was found. The line number 000 applies when the error found is not related to a specific line in the message received. The line count starts at the first mandatory line (i.e. the Action Identifier) in the repeated message or sub-message originally received.
Separator (Space)	Space	M	
Reject Reason (First)	AIRCRAFT TYPE INVALID	M	Maximum of 1 line of error text per error line
End of line	<≡	M	
Error Line (Other)	006	O	Line number on which the error was found. The line number 000 applies when the error found is not related to a specific line in the message received. The line count starts at the first mandatory line (i.e. the Action Identifier) in the repeated message or sub-message originally received.
Separator (Space)	Space	C	Mandatory if Reject Reason (Other) included
Reject Reason (Other)	TIME INVALID	C	
End of line	<≡	C	Mandatory if Reject Reason (Other) included
Other Errors		C	If required, repeat from Error Line (Other)
Repeat of Rejected Message			
Blank Line Separator	<≡	M	
Message Lines before Action Identifier		O	Optional Message Information prior to Action Identifier Data structure is: Message Address Message Originator and Time Stamp
	LONABCR .FRASPLH 170540NOV01		

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Lines from Action Identifier	SSM		Standard Message Identifier
	LT		Time mode (if data element not provided assume UTC)
	17NOV00026E001 /LY0005/21NOV		Message Reference
	NEW	M	Action Information
	IC953		Flight Information
	01JUN00 30SEP00 26		Period/Frequency Information
	J 32T DW		Equipment Information
	BLR0045 MAA0130 7//S		Routing or Leg Information
	MAA0625 KUL0820 7//S		
	MAAKUL 99/2		Segment Information
End of line	<≡	M	

4.6.11 REV – Revision of Period of Operation and/or Day(s) of Operation

Example:

```
SSM
UTC
13JUN00901E002/REF 150/212
REV
AI122E 12AUG3 0SEP 2/W2
01JUL 30SEP 5/W2
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of Line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of Line	<≡	C	Mandatory If Time Mode included
Message Reference			
Message Sequence Reference	13JUN00901E002	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).

Data Element	Data Element Example	Status	Use and Explanatory Notes
Creator Reference	/REF 150/212	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	REV	M	
End of line	<≡	M	
Flight Information			
Flight Designator	AI122	M	
Operational Suffix	E	C	If applicable
Separator (Space)	Space	M	
Existing period of operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Existing Schedule separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Existing Day(s) of Operation	2	M	
Existing Frequency Rate	/W2	C	If included, must begin with a slash (/)
End of line	<≡	M	
Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
Revised period of operation – From and To Dates	01JUL30SEP	M	First date and Last date of Operation of the revised schedule separated by a Space. Year is Optional in both dates.
Separator (Space)	Space	M	
Revised Days of Operation	5	M	
Revised Frequency Rate	/W2	C	If included, must begin with a slash (/)
End of line	<≡	M	
Sub-Message Supplementary Information			O
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation			C
	//		Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.12 RSD – Request for Schedule Data

Example:

```
SSM
LT
/REF 123/449
RSD
AC874
12AUG 25SEP
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of Line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of Line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference		-	Not required as RSD is a unique sub-message
Creator Reference	/REF 123/449	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if Creator Reference Included
Action Information			
Action Identifier	RSD	M	
End of line	<≡	M	
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical Periods/Frequency Information</i>
Flight Designator	AC874	M	
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Period/Frequency Information			
Schedule Validity Effective Date	12AUG	M	Year is Optional
Separator (Space)	Space	C	Mandatory if the next element included
Schedule Validity Discontinue Date	25SEP	O	Year is Optional
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Also used if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.6.13 TIM – Change of Time Information

Example:

```
SSM
LT
13JAN00033E002/REF 910/33
TIM
CX100B
12AUG 30SEP 1234567/W2
BNE1010/1000 HKG1955/2005 7/PLD/CLD/YLD
BNEHKG 810/IN FLIGHT MOVIE
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	SSM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	13JAN00033E002	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 910/33	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	TIM	M	
End of line	<≡	M	
Flight Information			
Flight Designator	CX100	M	
Operational Suffix	B	C	If applicable
End of line	<≡	M	

	Data Element	Data Element Example	Status	Use and Explanatory Notes
	Period/Frequency Information			<i>Period/Frequency Information may be repeated on a separate line for different periods/frequencies with different information</i>
	period of operation – From and To Dates	12AUG 30SEP	M	First date and Last date of Operation separated by a Space Year is Optional in both dates
	Separator (Space)	Space	M	
	Days of Operation	1234567	M	
	Frequency Rate	/W2	C	If included, must begin with a slash (/)
	End of line	<≡	M	
	Routing or Leg Information			<i>Routing or Leg Information may be repeated on a separate line for the next leg/group of consecutive legs</i>
	Departure Station	BNE	M	
△	Scheduled Time of Aircraft Departure (Aircraft STD)	1010	M	
	Date Variation for STD		C	If included, must begin with a slash (/) Specification of a zero value is optional
△	Scheduled Time of Passenger Departure (Passenger STD)	/1000	C	If included, must begin with a slash (/)
	Separator (Space)	Space	M	Mandatory if the next element included
	Arrival Station	HKG	M	
△	Scheduled Time of Aircraft Arrival (Aircraft)	1955	M	
	Date Variation for STA		C	If included, must begin with a slash (/) Specification of a zero value is optional
△	Scheduled Time of Passenger Arrival (Passenger STA)	/2005	C	If included, must begin with a slash (/)
	Separator (Space)	Space	C	Mandatory if the next element included
	Meal Service Note (DEI 7)	7/PLD/CLD/YLD	O	If required
	End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Segment Information			<i>Additional Segment Information may be repeated on separate line</i>
Other Segment Information	BNEHKG 810/IN FLIGHT MOVIE	C	If applicable.
End of line	<≡	C	Only Data Element Identifiers 97, and 800-999 are allowed. Mandatory if Other Segment Information included
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Also used if Supplementary Information for Whole Message follows <i>For more sub-messages, repeat from applicable Action Information</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

4.7 Additional Message Examples

4.7.1 NEW – Insertion of New Flight Information

Example of Meal Service note with more than 5 classes and with a repetition of DEI 109:

.QD FABABCR
.QVISCAF 091056
SSM
LT
09OCT00531E001/
NEW
BA2268
01DEC08 24JAN09 12345
J 320 CDZFYSBRKVLUMHQAWTENI.C22Y132
CDG1320 MAN1350 7/XX
CDGMAN 10/AZ3538/UX3503
CDGMAN 98/2
CDGMAN 99/2E
CDGMAN 109/CM/DM/ZM/FM/YM/SM/BM/RS/KS/VS/LS/US/MS/HS/QS/AS
CDGMAN 109/WS/TS/ES/NS/IS
CDGMAN 503/9
CDGMAN 505/ET

Example of Period/Frequency Information repetition:

SSM
LT
24MAY00144E003/REF 123/449
NEW
LX600
12AUG 30SEP 1234567
01OCT 21OCT 135
G M80 FCYML/FNCN.FCM
GVA1830 FRA1945

Example of repetition where Equipment Information varies by Period/Frequency:

SSM
LT
24MAY00144E003/REF 123/449
NEW
LX600
12AUG 30SEP 12345
J M80 FCYML.FCM
12AUG 30SEP 67
J 320 FCYML.FCM
GVA1830 FRA1945

Example of repetition of Routing/Leg Information (multi-leg flight):

SSM
LT
24MAY00144E003/REF 123/449
NEW
LX600
12AUG 30SEP 1234567
J M80 FCYML.FCM
GVA1830 FRA1945
FRA2030 HAM2130

Example of repetition where Equipment Information varies by leg:

SSM
LT
24MAY00144E003/REF 123/449
NEW
LX600
12AUG 30SEP 1234567
J M80 FCYML.F10C30M75
GVA1830 FRA1945
J 320 FCYMKLQV.F10C30M75
FRA2030 HAM 2130
GVAHAM 101/FCYMKL

Example of use of Aircraft Configuration/Version only (no PRBD):

SSM
LT
24MAY01144E003/REF 123/449
NEW
LX2429
02JUN 16JUN 6
C 320 Y150VVLX320
HEL1615 ZRH1800

Example of multiple leg flight with a day change:

SSM
LT
28OCT15781E001
NEW
LX182
06NOV03 25MAR04 14
J 343 FJCDYSMLHNBV.FCYVV343S1
ZRH2215 BKK1430/1
BKK1530/1 SIN1845/1

4.7.2 CNL – Cancellation

Example of Repetition of Flight Information:

SSM
UTC
13JUN00901E002/REF 150/212
CNL XASM
AA407P
AA408
12AUG 30SEP 1234567/W2

4.7.3 SKD – Schedule Update Message

Example where Period in SKD is identical to Period of NEW:

SSM
LT
08OCT32948E001
SKD XASM
LX1249
28MAR04 30OCT04
//
NEW XASM
LX1249 3/LX 4/LX 5/LX
28MAR04 30OCT04 1234567
J AR1 JCIDIYMLHNKBVQWOU.CYVVAR1S97
ARN1350 ZRH1630 7/JL/CL/DL/IL//F
ARNZRH 10/AY6399
ARNZRH 99/2
ARNZRH 503/9
ARNZRH 505/ET

Example where period in SKD is larger than period of NEW:

SSM
LT
08OCT36863E001
SKD XASM
LX1579
26OCT03 27MAR04
//
NEW XASM
LX1579 3/LX 4/LX 5/LX
26OCT03 24DEC03 1234567
J ER4 YSMLHNKBVQWOU.YVVER4T49
VIE1455 ZRH1625 7//F
VIEZRH 503/9
VIEZRH 505/ET

4.7.4 EQT – Change of Equipment Information

Example of use of Aircraft Configuration/Version only (no PRBD or Number of Seats):

SSM
LT
24MAY01144E003/REF 123/449
EQT
LX2429
02JUN 16JUN 6
C 320 CYVVLX320

Example of Routing or Leg Information repetition:

SSM
LT
02MAY07111E001/REF 123/000
EQT
AN007
15MAY07 30SEP07 123
J 752 FCYM
LTN/EDI
J 763 FCYM
EDI/AMS
J 737 FCYM

4.7.5 TIM – Change of Time Information

Example of multiple leg flight with day change and midnight departure:

SSM
UTC
12MAR30017E001
TIM
SN206
30MAR04 26OCT04 2
CKY2155 DKR2315
DKR0000/1 BRU0600/1

CHAPTER 5 – AD HOC SCHEDULES MESSAGE PROCEDURE

5.1 INTRODUCTION

5.2 PRINCIPLES AND RULES

5.3 MESSAGE STANDARDS

5.3.1 Introduction

5.3.2 Security of Message Exchanges

5.3.3 ASM Composition

5.4 ASM ACTION SUB-MESSAGES

NEW Insertion of New Flight Information

CNL Cancellation

RIN Reinstatement

RPL Replacement of Existing Flight Information

ACK Acknowledgement

ADM Change of Existing Information Expressed by the Use of Data Element Identifier Only

CON Change of Aircraft Configuration/Version

EQT Change of Equipment Information

FLT Change of Flight Identifier

NAC Not Actioned

RRT Change of Routing

TIM Change of Time Information

5.5 TECHNICAL SPECIFICATION

5.6 TECHNICAL MESSAGE SPECIFICATION

5.6.1 ASM Message Specification

5.7 SSM SUB-MESSAGE DEFINITION

5.7.1 NEW – Insertion of New Flight Information

5.7.2 CNL – Cancellation

5.7.3 RIN – Reinstatement

5.7.4 RPL – Replacement of Existing Flight Information

5.7.5 ACK – Acknowledgement

5.7.6 ADM – Change of Existing Information Expressed by the Use of Data Element Identifier Only

5.7.7 CON – Change of Aircraft Configuration/Version

5.7.8 EQT – Change of Equipment Information

5.7.9 FLT – Change of Flight Identifier

- 5.7.10 NAC – Not Actioned
- 5.7.11 RRT – Change of Routing
- 5.7.12 TIM – Change of Time Information

5.8 ADDITIONAL MESSAGE EXAMPLES

- 5.8.1 NEW – Insertion of New Flight Information
- 5.8.2 CNL – Cancellation
- 5.8.3 EQT – Change of Equipment Information
- 5.8.4 TIM – Change of Time Information

5.1 Introduction

In order to allow all airlines to electronically exchange information on a deviation from their basic schedule, standard message formats have been agreed. These formats also allow the airlines to submit these amendments to schedule aggregators.

The message formats have been designed to provide as much clarity as possible for the message users and the received message details can be processed either by computer or by manual methods.

Deviations from the basic schedules, such as an addition of a supplementary or an extra flight, change to a single operation of an existing flight in routing, timing, equipment or other data and cancellation of a flight are transmitted using the Ad-Hoc Schedules Message (ASM).

A message may consist of one or more Action sub-messages. Each sub-message will have its own Action Identifier to identify a specific change being made to the basic schedule.

The rules for the use and composition of this message, together with detailed specifications and examples, are explained in the following Sections of this Chapter.

Amendments to the basic schedule may be transmitted in the Standard Schedule Message (SSM). The rules for the use and composition of this message, together with detailed specifications and examples, are explained in Chapter 4.

The Ad-Hoc Schedules Message (ASM) forms part of a complex system of timetable information exchange. The design of the message is based on the philosophy that a flight is recognised by the Flight Identifier, i.e. the combination of the Flight Designator and the Flight Identifier Date.

The ASM applies to long term ad-hoc modifications of schedules (generally resulting from schedules or operational planning) as well as short-term operational decisions that affect flight schedules.

For reporting of operational events, such as delays and actual movements not affecting schedules, reference should be made to the procedures defined in the IATA Airport Handling Manual (AHM).

In order to facilitate industry-wide acceptance of these standards, a range of optional features is included to ensure complete compatibility with the standards set in Chapter 7 for the exchange of computerized schedules and with the Standard Schedules Message set in Chapter 4.

These optional features include such items as the use of local dates and times, leg and segment oriented traffic and sales information.

5.2 Principles and Rules

In order to ensure full interline exchangeability, it is strongly recommended that airlines adhere to the rules for the construction of the standard messages as described in this Chapter.

The common rules for the data elements as described in Chapter 2 of this Manual should also be followed.

- The ASM exchange usually takes place on the basis of bilateral understanding.
- The ASM may be issued at any time prior to the actual departure from the station concerned. It shall be regarded as a firm amendment to the basic schedules except for punctuality rules that may vary from airline to airline.
- The addressees of the ASM are selected at the originator's discretion and will normally be limited to the parties directly concerned.
- Any schedules or changes advised by ASM cannot be modified by subsequent computerized schedule data sets or SSM (unless the ASM Withdrawal Indicator has been used).

A facility exists, however, to withdraw an ASM modification by re-establishing the original flight data or status with the appropriate action identifier and with a special Change Reason Code (RTNS).

- Any bilaterally agreed use of local dates and times must be based on the current information in SSIM Appendix F and any updates to it by message.
If the relation used is different or doubtful, it should be stated using Data Element Identifier 97 (UTC/Local Time Variation Specification).
- If a Flight Leg(s) Change Identifier in a sub-message does not match the routing of the flight(s) being changed, that sub-message may be ignored by the recipient.
- If a Segment on a line of a sub-message does not match a Segment of the flight(s) being changed, that line of the sub-message may be ignored by the recipient.
If a change or cancellation is received where the period and/or days of operation to be changed/cancelled do not match those stored, or a new flight is added that is already stored, it is recommended that the correct schedule information should be requested from the sender, e.g. by use of SSM/RSD.
- The ACK/NAC exchange takes place on the basis of bilateral agreement.
- It is assumed that it is the responsibility of the ASM sender to ensure that they receive an ACK or a NAC and take the appropriate action if not.

5.3 Message Standards

5.3.1 Introduction

The technical specifications for message construction are based on the guidelines of the ATA/IATA Systems and Communications Reference Manuals (SCR).

The standard message is enclosed within the standard communications “envelope”, i.e. signal identifiers, serial number, priority, address, originator and date/time of transmission.

The message will then read line by line by always starting at the left, i.e. left justified. For Type B messages, the maximum line length of the message must not exceed 69 printable characters including spaces. Some systems may restrict line length limits to less than 69 characters.

Although the Systems and Communications Reference Manual defines the maximum number of characters for one telegraph (Type B) message as 3,840, some service providers have the capability to increase this limit to 64,000 characters.

Type B users are, however, cautioned that some systems may not be able to receive or process messages with more than 3,840 characters.

This maximum length limitation takes into account all printed and non-printed characters, such as letter shifts, figure shifts and new line.

In the extreme case of a Flight, Aircraft or Leg Information line overflow, the excess elements should be stated on an additional line immediately following and must start with a Data Element Identifier.

When the message limit is exceeded, messages must be broken into separate parts with a Break between two sub-messages. Use can be made of the Message Sequence Reference to connect the related parts of the total message.

5.3.2 Security of Message Exchanges

To secure the exchange of ASMs between computers, it is recommended that the following techniques be used:

- Sequence all ASMs using the Message Sequence Reference;
- Process all ASMs in the same order as they are produced, according to the Message Sequence Reference;

- Request the re-transmission of a missing ASM using a "REPEAT" message:

ASM

REP

⟨Message Sequence Reference⟩

An "REP" message is sent by the receiver to inform the sender that a message has not been received. The ASM originator will identify the missing message by its Message Sequence Reference and will re-transmit the original message identified with original Message Sequence Reference and with the same data content.

- Inform the receiver of the last message sent within the current date of issue using an "END" message:

ASM

REP

⟨Message Sequence Reference⟩

The "END" message is designed to close the current sequence of messages before opening another one. It will allow recovery with an "REP" of the last message of the current sequence if this message has not been received. The Message Group Serial Number of the "END" message will be the previous Message Group Serial Number incremented by 1. The "END" message is unique for each date of issue.

5.3.3 ASM Composition

Each ASM message consists of consists of 5 major components:

- Message address/originator in accordance with communications instructions;
- Message Header including the Ad-Hoc Schedules Message Identifier (ASM), the Time Mode and an optional Creator Reference;
- One or more Action Sub-Messages that always include one or two the Action Identifiers, the flight identification and appropriate data elements, and always ends with a Sub-Message separator;
- An optional Supplementary Information Sub-Message applicable to the whole message;
- Message End in accordance with communications instructions.

The ASM Action Sub-messages are defined in Section 5.4.

The general technical specifications for ASM message construction are defined in Section 5.5.

The ASM Action Sub-Message composition and examples are defined in Section 5.6.

5.4 ASM Action Sub-Messages

The ASM Action Sub-Messages are an integral part of the ASM.

The following action sub-messages can be used in the composition of an ASM message.

→ *For further guidance, see also Appendix H: Ad Hoc Schedules Messages in the Operations Control Environment.*

NEW Insertion of New Flight Information

This sub-message inserts a new flight defined by a Flight Identifier that has previously not existed or had been cancelled.

CNL Cancellation

This sub-message cancels (i.e. declares as not operating), but retains as part of the basic schedule, one or more flights or parts of flight(s) defined by the Flight Identifier(s) (and Flight Leg Change Identifier, if applicable).

It is recommended that the facility to cancel part of a flight (using ASM/CNL with a Flight Leg Change Identifier) is confined to the operational phase of the flight only since a partial cancellation may lead to a Flight Designator duplication problem if the first leg or a middle leg of a flight is cancelled.

Partial cancellations would normally be communicated unambiguously using ASM/RPL.

RIN Reinstatement

This sub-message reinstates (i.e. declares as now operating again in the form and with the data in existence prior to the issuance of the last appropriate ASM/CNL messages) one or more flights or parts of the routing defined by Flight Identifier(s) and previously cancelled by an ASM/CNL sub-message.

Any subsequent changes to the flight (e.g. routing, times, equipment) must be handled by an appropriate sub-message.

RPL Replacement of Existing Flight Information

This sub-message replaces all information pertaining to an existing flight defined by a Flight Identifier by the new information.

If only specific information has to be replaced, the following Action Identifiers can be used instead of the complete RPL message.

ACK Acknowledgement

This sub-message advises the sender that the message content has been accepted by the receiving system and has been **successfully processed**.

It is recommended that ACK messages are not sent when the message first arrives with the recipient — but when the message has been successfully passed through the recipients system and processed correctly.

ADM Change of Existing Information Expressed by the Use of Data Element Identifier Only

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only those data elements which are specified by the use of a Data Element Identifier.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- When cancelling existing information the statement 'NIL' must be made
- If changes are leg related, replacement data need only be transmitted for legs where the data has changed. For example, in the case of Data Element Identifier 10, it is not necessary to transmit all legs that have Data Element Identifier 10 information, only those legs where DEI 10 needs changing

Note: *When using multiple Action Identifiers, all formats for the combinations and, therefore, processing rules, are determined by the primary Action Identifier.*

Qualifying as secondary Action Identifiers are those that form a subset of the primary Action Identifier.

Combinations with conflicting formats are not permitted, e.g. TIM-EQT. The secondary Action Identifier is intended for information purposes only i.e. human reading and understanding of changes.

Consequently, the following combinations are permitted:

<i>Primary</i>	<i>Secondary</i>
RPL	ADM/CON/EQT/RRT/TIM
CON	ADM
EQT	ADM/CON
RRT	ADM/CON/EQT/TIM
TIM	ADM

No combinations are permitted with NEW/CNL/RIN/FLT/ADM.

CON Change of Aircraft Configuration/Version

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only the Aircraft configuration Version information and/or the conditional data elements (if supplied) that can be transmitted in this type of message.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- Data Elements previously transmitted and therefore already held in a recipients system and not included in the message remain unchanged

EQT Change of Equipment Information

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only the Equipment information and/or the conditional data elements (if supplied) that can be transmitted in this type of message.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- Data Elements previously transmitted and therefore already held in a recipients system and not included in the message remain unchanged

FLT Change of Flight Identifier

This sub-message only changes the Flight Designator (and its associated data elements), and/or the Operational Suffix, for the Flight Identifier Date (and part of the routing, if stated). Other data elements, dates, and parts of the routing of the original Flight Designator and Operational Suffix are not affected.

NAC Not Actioned

This sub-message advises the sender of the original message that the message content has not been successfully processed in the recipients system. The NAC message will contain a text message that explains the reason for the error and include the line number(s) in the message where the error has occurred.

It is recommended that, for a format error only, one reason for the error is displayed. Format errors are likely to cause a corrupted message that cannot be validated further.

For a validation error, some receiving systems may advise when more than one validation error has occurred.

Users are advised to research the complete message before re-sending the message.

A list of error messages currently in use and their text structure can be found in Appendix E.

RRT Change of Routing

This sub-message changes only routing information (and its associated data elements) of a flight defined by a Flight Identifier.

The new routing must contain at least one Station from the previous routing. Stations common to both the previous and the new routings must appear in the same sequence.

The new routing, including timings, must be stated for all uncompleted legs of the flight. In order to avoid ambiguity regarding operational flights or flights scheduled to be in the operational phase, the Flight Leg(s) Change Identifier must be used to identify the flight leg(s) to be replaced by the schedule stated in the RRT message. If any of the above rules cannot be met then RPL must be used. For planning purposes, it is recommended that RPL be used.

TIM Change of Time Information

For a specific Flight designator/Period of Operation and day(s) of Operation this sub message changes only the Timing information and/or the conditional data elements (if supplied) that can be transmitted in this type of message.

- Other Periods of Operation/Day(s) of Operation remain unchanged
- Data Elements previously transmitted and therefore already held in a recipients system and not included in the message remain unchanged

5.5 Technical Specification

The following describes the logical structure of the ASM giving the status and format description for each data element.

Further reference should be made to Chapter 2 for detailed description of the data elements.

Where two Action Identifiers have been used, the status of the data element shall be the greater of the two specified in the technical specification, i.e.

- if either is Mandatory, it shall be Mandatory;
- if either is Conditional, and neither is Mandatory, it shall be Conditional;
- if neither is Mandatory or Conditional, and either is Optional, it shall be Optional.

Data expressed by Data Element Identifiers in connection with all Action Identifiers except NEW, CNL, RPL remain unchanged from previously supplied data.

Where desired, removal of such data is achieved by specification of text "NIL" using Action Identifier ADM.

5.6 Technical Message Specification

The logical structure (i.e. message specification) for the ASM is defined in the table below and includes the status, format description and example for each data element.

Reference should be made to the Data Element Glossary in Chapter 2 (Section 2.6) for the exact composition and detailed descriptions of each data element used in the ASMs.

Certain elements may have a different meaning depending on their position within the message. It is recommended that caution be taken in the use of these elements to avoid the exchange of ambiguous or contradictory information.

This applies to the following elements:

- Joint Operation Airline Designators
- Operating Airline *Disclosure* — Code Share
- Aircraft Owner
- Cockpit Crew Employer
- Cabin Crew Employer
- Onward Flight
- Operating Airline *Disclosure* — Shared Airline or Wet Lease Designation

△

△

5.6.1 ASM Message Specification

Data Element	Sub-Message Action Identifiers													Format	Data Element Example	Notes
	N E W	C N L	R N L	R I P L	A C K	A D M	C O N	E Q T	F L T	N A R	R I M	T				
Message Heading																
Standard Message Identifier	M	M	M	M	M	M	M	M	M	M	M	M	M	ASM	ASM	
End of line	M	M	M	M	M	M	M	M	M	M	M	M	M	<E		
Time Mode	C	C	C	C	C	C	C	C	C	C	C	C	C	aa (a)	UTC or LT	If data element not provided assume UTC
End of line	C	C	C	C	C	C	C	C	C	C	C	C	C	<E		
Message Reference																
Message Sequence Reference	C	C	C	C	C	C	C	C	C	C	C	C	C	nnaaannnnnnnnnn	24MAY00144E003	The Data Element structure is: Date of Message; Message Group Serial Number; Continuation/End Code; Message Serial Number.
Creator Reference	O	O	O	O	C	O	O	O	O	C	O	O	O	/x (x [-34])	/REF 123/449	If included, must begin with a slash (/)
End of line	C	C	C	C	C	C	C	C	C	C	C	C	C	<E		Mandatory if any of above elements included
Action Information																
Action Identifier	M	M	M	M	M	M	M	M	M	M	M	M	M	aaa	RPL	
Secondary Action Identifier(s)	-	-	-	O	-	-	O	O	-	-	O	O	O	/aaa (/aaa [-4])	/EQT	If included, each must be preceded with a slash (/)
Separator (Space)	C	C	C	C	-	C	C	C	C	-	C	C	C	→	Space	
Change Reason(s)	O	O	O	O	-	O	O	O	O	-	O	O	O	aaaa (/aaaa [-8])	WEAT	May be repeated with each repeat preceded by a slash (/)
End of line	M	M	M	M	M	M	M	M	M	M	M	M	M	<E		
Flight Information																
Flight Identifier	M	M	M	M		M	M	M	M		M	M	M	xx (a) nnn (n) (a) /nn (aaa (nn))	LX544A/ 12MAY03	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn).
Separator (Space)		C	C			C	C	C	C		C			→	Space	
Flight Leg(s) Change Identifier	-	C	C	-		C	C	C	C		C	-		aaa/aaa (/aaa [-10])	ORD/LAS	
Separator (Space)										M				→	Space	
New Flight Identifier										M				xx (a) nnn (n) (a) /nn (aaaa) (nn)	LX644/ 12AUG (02)	Year is Optional
Separator (Space)	C			C		C				-				→	Space	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	C			C		C								1/xx (a) /xx (a) (/xx (a))	1/LX/LH	If required If included, there must be a minimum of 2 or a maximum of 3 Airline Designators with each preceded by a slash (/)
Separator (Space)	C			C		C								→	Space	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)	C			C		C								2/xx (a) or 2/X	2/DL or 2/X	If required
Separator (Space)	C			C		C								→	Space	Mandatory if the next element included
Aircraft Owner (DEI 3)	C			C		C								3/xx (a) or 3/X	3/LX or 3/X	If required
Separator (Space)	C			C		C								→	Space	Mandatory if the next element included



Data Element	Sub-Message Action Identifiers												Format	Data Element Example	Notes
	N E W	C N L	R I N	R P L	A C K	A D M	C O N	E Q T	F L T	N A C	R A T	T I M			
Cockpit Crew Employer (DEI 4)	C			C	C		C						4/xx (a) or 4/X	4/LH or 4/X	If required
Separator (Space)	C			C	C		C						→	Space	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	C			C	C		C						5/xx (a) or 5/X	5/LX or 5/X	If required
Separator (Space)	C			C	C		C						→	Space	Mandatory if the next element included
Onward Flight (DEI 6)	O			O	O		O						6/xx (a) nnn (n) (a) (/nn (aaa (nn)))	6/SQ103C/1	If required
Separator (Space)						C							→	Space	Mandatory if the next element included
Meal Service Note						O							7/aa (a) (/aa (a)) [4] or 7//a (a) or 7/aa (a) (/aa (a) [3]//a/ (a))	7/FDC/CD/YS/MS/LS 7//S 7/CL//S	If required
Separator (Space)	C			C	C		C						→	Space	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C			C	C		C						9/xx (a) or 9/X	9/DL or 9/X	If required
End of line	M	M	M	M		M	M	M	M		M	M	<≡		
For different Flight Designators with identical data, repeat from Flight Information	C	C	C	C		C	C	C			C	C	→		
Equipment Information															
Service Type	M			M			M	M			C		a	6	
Separator (Space)	M			M			M	M			C		→	Space	
Aircraft Type	M			M			M	M			C		xxx	M80	
Separator (Space)	M			M			M	M			C		→	Space	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	M			M			M	M			C		a (x) (x) (x) (x) . .	FCML	
Passenger Reservations Booking Modifier	C			C			C	C			C		/aa (aa) (aa) (aa) . . .	/FNCN	If included, must start with a slash (/)
Aircraft Configuration/Version	C			C			C	C			C		. a (x) (x) (x) (x) . .	. FCM	If included, must start with a period (.)
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included
Aircraft Registration	O			O			O	O			O			HBINM	If required
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)	C			C			C	C			C		2/xx (a) or 2/X	2/DL or 2/X	If required
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included
Aircraft Owner (DEI 3)	C			C			C	C			C		3/xx (a) or 3/X	3/LX or 3/X	If required
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	C			C			C	C			C		4/xx (a) or 4/X	4/LH or 4/X	If required
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	C			C			C	C			C		5/xx (a) or 5/X	5/LX or 5/X	If required
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included
Onward Flight (DEI 6)	O			O			O	O			O		6/xx (a) nnn (n) (a) (/nn (aaa (nn)))	6/SQ103C/1	If required
Separator (Space)	C			C			C	C			C		→	Space	Mandatory if the next element included

Data Element	Sub-Message Action Identifiers												Format	Data Element Example	Notes	
	N E W	C N L	R I N	R P L	A C K	A D M	C O N	E Q T	F L T	N A C	R A T	T I M				
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C			C			C	C			C		9/xx(a) or 9/X	9/DL or 9/X	If required	△
End of line	M			M			M	M			M		<≡			
Leg Information																
Departure Station	M			M							M	M	aaa	GVA		△
Scheduled Time of Aircraft Departure (Aircraft STD)	M			M							M	M	(nn)nnnn	1830	Preceded by Date if different from 'Flight Identifier Date'	△
Scheduled Time of Passenger Departure (Passenger STD)	C			C							C	C	/nnnn	/1815	If included, must begin with a slash (/)	△
Separator (Space)	M										M		→	Space	Mandatory if the next element included	
Arrival Station	M			M							M	M	aaa	FRA		△
Scheduled Time of Aircraft Arrival (Aircraft STA)	M			M							M	M	(nn)nnnn	1945	Preceded by Date if different from 'Flight Identifier Date'	△
Scheduled Time of Passenger Arrival (Passenger STA)	C			C							C	C	/nnnn	/1955	If included, must begin with a slash (/)	△
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Joint Operation Airline Designators (DEI 1)	C			C							C		1/xx(a)/xx(a) (/xx(a))	1/LX/LH	If required	
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Operating Airline Disclosure — Code Share (DEI 2)	C			C							C		2/xx(a) or 2/X	2/DL or 2/X	If required	△
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Aircraft Owner (DEI 3)	C			C							C		3/xx(a) or 3/X	3/LX or 3/X	Included only if same physical aircraft continues	
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Cockpit Crew Employer (DEI 4)	C			C							C		4/xx(a) or 4/X	4/LH or 4/X	If required	
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Cabin Crew Employer (DEI 5)	C			C							C		5/xx(a) or 5/X	5/LX or 5/X	If required	
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Onward Flight (DEI 6)	O			O							O		6/xx(a)nnn(n) (a) (/nn(aaa(nnn)))	6/SQ103C/1	If required	
Separator (Space)	C			C							C	C	→	Space	Mandatory if the next element included	
Meal Service Note (DEI 7)	O			O							O	O	7/aa(a) (/aa(a) [·4] or 7//a(a) or 7/aa(a) (/aa(a) [·3]//a(a))	7/FDC/CD/YS/MS/LS 7/S 7/CL//S	If required	
Separator (Space)	C			C							C		→	Space	Mandatory if the next element included	
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C			C							C		9/xx(a) or 9/x	9/DL or 9/X	If required	△
End of line	M			M							M	M	<≡			
For next leg or group of consecutive legs, repeat from Leg Information; if different aircraft type etc., repeat from Equipment Information	C			C							C	C				

Data Element	Sub-Message Action Identifiers												Format	Data Element Example	Notes
	N E W	C N L	R I N	R P L	A C K	A D M	C O N	E Q U	F L T	N A R	R T C	T I M			
Segment Information															
Traffic Restriction Note (DEI 8)	C			C	C						C		aaaaaa→&/a (/nnn) (/x(x[-53]))	GVAFRA 8/Z/173/A	If required
Or															
Other Segment Information	C			C	C	C	C	C	C		C	C	aaaaaa→nn(n) (/x(x[-57]))	GVAFRA 10/LX836	If required
End of line	C				C	C	C	C	C		C	C	<≡		Mandatory if one of above elements included
For further Segment Information, repeat from Segment Information	C			C	C	C	C	C	C		C	C			If required
Sub-Message Supplementary Information	O	O	O	O		O	O	O	O		O	O			All the following elements must be included if Sub-Message Supplementary Information is included
Supplementary Information Indicator	M	M	M	M		M	M	M	M		M	M	SI	SI	
Separator (Space)	M	M	M	M		M	M	M	M		M	M	→	Space	
Supplementary Information	M	M	M	M		M	M	M	M		M	M	x(x)...	ABCDEF	Free Text
End of line	M	M	M	M		M	M	M	M		M	M	<≡		
Sub-Message Separation	C	C	C	C		C	C	C	C		C	C	//		Also used if Supplementary Information for Whole Message follows
End of line	C	C	C	C		C	C	C	C		C	C	<≡		Mandatory if Sub-Message Separation included
For more sub-messages, repeat from applicable Action Information, or, if necessary, create a new physical message and repeat from Message Heading	C	C	C	C		C	C	C	C		C	C			
Supplementary Information for Whole Message	O	O	O	O		O	O	O	O		O	O			
Supplementary information Indicator	M	M	M	M		M	M	M	M		M	M	SI	SI	
Separator (Space)	M	M	M	M		M	M	M	M		M	M	→	Space	
Supplementary Information	M	M	M	M		M	M	M	M		M	M	x(x)...	DELAY DUE F06	Free Text
End of line	M	M	M	M		M	M	M	M		M	M	<≡		
Reject Information															
Blank Line Separator											M		<≡		
Error Line (First)											M		nnn	004	
Separator (Space)											M		→	Space	
Reject Reason (First)											M		x(x[-63])	INVALID DEI 711	
End of line											M		<≡		
Error Line (Other)											O		nnn	006	
Separator (Space)											C		→	Space	Mandatory if Reject Reason (Other) included
Reject Reason (Other)											C		x(x[-63])	SYSTEM ERROR	
End of line											C		<≡		Mandatory if Reject Reason (Other) included
For further Reject Reasons, repeat from Error Line (Other)											C				
Repeat of Rejected Message															
Blank Line Separator											M		<≡		
Message Lines before Action Identifier											O		x(x)...		
Message Lines from Action Identifier											M		x(x)...		
End of line											M		<≡		

5.7 SSM Sub-Message Definition

The Sub-Message definition details the specific use of each sub-message with an example of each sub-message and additional explanatory notes for each sub-message and data element.

The 'Status' column in each Table reflects the Status as shown in the Message Specification Table in Section 4.5. The structure of each element is also defined in that Table.

5.7.1 NEW – Insertion of New Flight Information

Example:

```

ASM
LT
24MAY00144E003/REF 123/449
NEW OPER
LX544A/12 1/LX/LH 3/LX 4/LH 5/LX 6/LX545A/13 9/LX
G M80 FCYML/FNCN.FCM HBINM
GVA1830/1815 FRA1945/1955 7/FDC/CD/YS/MS/LS
GVAFRA 8/Z/173/A
GVAFRA 10/LX836

```

→ Refer to Section 5.8 for additional examples on the use of 'NEW'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	24MAY00144E003	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 123/449	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Action Information			
Action Identifier	NEW	M	
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	OPER	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	
Flight Information			
Flight Identifier	LX544A/12	M	<i>Flight Information may be repeated on a separate line for different flights with identical information</i> The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn).
Separator (Space)	Space	C	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	1/LX/LH	C	If applicable, applies to all legs subsequently stated. Minimum of 2 and maximum of 3 Airline Designators.
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)		C	If applicable, applies to all legs subsequently stated. Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below.
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/LX	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/LH	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/LX	C	If applicable, applies to all legs subsequently stated.
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight (DEI 6)	6/LX545A/13	O	Applies to the last leg of this flight.

△

△

Data Element	Data Element Example	Status	Use and Explanatory Notes	
Separator (Space)	Space	C	Mandatory if the next element included	
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/LX	C	If applicable, applies to all legs subsequently stated.	△
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.	△
End of line	<≡	M		
Equipment Information			<i>Applies to all legs subsequently stated until repeated with the exception of the Onward Flight, which, if stated, applies to the last of the legs subsequently stated</i>	
Service Type	G	M		
Separator (Space)	Space	M		
Aircraft Type	M80	M		
Separator (Space)	Space	M		
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	FCYML	C	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position	
Passenger Reservations Booking Modifier	/FNCN	C	If included, must start with a slash (/)	
Aircraft Configuration/Version	.FCM	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.	
Separator (Space)	Space	C	Mandatory if the next element included	
Aircraft Registration	HBINM	O		
The following data elements may be stated here if not already stated under Flight Information:				
Operating Airline Disclosure — Code Share (DEI 2)				△
Aircraft Owner;				
Cockpit Crew Employer;				
Cabin Crew Employer;				
Onward Flight;				
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)				△
End of line	<≡	M		

	Data Element	Data Element Example	Status	Use and Explanatory Notes
	Leg Information			<i>Leg Information may be repeated on a separate line for the next leg/group of consecutive legs. If the Equipment Information for such legs is different, the Equipment Information is repeated first.</i>
	Departure Station	GVA	M	
△	Scheduled Time of Aircraft Departure (Aircraft STD)	1830	M	Must be preceded by the date if different from the Flight Identifier Date. The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.
△	Scheduled Time of Passenger Departure (Passenger STD)	/1815	C	If included, must begin with a slash (/)
	Separator (Space)	Space	M	
	Arrival Station	FRA	M	
△	Scheduled Time of Aircraft Arrival (Aircraft STA)	1945	M	Must be preceded by the date if different from the Flight Identifier Date. The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.
△	Scheduled Time of Passenger Arrival (Passenger STA)	/1955	C	If included, must begin with a slash (/)
	The following data elements may be stated here if not already stated under Flight Information:			If stated, the data elements apply for this leg only
	Joint Operation Airline Designators;			
△	Operating Airline Disclosure — Code Share (DEI 2)			
	Aircraft Owner;			
	Cockpit Crew Employer;			
	Cabin Crew Employer;			
	Onward Flight			
	Separator (Space)	Space	C	
	Meal Service Note DEI 7)	7/FDC/CD/YS/ MS/LS	O	If required

Data Element	Data Element Example	Status	Use and Explanatory Notes
Separator (Space)	Space	C	Mandatory if the next element included
This data element may be stated here if it has not already been stated under Flight Information;			If stated, applies to this leg only
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			
End of line	<≡	M	
Segment Information			<i>If applicable, the information is composed of either the Traffic Restriction Note or the optional/conditional other Segment Information. Additional Segment Information may be repeated on separate lines.</i>
Traffic Restriction Note	GVAFRA 8/Z/173/A	C	If applicable
or			
Other Segment Information	GVAFRA 10/LX836	C	If applicable
End of line	<≡	C	Mandatory if one of above elements included
Sub-Message Supplementary Information			O
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation			C
	//		Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message			O
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

△

5.7.2 CNL – Cancellation

The CNL Sub-Message may only be used to remove operations or part-operations. The Action Identifier ADM and the cancel code "NIL" is used to cancel existing administrative information.

Example:

```
ASM
UTC
13JUN00901E002/REF 150/212
CNL CREW
AA407P/27 ORD/LAS
```

→ Refer to Section 5.8 for additional examples on the use of 'CNL'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	13JUN00901E002	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 150/212	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	CNL	M	
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	CREW	O	May be repeated. if repeated, each repeat must be preceded by a slash(/).
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical information</i>
Flight Identifier	AA407P/27	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). The Airline Designator, Flight Number and Operational Suffix (if applicable) may be repeated if operated under the same Flight Identifier Date. Each repetition must be preceded by a slash (/). A common Airline Designator may be omitted in repetition.
Separator (Space)	Space	C	Mandatory if the next element included
Flight Leg(s) Change Identifier	ORD/LAS	C	Applicable if change does not apply to entire routing
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation	//		Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.3 RIN – Reinstatement

Example:

```
ASM
UTC
14JUN00904E001/REF 152/212
RIN COMM
AA407P/27 ORD/LAS
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	14JUN00904E001	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 152/212	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	RIN	M	
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	COMM	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical information</i>
Flight Identifier	AA407P/27	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). The Airline Designator, Flight Number and Operational Suffix (if applicable) may be repeated if operated under the same Flight Identifier Date. Each repetition must be preceded by a slash (/). A common Airline Designator may be omitted in repetition.
Separator (Space)	Space	C	Mandatory if the next element included
Flight Leg(s) Change Identifier	ORD/LAS	C	Applicable if change does not apply to entire routing
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation	//		Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. For more sub-messages, repeat from applicable Action Information.
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.4 RPL – Replacement of Existing Flight Information

The RPL Sub-Message replaces all information pertaining to a Flight Designator on the stated date.

Example:

```

ASM
UTC
13AUG00031C012/REF 92/101
RPL WEAT
SQ102C/13 1/SQ/MH 2/QF 3/QF 4/SQ 5/MH 6/SQ103C/14
C 310 F10Y100/F0.F10Y120 9VSTM
SIN07300715 KUL0820/0835 7/FB/YS
QQQQQQ 8/Z/171/A
QQQQQQ 50/QF123

```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	13AUG00031C012	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 92/101	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	RPL	M	
Secondary Action Identifier(s)		O	Any of the Secondary Action Identifiers ADM, CON, EQT, RRT, TIM may be included after RPL Each must be preceded by a slash(/)
Separator (Space)	Space	C	Mandatory if Change Reason(s) included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Change Reason(s)	WEAT	O	May be repeated. if repeated, each repeat must be preceded by a slash(/).
End of line	<≡	M	
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical data/information</i>
Flight Identifier	SQ102C/13	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn).
Separator (Space)	Space	C	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	1/SQ/MH	C	If applicable, applies to all legs subsequently stated. Minimum of 2 and maximum of 3 Airline Designators.
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)	2/QF	C	If applicable, applies to all legs subsequently stated. △ Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below. △
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/QF	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/SQ	C	If applicable, applies to all legs subsequently stated
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/MH	C	If applicable, applies to all legs subsequently stated.
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight (DEI 6)	6/SQ103C/14	O	If applicable, applies to the last leg of this flight
Separator (Space)	Space	C	Mandatory if the next element included

	Data Element	Data Element Example	Status	Use and Explanatory Notes
△	Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)		C	If applicable, applies to all legs subsequently stated.
△				Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.
	End of line	<≡	M	
	Equipment Information			<i>Applies to all legs subsequently stated until repeated with the exception of the Onward Flight, which, if stated, applies to the last of the subsequently stated legs</i>
	Service Type	C	M	
	Separator (Space)	Space	M	
	Aircraft Type	310	M	
	Separator (Space)	Space	M	
	Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	F10Y100	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position
	Passenger Reservations Booking Modifier	/F0	C	If included, must start with a slash (/)
	Aircraft Configuration/Version	.F10Y120	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.
	Separator (Space)	Space	C	Mandatory if the next element included
	Aircraft Registration	9VSTM	O	
	The following data elements may be stated here if they have not already been stated under Flight Information:			
△	Operating Airline Disclosure — Code Share (DEI 2)			
	Aircraft Owner;			
	Cockpit Crew Employer;			
	Cabin Crew Employer;			
	Onward Flight;			
△	Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)			
	End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Leg Information			<i>Leg Information may be repeated on a separate line for the next leg/group of consecutive legs.</i> <i>If the Equipment Information for such legs is different, the Equipment Information is repeated first.</i>
Departure Station	SIN	M	
Scheduled Time of Aircraft Departure (Aircraft STD)	0730	M	Must be preceded by the date if different from the Flight Identifier Date. △ The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.
Scheduled Time of Passenger Departure (Passenger STD)	/0715	C	If included, must begin with a slash (/) △
Separator(Space)	Space	M	
Arrival Station	KUL	M	
Scheduled Time of Aircraft Arrival (Aircraft STA)	0820	M	Must be preceded by the date if different from the Flight Identifier Date. △ The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.
Scheduled Time of Passenger Arrival (Passenger STA)	/0835	C	If included, must begin with a slash (/) △
The following data elements may be stated here if they have not already been stated under Flight or Equipment Information. Joint Operation Airline Designators; Operating Airline Disclosure — Code Share (DEI 2) Aircraft Owner; Cockpit Crew Employer; Cabin Crew Employer; Onward Flight			
Separator(Space)	Space	C	
Meal Service Note (DEI7)	7/FB/YS	O	If required
Separator (Space)	Space	C	Mandatory if the next element included

△

Data Element	Data Element Example	Status	Use and Explanatory Notes
This data element may be If stated, applies to this leg only stated here if not already stated under Flight or Equipment Information;			If stated, applies to this leg only
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)		C	
End of line	<≡	M	
Segment Information			<i>If applicable, the information is composed of either the Traffic Restriction Note or the optional/conditional other Segment Information.</i> <i>Additional Segment Information may be repeated on separate lines.</i>
Traffic Restriction Note	QQQQQQ 8/Z/171/A	C	If applicable
or			
Other Segment Information	QQQQQQ 50/QF123	C	If applicable
End of line	<≡	C	Mandatory if one of above elements included
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. For more sub-messages, repeat from applicable Action Information.
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.5 ACK – Acknowledgement

Example:

```
ASM
LT
17NOV00026E001/LY0005/21NOV
ACK
```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
			If included in the original ASM, the Message Reference line in the ACK sub-message should exactly match the Message Reference line sent in the original ASM
Message Sequence Reference	17NOV00026E001	C	The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/LY0005/21NOV	C	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	ACK	M	
End of line	<≡	M	

5.7.6 ADM – Change of Existing Information Expressed by the Use of Data Element Identifier Only

The ADM Sub-Message structure is also used to delete existing information. In this case, the cancel code “NIL” should be used instead of the field information.

Example:

```

ASM
UTC
30JUL00916C003/REF 70/891
ADM COMM
RG878A/21 GIG/BOG 1/RG/AV 3/AV 4/AV 5/RG 6/AV081C/22 7/CDC/YD 9/TP
GIGBOG 8/Z/171/Q
QQQQQQ 121/NIL

```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	30JUL00916C003	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 70/891	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	ADM	M	
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	COMM	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical data/information</i>
Flight Identifier	R6878A/21	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). The Airline Designator, Flight Number and Operational Suffix (if applicable) may be repeated if operated under the same Flight Identifier Date. Each repetition must be preceded by a slash (/). A common Airline Designator may be omitted in repetition.
Separator (Space)	Space	C	Mandatory if the next element included
Flight Leg(s) Change Identifier	GIG/B0G	C	Included if change does not apply to entire routing
Separator (Space)	Space	C	Mandatory if the next element included
Joint Operation Airline Designators (DEI 1)	1/RG/AV	C	If applicable, minimum of 2 and maximum of 3 Airline Designators
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)		C	If applicable. △ Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below. △
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/AV	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/AV	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/RG	C	If applicable

Data Element	Data Element Example	Status	Use and Explanatory Notes
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight	6/AV081C/22	O	Applies to the last leg of this flight
Separator (Space)	Space	C	Mandatory if the next element included
Meal Service Note	7/CDC/YD	O	
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/TP	C	If applicable.
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.
End of line	<≡	M	
Segment Information			If applicable, the information is composed of either the Traffic Restriction Note or the optional/conditional other Segment Information. <i>Additional Segment Information may be repeated on separate lines.</i>
Traffic Restriction Note	GIGB0G 8/Z/171/Q	C	If applicable
or			
Other Segment Information	QQQQQQ 121/NIL	C	If applicable
End of line	<≡	C	Mandatory if one of above elements included
Sub-Message Supplementary Information			O
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation			C
	//		Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.7 CON – Change of Aircraft Configuration/Version

Example:

```

ASM
LT
28MAR00003E001/REF89/175
CON EQUI
BA5620A/30 LHR/ABZ
J 73S MSBL/MOB0.M114 GIBTZ 3/KT 4/BA 5/BA 6/BA5603A/31 9/AMM
LHRABZ 105/10000K

```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	28MAR00003E001	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 89/175	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included

Data Element	Data Element Example	Status	Use and Explanatory Notes
Action Information			
Action Identifier	CON	M	
Secondary Action Identifier		O	The Secondary Action Identifier ADM may be included after CON preceded with a slash (/)
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	EQUI	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	
Flight Information			
			<i>Flight Information may be repeated on a separate line for different flights with identical data/information</i>
Flight Identifier	BA5620A/30	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). The Airline Designator, Flight Number and Operational Suffix (if applicable) may be repeated if operated under the same Flight Identifier Date. Each repetition must be preceded by a slash (/). A common Airline Designator may be omitted in repetition.
Separator (Space)	Space	C	Mandatory if the next element included
Flight Leg(s) Change Identifier	LHR/ABZ	C	Included if change does not apply to entire routing
Separator (Space)	Space	C	Mandatory if the next element included
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes	
Equipment Information				
Service Type	J	M		
Separator (Space)	Space	M		
Aircraft Type	73S	M		
Separator (Space)	Space	M		
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	MSBL	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position	
Passenger Reservations Booking Modifier	/M0B0	C	If included, must start with a slash (/)	
Aircraft Configuration/Version	.M114	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.	
Separator (Space)	Space	C	Mandatory if the next element included	
Aircraft Registration	GIBTZ	O		
Separator (Space)	Space	C	Mandatory if the next element included	
Operating Airline Disclosure — Code Share (DEI 2)		C	If applicable	△
Separator (Space)	Space	C	Mandatory if the next element included	
Aircraft Owner (DEI 3)	3/KT	C	If applicable	
Separator (Space)	Space	C	Mandatory if the next element included	
Cockpit Crew Employer (DEI 4)	4/BA	C	If applicable	
Separator (Space)	Space	C	Mandatory if the next element included	
Cabin Crew Employer (DEI 5)	5/BA	C	If applicable	
Separator (Space)	Space	C	Mandatory if the next element included	
Onward Flight (DEI 6)	6/BA5603A/31	O		
Separator (Space)	Space	C	Mandatory if the next element included	
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/AMM	O	If applicable.	△
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.	△
End of line	<≡	M		

Data Element	Data Element Example	Status	Use and Explanatory Notes
Segment Information		O	<i>Only Data Element Identifiers 101-108, 113-115, 127, 800-999 are allowed.</i> <i>Additional Segment Information may be repeated on separate lines.</i>
Segment Information	LHRABZ 105/10000K	M	
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation	//	C	Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.8 EQT – Change of Equipment Information

Example:

```

ASM
LT
21DEC00191C007/REF 71/210
EQT TECH
MS855A/21 CAI/LOS 3/DI 4/BA 5/BA 6/MS856A/22 9/WT
G 767 FY/F0.FCM SUGAH
QQQQQQ 910/SPARES PACK

```

→ Refer to Section 5.8 for additional examples on the use of 'EQT'.

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	21DEC00191C007	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 71/210	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	EQT	M	
Secondary Action Identifier		O	The Secondary Action Identifier ADM and/or CON may be included after EQT. If included, each must be preceded with a slash (/)
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	TECH	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical information</i>
Flight Identifier	MS855A/21	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). The Airline Designator, Flight Number and Operational Suffix (if applicable) may be repeated if operated under the same Flight Identifier Date. Each repetition must be preceded by a slash (/). A common Airline Designator may be omitted in repetition.
Separator (Space)	Space	C	Mandatory if the next element included
Flight Leg(s) Change Identifier	CAI/L0S	C	Included if change does not apply to entire routing
Separator (Space)	Space	C	Mandatory if the next element included
Operating Airline Disclosure — Code Share (DEI 2)		C	If applicable
			Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below.
Separator (Space)	Space	C	Mandatory if the next element included
Aircraft Owner (DEI 3)	3/DI	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Cockpit Crew Employer (DEI 4)	4/BA	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Cabin Crew Employer (DEI 5)	5/BA	C	If applicable
Separator (Space)	Space	C	Mandatory if the next element included
Onward Flight (DEI 6)	6/MS856A/22	O	If applicable
Separator (Space)	Space	C	Mandatory if the next element included

△

△

Data Element	Data Element Example	Status	Use and Explanatory Notes	
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/WT	C	If applicable.	△
			Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.	△
End of line	<≡	M		
Equipment Information				
Service Type	G	M		
Separator (Space)	Space	M		
Aircraft Type	767	M		
Separator (Space)	Space	M		
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	FY	M	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position	
Passenger Reservations Booking Modifier	/F0	C	If included, must start with a slash (/)	
Aircraft Configuration/Version	.FCM	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.	
Separator (Space)	Space	C	Mandatory if the next element included	
Aircraft Registration	SUGAH	O		
The following data elements may be stated here if they have not already been stated under Flight Information:				
Operating Airline Disclosure — Code Share (DEI 2)				△
Aircraft Owner;				
Cockpit Crew Employer;				
Cabin Crew Employer;				
Onward Flight;				
Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)				△
End of line	<≡	M		

Data Element	Data Element Example	Status	Use and Explanatory Notes
Segment Information		O	Only Data Element Identifiers 101-108, 113-115, 127, 800-999 are allowed. Additional Segment Information may be repeated on separate lines.
Segment Information	QQQQQQ 910/SPARES PACK	M	
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation	//	C	Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. For more sub-messages, repeat from applicable Action Information.
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.9 FLT – Change of Flight Identifier

Example:

```

ASM
UTC
210CT00033E001/REF 901/22
FLT OPER
GF084A/22 DHA/MCT GF086A/23
DHAMCT 122/86

```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	UTC	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	210CT00033E001	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 901/22	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	FLT	M	
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	OPER	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			
Existing Flight Identifier	GF084/22	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn).
Separator (Space)	Space	C	Mandatory if the next element included
Flight Leg(s) Change Identifier	DHA/MCT	C	Included if change does not apply to entire routing
Separator (Space)	Space	M	
New Flight Identifier	GF086/23	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). If changed from existing Flight Identifier Date. May only occur if change does not apply to entire routing.
End of line	<≡	M	
Segment Information		O	<i>Only Data Element Identifiers 10, 50, 122, 800-999 are allowed.</i> <i>Additional Segment Information may be repeated on separate lines.</i>
Segment Information	DHAMCT 122/86	M	
End of line	<≡	M	
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Sub-Message Separation	//	C	Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.10 NAC – Not Actioned

Example:

```

ASM
LT
17NOV00026E001/LY0005/21NOV
NAC
003 AIRCRAFT TYPE INVALID
005 TIME INVALID
LONABCR
.FRASPLH 170540NOV01
ASM
LT
17NOV00026E001/LY0005/21NOV
NEW
IC953/19SEP
J 32T DW
BLR0045 MAA0130 7//S
MAA0265 KUL0820 7//S
MAAKUL 99/2

```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
			If included in the original ASM, the Message Reference line in the NAC sub-message should exactly match the Message Reference line sent in the original ASM
Message Sequence Reference	17N0V00026E001	C	The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/LY0005/21N0V	C	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	NAC	M	
End of line	<≡	M	
Reject Information			
Blank Line Separator	<≡	M	
Error Line (First)	003	M	Line number on which the error was found. The line number 000 applies when the error found is not related to a specific line in the message received. The line count starts at the first mandatory line (i.e. the Action Identifier) in the repeated message or sub-message originally received.
Separator (Space)	Space	M	
Reject Reason (First)	AIRCRAFT TYPE INVALID	M	Maximum of 1 line of error text per error line.
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Error Line (Other)	005	O	Line number on which the error was found. The line number 000 applies when the error found is not related to a specific line in the message received. The line count starts at the first mandatory line (i.e. the Action Identifier) in the repeated message or sub-message originally received.
Separator (Space)	Space	C	Mandatory if Reject Reason (Other) included
Reject Reason (Other)	TIME INVALID	C	
End of line	<≡	C	Mandatory if Reject Reason (Other) included
Other Errors		C	If required, repeat from Error Line (Other)
Repeat of Rejected Message		M	
Blank Line Separator	<≡	M	
Message Lines before Action Identifier		O	Optional Message Information prior to Action Identifier. Data structure is: Message Address Message Originator and Time Stamp Standard Message Identifier Time mode (if data element not provided assume UTC) Message Reference
	LONABCR .FRASPLH 170540NOV01 ASM LT 17NOV00026E0 01/LY0005/ 21NOV		
Message Lines from Action Identifier	NEW	M	Action Information
	IC953/19SEP J 32T DW BLR0045 MAA0130 7//S MAA0625 KUL10820 7//S MAAKUL 99/2		Flight Information Equipment Information Leg Information Segment Information
End of line	<≡	M	

5.7.11 RRT – Change of Routing

Example:

ASM
 LT
 27JUL00107C003/REF 32/102
 RRT OPER
 DL038A/05 JFK/STR
 G 310 PJYBM/POJO.PJM N813DL 3/UA 4/UA 5/DL 6/DL 104/06
 JFK1745/1730 VIE0745/0800 1/DL/UA 7/PDB/JDB/YD/BD/MD
 JFKVIE 8/Z/170/B
 JFKQQQ 99/3

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<≡	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<≡	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	27JUL00107C003	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 32/102	O	If included, must begin with a slash (/)
End of line	<≡	C	Mandatory if any of above elements included
Action Information			
Action Identifier	RRT	M	
Secondary Action Identifier		O	Any of the Secondary Action Identifiers ADM, CON, EQT or TIM may be included after RRT. If included, each must be preceded by a slash (/).
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	OPER	O	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical information</i>
Flight Identifier	DL038A/05	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn). The Airline Designator, Flight Number and Operational Suffix (if applicable) may be repeated if operated under the same Flight Identifier Date. Each repetition must be preceded by a slash (/). A common Airline Designator may be omitted in repetition.
Separator (Space)	Space	M	Mandatory if the next element included
Flight Leg(s) Change Identifier	JFK/STR	C	Mandatory for operational flights or flights scheduled to be in the operational phase)
End of line	<≡	M	
Equipment Information			<i>The full Aircraft Information is to be stated if a new Station, or new Equipment Information for any existing Station, is to be included in the routing.</i> <i>Mandatory also if any of the Optional data elements are used.</i>
Service Type	G	C	
Separator (Space)	Space	C	
Aircraft Type	310	C	
Separator (Space)	Space	C	
Passenger Reservations Booking Designator (or Aircraft Configuration/Version)	PJYBM	C	If the Passenger Reservations Booking Designator is not stated, then the Aircraft Configuration/Version must be stated instead in this position
Passenger Reservations Booking Modifier	/P0J0	C	If included, must start with a slash (/)
Aircraft Configuration/Version	.PJM	C	If included, must start with a period (.). If not the same as, or stated instead of, Passenger Reservations Booking Designator above.

	Data Element	Data Element Example	Status	Use and Explanatory Notes
	Separator (Space)	Space	C	Mandatory if the next element included
	Aircraft Registration	N813DL	O	
	Separator (Space)	Space	C	Mandatory if the next element included
△	Operating Airline Disclosure — Code Share (DEI 2)		C	If applicable, applies to all legs subsequently stated.
△				Not applicable if Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9) is stated below.
	Separator (Space)	Space	C	Mandatory if the next element included
	Aircraft Owner (DEI 3)	3/UA	C	If applicable
	Separator (Space)	Space	C	Mandatory if the next element included
	Cockpit Crew Employer (DEI 4)	4/UA	C	If applicable
	Separator (Space)	Space	C	Mandatory if the next element included
	Cabin Crew Employer (DEI 5)	5/DL	C	If applicable
	Separator (Space)	Space	C	Mandatory if the next element included
	Onward Flight (DEI 6)	6/DL 104/06	O	
	Separator (Space)	Space	C	Mandatory if the next element included
△	Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	9/LH	C	If applicable, applies to all legs subsequently stated.
△				Not applicable if Operating Airline Disclosure — Code Share (DEI 2) is stated above.
	End of line	<≡	M	
	Leg Information			<i>Leg Information may be repeated on a separate line for the next leg/group of consecutive legs.</i> <i>If the Equipment Information for such legs is different, the Equipment Information is repeated first.</i>
	Departure Station	JFK	M	
△	Scheduled Time of Aircraft Departure (Aircraft STD)	051745	M	Must be preceded by the date if different from the Flight Identifier Date. The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.

Data Element	Data Element Example	Status	Use and Explanatory Notes	
Scheduled Time of Passenger Departure (Passenger STD)	/1730	C	If included, must begin with a slash (/)	△
Separator (Space)	Space	M		
Arrival Station	VIE	M		
Scheduled Time of Aircraft Arrival (Aircraft STA)	060745	M	Must be preceded by the date if different from the Flight Identifier Date. The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.	△
Scheduled Time of Passenger Arrival (Passenger STA)	/0800	C	If included, must begin with a slash (/)	△
Separator (Space)	Space	C	Mandatory if the next element included	
Joint Operation Airline Designators (DEI 1)	1/DL/UA	C	If applicable. Minimum of 2 and Maximum of 2 with each preceded by a slash (/). If stated, applicable to this leg only.	
The following data element may be stated here if not already been stated under Equipment Information: Operating Airline Disclosure — Code Share (DEI 2) Aircraft Owner; Cockpit Crew Employer; Cabin Crew Employer; Onward Flight				△
Separator (Space)	Space	C	Mandatory if the next element included	
Meal Service Note (DEI 7)	7/PDB/JDB/YD/BD/MD	O	If required	
Separator (Space)	Space	C	Mandatory if the next element included	
This data element may be stated here if it has not already been stated under Equipment Information; Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)				△
End of line	<≡	M		

Data Element	Data Element Example	Status	Use and Explanatory Notes
Segment Information			<i>If applicable, the information is composed of either the Traffic Restriction Note or the optional/conditional other Segment Information.</i> <i>Additional Segment Information may be repeated on separate lines.</i>
Traffic Restriction Note	JFKVIE 8/Z/170/B	C	If applicable
or			
Other Segment Information	JFKQQQ 99/3	C	If applicable
End of line	<≡	C	Mandatory if one of above elements included
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation		C	Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.7.12 TIM – Change of Time Information

Example:

```

ASM
LT
13JAN00033E002/REF 910/33
TIM COMM
CX100B/20
BNE1010/1000 HKG1955/2005 7/PLD/CLD/YLD
BNEHKG 810/IN FLIGHT MOVIE

```

Data Element	Data Element Example	Status	Use and Explanatory Notes
Message Heading			
Standard Message Identifier	ASM	M	
End of line	<=	M	
Time Mode	LT	C	If data element not provided assume UTC
End of line	<=	C	Mandatory if Time Mode included
Message Reference			
Message Sequence Reference	13JAN00033E0023	C	Mandatory if a long message is split into parts. The Data Element is composed of: Date of Message (nnaaa); Message Group Serial Number (nnnnn); Continuation/End Code (a); Message Serial Number (nnn).
Creator Reference	/REF 910/33	O	If included, must begin with a slash (/)
End of line	<=	C	Mandatory if any of above elements included
Action Information			
Action Identifier	TIM	M	
Secondary Action Identifier		O	The Secondary Action Identifiers ADM may be included after TIM preceded by a slash (/) If included, each must be preceded by a slash (/).
Separator (Space)	Space	C	Mandatory if Change Reason(s) included
Change Reason(s)	COMM	C	May be repeated. If repeated, each repeat must be preceded by a slash (/).
End of line	<=	M	

	Data Element	Data Element Example	Status	Use and Explanatory Notes
	Flight Information			<i>Flight Information may be repeated on a separate line for different flights with identical information</i>
	Flight Identifier	CX100B/20	M	The Data Element structure is: Airline Designator; Flight Number; Operational Suffix (if applicable); Flight Identifier Date preceded by a slash (/) with Optional Month (aaa) and Year (nn).
	End of line	<≡	M	
	Leg Information			<i>Routing or Leg Information may be repeated on a separate line for the next leg/group of consecutive legs</i>
	Departure Station	BNE	M	
△	Scheduled Time of Aircraft Departure (Aircraft STD)	1010	M	Must be preceded by the date if different from the Flight Identifier Date. The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.
△	Scheduled Time of Passenger Departure (Passenger STD)	/1000	C	If included, must begin with a slash (/)
	Separator (Space)	Space	M	
	Arrival Station	HKG	M	
△	Scheduled Time of Aircraft Arrival (Aircraft STA)	1955	M	Must be preceded by the date if different from the Flight Identifier Date. The specification of the date is Mandatory if any of the dates within a sub-message is different from the Flight Identifier Date.
△	Scheduled Time of Passenger Arrival (Passenger STA)	/2055	C	If included, must begin with a slash (/)
	Separator (Space)	Space	C	Mandatory if the next element included
	Meal Service Note (DEI 7)	7/PLD/CLD/YLD	O	
	End of line	<≡	M	

Data Element	Data Element Example	Status	Use and Explanatory Notes
Segment Information		O	<i>Additional Segment Information may be repeated on separate lines</i>
Segment Information	BNEHKG 810/INFLIGHT MOVIE	M	If applicable. Only Data Element Identifiers 97, 800-999 are allowed.
End of line	<≡	M	Mandatory if one of above elements included
Sub-Message Supplementary Information		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	
Sub-Message Separation	//	C	Applicable if additional sub-messages are required or if Supplementary Information for Whole Message follows. <i>For more sub-messages, repeat from applicable Action Information.</i>
End of line	<≡	C	Mandatory if Sub-Message Separation included
Supplementary Information for Whole Message		O	
Supplementary Information Indicator	SI	M	
Separator (Space)	Space	M	
Supplementary Information		M	Free Text
End of line	<≡	M	

5.8 Additional Message Examples

5.8.1 NEW – Insertion of New Flight Information

Example of Flight Information repetition:

ASM
LT
24MAY00144E003/REF/123/449
NEW COMM
LX600/12APR
LX600/13APR
G M80 FCYML.F10C30M75
GVA1830 FRA1945

Example of Meal Service note with more than 5 classes and with a repetition of DEI 109:

ASM
LT
09OCT00531E001/
NEW
BA2268/01DEC08
J 320 CDZFYSBRKVLUMHQAWTENI.C22Y132
CDG1320 MAN1350 7/XX
CDGMAN 10/AZ3538/UX3503
CDGMAN 98/2
CDGMAN 99/2E
CDGMAN 109/CM/DM/ZM/FM/YM/SM/BM/RS/KS/VS/LS/US/MS/HS/QS/AS
CDGMAN 109/WS/TS/ES/NS/IS
CDGMAN 503/9
CDGMAN 505/ET

Example of repetition of Leg Information (multi-leg flight):

ASM
LT
24MAY00144E003/REF 123/449
NEW COMM
LX600/12APR
G M80 FCYML.F10C30M75
GVA1830 FRA1945
FRA2030 HAM2130

Example of repetition where Equipment Information varies by Leg:

```
ASM
LT
24MAY00144E003/REF 123/449
NEW COMM
LX600/12APR
J M80 FCYML.F10C30M75
GVA1830 FRA1945
J 320 FCYMKLV.F10C30M75
FRA2030 HAM2130
GVAHAM 101/FCYMKL
```

Example of use of Aircraft Configuration/Version only (no PRBD):

```
ASM
LT
24MAY01144E003/REF 123/449
NEW COMM
LX2429/12JUN
C 320 Y150VVLX320
HEL1615 ZRH1800
```

Example with day change (at end of the month and midnight arrival):

```
ASM
LT
12MAR01020E001
NEW
LX1182/31MAR04
J 343 FJCDIYSMLHNKBVQW0R.FCYVV343S1
ZRH311215 BKK312400
BKK010055 SIN010415
```

5.8.2 CNL – Cancellation

Example of Flight Information repetition where more than one flight is cancelled on the same Flight Identifier Date:

```
ASM
UTC
13JUN00901E002/REF 150/212
CNL CREW
AA407/408/409/410/27APR
```

5.8.3 EQT – Change of Equipment Information

Example of use of Aircraft Configuration/Version only (no PRBD):

ASM
LT
24MAY01144E003/REF 123/449
EQT TECH
LX2429/02JUN
C 320 Y150VVLX320

5.8.4 TIM – Change of Time Information

Example of a time change with a day change:

ASM
UTC
12MAR30024E001
TIM
SN206/30MAR04
CKY302155 DKR310015
DKR310105 BRU310610

CHAPTER 6 – AIRPORT COORDINATION/SCHEDULE MOVEMENT PROCEDURES

6.1 INTRODUCTION

6.2 PRINCIPLES AND RULES

6.2.1 Using E-mail for Messages

- Plain Text
- No Attachments
- Headers
- Footers

6.3 STANDARD PROCEDURES AND MESSAGES

6.3.1 Airport Coordination Procedures

- SAL Slot Preliminary Allocation List Message
- SCR Slot Clearance Request/Reply Message
- SHL Slot Historic and Non-Historic Allocation List Message

6.3.2 Schedule Movement Procedures

- SAL Schedule Advice List Message
- SMA Schedule Movement Advice Message

6.3.3 Slot/Schedule Information Request Procedures

- SAQ Slot/Schedule Availability Query Message
- SIR Slot/Schedule Information Request/Reply Message

6.3.4 Outstanding Request Procedures

- WCR Outstanding Request Change/Reply Message
- WIR Outstanding Request Information Request/Reply Message

6.4 MESSAGE STANDARDS

6.4.1 Introduction and Message Composition

6.4.2 Message Heading

- Standard Message Identifier (SMI)
- Creator Reference Line
- Applicable IATA Season
- Date of Message
- Clearance/Advice Airport concerned
- Optional Incoming Message Reference

6.4.3 Schedule Information Data Lines

- Action Code
- Flight Information
- Period/Frequency Information
- Equipment Information
- Routing and Time Information



Service Type
Frequency Rate

6.4.4 Additional Schedule Information Lines

Aircraft Registration
Cleared Times
Coordinator Reason
Minimum Ground Time
Reference Number
Requested Timings
Passenger Terminal Identifiers
Status Information
Timing Flexibility Indicator

6.4.5 Message Footer

6.5 MESSAGE SPECIFICATIONS

Header Information Validation
Schedule Information Data Line Validation
Additional Schedule Information Data Line Validation
SAL Message Specification
SAQ Message Specification
SCR Message Specification
SCR-E Message Specifications
SHL Message Specifications
SIR Message Specifications
SIR-Q Message Specifications - Request by Airline
SMA Message Specifications
SMA-E Message Specifications
WCR Message Specifications
WIR Message Specifications
WIR-Q Message Specifications

6.6 ACTION CODES

6.6.1 Introduction

6.6.2 Message and Action Code Listing

SAL Message
SAQ Message
SCR Message
SHL Message
SIR Message
SMA Message
WCR Message
WIR Message

6.6.3 Codes used by Airlines

A Acceptance of an Offer — No further improvement desired
B New Entrant
C Schedule to be changed for an operational reason or towards the initial requested time of the airline or Schedule to be changed or Outstanding Request to be changed for an operational reason

D	Delete Schedule
E	Eliminate Schedule
F	Historic Schedule
I	Revised Schedule (continuation from previous adjacent Season)
L	Revised Schedule (No offer acceptable)
M	Schedule to be change for reason other than Action Code C or Outstanding Request to be Changed for any reason other than under Action Code C
N	New Schedule or New Outstanding Request
P	Acceptance of an offer — Maintain Outstanding Request
Q	Request for Schedule Information
R	Revised Schedule (Offer acceptable) or Revised Outstanding Request
V	New entrant with Year Round Status
Y	New schedule (Continuation from previous adjacent Season)
Z	Decline Offer or Remove from Coordinators/Schedules Facilitators Database
SCR Procedures	
SMA Procedures	
WCR Procedure	

6.6.4 Codes to be used by the Airport Coordinator or Schedules Facilitator

H	Holding, Return to Historic, Eligible for Historic Precedence or Holding (Voluntary Reschedule Offer)	△
I	Availability Information	
K	Confirmation	
O	Offer or Offer (Voluntary Reschedule Request)	
P	Pending Action or Advice	
P	Pending for Improvement	
T	Allocated Subject to Conditions	
U	Refusal, Not Eligible for Historic Precedence, No Slot Allocated or Not Confirmed	△
W	Unable to Reconcile Flight Information	
X	Cancellation or Removed/Deleted from Outstanding Request	

6.7 INCORRECTLY FORMATTED MESSAGES

6.8 AIRPORT COORDINATION PROCEDURES

6.8.1 Initial Coordination Procedures

6.8.1.1	Historic Slot Determination Procedure	△
6.8.1.2	Airline Procedures for Filing for a New Season	
6.8.1.3	Maintain Historic Schedule	
	F Procedure	
6.8.1.4	Modify Historic Schedule	
	C/R or M/R Procedure — Offers Acceptable	
	C/L or M/L Procedure — Offers Not Acceptable	
	C/I or M/I Procedure — Continuation from Previous Adjacent Season — Offers Acceptable	
6.8.1.5	New Schedules and/or New Entrants Filings	
	N Procedure — New Schedule	
	B Procedure — New Schedule with New Entrant Status	

V Procedure — New Schedule with New Entrant Status with Year Round Status (Continuation from previous adjacent Season)

Y Procedure New Schedule with year round status — (Continuation from previous adjacent Season)

6.8.2 Coordinator Response: Preliminary Slot Allocation (SAL)

6.8.2.1 Maintain Historic Schedule

Response to **F** Procedure

6.8.2.2 Response to **C/R** or **M/R** and **C/I** or **M/I** Procedures — Offer Acceptable

Confirmation

Offer

Holding

Allocated Subject to Conditions

Refusal

6.8.2.3 Response to **C/L** or **M/L** Procedure — No Offer Acceptable

Confirm

Holding

6.8.2.4 Response to New Schedule/New Entrant Requests

Confirm

Offer

Allocated Subject to Conditions

Refusal

6.8.3 Airline Action Prior To SC

6.8.4 Coordinator Action Prior To SC

6.8.5 During or After the SC Coordination Procedures — Airline Filing Procedures

6.8.5.1 Modify Existing Clearances

C/R or **M/R** Procedure — Offers Acceptable

C/L or **M/L** Procedure — Offers Not Acceptable

C/I or **M/I** Procedure — Continuation from Previous Adjacent Season — Offers Acceptable

Modify a clearance previously allocated subject to conditions

6.8.5.2 New Schedules and/or New Entrants

6.8.5.3 Delete Schedules

6.8.5.4 Eliminate Schedules

6.8.6 During or After the SC Coordination Procedures — Coordinator Response to Airline Filing

6.8.6.1 Response to **C/R** or **M/R** and **C/I** or **M/I** Procedures — Offer Acceptable

Confirmation

Holding — Offer Possible

Offer Possible

Offers Possible before and after Request

Holding — No Offer Possible

6.8.6.2 Response to **C/L** or **M/L** Procedure; No Offer Acceptable

Confirmation

Holding

6.8.6.3 Response to Modify a Clearance Previously Allocated Subject to Conditions

6.8.6.4 Response to New Schedule/New Entrant Requests

Confirm

Unable — Offer Possible

Offer Possible

- Offers Possible before and after Request
 - Pending
 - Allocated Subject to Conditions
 - Unable
- 6.8.6.5 Response to **D** and **E** Procedures
 - Confirmation
- 6.8.7 Airline Response During or After SC**
 - 6.8.7.1 Modify Existing Clearances and New Schedule/Entrant
 - Acceptance
 - Acceptance with Improvement
 - Decline Offer
- 6.8.8 Coordinator Response During or After SC**
 - 6.8.8.1 Modify Existing Clearances (**C/R**, **M/R**, **C/I**, **M/I** procedures)
 - 6.8.8.2 New Schedule/New Entrant
- 6.8.9 Acknowledgement of the Airline Filing by the Coordinator**
- 6.8.10 Action Code T — Conditions met/not met Coordinators Responses**
- 6.9 USE OF SPECIAL REFERENCE — //BLOCK OR //SWAP**
 - //BLOCK — **C/L**, **M/L**, **C/R** or **M/R** Procedure to Exchange Arrival and Departure Clearances
 - //BLOCK — **D/N** with **C/L**, **M/I**, **C/R** or **M/R** Procedures
 - //SWAP — **C/L** or **M/L** Procedure to Exchange Clearances
- 6.10 SCHEDULE MOVEMENT (SMA) PROCEDURES**
 - 6.10.1 SMA — Airline Filing Procedures**
 - 6.10.1.1 New Schedule Movement
 - 6.10.1.2 **C/R** Procedure — Schedule Movement to be Changed
 - 6.10.1.3 Delete or Eliminate Schedules
 - 6.10.2 Schedules Facilitator Response to Airline SMA Request**
 - 6.10.2.1 Response to **C/R** Procedure — Offer Acceptable
 - Confirmation
 - Holding — Voluntary Re-Schedule Offer
 - Unable — Not confirmed
 - Allocated Subject to Conditions
 - 6.10.2.2 Response to New Schedule Movement Requests
 - Confirm
 - Unable — Voluntary Reschedule Offer
 - Allocated Subject to Conditions
 - 6.10.2.3 Response to **D** and **E** Procedures
 - Confirmation
 - 6.10.3 Airline Response to Offers by Schedule Facilitator**
 - 6.10.3.1 Modify Existing Schedule Movements and New Schedule Movements
 - Acceptance
 - Acceptance with Improvement
 - Decline Offer
 - 6.10.4 Schedules Facilitator Response**
 - Modify Existing Schedule Movements (**C/R** procedure)
 - New Schedule Movement

6.10.5 Schedule Advice List (SAL) Procedures

- Confirm
- Offer Voluntary Reschedule Request
- Not Confirmed
- Exceptions

6.11 SLOT AND SCHEDULE INFORMATION REQUEST AND RESPONSE PROCEDURES

6.11.1 Slot and Schedule Availability Query (SAQ) Procedure

- Airline Request for Information on New Slot Allocation
- Airline Request for Information on Revised Clearance
- Coordinator Response to Request for Availability Information
- Use by Coordinator in SIR Procedures

6.11.2 Slot and Schedule Information Request and Reply (SIR) Procedure

- Airline Request
- Coordinator and Schedules Facilitator Response

6.12 OUTSTANDING REQUEST PROCEDURES

6.12.1 Slot Allocation and Schedule Information Request and Reply (SCR) Procedure

- 6.12.1.1 Initial (SCR) Coordination Procedures
 - New Service or **C/L** or **M/L** Procedures
 - C/R**, **M/R**, **C/I** and **M/I** Procedures
- 6.12.1.2 During or After the SC Procedures
 - New Service Procedures
 - C/L** or **M/L** Procedures
 - C/I**, **M/I**, **C/R** and **M/R** Procedures

6.12.2 Outstanding Request Information Request and Reply (WIR) Procedures

- Airline Request for Outstanding Request Information
- Coordinator Reply to Outstanding Request Information Request

6.12.3 Outstanding Request Change and Reply (WCR) Procedure

- 6.12.3.1 Airline Outstanding Requests
 - C/R** or **M/R** Procedure — Revision to Outstanding Requests
 - N** Procedure — New Addition to Outstanding Request Database
 - Z** Procedure — Delete from Outstanding Requests
- 6.12.3.2 Coordinator Outstanding Request Response to **C/R** Procedure — Revision to Outstanding Request
 - Pending — Able to Confirm
 - Pending — Unable to Confirm
 - Pending — Unable to Reconcile Flight Information
- 6.12.3.3 Response to **N** Procedure
 - Pending — Able to Confirm
 - Pending — Unable to Confirm
- 6.12.3.4 Response to **Z** Procedure
 - Cancellation — Able to Confirm
 - Cancellation — Unable to Reconcile Flight Information

6.12.4 Coordinator Initiated SCRs and Outstanding Requested Times

6.1 Introduction

The IATA Worldwide Scheduling Guidelines (WSG) contains a set of procedures and time frames to provide guidance for the management of the allocation of scarce resources at busy airports. Such airports are designated as being either a Coordinated Airport (Level 3) or a Schedules Facilitated Airport (Level 2).

The set of procedures have been agreed as recommended industry practices to be used by airlines, airport coordinators (coordinators) and schedules facilitators to facilitate the allocation of the scarce airport resources.

The set of procedures apply to the following functional areas:

- Airport Coordination (Level 3 airports);
- Schedule Movements (Level 2 airports);
- Slot and Schedule Information Requests (Level 2 and 3 airports);
- Outstanding Requests (Level 2 and 3 airports).

Standard message formats have been agreed to allow airlines, airport coordinators (coordinators) and schedules facilitators to exchange airport coordination and schedule movement information electronically.

The message formats are integrated into an iterative (sequential) set of request and reply messages and have been designed to provide as much clarity as possible for the message users. The received message details can be processed either by computer or by manual methods.

The rules for the use and composition of the messages, together with detailed specifications and examples, are explained in the following Sections of this Chapter.

The IATA Slot Clearance Request/Response Form (SCR Form) has been traditionally used as a guideline for the creation of the Airport Coordination and Schedule Movement message formats. Since the composition of the SCR Form is no longer compatible with the defined message specifications in this SSIM Chapter, it is recommended that the current SCR Form be only used as a Schedules Conference document.

A copy of the current SCR Form used as a Schedules Conference document is included in the IATA Worldwide Scheduling Guidelines (WSG).

Note: *Airport coordination and schedule movement information submitted to coordinators or schedules facilitators may be different from the information used for open for sale purposes and/or for filings with Government Authorities.*

It is intended that the information obtained from the message standards defined in this Chapter should only be used for Airport Coordination and Schedule Movement purposes.

For more information on the IATA Schedules Conferences and Airport Coordination procedures, refer to the IATA Scheduling Services website at www.iata.org/sked/.

A copy of the WSG may be downloaded from this website.

The list of the Level 3 and Level 2 airports is included in the WSG.

6.2 Principles and Rules

It is strongly recommended that airlines, coordinators or schedules facilitators adhere to the rules for the construction of the standard messages as described in this Chapter.

The common rules for the data elements as described in Chapter 2 of this Manual should also be followed.

- All dates, days and times are in UTC.

However, while the standard is UTC, airlines and coordinators may, on a bilateral basis, exchange information in Local Time.

- The messages may contain schedule data defined by either period/season (flights with regular frequency) or by single dates (individual flights). Both formats are described in this chapter. They can be used jointly or separately.

- Period of Operation may not be open-ended (use of “00XXX” as start or end dates is not permitted).

An SCR/SMA message must include data relevant to the Level 3 or Level 2 airport for flights that commence or finish outside the Period of Operation or Season.

The Period of Operation will always reflect the day/time of operation at the airport where the clearance request/movement advice has been made.

→ *For further guidance, refer to Appendix H: Clearance/Movement Advice for Flights Partly out of Scheduling Season.*

- Coordinators will respond to slot allocation requests within a period of 3 business days.

Unless stated otherwise, clearance offers from coordinators to the airlines are valid for 3 business days only.

If an airline has not accepted the offer within the 3-day time limit, the coordinator will cancel the offer.

- When an airport is coordinated for runway movements only, the Aircraft Group Code for Aircraft Types (SSIM Appendix A) may be used; but, where apron occupancy and/or terminal capacity are coordinated, the Aircraft Type code must be specified and Transit/Turnaround format shall be used — unless otherwise agreed.
- When requesting slot allocations by an SCR or submitting schedule movements (SMA) for ‘full season’ operations with less than daily frequency, it is recommended that airlines use the start and finish dates of the Season even if these are not the actual dates of operation.

However, when the Frequency Rate is used to indicate that a flight operates at fortnightly intervals (every 2 weeks), the start date of the Period of Operation must be the first date that the flight operates, and the end date must be the last date that flight operates.

- For a given flight designator and date at a specific station, there can only be one scheduled arrival and/or one scheduled departure time cleared or advised.

If, for planning or ad-hoc operational reasons, the same Flight Designator is used on the same UTC day/date, one flight should be filed using the Operational Suffix ‘Z’.

Whenever a flight is filed with an Operational Suffix, this flight should retain the Operational Suffix in all future Airport Coordination/Schedule Movement messages. This should be provided even when schedule changes may mean that the Operational Suffix would normally no longer be required.

If there is a significant risk that the need to use Operational Suffixes will recur, or if an Operational Suffix is needed for an entire period, it is advisable to use different Flight Designators for these flights.

Airlines should ensure that once the Operational Suffix is used, it should be maintained in their scheduling system.

- When a coordinator requires filings as turnarounds or when airlines elect to file flights as turnarounds (i.e. arrival and departure in a single data record), any modifications pertaining to either the arrival or departure require all unchanged elements to be repeated in order to maintain the turnaround link.

Flights that are not turnaround flights (positioning to a hangar and then repositioning later to a gate) or flights for which no dedicated link can be given (e.g. flights of airlines at their home base) should be filed using separate arrival and departure formats.

If flights are originally filed using an overmidnight indicator, any subsequent change should again be filed using the turnaround format.

If existing clearances have been recorded by the coordinator as turnaround flights with historic △ rights, airlines may request a coordinator to provide individual records for the arrival and for the departure flight, i.e. unlink the (turnaround) flights.

This procedure allow airlines to exchange parameters between flights and to maintain the △ historic rights to the flights. Requests to unlink historic flights are undertaken on a bilateral basis between airlines and coordinators **and** must be submitted to the coordinator before the deadline for the distribution of the Historic and Non-Historic Allocation List (SHL) to the airline.

- An airline may decide that the response message from a coordinator should be sent to a message address that is different from where the (airline) request message was sent to the airport coordinator.

This may be undertaken on a bilateral basis and it is the responsibility of the airline to ensure that the coordinators are fully aware of the situation.

Coordinators will normally respond to all originating message addresses of the requesting airline.

- If an airline is unable to attend the Schedules Conference, he should reply to the Slot Preliminary Allocation List (SAL message) prior to the Conference.

If the coordinator has responded with more than one offer for a specific request, the airline should indicate which offer is being accepted.

- Although the standards and formats used in this Chapter were initially designed for use with Type B messages, all the standards and formats are applicable to the use of E-mails, computer printouts, Web data displays and any other media. Some additional standards apply when using E-mail (see 6.2.1 below).

Plain text files should be used and must not contain any special formatting information.

Each text file should contain information for only one airport, the standard message headings should appear before schedule information lines, and supplementary information should continue to be indicated by using SI or GI lines as applicable.

When using Type B messages, the maximum line lengths and maximum message lengths constraints must be followed. However, when using other media, there is no requirement to split data lines or messages into separate parts.

6.2.1 Using E-mail for Messages

The standards and formats used in this Chapter apply when using E-mail for sending messages. In addition, when using E-mail, the following apply:

Plain Text

Only plain text should be used in the message.

No special characters or formatting information should be used in the message.

No Attachments

There should be no attachments to the message.

The message formatted according to this Chapter should be placed directly in the E-mail body.

Headers

There should be no non-standard text before the information in the body of the message.

The E-mail body must start with the standard format header.

The E-mail body must be according to the standard format.

When using E-mail the E-mail address of the originator must be specified in the Creator Reference Line. See section 6.4.2 for details.

Examples

Not Allowed

Dear AENA,
Please change my morning slot as indicated below.
SCR
/yusuf.mauladad@zz-airlines.com
W07
15JUN
MAD
CZZ802 ZZ811 26OCT27MAR 1234567 290AB3 BCN0910 1030BCN JJ
RZZ802 ZZ811 26OCT27MAR 1234567 290AB3 BCN0850 1010BCN JJ
GI
Thanks.
Regards,
Yusuf.

Allowed

SCR
/yusuf.mauladad@zz-airlines.com
W07
15JUN
MAD
CZZ802 ZZ811 26OCT27MAR 1234567 290AB3 BCN0910 1030BCN JJ
RZZ802 ZZ811 26OCT27MAR 1234567 290AB3 BCN0850 1010BCN JJ
GI
Changes requested for my morning slot.
Thanks.
Regards,
Yusuf.

Footers

If there is any non-standard format footer text in the body of the message it must be preceded by a GI line.

This is especially important if the E-mail system automatically adds signature lines, privacy notices, company information, etc. to the end of messages.

Examples

Not Allowed

SCR
/yusuf.mauladad@zz-airlines.com
W07
15JUN
MAD
CZZ802 ZZ811 260CT27MAR 1234567 290AB3 BCN0910 1030BCN JJ
RZZ802 ZZ811 260CT27MAR 1234567 290AB3 BCN0850 1010BCN JJ
My phone number is +1-682-605-4394
This message is private and confidential.
Please visit our web-site at www.zz-airlines.com.

Allowed

SCR
/yusuf.mauladad@zz-airlines.com
W07
15JUN
MAD
CZZ802 ZZ811 260CT27MAR 1234567 290AB3 BCN0910 1030BCN JJ
RZZ802 ZZ811 260CT27MAR 1234567 290AB3 BCN0850 1010BCN JJ
GI
My phone number is +1-682-605-4394
This message is private and confidential.
Please visit our web-site at www.zz-airlines.com.

6.3 Standard Procedures and Messages

There are four distinct sets of procedures defined within this Chapter and each set contains its own set of message specifications.

Each of the messages has a specific functionality with the defined procedures.

Each of the procedures and applicable messages are described below.

6.3.1 Airport Coordination Procedures

The Airport Coordination procedures are undertaken by airlines and airport coordinators at Coordinated (Level 3) airports.

→ Refer to Section 6.8 for detailed procedures

The Standard Message Identifiers (SMI), names and functions of the Airport Coordination procedure messages are:

SAL Slot Preliminary Allocation List Message

To provide an airline with the status of its slot allocation requests prior to the start of the IATA Schedules Conference (SC)

SCR Slot Clearance Request/Reply Message

To handle the slot allocation process

**SHL Slot Historic and Non-Historic Allocation List Message**

To provide an airline with a list of its flights that are eligible or not eligible for historic precedence.

6.3.2 Schedule Movement Procedures

Schedule Movement procedures are undertaken by airlines and schedules facilitators (i.e. airlines or other entities) at Schedules Facilitated (Level 2) and Non Coordinated airports (Level 1).

The Standard Message Identifiers (SMI), names and functions of the Schedule Movement procedure messages are:

SAL Schedule Advice List Message

To provide airlines with the status of schedule movement requests prior to the start of the IATA Schedules Conference (SC)

→ Refer to Section 6.10.5 for detailed procedures

SMA Schedule Movement Advice Message

To handle the schedule movement procedures at Schedules Facilitated (Level 2) and Non Coordinated airports (Level 1)

→ Refer to Section 6.10 for detailed procedures

6.3.3 Slot/Schedule Information Request Procedures

The Slot/Schedule Information Request procedures are undertaken by airlines, coordinators and schedules facilitators for a specified airport.

The Standard Message Identifiers (SMI), names and functions of the Slot/Schedule Information Request procedure messages are:

SAQ Slot/Schedule Availability Query Message

To allow an airline to investigate the possibility of revising its current schedule or to investigate the potential availability for obtaining new slots without impacting the clearance on hold

SAQ may be used for the current season or for the next coordinated season.

→ Refer to Section 6.11.1 for detailed procedures

SIR Slot/Schedule Information Request/Reply Message

To allow an airline to request the status of its clearances or schedule movements

To allow a coordinator or schedules facilitator to advise an airline — on an unsolicited basis and at any time during or after the SC — the status of its clearances or schedule movements

To allow an airline to request the status of clearances or schedule movements held by one or more airlines.

SIR may not be used prior to the relevant Schedules Conference (SC).

→ Refer to Section 6.11.2 for detailed procedures

6.3.4 Outstanding Request Procedures

The Outstanding Request procedures are undertaken by airlines, coordinators and schedules facilitators at a specified airport.

→ Refer to Section 6.12 for detailed procedures

The Standard Message Identifiers (SMI), names and functions of the Outstanding Request Procedure messages are:

WCR Outstanding Request Change/Reply Message

To handle the outstanding request process.

To allow the airline to request a change to its outstanding requests without a change to the coordinated data.

It also allows the addition and removal of slotted and non-slotted flights from the coordinators or schedules facilitators database.

WIR Outstanding Request Information Request/Reply Message

To allow an airline to request and to receive a response to its enquiry regarding its own or other airlines' schedule data.

WIR may not be used prior to the relevant Schedules Conference (SC).

To allow a coordinator or schedules facilitator to advise an airline — on an unsolicited basis and at any time during or after the SC — the status of its Outstanding Requests.

6.4 Message Standards

6.4.1 Introduction and Message Composition

A standard Airport Coordination and Schedule Movement procedure message represents the lowest unit of complete information that may be exchanged between an originator and a recipient for a predetermined purpose.

The technical specifications for message construction are based on the guidelines of the ATA/IATA Systems and Communications Reference Manuals (SCR).

These specifications are common to all schedule message types.

The message formats may be used by computerised users (i.e. airlines, coordinators and schedules facilitators). The formats may also be used as compatible computer printouts, in text files and in e-mail messages as well as being adapted for SSIM applications as electronic and teletype messages. Some additional standards apply when using E-mail for messages (see 6.2.1 above).

The standard message is enclosed within the standard communications “envelope”, i.e. signal identifiers, serial number, priority, address, originator and date/time of transmission.

The airport coordination/schedule movement message will then read line by line by always starting at the left, i.e. left justified.

For Type B messages, the maximum line length of the message must not exceed 69 printable characters including spaces. Some systems may restrict line length limits to less than 69 characters.

When the maximum line length limit may be exceeded, the line may be extended to an additional data line that always starts with a slash (/) followed by a space.

The line may only be broken at points where the message format requires a space.

Although the Systems and Communications Reference Manual defines the maximum number of characters for one telegraph (Type B) message as 3,840, some service providers have the capability to increase this limit to 64,000 characters.

Type B users are, however, cautioned that some systems may not be able to receive or process messages with more than 3,840 characters.

This maximum length limitation takes into account all printed and non-printed characters, such as letter shifts, figure shifts and new line. Longer messages should be divided into separate parts.

Submission of more than one type of message in one transmission is not permitted.

It is recommended that no more than 20 data lines be transmitted in one message.

Each functional message consists of 4 major components:

- Message Header including the Standard Message Identifier (SMI);
- Schedule Information Lines (or basic data lines);
- Additional Schedule Information Lines (or additional data lines);
- Message Footer.

The general composition of a standard message together with general values/examples is shown in the Table below. This is followed by a detailed description of each of the components.

The Mandatory End of Line Indicator for the Message Header and Message Footer is included as "<=".

Although the End of Line Indicator has been included for the Schedule Information Data Line and Additional Schedule Information Data Line in the Table below, refer to the Message Specifications (Section 6.5) for detailed information as End of Line Indicator may vary.

DESCRIPTION	VALUES/EXAMPLES
Message Header	
SMI	SCR<=
Creator Reference	/REFER<=
IATA Season	W03<=
Date of Message	10MAY<=
Clearance/Advice Airport	CPH<=
Incoming Message Reference (Reply message only)	REYT/REFER<=
Schedule Information Data Line	NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2<=
Additional Schedule Information Data Line	/ TA.3 TD.2 FA.08500930 FD.10151040/<=
Footer	SI IF NOT AVAILABLE PLS GIVE NEAREST POSSIBLE<=
	GI BRGDS<=

6.4.2 Message Heading

The Message Header is composed of the following elements:

Standard Message Identifier (SMI)

The Standard Message Identifier (SMI) is an IATA approved three-letter code used to uniquely identify a given type of message. It is always included as the first line of the standard message after the Message Address Envelope.

The SMIs used in these procedures are:

SAL SAQ SCR SHL SIR SMA WCR WIR

All SMIs are published in the IATA Airline Coding Directory.

Creator Reference Line

The Creator Reference line is used to indicate one or more of the following:

1. If the message is in Local Time
2. Special Handling indication
3. Acknowledgement from coordinator
4. Reference information from the originator
5. E-mail address of the originator which is required if the message is sent via e-mail.

If any of the above are to be indicated they must be indicated in the relative order shown in one line. For example, if the message is in Local Time then the Local Time indication must be at the beginning of the line. Similarly, if the e-mail address of the originator is specified it must be at the end of the line. No Creator Reference line is needed if none of the above are to be indicated.

If the message is in Local Time, this must be indicated using a double slash and should appear as “//LT”. The “//LT” is used to indicate that all dates and times in the message are in Local Time.

If Special Handling is to be indicated, this is done using a double slash and should appear as “//SWAP”, “//BLOCK”, or “//OUTREQ”.

When used by a coordinator to acknowledge filings by an airline, it should appear as “/ACK”.

If Reference information from the originator is being shown, this is done using the single slash and should appear as “/REFERENCE”, where REFERENCE stands for the reference text used.

If the e-mail address is being specified, this is done using the single slash and should appear as “/HDQACXH@coordaus.com.au” for example. The Creator Reference Line is mandatory when requesting slot allocations via e-mail and it is recommended that the following generic e-mail address format be used:

Present teletype address@domainname.domainextension.

The generic e-mail addresses are listed in SSIM Attachment 2. Alternatively, e-mail addresses as bilaterally agreed between the airline and the coordinator may be used.

The following table illustrates examples of the some common uses of the Creator Reference Line:

For Only	Creator Reference Line
Creator reference NRT15DEC	/NRT15DEC
Special handling BLOCK	//BLOCK
Special handling SWAP and creator reference YM12JAN	//SWAP/YM12JAN
E-mail address only	/HDQACXH@coordaus.com.au
Acknowledgement and creator reference S08SUB	/ACK/S08SUB
Creator reference EK13JAN and E-mail address	/EK13JAN/HDQACXH@coordaus.com.au
Special handling and E-mail address	//OUTREQ/HDQACXH@coordaus.com.au
Special handling, creator reference TESTMSG and E-mail address	//OUTREQ/TESTMSG/HDQACXH@coordaus.com.au
Dates and Times In Local Time	//LT
Dates and Times in Local Time, creator reference EK14JAN and E-mail address	//LT/EK14JAN/HDQACXH@coordaus.com.au
Dates and Times in Local Time, special handling BLOCK, creator reference EK15JAN and E-mail address.	//LT//BLOCK/EK15JAN/HDQACXH@coordaus.com.au

Applicable IATA Season

Northern **S**(ummer) or **W**(inter) plus 2- numerics for the year

Date of Message

DDMMM format

Clearance/Advice Airport concerned

IATA 3-letter airport code

Optional Incoming Message Reference

Only used on reply (response) messages and should be included if responding to a message that included a Creator Reference.

Always starts with "REYT/" followed by the message reference of the sender.

For an Acknowledgement (ACK) message, this may be followed by a '/' and the date/time stamp of the original message.

6.4.3 Schedule Information Data Lines

The Schedule Information Data Lines consist of mandatory and conditional data elements applicable to the message function.

The Line always begins with an 'Action Code' and ends with the 'Frequency Rate' (if applicable).

The data elements included in the data line, together with examples, are shown in the table below. The status of each element within the message is defined in Section 6.5 – Message Specifications.

Example

NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

DATA ELEMENT	VALUES/EXAMPLES
Action Code	N
Flight Information	
– Arrival Flight Designator	AF802
– Departure Flight Designator	AF810
Period/Frequency Information	
– Period of Operation: From and To	260CT27MAR
– Day(s) of Operation	1234567
Equipment Information	
– Number of Seats Fitted	290
– Aircraft Type	AB3
Routing and Time Information	
– Arrival	
Origin	Station FC0
Previous	Station NCE
Timings	(STA) 0910

DATA ELEMENT	VALUES/EXAMPLES
Action Code	N
– Departure To: Timings (STD) Next Station Destination Station	1030 LHR MAN
Service Type	
– Arrival	J
– Departure Flight	J
Frequency Rate	2

Note: A space (blank) between the Action Code and the Flight Information signifies that the information relates to a departure flight.

The Data Elements that may be included within the Schedule Information Data Line with their function, use and respective position (underlined) in the Schedule Information data line are described below.

Action Code

The Action Code defines the 'exact' function of the message.

NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

→ Refer to Section 6.6.2 for a list of Action Codes and the messages where they are used.

→ Refer to Sections 6.6.3 and 6.6.4 for a description on the use of each Action Code.

Flight Information

Flight Information data consists of one or two occurrences of the following:

- Airline Designator (2-character or 3 letter code)
- Flight Number (minimum 3 numerics and maximum 4 numerics)
- Operational suffix — if applicable

For transit/turnaround flights or linked overmidnight flights, both the arrival and departure flight information should be specified.

A single space (blank) between both flight designators is mandatory.

NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

For an arrival flight only, the flight information directly follows the Action Code.

NAF802 260CT27MAR 1234567 290AB3 FCONCE0910 J2

For a departure flight only, the flight information must be preceded by a blank space.

N AF810 260CT27MAR 1234567 290AB3 1030LHRMAN J2

Period/Frequency Information

Period/Frequency Information data consists of:

- Period of Operation or Arrival Date or Departure Date
(Date format is 2 numerics for the day of the month plus 3 letters for the month)
- Day(s) of Operation
(not applicable for single Arrival/Departure Date(s))

NAF802 AF810 260CT27MAR 1000000 290AB3 FCONCE0910 1030LHRMAN JJ2

Period/Frequency Information should always be preceded by a blank space in the message line.

The Period/Frequency Information relates to the date(s)/day(s) of operation at the Clearance/Advice Station.

For transit/turnaround flights or linked overmidnight flights, the Period/Frequency Information relates to the inbound flight.

If the outbound flight does not depart on the same date(s)/day(s), the Overmidnight Indicator must be used (see below under Routing and Time Information).

Day(s) of Operation are indicated with the numbers 1 through 7 in the applicable position for each day of the week with Monday being Day 1.

Non-operational days are indicated by a 0 (zero) in the applicable position(s) between 1 and 7.

Example: "0034007" denotes operation on Wednesday, Thursday and Sunday.

There must always be a blank space between Period of Operation and Day(s) of Operation.

For single date operations, Day(s) of Operation are omitted.

For a regular operation at fortnightly intervals (every 2 weeks), the Frequency Rate must be used.

In such cases, the start date of the Period of Operation must be the first date that the flight operates, and the end date must be the last date that the flight operates.

→ Refer to 'Frequency Rate' below for further information.

Equipment Information

Equipment Information data consists of:

- Number of Seats
Format is 3 numerics for passenger flights and "000" for cargo flights
- Aircraft Type
Format is 3 alphanumeric characters)

→ Refer to SSIM Appendix A for valid codes.

NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

Equipment Information must always be preceded by a blank space. There is no blank space between Number of Seats and Aircraft Type.

Aircraft Type Codes are recommended for use in Chapter 6 applications.

Routing and Time Information

Routing and Time Information consists of either Inbound or Outbound flight data.

Inbound flight data is used for arrival and transit/turnaround flights and consists of:

- Origin Station
- Previous Station
- Scheduled Time of Aircraft Arrival at the Clearance/Advice Station
NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

Outbound flight data is used for departure and transit/turnaround flights and consists of:

- Scheduled Time of Aircraft Departure at the Clearance/Advice Station
- Next Station
- Destination Station
NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

Routing and Time Information should always be preceded by a blank space.

There must also be a blank space between the inbound and outbound flights when transit/turnaround flights are quoted.

Previous and Next Station may be omitted if they are the same as the Origin Station or Destination Station respectively. On a turnaround flight, this applies for arrival and departure station information.

NAF802 AF810 260CT27MAR 1234567 290AB3 FC00910 1030LHR JJ2

or

NAF802 AF810 260CT27MAR 1234567 290AB3 FC0FC00910 1030LHRLHR JJ2

Other intermediate stations, apart from Previous Station and/or Next Station, need not be stated.

If the aircraft is making an overmidnight stop (passing midnight) at the station, it is appropriate to use the Overmidnight Indicator attached to the Scheduled Time of Aircraft Departure.

NBA2402 BA102 260CT27MAR 1000000 140734 LHR1950 06001LHR JJ2

This indicates that flight BA2402 arrives on Monday and the linked flight BA102 departs on Tuesday. The underlined figure denotes how many midnights the aircraft layover encompasses; i.e. "1 night," 2 nights etc.

Service Type

The Service Type indicates the main reason for operating a flight.

NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

The Service Type should always be preceded by a blank space.

It is stated separately for the inbound (first code) and outbound flight (second code). A single Service Type is stated if the data line contains only an arrival flight or a departure flight.

→ Refer to SSIM Appendix C for applicable codes.

Frequency Rate

When a flight is operated on a regular basis but at fortnightly intervals (every 2 weeks), the Frequency Rate must be added immediately after the Service Type using value 2 (underlined on the example below). Otherwise (blank value), weekly operation is assumed.

NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2

When the Frequency rate is used, the start date of the Period of Operation must be the first date that the flight operates, and the end date must be the last date that the flight operates. The start and end dates may **not** be expressed as "00XXX".

The Frequency Rate may not be used when submitting flights operating on single dates.

6.4.4 Additional Schedule Information Lines

The Additional Schedule Information Line contains optional or conditional information, generally starts on a new line and begins and ends with a slash (/).

The information within the line is constructed as a series of data elements as shown in the example and described in the table below.

Example

/ TA.3 TD.2 FA.14001530 FD.15001630/

DESCRIPTION	VALUES/EXAMPLES
Additional Element	
– Space	→
– Identification Code	TA
– Full Stop/Period	.
– Information relevant to the code	3

DESCRIPTION	VALUES/EXAMPLES
Additional Element	
– Space	→
– Identification Code	FA
– Full Stop/Period	.
– Information relevant to the code	14001530
Additional Elements as required	

The Identification Code is either 2 or 3 characters, must not contain spaces, and is always followed by a full stop/period.

The information relating to the code must follow the full stop/period and must not include spaces.

The 2 and 3 character Identification Codes for each element are included in SSIM Appendix J.

If the basic Schedule Information data line does not exceed 69 characters or a system line limit, the Additional Schedule Information data line may directly follow the basic line provided that the combined line length does not exceed 69 characters.

The elements that may be included in the Additional Schedule Information data line are:

- Aircraft Registration
- Cleared Times
- Coordinator Reason
- Minimum Ground Time
- Requested Timings
- Passenger Terminal Identifier
- Reference Number
- Status Information
- Timing Flexibility Indicator

When included in a message, the recommended order for the information is:

- Passenger Terminal Identifier(s);
- either the Cleared Times, Requested Timings or Timing Flexibility Indicator(s);
- Coordinator Reason(s);
- any other information as required (i.e. Aircraft Registration, Minimum Ground Time, Reference Number, Status Information).

When both arrival and departure information is included in the elements, it is recommended that the arrival information precedes the departure information.

Aircraft Registration

The use of Aircraft Registration is optional.

Aircraft Registration information starts with the identifier RE followed by a full stop/period (.) and then the two to 10 character aircraft registration.

Example

NYYY001 YYY002 10MAR 008BET NCE0910 0950AMS DD / RE.FGARL/

Cleared Times

The use of Cleared Times is optional and may only be used in the WIR message.

Cleared Times Information starts with the respective identifier (AA for Arrival and AD for Departure) followed by a full stop/period (.) and then the appropriate slot times as recorded on the coordinator database.

The Outstanding Request time is composed of 4 numerics followed by an optional Day Change Indicator code.

The Day Change Indicator may be included when a day change is involved and where code N indicates the Next day and code P indicates the Previous day.

Examples

```
PAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1010LHRMAN JJ2
/ TA.3 TD.2 AA.0920 AD.1035/

PZZ051 310CT27MAR 0000500 000340 VIEVIE2355 J / AA.0015N/
PZZ054 ZZ055 01NOV27MAR 0000060 249340 VIEVIE0005 0105VIEVIE JJ
/ AA.2255P AD.2355P/
```

Coordinator Reason

The reasons why a clearance cannot be granted as requested, or why the historic eligibility has not $\triangle$ been granted, are provided using appropriate Coordinator Reason codes.

The Reason codes are applicable to SAL, SAQ, SCR or SHL messages.

The Coordinator Reason data starts with the respective identifier (CA for the arrival reason and CD for the departure reason) followed by a full stop/period (.) and then the appropriate reason code as specified in SSIM Appendix J.

If there is no appropriate code to define the reason or if the coordinator uses Reason Code 'UA', the reason why the request could not be granted should be provided in a SI line.

The SI line should also be used to provide further information as necessary.

Example

```
KZZ123 ZZ124 260CT27MAR 0000567 154734 TKU1200 1300TKU JJ
/ CA.NE CD.NE/

0ZZ257 ZZ257 260CT28DEC 1204000 00073X DUSCGN2300 2355VIEKLU FF
/ CA.R030 CD.NA/

U ZZ187 ZZ188 03NOV 154734 MAN0805 0910MAN GP / CA.UA CD.UA/
```

Minimum Ground Time

The use of Minimum Ground Time is optional and may only be in SCR and SMA messages.

Minimum Ground Time information starts with the identifier MT followed by a full stop/period (.) and then the minimum ground time.

The minimum ground time is composed of 3 numerics to express the time in minutes.

Example

```
NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1010LHRMAN JJ
/ MT.045/
```

Reference Number

The use of Reference Number is optional and can be used in all messages.

Reference Number information starts with the respective identifier (NA for Arrival and ND for Departure) followed by a full stop/period (.) and then the Reference Number assigned by a coordinator.

The Reference Number is composed of 1 to 10 numerics

Example

```
NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1010LHRMAN JJ2
/ NA.200041000 ND.200041001/
```

Requested Timings

The use of Requested Timings is optional.

The Requested Timings elements start with the respective element identifier (RA for Arrival or RD for Departure) followed by a full stop/period (.) and then the original timings as requested by the airline and recorded in the database of the coordinator/schedules facilitator.

The Outstanding Request time is composed of 4 numerics followed by an optional Day Change Indicator code.

The original requested timing(s) is composed of 4 numerics followed by an optional Day Change Indicator code.

The Day Change Indicator may be included when a day change is involved and where code **N** indicates the Next day and code **P** indicates the Previous day.

When the SAL data line starts with Action Code **H**, **O** or **U**, Requested Timings may be included.

They may **not** be included on the SAL when Action Code **U** is combined with Action Code **O**.

When an Outstanding Request is held in the coordinators/schedules facilitators database for improvement, the Requested Timings may be included in the SIR.

Examples

```
HAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2
/ TA.3 TD.2 RA.0920 RD.1010/

OZZ051 31OCT27MAR 0000500 000340 VIEVIE2355 J / RA.0015N CA.R030/
OZZ053 01NOV27MAR 0000060 000340 VIEVIE0005J / RA.2355P CA.R030/
OZZ054 ZZ055 01NOV27MAR 0000060 249340 VIEVIE0005 0105VIEVIE JJ
/ RA.2255P CA.R060 RD.2355P CD.GRD/
```

Passenger Terminal Identifiers

The use of the Passenger Terminal Identifier is optional and may be used in SAQ, SCR and SIR messages.

The Passenger Terminal Identifier elements start with the respective element identifier (TA for Arrival or TD for Departure) followed by a full stop/period (.) and then the appropriate Passenger Terminal Indicator as specified in SSIM Appendix D.

Examples

Arrival and Departure

```
NAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2
/ TA.3 TD.2 RA.0910 RD.1010/
```

Departure Only

```
N AF810 26OCT27MAR 1234567 290AB3 1030LHRMAN J / TD.2/
```

Status Information

The use of Status Information is optional and may **only be used by the coordinator in the SAL message**.

Status Information starts with the respective identifier (SA for Arrival and SD for Departure) followed by a full stop/period (.) and then the relevant status information for a flight in free text format.

Status Information is a free text field composed of 1 to 10 characters and must not contain spaces.

Example

```
NAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2
/ SA.SCHENGEN SD.NONSCHENGEN/
```

Timing Flexibility Indicator

The use of Timing Flexibility Indicator is optional and may be used in SCR and SIR messages.

The Timing Flexibility Indicator elements start with the respective identifier (FA for Arrival Flexibility or FD for Departure Flexibility) followed by a full stop/period (.) and then the appropriate Timing Flexibility Indicator.

This is composed of 8 characters beginning with 4 characters for the earliest possible timing followed by 4 characters for the latest possible timing.

Example

```
NAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ2  
/ TA.3 TD.2 FA.08500920 FD.10101050/
```

If the airline can accept a timing flexibility that exceeds the Day of Operation, this can be specified by first indicating the earliest time possible for the arrival on the first day, and then the latest timing acceptable on the next day.

If this results in a figure where the first 4 digits represent a time later than the time in the next 4 digits, it means that the flexibility ranges into the next day.

6.4.5 Message Footer

The Message Footer may be composed of 'Supplementary Information' (SI) or 'General Information' (GI) lines.

If more than one Supplementary or General Information (SI or GI) lines are required in a message, there is no requirement to begin the extra lines with the slash (/) and the space.

6.5 Message Specifications

There are three basic formats for the Airport Coordination/Schedule Movement/Outstanding Request Procedure messages and these are for arrival, departure and transit turnaround flights.

The data validation criteria for the overall message structure are specified below.

Header Information Validation

	Rule 1	Rule 2	Rule 3	Rule 4	Rule 5	Rule 6
	Status Validation	Format Validation	Date-Time Validation	Set Value Validation	Database Lookup Validation	Logical Validation
Standard Message Identifier	M	aaa	n/a	Value = SAL, SAQ, SCR, SHL, SIR, SMA, WCR, WIR	n/a	
Creator Reference	O	Refer to 6.4.2	n/a	Must begin with "/" or "/"	n/a	
Season	M	ann	S = (Northern) Summer W = Winter Year value= 00- 99	n/a	n/a	Must be greater than or equal to current IATA SEASON
Day of Message	M	nn	Day value = 01 - 31	n/a	n/a	
Month of Message	M	aaa	Month value = JAN - DEC	n/a	n/a	SAME LINE AS DATE
Clearance/Advice Airport	M	aaa	n/a	n/a	Lookup = Location identifier codes	
Message Reference	C	REYT/x(x{,34})	n/a	Must begin with = "REYT/"	n/a	

Schedule Information Data Line Validation

Data Element	Rule 1	Rule 2	Rule 3	Rule 4	Rule 5	Rule 6
	Status Validation	Format Validation	Date-Time Validation	Set Value Validation	Database Lookup Validation	Logical Validation
	*** Data Element Status Validations are Message Dependent					
Action Code	M	a	n/a	Value = A, B, C, D, E, F, H, I, K, L, N, O, P, Q, R, T, U, V, W, X, Y, or Z	n/a	
Arrival Airline Designator	***	xx(a)	n/a	n/a	Lookup = Airline designator codes	
Arrival Flight Number	***	nnn(n)	n/a	Value = 0000-9999	n/a	
Arrival Operational Suffix	***	a	n/a	Value = A - Z	n/a	
Departure Airline Designator	***	xx(a)	n/a	n/a	Lookup = Airline designator codes	
Departure Flight Number	***	nnn(n)	n/a	Value = 0000-9999	n/a	
Departure Operational Suffix	***	a	n/a	Value = A - Z	n/a	
From Day	***	nn	Day value = 01 - 31	n/a	n/a	"From Day/Month" field must be less than "To Day/Month" field
From Month	***	aaa	Month value = JAN - DEC	n/a	n/a	"From Day/Month" field must be less than "To Day/Month" field
To Day	***	nn	Day value = 01 - 31	n/a	n/a	"To Day/Month" field must be greater than "From Day/Month" field
To Month	***	aaa	Month value = JAN - DEC	n/a	n/a	"To Day/Month" field must be greater than "From Day/Month" field
Day(s) of Operation	***	nnnnnnn	Value = 0 - 7	n/a	n/a	
Number of Seats	***	nnn	n/a	Value = 000 - 999	n/a	
Aircraft Type	***	xxx	n/a	n/a	Lookup = Aircraft type	
Origin Station	***	aaa	n/a	n/a	Lookup = Location identifier codes	
Previous Station	***	aaa	n/a	n/a	Lookup = Location identifier codes	
Scheduled Time of Arrival	***	nnnn	Value = 0001 - 2400	n/a	n/a	
Scheduled Time of Departure	***	nnnn	Value = 0000 - 2359	n/a	n/a	
Overmidnight Indicator	***	n	n/a	Value = Blank, 1 to 9	n/a	
Next Station	***	aaa	n/a	n/a	Lookup = Location identifier codes	
Destination Station	***	aaa	n/a	n/a	Lookup = Location identifier codes	
Arrival Service Type	***	a	n/a	n/a	Lookup = Service type	
Departure Service Type	***	a	n/a	n/a	Lookup = Service type	
Frequency Rate	***	n	n/a	Value = Blank or 2	n/a	

Additional Schedule Information Data Line Validation

The logical structure (i.e. message specification) for each message is specified below.

When a specification has a different structure for a specific Action Code (e.g. SCR for Action Code E), this is also specified below.

Additional Element - Identification Code	***	aa	n/a	AA, AD	n/a	n/a
Additional Element - Information relevant to the code	***	nnnn	Value = 0001 - 2400	n/a	n/a	n/a
Additional Element - Identification Code	***	aa	n/a	CA, CD	n/a	n/a
Additional Element - Information relevant to the code	***	xx(xx)	n/a	Value = AA, AB, CF, GA, HA, MU, N80, NA, NB, NE, NP, PA, QT, R(nnn), RA, SE, T(nnn), TA or UA	n/a	n/a
Additional Element - Identification Code	***	aa	n/a	FA, FD	n/a	n/a
Additional Element - Information relevant to the code	***	nnnnnnnn	Value = 00010001 - 24002400	n/a	n/a	n/a
Additional Element - Identification Code	***	aa	n/a	LT	n/a	n/a
Additional Element - Information relevant to the code	***	nnnn	No value	n/a	n/a	n/a
Additional Element - Identification Code	***	aa	n/a	RA, RD	n/a	n/a
Additional Element - Information relevant to the code	***	nnnn	Value = 0001 - 2400	n/a	n/a	n/a
Additional Element - Identification Code	***	aa	n/a	TA, TD	n/a	n/a
Additional Element - Information relevant to the code	***	x(x)	n/a	n/a	Lookup = Passenger terminal indicators	n/a

SAL Message Specification

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	n/a	K H O U T	K O U	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' or 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<≡)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SAL Message Specification (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End of Line (<=)				C	C	C	Mandatory if any Additional Element Group included as a separate line in the message. Also Mandatory if Additional Schedule Information directly follows the Schedule Information.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)		Action Codes H O U only		C	C	C	Mandatory if Coordinator Reason(s) provided. Group is repeated if both arrival and departure reasons provided.
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				C	C	C	Mandatory if Requested Timings information provided. Group is repeated if both arrival and departure reasons provided.
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

SAQ Message Specification

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	C N R	H I U	n/a	M	M	M	Effective 1 March 2006, Action Codes H and U may be used by Coordinators.
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' or 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	Refer to Table below for applicable code values

SAQ Message Specification (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)		Action Code I only		C	C	C	Mandatory if Coordinator Reason(s) provided. Group is repeated if both arrival and departure reasons provided.
Flexibility Range (Values = FA, FD)		Action Codes N and R only		C	C	C	Mandatory if Flexibility Range information provided. Group is repeated if both arrival and departure reasons provided.
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

SCR Message Specification

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	A B C D F I L M N P R V Y Z	H K O P T U W X	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' or 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SCR Message Specification (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)				C	C	C	Mandatory if Coordinator Reason(s) provided. Group is repeated if both arrival and departure reasons provided.
Flexibility Range (Values = FA, FD)	Action Codes B,N,R,V, Y only			C	C	C	
Requested Timings (Values = RA, RD)				C	C	C	Mandatory if Requested Timings information provided. Group is repeated if both arrival and departure reasons provided.
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

SCR-E Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	E	n/a	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				O	n/a	O	
Arrival Operational Suffix				C	n/a	C	Only included If flight number included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	O	O	
Departure Operational Suffix				n/a	C	C	Only included If flight number included
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' or 'Single Dated Flights' included
Period of Operation/Single Dated Flights - From Day and Month				O	O	O	'From Period of Operation' or 'Single Dated Flights'
- To Day and Month				C	C	C	
Separator (Space)				n/a	n/a	n/a	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Day(s) of Operation				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Number of Seats				n/a	n/a	n/a	
Aircraft Type				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Origin Station				n/a	n/a	n/a	
Previous Station				n/a	n/a	n/a	
Scheduled Time of Arrival				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Scheduled Time of Departure				n/a	n/a	n/a	
Overmidnight Indicator				n/a	n/a	n/a	
Next Station				n/a	n/a	n/a	
Destination Station				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Arrival Service Type				n/a	n/a	n/a	
Departure Service Type				n/a	n/a	n/a	
Frequency Rate				n/a	n/a	n/a	
End Of Line (<=)				M	M	M	
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)							Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	Refer to Table below for applicable code values
Additional Element - Identification Code				M	M	M	
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SCR-E Message Specifications (*cont'd*)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
End of Line (<=)				C	C	C	Mandatory if any Additional Element Group included as a separate line in the message. Also Mandatory if Additional Schedule Information directly follows the Schedule Information.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				n/a	n/a	n/a	

SHL Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	n/a	H U T	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	
To Day and Month				M	M	M	
Separator (Space)				M	M	M	
Day(s) of Operation				M	M	M	
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SHL Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status				Notes
	AL	CO	SF	ARR	DEP	T/T		
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included	
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included	
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.	
Table of Applicable Additional Elements								
Cleared Times (Values = AA, AD)				n/a	n/a	n/a		
Coordinator Reason (Values = CA, CD)		Action Code U only		C	C	C	Mandatory if Coordinator Reason(s) provided. Group is repeated if both arrival and departure reasons provided.	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a		
Requested Timings (Values = RA, RD)				C	C	C	Mandatory if Requested Timings information provided. Group is repeated if both arrival and departure reasons provided.	
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.	

SIR Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	n/a	H O P T U	H	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' and 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<≡)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SIR Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				C	C	C	Mandatory if Requested Timings information provided. Group is repeated if both arrival and departure reasons provided.
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

SIR-Q Message Specifications - Request by Airline

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	Q	n/a	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	May be 'QQQ'
Arrival Flight Number				O	n/a	O	
Arrival Operational Suffix				C	n/a	C	Only included If flight number included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	May be 'QQQ'
Departure Flight Number				n/a	O	O	
Departure Operational Suffix				n/a	C	C	Only included If flight number included
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' or 'Single Dated Flights' included
Period of Operation/Single Dated Flights - From Day and Month				O	O	O	'From Period of Operation' or 'Single Dated Flights'
- To Day and Month				C	C	C	
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				C	C	C	Mandatory if any of the following elements included
Number of Seats				n/a	n/a	n/a	
Aircraft Type				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Origin Station				n/a	n/a	n/a	
Previous Station				n/a	n/a	n/a	
Scheduled Time of Arrival				O	n/a	O	
Separator (Space)				n/a	n/a	C	Mandatory if Scheduled Time of Arrival included for T/T and any of the following elements included
Scheduled Time of Departure				n/a	n/a	O	
Overmidnight Indicator				n/a	n/a	O	
Next Station				n/a	n/a	n/a	
Destination Station				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Arrival Service Type				n/a	n/a	n/a	
Departure Service Type				n/a	n/a	n/a	
Frequency Rate				n/a	n/a	n/a	
End Of Line (<=)				M	M	M	
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	Refer to Table below for applicable code values
Additional Element - Identification Code				M	M	M	
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SIR-Q Message Specifications - Request by Airline (*cont'd*)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included.
End of Line (<=)				C	C	C	Mandatory if any Additional Element Group included as a separate line in the message. Also Mandatory if Additional Schedule Information directly follows the Schedule Information.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				n/a	n/a	n/a	

SMA Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	A C D N P R Z	n/a	H K O U W X T	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' or 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)							
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SMA Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)		Action Code U only		C	C	C	Mandatory if Coordinator Reason(s) provided. Group is repeated if both arrival and departure reasons provided.
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				C	C	C	
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

SMA-E Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	E	n/a	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				O	n/a	O	
Arrival Operational Suffix				C	n/a	C	Only included If flight number included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	O	O	
Departure Operational Suffix				n/a	C	C	Only included If flight number included
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' or 'Single Dated Flights' included
Period of Operation/Single Dated Flights - From Day and Month				O	O	O	Mandatory for 'Period of Operation' or 'Single Dated Flights' Mandatory for 'Period of Operation'. For other 'single dates', use /.....
- To Day and Month				C	C	C	
Separator (Space)				n/a	n/a	n/a	
Day(s) of Operation				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Number of Seats				n/a	n/a	n/a	
Aircraft Type				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Origin Station				n/a	n/a	n/a	
Previous Station				n/a	n/a	n/a	
Scheduled Time of Arrival				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Scheduled Time of Departure				n/a	n/a	n/a	
Overmidnight Indicator				n/a	n/a	n/a	
Next Station				n/a	n/a	n/a	
Destination Station				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Departure Service Type				n/a	n/a	n/a	
Frequency Rate				n/a	n/a	n/a	
End Of Line (<≡)				M	M	M	
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	Refer to Table below for applicable code values
Additional Element - Identification Code				M	M	M	
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

SMA-E Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included.
End of Line (<=)				C	C	C	Mandatory if any Additional Element Group included as a separate line in the message. Also Mandatory if Additional Schedule Information directly follows the Schedule Information.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				n/a	n/a	n/a	

WCR Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	C R M N Z	P W X	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' and 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<≡)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

WCR Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				C	C	C	Mandatory if Cleared Times provided. Group is repeated if both arrival and departure times provided.
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

WIR Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	n/a	P	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	
Arrival Flight Number				M	n/a	M	
Arrival Operational Suffix				C	n/a	C	If included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	
Departure Flight Number				n/a	M	M	
Departure Operational Suffix				n/a	C	C	
Separator (Space)				M	M	M	
From Day and Month				M	M	M	'From Period of Operation' and 'Single Dated Flights'
To Day and Month				C	C	C	Mandatory for 'Period of Operation'. For other 'single dates', use /.....
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' included
Day(s) of Operation				C	C	C	Mandatory if 'Period of Operation' included
Separator (Space)				M	M	M	
Number of Seats				M	M	M	
Aircraft Type				M	M	M	
Separator (Space)				M	M	M	
Origin Station				C	n/a	C	Mandatory if not equal to 'Previous Station'
Previous Station				M	n/a	M	
Scheduled Time of Arrival				M	n/a	M	
Separator (Space)				n/a	n/a	M	
Scheduled Time of Departure				n/a	M	M	
Overmidnight Indicator				n/a	n/a	C	
Next Station				n/a	M	M	
Destination Station				n/a	C	C	Mandatory if not equal to 'Next Station'
Separator (Space)				M	M	M	
Arrival Service Type				M	n/a	M	
Departure Service Type				n/a	M	M	
Frequency Rate				C	C	C	
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows and the total number of characters does not exceed the maximum line length limitation.
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	
Additional Element - Identification Code				M	M	M	Refer to Table below for applicable code values
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

WIR Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group(s) included
End Of Line (<=)				C	C	C	Mandatory if no Additional Schedule Information included or when the number of characters in the Schedule Information line exceeds the maximum line length limitation. Also Mandatory if Additional Schedule Information directly follows the Schedule Information and the total number of characters does not exceed the maximum line length limitation.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				C	C	C	Mandatory if Cleared Times information provided. Group is repeated if both arrival and departure times provided.
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				C	C	C	Mandatory if airports require coordination by passenger terminal. Group is repeated if both arrival and departure passenger terminal information provided.

WIR-Q Message Specifications

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Schedule Information							
Action Code (s)	Q	n/a	n/a	M	M	M	
Arrival Airline Designator				M	n/a	M	May be 'QQQ'
Arrival Flight Number				O	n/a	O	
Arrival Operational Suffix				C	n/a	C	Only included If flight number included
Separator (Space)				n/a	M	M	
Departure Airline Designator				n/a	M	M	May be 'QQQ'
Departure Flight Number				n/a	O	O	
Departure Operational Suffix				n/a	C	C	Only included If flight number included
Separator (Space)				C	C	C	Mandatory if 'Period of Operation' or 'Single Dated Flights' included
Period of Operation/Single Dated Flights - From Day and Month				O	O	O	Mandatory for 'Period of Operation' and 'Single Dated Flights'
- To Day and Month				C	C	C	
Separator (Space)				n/a	n/a	n/a	
Day(s) of Operation				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Number of Seats				n/a	n/a	n/a	
Aircraft Type				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Origin Station				n/a	n/a	n/a	
Previous Station				n/a	n/a	n/a	
Scheduled Time of Arrival				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Scheduled Time of Departure				n/a	n/a	n/a	
Overmidnight Indicator				n/a	n/a	n/a	
Next Station				n/a	n/a	n/a	
Destination Station				n/a	n/a	n/a	
Separator (Space)				n/a	n/a	n/a	
Arrival Service Type				n/a	n/a	n/a	
Departure Service Type				n/a	n/a	n/a	
Frequency Rate				n/a	n/a	n/a	
End Of Line (<=)				M	M	M	
Additional Schedule Information							Refer to Table below for applicable Additional Elements for this message
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included
Additional Element Group							The following data elements are applicable to each Additional Element Group included
Separator (Space)				M	M	M	Refer to Table below for applicable code values
Additional Element - Identification Code				M	M	M	
Separator (Period)				M	M	M	
Additional Element - Information relevant to the code				M	M	M	

WIR-Q Message Specifications (cont'd)

Data Element	Message Sender			Message Application and Data Element Status			Notes
	AL	CO	SF	ARR	DEP	T/T	
Additional Element Group(s)							The Group of Additional Elements is repeated for each applicable Identification Code included
Separator (Slash)				C	C	C	Mandatory if any Additional Element Group included.
End of Line (<=)				C	C	C	Mandatory if any Additional Element Group included as a separate line in the message. Also Mandatory if Additional Schedule Information directly follows the Schedule Information.
Table of Applicable Additional Elements							
Cleared Times (Values = AA, AD)				n/a	n/a	n/a	
Coordinator Reason (Values = CA, CD)				n/a	n/a	n/a	
Flexibility Range (Values = FA, FD)				n/a	n/a	n/a	
Requested Timings (Values = RA, RD)				n/a	n/a	n/a	
Passenger Terminal Identifier (Values = TA, TD)				n/a	n/a	n/a	

6.6 Action Codes

6.6.1 Introduction

Action Codes are required to define a specific function undertaken by a specified user (i.e. airline, coordinator or schedules facilitator) in the Airport Coordination/Schedule Movement procedure messages.

Action Codes are specific to the designated user and to the message function.

The Action Codes that may be used in each message together with the designated user are detailed in the tables below.

The messages and Action Codes within the message are listed in alphabetic order.

The Action Code is used to indicate the precise function of the message and the following Sections describe the general use of each Action Code by the message use and the message user.

6.6.2 Message and Action Code Listing

SAL Message

Airline	Coordinator	Schedules facilitator
	H Return to historic K Confirmation O Offer T Allocated subject to conditions U No slot allocated	K Confirmation O Offer — voluntary reschedule request U Not confirmed

SAQ Message

Airline	Coordinator
C Schedule to be changed N New schedule R Revised schedule	H Holding I Availability information U Refusal

SCR Message

Airline	Coordinator
A Acceptance of an offer — no further improvement desired B New entrant C Schedule to be changed for an operational reason or towards the initial requested time of the airline D Delete schedule E Eliminate schedule F Historic schedule I Revised schedule (Continuation from previous adjacent Season) L Revised schedule (No offer acceptable) M Schedule or Outstanding Request to be changed for reason other than under Action Code C N New schedule P Acceptance of an offer — maintain as Outstanding Request R Revised schedule (Offer acceptable) V New entrant with year round status Y New schedule (Continuation from previous adjacent Season) Z Decline offer	H Holding K Confirmation O Offer P Pending (action or advice) T Allocated subject to conditions U Refusal W Unable to reconcile flight information X Cancellation

SHL Message

Airline	Coordinator
	H Eligible for historic precedence U Not eligible for historic precedence T Allocated subject to conditions

△

△

SIR Message

Airline	Coordinator	Schedules Facilitator
Q Request for schedule information	H Holding O Offer P Pending T Allocated subject to conditions U No Slot Allocated	H Holding

SMA Message

Airline	Schedules Facilitator
A Acceptance of an offer — no further improvement desired C Schedule to be changed D Delete schedule E Eliminate schedule N New schedule P Acceptance of an offer — improvement desired R Revised schedule Z Decline offer	H Holding — voluntary reschedule offer K Confirmation O Offer — voluntary reschedule request T Allocated subject to conditions U Not confirmed W Unable to reconcile flight information X Cancellation

WCR Message

Airline	Coordinator
C Outstanding Request to be changed for an operational reason M Outstanding Request to be changed for reason other than under Action Code C N New Outstanding Request R Revised Outstanding Request Z Removes slotted and non-slotted flights from the coordinators or schedules facilitators database	P Pending (for improvement) W Unable to reconcile flight information X Removed/Deleted from Outstanding Requests

WIR Message

Airline	Coordinator
Q Request for schedule information	P Pending (for improvement)

6.6.3 Codes used by Airlines

A Acceptance of an offer — no further improvement desired **SCR SMA**

Action Code **A** is used to accept an offer of a (slot) clearance (SCR procedure) or to accept a proposal for a voluntary reschedule request (SMA procedure).

It further indicates that the airline will not be requesting any improvements in the timings submitted in the original request.

When several offers are proposed for the same request, the acceptance of one of the offers by the airline automatically cancels other offers for the same request.

Example

AAF802 AF810 260CT27MAR 1234567 290AB3 NCE0940 1050LHR JJ

B New entrant **SCR**

Action Code **B** is used by an airline to request an entirely new slot allocation (SCR procedure).

Example

BAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

C Schedule to be changed for an operational reason or towards the initial requested time of the airline **SCR**

or

Schedule to be changed

SAQ SMA

or

Outstanding Request to be changed for an operational reason

WCR

Action Code **C** may be used at any time during the entire Airport Coordination/Schedule Movement process.

It is used by an airline to indicate its intention to change either existing clearances (including historic) for an operational reason or towards the initial requested time of the airline.

It may also be used to change an outstanding request.

Action Code **C** can only be used in conjunction with one or more appropriate **R**, **L** or **I** data lines and these lines are used to indicate the changes being requested.

Example

CAF802 AF810 260CT27MAR 1234567 290AB3 NCENCE0910 1030LHRLHR JJ

D Delete schedule **SCR SMA**

Action Code **D** is used to delete an existing clearance (SCR) or a schedule movement (SMA).

Example

DAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

E Eliminate schedule **SCR SMA**

Action Code **E** is used to permanently delete (eliminate):

- all clearances (SCR procedure) or schedule movements (SMA) for specified flight designators;

or,

- all clearances or schedule movements for one airline designator.

This may either be for a complete Season or for a period or single dates within a Season.

Caution is recommended when using Action Code **E** to avoid permanently deleting all clearances or schedule movements.

Examples

Specific AF flights for a period

EAF802 AF810 29MAR01MAY

All AF arrival and departure flights for a period

EAF AF 29MAR01MAY

F Historic schedule

SCR

Action Code **F** may be used when the slot allocation request applies to an historic from the previous **equivalent** Season.

Example

FAF802 AF810 26OCT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

**I Revised schedule
(continuation from previous adjacent Season)**

SCR

Action Code **I** may be used to request revisions to existing clearances as a continuation of a service that has either started or is scheduled to start in the previous **adjacent** Season.

The service being requested must be a continuation from the previous adjacent Season (summer followed by winter or winter followed by summer) in UTC or Local Time at the coordinated airport, or in UTC or Local Time at the origin/destination airport.

Action Code **I** is only used in conjunction with one or several appropriate **C or M** data lines to indicate that the airline wishes to align an existing schedule operated in the previous **adjacent** Season to provide a constant year round schedule.

All provisions for Action Code **R** are applicable.

Airlines may request certain amendments to clearances within the previous adjacent Season using Action Code **I**.

The following amendments are acceptable since they are **not** considered relevant to airport capacity constraints;

- Flight Number change only (arrival and/or departure);
- Reduction in aircraft capacity (Number of Seats);
- Contraction of the frequencies or termination of the operation within the new Season.

Note: *Since the flight number may be used to identify slot allocations (clearances) in some coordinator systems, system problems may be encountered when a flight number is changed.*

Example

IAF802 AF810 26OCT27MAR 1234567 290AB3 NCE0900 1020LHR JJ

L Revised schedule (No offer acceptable)

SCR

Action Code **L** is only used in conjunction with one or several associated **C or M** data lines to request a slot allocation for a *revised* schedule.

The combination of **C or M** data lines with **L** data lines must constitute one complete transaction and all **C or M** data lines within a transaction must be stated first.

Action Code **L** is used when the requesting airline intends to change the clearances on hold as stated in the associated **C or M** data line.

The change is subject to the proviso that the new clearance can be allocated as requested.

For flight number changes, it is recommended that the Action Code **C/L combination** procedure is used rather than the Delete and New (**D/N**) procedure.

Changing a flight number using the **D/N** procedure requires that both the **D** and **N** schedule information lines are processed as a package. It is quite possible that a system receiving a **D/N** request might action the Delete line, re-allocate the slot and then not be able to action the New line.

Example

LAF802 AF810 26OCT27MAR 1234567 290AB3 NCE0900 1020LHR JJ

M Schedule to be changed for reason other than Action Code C **SCR**
or

Outstanding Request to be changed for any reason other than **WCR**
under Action Code C

Action Code **M** may be used at any time during the entire Airport Coordination/Schedule Movement process.

It is used by an airline to indicate its intention to change either existing clearances (including historic) or Outstanding Requests.

Action Code **M** can only be used in conjunction with one or more appropriate **R**, **L** or **I** data lines that are used to indicate the changes being requested.

Example

MAF802 AF810 26OCT27MAR 1234567 290AB3 NCENCE0910 1030LHRLHR JJ

N **New Schedule or New Outstanding Request** **SAQ SCR SMA WCR**

For new schedules, Action Code **N** may be used at any time during the entire Airport Coordination/Schedule Movement process.

Action Code **N** is used to:

- request the availability of slots for a new service (SAQ procedure);
- request a totally new slot allocation (SCR procedure);
- submit a new schedule movement (SMA procedure).

Action Code **N** cannot be used to file existing clearances holding historic precedence.

Action Code **F** must be used when maintaining status quo for existing historic.

Action Code **C/I**, **C/L**, **C/R**, **M/I**, **M/L** or **M/R** combinations must be used to request changes to historic.

For new Outstanding Requests, Action Code **N** may be used during or after the Schedules Conference to request that an existing clearance be recorded in the coordinator/schedules facilitators database for possible improvement to a new requested time not previously advised to the coordinator/schedules facilitator (WCR procedure).

Example

NAF802 AF810 26OCT27MAR 1234567 290AB3 NCE0900 1020LHR JJ

P **Acceptance of an offer — Maintain Outstanding Request** **SCR SMA**

Action Code **P** is used to accept an offer of a slot clearance (SCR procedure) or to accept a proposal for a voluntary reschedule movement request (SMA procedure).

It further indicates that the airline will be seeking improvements to the times in the original request and that the requested times should be held in the coordinators/schedules facilitators database for improvement.

When several offers are proposed for the same request, the acceptance of one of the offers by the airline automatically cancels other offers for the same request.

Example

PAF802 AF810 26OCT27MAR 1234567 290AB3 NCE0940 1050LHR JJ

Q Request for schedule information

SIR WIR

Action Code **Q** is used by an airline to request:

- the current status of its clearances or schedule movements (SIR procedure);
- the status of its outstanding request (WIR procedure);
- the status of slot allocations or schedule movements held by other airlines (SIR procedure);
- the status of outstanding requests for other airlines (WIR procedure).

Examples

<u>Q</u> BA BA	BA requests schedule status information for all BA flights (SIR)
<u>Q</u> AF 15AUG31AUG	Request for schedule information for all AF departure flights from 15 August until 31 August (SIR)
<u>Q</u> QQQ 15AUG31AUG	Request for schedule information for all arrival flights for all airlines (QQQ) from 15 August until 31 August (SIR)
<u>Q</u> BA BA	BA requests outstanding request information for all BA flights (WIR)
<u>Q</u> AF 15AUG31AUG	Request for outstanding request information for all AF arrival flights from 15 August until 31 August (WIR)

R Revised Schedule (Offer acceptable) or Revised Outstanding Request

SAQ SCR SMA WCR

Action Code **R** may be used at any time during the entire Airport Coordination and Schedule Movement process.

It is used in conjunction with one or more associated **C or M** data lines to:

- indicate the revised schedule in a request for slot availability information (SAQ procedure);
- request a slot allocation for a revised schedule (SCR procedure);
- indicate the revised schedule movement (SMA procedure);
- request a change in outstanding request requirements (WCR procedure).

The combination of **C or M** data lines with **R** data lines must constitute one complete transaction and all **C or M** data lines within a transaction must be stated first.

Action Code **R** is used when the requesting airline intends to change the clearances on hold as stated in the associated **C or M** data line(s) (i.e. the historics).

The change is subject to the proviso that the new clearance can be confirmed as requested or that a reasonable offer can be made.

Example

RAF802 AF810 260CT27MAR 1234567 290AB3 NCE0900 1020LHR JJ

In case a coordinator is not able to offer the precise times requested, airlines are advised to use the Timing Flexibility Indicator and/or Supplementary Information (SI) to indicate any possible flexibility in timings.

Example

RAF802 AF810 260CT27MAR 1234567 290AB3 NCE0900 1020LHR JJ

/ FA.08500920 FD.10001040/

SI PLS PROVIDE BEST AVAILABLE WITHIN RANGE

V New entrant with year round status

SCR

Action Code **V** is used by an airline claiming new entrant status.

The code may be used to request new slot allocations as a continuation of a service that either has started or is scheduled to start in the previous **adjacent** Season (SCR procedure).

The service being requested must be a continuation from the previous adjacent Season (summer followed by winter or winter followed by summer) in UTC or Local Time at the coordinated airport, or in UTC or Local Time at the origin/destination airport.

Airlines may request certain amendments to the schedule of the previous adjacent Season from the clearance on hold in the previous adjacent Season. These may be submitted using Action Code **V**.

The following amendments are acceptable since they are **not** considered relevant to airport capacity constraints:

- Flight Number change only (arrival and/or departure);
- Reduction in aircraft capacity (Number of Seats).

Note: Since the flight number may be used to identify slot allocations (clearances) in some coordinator systems, system problems may be encountered when a flight number is changed.

Example

VNG7240 NG7810 260CT27MAR 1234567 031FRJ BGY0910 1030BGY JJ

Y New schedule (Continuation from previous adjacent Season)

SCR

Action Code **Y** may be used to request a new slot allocation for either a continuation of a service that has started or for a service that is scheduled to start in the previous **adjacent** Season.

The service being requested must be a continuation from the previous adjacent Season (summer followed by winter or winter followed by summer) in UTC or Local Time at the coordinated airport, or in UTC or Local Time at the origin/destination airport.

Airlines may request certain amendments to clearances within the previous adjacent Season using Action Code **Y**.

The following amendments are acceptable since they are **not** considered relevant to airport capacity constraints:

- Flight Number change only (arrival and/or departure);
- Reduction in aircraft capacity (Number of Seats).

Example

YAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

Z Decline Offer or Remove from coordinators/schedules facilitators database

SCR SMA WCR

SCR Procedures

For the SCR procedures, Action Code **Z** is used by airline to indicate that the clearances being offered by coordinator are not acceptable. The coordinator will revert with a message confirming the cancellation of the offer and confirming the slot clearance details currently held.

The airline may choose to continue the SCR procedures either with a revised slot allocation request using a combination of Action Codes **C** and **R** or **M** and **R** combination or with a new slot allocation request using Action Code **N**.

Example

ZAF802 AF810 260CT27MAR 1234567 290AB3 NCE0940 1050LHR JJ

ZAF802 AF810 260CT27MAR 1234567 290AB3 NCE0900 1000LHR JJ

SMA Procedures

For SMA procedures, Action Code **Z** is used by the airline to indicate that the schedule movements offered by schedule facilitator are not acceptable.

The airline may choose to continue the SMA procedures either with a revised schedule movement request using a combination of Action Codes **C** and **R** or with new schedule movement request using Action Code **N**.

If the airline chooses not to continue the SMA procedure, the original schedule movement request will be maintained.

This will be confirmed to the airline by a SMA message using Action Code **K**.

WCR Procedure

For WCR procedures, Action Code **Z** is used by the airline to indicate to the coordinator/schedules facilitator that an outstanding request should be deleted from their database.

6.6.4 Codes to be used by the Airport Coordinator or Schedules Facilitator

H Holding, Return to Historic, Eligible for Historic Precedence or Holding (Voluntary Reschedule Offer)



SAL SAQ SCR SHL SIR SMA

Use by Airport Coordinator Prior to Schedules Conference (SC)

Action code H can be used by the coordinator in two ways:

SHL Procedure:

Action code H is used to confirm the clearances that are eligible for historic precedence in the next equivalent season. The data lines should reflect the dates and period of validity of the equivalent season for which the historic eligibility is granted. For the IATA summer season, where historic eligibility is granted prior to the end of the summer scheduling period, this must be regarded as provisional until the season is completed.

SAL Procedure:

Action code H is used to advise that the requested slot allocations could not be confirmed, that the historic precedence has been retained and that the original request has been added to the database of outstanding requests. In exceptional cases, Action Code **H** may be used in conjunction with Action Code **U** on the SAL to advise that the slot allocation requests have been cleared based on other capacity elements such as aircraft types.

Use by Airport Coordinator At or After the Schedules Conference (SC)

Action Code **H** is used by a coordinator to specify confirmed clearances held by the coordinator (SIR procedure).

Action Code **H** is used by a coordinator in conjunction with Action Code **W** in SCR procedures to notify that a clearance held by the coordinator;

- either does not match the information contained in a **C** or **M** data line;
- or results in a flight designator duplication for the dates in question.

Action Code **H** is used by a coordinator in conjunction with Action Code **U** in response to **C/I**, **C/L** and **C/R** transactions (SCR procedure) to advise the airline that the revised slot allocation could not be cleared as requested (**U** data line) and that the existing clearance (**H** data line) will be maintained.

Action Code **H** is used by the coordinator in conjunction with Action Codes **U** and **O** to advise the airline that the revised slot allocation could not be cleared as requested (**U** data line) but offers are possible as indicated by Action Code **O**. The existing clearance (**H** data line) is maintained if the airline does not respond to the offers or does not accept any of the offers.

Action Code **H** is used by the coordinator in conjunction with Action Code(s) **X** in SCR procedures to inform the airline that, since the acceptance of an offer has not been received within 3 business days, all offers are cancelled (**X** data line). The existing clearance held by the airline (**H** data line) is maintained.

Use by Airport Coordinator in SAQ procedure

Action Code **H** is used by the coordinator in the SAQ procedure to advise that the existing clearance will be maintained (held) when an airline requests availability information for a possible change to the existing clearance.

Use by Schedules Facilitator

Action Code **H** is used by a schedules facilitator to:

- notify the airline of detected mismatches and/or flight designator duplications (SMA procedure);
- specify schedule movements previously advised by the airline (SIR procedure).

Example

HAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

I Availability information **SAQ**

Action Code **I** is used to provide slot availability information in response to an airline SAQ request message.

No action is taken by the coordinator to change or allocate clearances as a result of the request.

The format is the same as Action Code **O** except that no offers are being made.

Example

IAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

K Confirmation **SAL SCR SMA**

Action Code **K** is used to confirm to the airline that the slot allocation request has been cleared as requested.

Example

KAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

O Offer or Offer (Voluntary Reschedule Request) **SAL SCR SIR SMA**

Use by Coordinator Prior to Schedules Conference (SC)

Action Code **O** is used by a coordinator to offer the closest available clearances to those requested (SAL procedure).

In exceptional cases, Action Code **O** may be used in conjunction with Action Code **U** on the SAL to advise the airline that the slot allocations requests have been cleared based on other capacity elements such as aircraft types.

Use by Coordinator During or After the Schedules Conference (SC)

Action Code **O** is used by a coordinator to:

- offer the nearest available clearance to those requested (SCR procedure);
- specify the clearances being offered (SIR procedure).

Action Code **O** will always be used in combination with a **U** data line that reflects the original slot allocation request except for improvements to outstanding requests originated by the coordinator (SCR procedures).

Use by Schedules Facilitator

Action Code **O** is used by a schedules facilitator in SAL and SMA procedures to request an airline to consider an offer of a rescheduled movement.

Acceptance of such offers are on voluntary basis and this procedure is only used in order to offer rescheduled timings within the available airport capacity in an endeavour to avoid the airport having to consider moving to Level 3 status.

In exceptional cases, Action Code **O** can be used in combination with Action Code **U** in the SAL and SMA procedures where Action Code **U** is used to identify the original slot allocation request for tracking purposes by the airline.

The use of this combination does not have the same implications as a Refusal (Action Code **U**) at a Level 3 airport.

Example

QAF802 AF810 260CT27MAR 1234567 290AB3 NCE0905 1015LHR JJ

P Pending Action or Advice

SCR SIR

Action Code **P** (Pending Action) may be used in the SCR and SIR procedures when the acceptance or refusal of a slot allocation request is dependent on the acceptance or refusal of an offer made to another airline.

Action Code **P** must **not** be used by schedules facilitators.

Action Code **P** (Pending Advice) may be used by a coordinator in a SCR message prior to the SC to acknowledge the receipt of the initial filings by an airline in an SCR message using Action Codes **B, F, I, L, N, R, V** or **Y**.

→ Refer to SSIM 6.8.9 for details of the acknowledgement procedures.

P Pending for Improvement

WCR WIR

Action Code **P** is used in the WIR and WCR procedures to advise the airline of flights that have been placed in the coordinators/schedule facilitators database for improvement.

In combination with Action Code **X**, it indicates that a new outstanding request has been placed in the coordinators/schedule facilitators database.

In combination with Action Code **W**, it indicates that original outstanding request has been retained since the coordinator was unable to reconcile the flight information.

Example

PAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

T Allocated Subject to Conditions

SAL SCR SHL SIR SMA

Action Code **T** is used by a coordinator to:

- Indicate the clearances that are eligible for historic precedence in the next **equivalent** season but are subject to conditions (SHL procedure). The data lines should reflect the dates and periods of validity of the equivalent seasons for which the conditional historic eligibility is granted
- notify the airline that the slot allocation request has been cleared subject to certain conditions (SAL, SCR, SIR and SMA)

The slot clearance may be cancelled if the conditions are not fulfilled.

For example, this situation may occur when clearances may be allocated for an airline that has yet to obtain an operating license.

Example

TAF802 AF810 260CT27MAR 1234567 290AB3 NCE2200 03551LHR JJ

U Refusal, Not Eligible for Historic Precedence, No Slot Allocated or Not Confirmed

SAL SAQ SCR SHL SIR SMA

Use by Coordinator Prior to the SC

Action Code **U** is used by a coordinator in the SHL procedures to advise an airline that a clearance operated at a Level 3 airport in the previous **equivalent** season is not eligible for historic precedence (historic).

The reason why the clearance is not considered an historic must be provided with either a Coordinators Reason Code listed in Appendix J or an explanation in a SI line.

Example

```
UAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ  
/ CA.N80 CD.N80/
```

Action Code **U** is used by a coordinator in the SAL procedures prior to the SC to advise an airline that no definitive action can be taken on a request to change an existing clearance or on a request for a slot allocation for a new service.

It also indicates that a clearance has not been allocated and that there is no possibility of a reasonable offer.

Data lines with Action Code **U** will be automatically added to the outstanding requests in the coordinators/schedules facilitators database.

Example

```
UAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ  
/ CA.UA CD.UA/  
SI NO TIMES AVAILABLE
```

In exceptional cases, for use in SAL only, Action Code **U** may be used in combination with Action Code **O** or **H** to advise the airline that the slot allocations requests have been cleared based on other capacity elements such as aircraft types.

Use by Coordinator During or After the SC

Action Code **U** is used by a coordinator in the SCR procedures during or after the SC to advise the airline that the request for a **new** or a revised slot allocation could not be cleared.

It also indicates that it was not possible to offer clearances as none are available.

The original slot allocation request will be automatically recorded in the coordinator's database.

When used in combination with Action Code **O** in the SCR procedures, Action Code **U** reflects the original slot allocation request.

It may also indicate that no clearance is available either before or after the offer(s) reflected in the **O** data line(s).

The original slot allocation request will be automatically recorded on the coordinator's database.

Action Code **U** will also be used in combination with Action Code **X** to confirm the deletion of an Offer generated by the coordinator but declined by the airline using Action Code **Z** when the resulting flight does not hold any slot time (no slotted). The **U** line will reflect the original slot allocation request and will include Coordination Reason Codes.

```
UAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ  
/ CA.GA CD.GA/
```

Use by Coordinator in SAQ Procedures

Action Code **U** is used by a coordinator in the SAQ procedures to advise an airline that there is no clearance available at the requested timings.

Example

```
UAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ
```

Use by Schedules Facilitator

Action Code **U** is used by a schedules facilitator in SAL and SMA procedures at Level 2 airports to advise that no definitive action can be taken on a request to change an existing schedule movement or a request for a new schedule movement for a new service. This may be due to factors such as a night jet ban.

When used in combination with Action Code **O** in the SAL and SMA procedures, Action Code **U** is used by the schedules facilitator to request the airline to consider a voluntary rescheduling as reflected in the **O** data line(s).

In this context, Action Code **U** is used to identify the original request for tracking purposes by the airline and does not have the same implications as a 'Refusal' at a Level 3 airport.

Example

UAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

Use by Coordinator in SIR Procedures

Action Code **U** is used by a coordinator in the SIR procedures to advise an airline that a clearance has not been allocated.

SIR

/LHR1806

W05

23SEP

LHR

UAC824 AC825 300CT25MAR 1234567 292333 YUL0800 1245YUL JJ

/ CA.GA CD.GA/

W Unable to reconcile flight information

SCR SMA WCR

Action Code **W** is used by a coordinator in the SCR procedures or by a schedules facilitator in the SMA procedures to advise that the request cannot be processed due to errors in the data submission. It is applicable to all Action Codes.

When flight(s) are held by the coordinator at another time or at another date/period/days of operation, Action Code **W** may be followed by corresponding **H** data line(s) to indicate the existing clearances held by the coordinator.

This action will allow the airline to correct its submission and avoid unintended deletions.

In WCR procedures, Action Code **W** is used by a coordinator to advise that changes to the outstanding requests cannot be actioned as the flight information cannot be reconciled.

Action Code **W** may be followed by (a) corresponding **P** data line(s) to indicate the existing clearances held by the coordinator.

Examples

WAF802 AF810 260CT27MAR 1234567 290734 NCE0910 1030LGW JJ

HAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

or

WAF802 AF810 260CT27MAR 1234567 290734 NCE0910 1030LGW JJ

PAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

X Cancellation or Removed/Deleted from Outstanding Request

SCR SMA WCR

Action Code **X** is used by a coordinator in the SCR procedure to confirm the deletion of a current clearance requested by the airline using Action Codes **C** or **M**, **D**, or **E**.

Action Code **X** will be used in conjunction with Action Code **H** or Action Code **U** to confirm the deletion of an Offer generated by the coordinator but declined by the airline using Action Code **Z**.

It may also be used, in conjunction with Action Code **H**, or Action Code **U**, by the coordinator to advise that an offer(s) using Action Code **O** has been cancelled since no response was received from the airline within 3 business days of the offer being made.

When using Action Code **X**, the reply should contain only those Periods/Day(s) of Operation or dates effectively cancelled in the complete **C**, **M**, **D** or **E** data lines.

Action Code **X** is used by a schedules facilitator in the SMA procedure to confirm the deletion of a scheduled movement as requested by the airline using Action Codes **C**, **D** or **E**.

In the WCR procedures, Action Code **X** is used by a coordinator to confirm the deletion of an outstanding request by the airline using Action Codes **C**, **M** or **Z**.

Example

XAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

6.7 Incorrectly Formatted Messages

The rules governing action by coordinators and airlines acting as schedules facilitators for handling incorrect message format are detailed below.

For a given flight designator and date at a specific station, there can only be **one** scheduled arrival and/or **one** scheduled departure time allocated or advised.

SCR messages containing flights being amended by use of Action Codes **C** and **R** (or **C** and **L** or **C** and **I**) or by **M** and **R** (or **M** and **L** or **M** and **I**) or cancelled by Action Code **D** or **E** will only be actioned against those data lines for which the clearance information held by the Coordinator matches that contained in the **C**, **M**, **D** or **E** data lines.

For data lines for which there is a mismatch, the coordinator will take no action but respond using Action Code **W** against the submitted data line with the slot information currently held using Action Code **H**.

When no slots are held for the Days/Dates of Operation stated in the **C**, **M**, **D** or **E** data line, the coordinator shall reply with a "NIL" statement using Action Code **H**.

Example

WAF5402 AF5810 260CT27MAR 1234567 290734 NCE0930 1020LGW JJ
HNIL

For SCR messages containing additional or new slot requests, the coordinator will take no action on those data lines that would result in flight designator duplication.

The coordinator will respond with a SCR message using Action Code **W** against the submitted data lines with the slot information currently held using Action Code **H**.

This will apply for slot requests sent with Action Code **N**, **F** or **I** and for those sent with Action Code **C/R**, **C/L**, **C/I**, **M/R**, **M/L**, or **M/I** combinations.

Example

Request

CAF802 AF810 260CT27MAR 1234567 290734 NCE0910 1015LGW JJ
RAF802 AF810 260CT27MAR 1234567 290734 NCE0930 1020LGW JJ

Reply from Coordinator

WAF802 AF810 260CT27MAR 1234567 290734 NCE0910 1015LGW JJ
HAF802 AF810 260CT27MAR 1234567 290AB3 NCE0910 1030LHR JJ

If an SCR message contains several data lines where changes are interrelated and one or more of these data lines cannot be processed due to format errors, the Coordinator will not take action on any of these data lines. He will however respond with an appropriate SCR, SMA or WCR message using Action Code **W** against the submitted data lines, together with the clearance information currently held using Action Code **H**.

For SCR data lines containing acceptance of offers using Action Code **A** for which there is a mismatch, the Coordinator will take no action. He will however respond using Action Code **W** against the submitted data line with the clearance information currently held on offer using Action Code **O**.

When an Airline wants to change several flights in one message (i.e. several changes/new/deletions), he should always place the **C, M, D** and **E** records prior to the corresponding **R, L, Y** or **N** records that have the same Flight Designator(s) whenever the same date/period is involved.

6.8 Airport Coordination Procedures

The Airport Coordination Procedures defined in the Section are applicable to Level 3 airports for the allocation of clearances at these airports. The procedures may be used for initial coordination (i.e. prior to SC), during or after SC.

Some of the procedures may occur throughout the whole slot coordination process.

As soon as all SAL's are distributed, coordinators must make their database available to all airlines that submitted an SCR for that airport. This database must contain details by airline, of all requested slots and all allocated slots in a format that excludes flight number and route details to avoid conflict with competition laws in the world. Flight numbers should be replaced with '0000' and airports with 'XXX' (Example: HA0000 260CT28MAR 1234567 180320 XXXXXX2325 J).


6.8.1 Initial Coordination Procedures

The Initial Coordination Procedures are undertaken prior to the SC and these may consist of the following:

- Historic Slot Determination
- Airline Procedures for Filing for a New Season
- Preliminary Slot Allocation

A diagram of the message exchange flows between airlines and coordinators with message types and relevant action codes is presented below.

Basic Exchange Flows for Initial Coordination



△ 6.8.1.1 Historic Slot Determination Procedure

Before the historic slot distribution deadline for a new scheduling Season, coordinators will advise each airline whether its clearances operated in the previous equivalent season are eligible or not eligible for historic precedence (historics).

For the IATA summer season, where historic eligibility is granted prior to the end of the summer scheduling period, the clearances must be regarded as provisional until the season is completed.

△ The historic eligibility information is provided electronically in an SHL (Slot Historic and Non-Historic Allocation List) by the coordinator and the listing must be provided no later than the dates specified in the WSG.

△ The Period of Operation for historic eligibility, as stated in the SHL, must reflect the dates adjusted for the forthcoming Season. For records covering the entire Period of Operation, the start and end dates **must** reflect the start and end dates of the new Season.

△ When operated flights do not cover the entire Period of Operation, the start and end dates of the historic eligibility should be the dates closest (i.e. earlier or later) to the respective dates applicable to the same Day(s) of Operation of the previous season.

This will also include the extension or contraction of full season schedule by one week if the Season is a week longer or shorter than the last equivalent Season.

△ When flight records have become fragmented due to changes such as ad-hoc cancellations or aircraft type changes during the previous equivalent season, the coordinator must 'reconstruct' the records of those flights that qualify for historic status to create a single historic record for each flight.

This must be completed prior to the distribution of the SHLs to airlines and must comply with the coordination parameters established at the airport.

The airline will consider the receipt of the historics as the right to continue operating these schedules for the next equivalent season.

△ The SHL message from the coordinator will contain data lines using Action Code H for schedules eligible for historic precedence and Action Code U for schedules that are not eligible for historic precedence.

△ Data lines preceded with Action Code **U** will identify the reason why the schedule is not eligible for historic rights. The Coordinator Reason(s) will be provided in the additional schedule information data line either using the Coordinator Reason Codes listed in SSIM Appendix J or by free text in an SI Line.

For transit and turnaround flights, an historic may be established for the arrival flight but not for the departure flight (or vice versa). When this occurs, the data lines will be divided into separate arrival and departure lines with the relevant Action Code (**H** or **U**).

For historics for new entrants, the **H** data lines may contain Coordinator Reason Code(s) to indicate that there are limitations on the continued use of these historics.

If this occurs, airlines will need to contact the coordinator for an explanation.

Example

```

SHL
/FRA1004ZZ
W03
10APR
FRA
HZZ123 ZZ124 290CT24MAR 0030567 154734 TKU1200 1300TKU JJ2
/ CA.NE CD.NE/
HZZ500 ZZ501 290CT24MAR 1234567 180752 LHR1055 1200LHR JJ
HZZ257 ZZ257 300CT28DEC 1204000 00073X DUSCGN2330 00301VIE FF
UZZ257 ZZ257 03JAN21MAR 0030000 00073X DUSCGN2300 2355VIEKLU FF
/ CA.N80 CD.N80/
HZZ3988 ZZ3989 290CT24MAR 0004000 35674C SINBKK1400 1500BKKSIN QQ
UZZ187 290CT24MAR 0000500 154734 MAN0805 C / CA.MU/
H ZZ188 290CT24MAR 0000500 154734 0910MAN C

```

When an airline requested a coordinator to provide the historics as **unlinked** flights, the coordinator will separate the historics into arrival and departure flights using Action Code H.

Example of linked historics

```

SHL
/HISTAZ
W03
10APR
AMS
HAZ100 AZ101 260CT27MAR 1234567 131M80 FC00800 0910FC0 JJ
HAZ102 AZ103 260CT27MAR 1235467 075ER4 MXP0810 0900MXP JJ

```

Example of unlinked historics

```

SHL
/HISTAZ
W03
10APR
AMS
HAZ100 260CT27MAR 1234567 131M80 FC00800 J
HAZ102 260CT27MAR 1235467 075ER4 MXP0810 J
H AZ101 260CT27MAR 1234567 131M80 0910FC0 J
H AZ103 260CT27MAR 1235467 075ER4 0900MXP J

```

When a schedule is not considered eligible as an historic, the airline must file a new slot allocation request if the intention is to continue to operate the schedule.

The SHL message from the coordinator may contain clearances which are eligible for historic $\triangle$ precedence but have conditions attached. For example if an airport has adjusted it's night curfew regulations from the previous equivalent season and the aircraft type used in the previous season is now excluded from operating in the curfew period. When this occurs the data line will be preceded with Action Code **T** and the message SI text will be used to advise the airline the conditions attached to the clearance.

Example of Action Code T in SHL message

```
SHL
/HISTAZ
W03
10APR
AMS
T AZ7101 29OCT24MAR 0030000 131M80 2210FCO C
SI AZ7101 M80 NO LONGER OK FOR NIGHT OPERATION STP SEE NEW CURFEW RULES
```

6.8.1.2 Airline Procedures for Filing for a New Season

In order to maintain or modify historic slots and/or to request new slot allocations, the airline will use the following filing procedures with the appropriate Action Codes or combination of Action Codes in an SCR Message:

FILING PROCEDURE	ACTION CODE(S)
Maintain Historic Schedule	F
Modify Historic Schedule	
• Offers acceptable	C and R or M and R
• Offers not acceptable	C and L or M and L
• Continuation from previous adjacent Season – offers acceptable	C and I or M and Ir
New Schedule	N
New Schedule with New Entrant Status	B
New Schedule with New Entrant Status with year round status – Continuation from previous adjacent Season	V
New Schedule with year round Status – Continuation from previous adjacent Season	Y

Code **N** cannot be used to file existing clearances holding historic precedence.

Action Code **F** must be used when maintaining status quo for existing historic.

When filing for changes to historic, Action Code combinations **C/I**, **C/L**, **C/R**, **M/I**, **M/L**, **M/R** shall be used.

Under no circumstances shall these transactions be used to expand Day(s) and/or Period of Operation.

They may, however, be used to contract Day(s) and/or Period of Operation.

When filing to maintain or modify historic using the **F**, **C/L**, **C/R**, **C/I**, **M/I**, **M/L** or **M/R** procedures, airlines should base their filings on the **H** data line from the SHL.

When filing to modify historic issued with conditions using the **C/R**, **C/I**, **M/R** or **M/I** procedures, airlines should base their filings on the **T** data line from the SHL.

Arrival and departure flights from different **H** data lines may not be combined unless unlinked **H** data lines are being used.

Action Codes **V** or **Y** must be used to file for a new series of slot allocations operated in the previous **adjacent** Season.

Action Codes **B** or **N** must be used to file for either a new series of slot allocations or for slot allocations on individual dates.

When filing changes or new requests with the above Action Codes (except **C/L**, **M/L** or **F**), airlines may use the Timing Flexibility Identifier and/or Supplementary Information (SI) lines to indicate the range of timings for acceptable offers.

It is recommended that airlines file separate messages when using the SI line or Timing Flexibility Identifier.

Note: *Since the flight number may be used to identify slot allocations (clearances) in some coordinator systems, system problems may be encountered when a flight number is changed.*

6.8.1.3 Maintain Historic Schedule

F Procedure

The airline uses the historic eligibility information provided by the coordinator as the basis for filing schedules for the forthcoming equivalent Season and as the right to continue operating the historic schedules.

Each schedule must be filed with a SCR message using Action Code **F** to replace the Action Code **H** data line provided in the SHL message.

Coordinators may bilaterally agree with an airline to accept filings using Action Code **F** that include modifications to the **H** data line. These modifications cannot be capacity relevant items. Examples of non capacity items are change of aircraft type (when non-capacity relevant) and/or reduction in number of seats.

Slot allocation requests using Action Code **F** will always be validated by the coordinator to ensure the correct application of the code.

Example

```
SHL
/CPH1004AF
W03
10APR
CPH
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
HAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ

SCR
/AF1005CPH
W03
10MAY
CPH
FAF802 AF810 260CT27MAR 1234567 245AB3 FCONCE0910 1030LHRMAN JJ
FAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ
```

When the airline requested that its historic be unlinked in order to change the schedule, the airline submits a SCR message with Action Code **F** to confirm that the historic are to remain unlinked.

When the airline chooses to maintain unlinked flights, the coordinator cannot guarantee that the minimum or maximum ground times of the airline will be respected in the final result on the SAL.

Example of confirmation of unlinked historics

```

SHL
/CPH1004AF
W03
10APR
CPH
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
HAF808 260CT27MAR 1234567 126733 MRS1855 J
H AF812 260CT27MAR 1234567 126733 2010FRA J

SCR
/AF1005CPH
W03
10MAY
CPH
FAF802 AF810 260CT27MAR 1234567 245AB3 FCONCE0910 1030LHRMAN JJ
FAF808 260CT27MAR 1234567 126733 MRS1855 J
F AF812 260CT27MAR 1234567 126733 2010FRA J

```

6.8.1.4 Modify Historic Schedule

C/R or M/R Procedure — Offers Acceptable

An airline may use the **C/R** or **M/R** procedure to request changes to the historic schedule.

The use of **C/R** or **M/R** indicates to the coordinator that the airline will accept offers and that the historic precedence can be replaced by the clearance being offered.

When using the **C/R** or **M/R** procedure to request changes to historics, the airline is entitled to maintain the historic if the request is only to change non-capacity relevant items.

Also, when using the **C/R** or **M/R** procedure, airlines are advised to refer to the guidelines (Section 6.8.2) established by the coordinators to evaluate the airline requests.

For each schedule to be changed, the airline submits a SCR message with:

- a data line with Action Code C or M to identify the clearance on hold (i.e. the historic);
- one or more data lines with Action Code R to indicate the revised slot allocation request.

The airline may indicate a range of acceptable timings using either the Timing Flexibility Identifier or the SI (Supplementary Information) line.

Examples

```

SHL
/AF1004CPH
W03
10APR
CPH
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

```

SCR
 /AF1005CPH
 W03
 10MAY
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ
 or
 SCR
 /AF1005CPH
 W03
 10MAY
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT31DEC 1234567 290AB3 FCONCE0920 1050LHRMAN JJ
 / FA.09100940 FD.10301115/
 RAF802 AF810 01JAN27MAR 1234567 287AB4 FCONCE0920 1050LHRMAN JJ
 / FA.09100940 FD.10301115/
 SI ALL UTC
 or
 SCR
 /AF1005CPH
 W03
 10MAY
 CPH
 MAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0800 0920LHRMAN JJ

When the airline requested that its historics be unlinked in order to change the schedule, the airline submits a SCR message with:

- data lines with Action Code C or M to identify the unlinked arrival and departure clearances on hold (i.e. the appropriate unlinked arrival and departure historics);
- one or more data lines with Action Code R to indicate the revised slot allocation request(s). The revised slot allocation request can be submitted either as linked or unlinked flights.

When the airline chooses to maintain unlinked flights, the coordinator cannot guarantee that the minimum or maximum ground times of the airline will be respected in the final result on the SAL.

Example of relinking of unlinked historics

```

SHL
/HISTAZ
W03
10APR
AMS
HAZ100 260CT27MAR 1234567 131M80 FC00800 J
HAZ102 260CT27MAR 1235467 075ER4 MXP0810 J
H AZ101 260CT27MAR 1234567 131M80 0910FC0 J
H AZ103 260CT27MAR 1235467 075ER4 0900MXP J

SCR
/AZSUB
W03
11MAY
AMS
CAZ100 260CT27MAR 1234567 131M80 FC00800 J
C AZ103 260CT27MAR 1234567 075ER4 0900MXP J
RAZ100 AZ101 260CT27MAR 1234567 171321 FC00800 0900FC0 JJ
CAZ102 260CT27MAR 1234567 075ER4 MXP0810 J
C AZ101 260CT27MAR 1234567 131M80 0910FC0 J
RAZ102 AZ103 260CT27MAR 1234567 131M80 MXP0810 0910MXP JJ

```

C/L or M/L Procedure — Offers Not Acceptable

An airline may use the **C/L** or **M/L** procedure to request changes to the historic schedule.

The use of **C/L** or **M/L** indicates to the coordinator that the airline will retain the historic precedence if the requested slot allocation cannot be confirmed.

When using the **C/L** or **M/L** procedure to request changes to historics, the airline is entitled to maintain the historic if the request is only to change non-capacity relevant items.

For each schedule to be changed, the airline submits a SCR message with:

- a data line with Action Code **C** or **M** to identify the clearance on hold (i.e. the historic);
- one or more data lines with Action Code **L** to indicate the revised slot allocation request.

Example

```

SHL
/CPH10004AF
W03
10APR
CPH
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

```



```

SCR
/AF1005CPH
W03
10MAY
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
LAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

```

An airline can request that its historics be unlinked in order to change the schedule.

For details and examples, refer 6.8.1.4 Modify Historic Schedule C/R or M/R Procedure — Offers Acceptable replacing Action Code **R** with Action Code **L**.

C/I or M/I Procedure — Continuation from Previous Adjacent Season — Offers Acceptable

An airline uses the **C/I** or **M/I** procedure to change a schedule operated in the previous **adjacent** Season into a schedule to be operated on a year-round basis.

All provisions of the **C/R** or **M/R** procedure are applicable to the **C/I** or **M/I** procedure.

Extension of the frequencies or to the Period of Operation is not permitted when using **C/I** or **M/I** combinations prior to the Schedules Conference (SC).

For each schedule to be changed, the airline submits a SCR message with:

- a data line with Action Code C or M to identify the clearance on hold (i.e. the historic);
- one or more data lines with Action Code I to indicate the revised slot allocation request.

Furthermore, the airline may indicate within the SI (Supplementary Information) data line whether the schedule is a continuation from the previous Season in:

- UTC or Local Time at the coordinated airport;

or

- Local Time at the origin airport;

or

- Local Time at the destination airport.

Example

```

SHL
/CPH1004AF
W03
10APR
CPH
HAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ

SCR
/AF1005CPH
W03
10MAY
CPH
CAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ
IAF808 AF812 260CT27MAR 1234567 126733 MRS1845 1955FRA JJ
SI CONTINUATION FROM PREVIOUS SEASON IN LOCAL TIME
ALL TIMES ARE UTC

```

An airline can request that its historics be unlinked in order to change the schedule.

For details and examples, refer 6.8.1.4 Modify Historic Schedule: C/R or M/R Procedure — Offers Acceptable replacing Action Code **R** with Action Code **I**.

C/R, C/I, M/R or M/I Procedure for Clearances Allocated with Conditions

An airline may use the **C/R, C/I, M/R or M/I** procedure to request changes to the historic schedule allocated with conditions in order to meet these conditions.

Example

```

SHL
/HISTAZ
W03
10APR
AMS
T AZ7101 29OCT24MAR 0030000 131M80 2210FC0 C
SI M80 NO LONGER OK FOR NIGHT OPERATION STP SEE NEW CURFEW RULES

SCR
/
W03
10APR
AMS
C AZ7101 29OCT24MAR 0030000 131M80 2210FC0 C
R AZ7101 29OCT24MAR 0030000 130320 2210FC0 C
SI AIRCRAFT CHANGE TO MEET NEW NIGHT CURFEW RULES

```

6.8.1.5 New Schedules and/or New Entrants Filings

New slot allocation requests using Action Codes **B**, **N**, **V** and **Y** will always be validated by the coordinator to ensure the correct application of the codes.

N Procedure – New Schedule

An airline uses the **N** procedure to request a slot allocation for an entirely new service (i.e. one that not been previously operated) or for a schedule without any historic precedence.

For each new slot allocation request, the airline submits a SCR message with:

- a data line with Action Code **N** to identify the required slot allocation;
- or
- a data line with Action Code **N** to identify the required slot allocation with;
- either an optional additional data line to indicate the Timing Flexibility range;
- and/or optional SI data lines(s) to indicate the timing range for acceptable offers.

Action Code **N** may also be used after the Schedules Conference to file ad-hoc requests for individual flights using the same procedures for flights operated on a regular basis.

Examples - Transit/Turnaround Flights

```

SCR
/BA1005FRA
W03
10MAY
FRA
NBA8127 BA8135 26OCT27MAR 1234567 190321 DUBMAN0855 0955LWGLA JJ

```

SCR
 /BA1005FRA
 W03
 10MAY
 FRA
 NBA8127 BA8135 260CT27MAR 1234567 190321 DUBMAN0855 0955LGWGLA JJ
 SI DEPARTURE TIMES BETWEEN 0940 AND 1010 OK

SCR
 /BA1005FRA
 W03
 10MAY
 FRA
 NBA8127 BA8135 260CT27MAR 1234567 190321 DUBMAN0855 0955LGWGLA JJ
 / FD.09401010/

SCR
 /BA1005FRA
 W03
 10MAY
 FRA
 NBA8127 BA8135 260CT27MAR 1234567 190321 DUBMAN0855 0955LGWGLA JJ
 / FD.09401010/
 SI DEPARTURE TIMES BETWEEN 0940 AND 1010 OK

Examples - Arrival Flight

SCR
 /DL110CT
 S04
 110CT
 MUC
 NDL076 11MAY 178762 CVGJFK0715 G

Examples - Departure Flight

SCR
 /DL250CT
 S04
 250CT
 FRA
 N BA963 10MAY 131733 1220BHXMAN G

B Procedure – New Schedule with New Entrant Status

An airline uses the **B** procedure to request a slot allocation for a new service to be operated under its new entrant status (i.e. less than 4 clearances) and that does not have any historic precedence.

→ Refer to WSG 6.8.1.4 and to, EEC N° 95/93 as amended by Regulation (EC) No 793/2004, (for European Airports) definition of new Entrant.

For each new slot allocation request, the airline submits a SCR message with:

- a data line with Action Code **B** to identify the required slot allocation;
- or
- a data line with Action Code **B** to identify the required slot allocation with;
- either an optional additional data line to indicate the Timing Flexibility range;
- and/or an optional SI data lines(s) to indicate the timing range for acceptable offers.

Example

→ Refer to N Procedure above and replace Action Code **N** with Action Code **B**.

V Procedure – New Schedule with New Entrant Status with Year Round Status (Continuation from previous adjacent Season)

An airline uses the **V** procedure to request a slot allocation for a new service to be operated under its new entrant status (i.e. less than 4 clearances) as a continuation of a service from the previous adjacent Season.

→ Refer to WSG 6.8.1.4 and to, EEC N° 95/93 as amended by Regulation (EC) No 793/2004, (for European Airports) definition of new Entrant.

For each new slot allocation request, the airline submits a SCR message with:

- a data line with Action Code **V** to identify the required slot allocation;
- or
- a data line with Action Code **V** to identify the required slot allocation with;
- either an optional additional data line to indicate the Timing Flexibility range;
- and/or an optional SI data lines(s) to indicate the timing range for acceptable offers.

The airline should indicate within the SI (Supplementary Information) data line whether the schedule is a continuation from the previous Season in:

- UTC or Local Time at the coordinated airport;

or

- Local Time at the origin airport;

or

- Local Time at the destination airport.

Example

→ Refer to N Procedure above and replace Action Code **N** with Action Code **V**.

Y Procedure New Schedule with year round status — (Continuation from previous adjacent Season)

An airline uses the **Y** filing procedure to request a new schedule to streamline its requested schedule with the schedule flown during the previous adjacent season.

For each new slot allocation request, the airline submits a SCR message with:

- a data line with Action Code **Y** to identify the required slot allocation;
- or
- a data line with Action Code **Y** to identify the required slot allocation with;
- either an optional additional data line to indicate the Timing Flexibility range;
- and/or an optional SI data lines(s) to indicate the timing range for acceptable offers.

Example

→ Refer to N Procedure above and replace Action Code **N** with Action Code **Y**.

6.8.2 Coordinator Response: Preliminary Slot Allocation (SAL)

Coordinators should acknowledge the receipt of the original slot allocation requests from an airline using the special SCR ACK message as specified in Section 6.8.9.

In order to evaluate a request to amend an historic schedule, the coordinator must take the following guidelines into consideration.

- Under no circumstances should the coordinator make offers that would place the airline in a less favourable position than the historic schedule on hold.

This means that, if the airline has not indicated a flexibility range in his submission, the coordinator should only offer clearances that are between the historic slot and the requested slot.

If the airline indicated a flexibility range in the request, the coordinator needs to take this into account and should not place the airline at a disadvantage because this information was included in the request.

- A daily service should not be given fragmented times unless the airline has indicated that this may be considered.

This may even occur within the flexibility range.

- If an improvement cannot be offered on one of the two legs of a turnaround flight, the historic timing should be reinstated for the entire turnaround flight.

The exception to this would be when the coordinator only has to make minor adjustments to the ground time in order to improve the proposed offers.

This must always be within the flexibility range indicated by the airline unless the airline has indicated otherwise in the SI data line.

Airlines are advised that extensions to the frequencies or to the period of operation are not allowed.

The coordinator will respond to the airline requests with a SAL message using relevant Action Codes to advise the airline of the action taken. SAL messages should be transmitted to the airlines at least 6 days before the start of the relevant SC.

If the historic eligibility or the slot allocation cannot be confirmed as requested, the coordinator will advise the airline using the appropriate Coordinator Reason Code(s) as listed in SSIM Appendix J and provided in the additional schedule information data line.

For data lines with combinations of Action Codes **U** and **T**, the coordinator should respond with separate lines for arrivals and departures — **unless** both arrivals and departures have the same Action Code.

For a data line where either the arrival or the departure of a linked flight cannot be confirmed the coordinator will use the Action Code appropriate to the non confirmed leg (either Action Code H or O) against the whole data line. The coordinator will indicate with coordinator reason code OK that the other leg of the flight is cleared as requested.

```
0EW881 EW882 05MAY27JUN 1234500 042AT3 NUE1135 1220NUE JJ
/ CA.OK CD.AA RD.1230/
```

For data lines where a combination of Action Codes H and O are applicable the coordinator will always use Action Code O.

Example

SAL
 /FRA0406ZZ
 W03
 04JUN
 FRA
 KZZ123 ZZ124 260CT27MAR 0030567 154734 TKU1200 1300TKU JJ
 / CA.NE CD.NE/
 OZZ500 ZZ501 260CT27MAR 1234567 180752 LHR1055 1200LHR JJ
 / CA.OK CD.T030/
 OZZ257 ZZ257 300CT28DEC 1204000 00073X DUSCGN2055 2155VIEKLU FF
 / RA.2105 RD.2200 CA.R030 CD.NA/
 UZZ187 14NOV 154734 MAN0850 0910MAN GP/ CA.UA CD.UA/

The following table summarises the possible coordinator responses.

COORDINATOR RESPONSE to AIRLINE REQUEST	ACTION CODE(S)
Maintain historic schedule (F)	K
Modify Historic Schedule	
• Offers acceptable (C/R, M/R)*	K, H, O, T
• Offers not acceptable (C/L, M/L)	K, H, T
• Continuation from previous adjacent Season – offers acceptable (C/I, M/I)*	K, H, O, T
New Schedule (N)	K, O, T, U
New Schedule with New Entrant Status (B)	K, O, T, U
New Schedule with New Entrant Status with year round status – Continuation from previous adjacent Season (V)	K, O, T, U
New Schedule with year round status – Continuation from previous adjacent Season (Y)	K, O, T, U

* In exceptional cases, Action Codes **H** and **O** can be combined with Action Code **U**.

6.8.2.1 Maintain Historic Schedule

Response to F Procedure

When an airline has advised that it will continue to operate the historic schedule(s) without any changes, the coordinator will confirm the historic clearances with a SAL message using Action Code **K**.

Example

```

SCR
/AF1005
W03
10MAY
CPH
FAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
FAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ

SAL
/CPH0806
W03
8JUN
CPH
REYT/AF1005
KAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
KAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ

```

6.8.2.2 Response to C/R or M/R and C/I or M/I Procedures – Offer Acceptable

Confirmation

When the coordinator can allocate the clearance as requested, this will be confirmed to the airline by a SAL message using Action Code **K**.

The historic precedence will be replaced by the new schedule **and** returned to the slot pool, i.e. the information in the **C or M** data line is replaced by the information in the **R or I** data lines.

Example

```

SHL
/CPHAF1004
W03
10APR
CPH
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

SCR
/AF1005
W03
10MAY
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

```

SAL
 /CPHAF0806
 W03
 8JUN
 REYT/AF1005
 CPH
 KAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

Offer

When the coordinator **cannot** allocate the clearance as requested, but **can** offer an acceptable clearance between the historic and the requested timings, this will be confirmed to the airline in a SAL message using Action Code **O**.

The historic precedence will be replaced by the new schedule **and** returned to the slot pool, i.e. the information in the **C or M** data line is replaced by the information in the **R or I** data lines.

The slot allocation request (**R or I** data line) will be automatically recorded in the coordinator's database for improvement.

In exceptional cases, Action Code **O** can be used in combination with Action Code **U** to indicate to the airline that slots have been cleared based on other capacity elements such as aircraft types.

Example

SCR
 /AF1005
 W03
 10MAY
 HEL
 CAF802 AF810 270CT29MAR 1234567 188321 CDG0910 1030LYSNCE JJ
 RAF802 AF812 270CT29MAR 1234567 126733 CDG0920 1050LYSNCE JJ
 SAL
 /HEL0806
 W03
 8JUN
 HEL
 REYT/AF1005
 OAF802 AF812 270CT29MAR 1234567 126733 CDG0915 1035LYSNCE JJ
 / CA.R010 CD.R020 RA.0920 RD.1050/

Holding

When the coordinator **cannot** allocate the clearance as requested and **cannot** offer an acceptable clearance within any timing parameters specified by the airline, the historic schedule, as stated in the associated **C or M** data lines will be maintained.

This will be confirmed to the airline by a SAL message using Action Code **H**.

The slot allocation request (**R, L or I** data line) will be automatically recorded in the coordinator's database for improvement.

In exceptional cases, Action Code **H** can be used in combination with Action Code **U** to indicate to the airline that slots have been cleared based on other capacity elements such as aircraft types.

Example

SCR
 /AF10MAY
 W03
 10MAY
 HEL
 CAF802 AF810 270CT29MAR 1234567 188321 CDG0910 1030LYSNCE JJ
 RAF802 AF812 270CT29MAR 1234567 188321 CDG0920 1050LYSNCE JJ
 SI WE ACCEPT OFFER FOR ARR BETWEEN 0910/0940 AND FOR DEP BETWEEN 1030/1115
 or
 SCR
 /AF10MAY
 W03
 10MAY
 HEL
 CAF802 AF810 270CT29MAR 1234567 188321 CDG0910 1030LYSNCE JJ
 RAF802 AF810 270CT29MAR 1234567 188321 CDG0920 1050LYSNCE JJ
 / FA.09100940 FD.10301115/
 SAL
 /HEL8JUN
 W03
 8JUN
 HEL
 REYT/AF10MAY
 HAF802 AF810 270CT29MAR 1234567 188321 CDG0910 1030LYSNCE JJ
 / CA.R010 CD.R020 RA.0920 RD.1050/

Allocated Subject to Conditions

When constraints or unusual circumstances are placed on the allocation of clearances, a coordinator may allocate a temporary clearance subject to the conditions being met.

This will be confirmed to the airline by a SAL message using Action Code **T**.

The temporary clearance may be cancelled if the conditions are not met.

If and when the conditions are met, the coordinator may either confirm the clearance using Action Code **K** or may offer a clearance within the acceptable range using Action Code **O**.

Example

SCR
 /AF10MAY
 W03
 10MAY
 HEL
 CAF808 AF812 270CT29MAR 1234567 126733 MRS2020 2150CDG JJ
 RAF808 AF812 270CT29MAR 1234567 126733 MRS2035 2205CDG JJ

SAL
 /HEL8JUN
 W03
 8JUN
 HEL
 REYT/AF10MAY
 TAF808 AF812 27OCT29MAR 1234567 126733 MRS2035 2205CDG JJ
 SI COORDINATED SUBJECT NIGHT QUOTA FINAL APPROVAL

Refusal

In exceptional cases and when Action Code **U** is used in combination with Action Codes **H** or **O** to indicate to the airline that slots have been cleared based on other capacity elements such as aircraft types, the **U** data line denotes the original request.

Example

SCR
 /SV10MAY
 W03
 10MAY
 BRU
 CSV802 SV810 27OCT29MAR 1234567 000M11 JED2055 2230JFK FF
 RSV802 SV812 27OCT29MAR 1234567 00074F JED2055 2230JFK FF
 SAL
 /BRU8JUN
 W03
 8JUN
 BRU
 REYT/AF10MAY
 HSV802 SV810 27OCT29MAR 1234567 000M11 JED2055 2230JFK FF
 USV802 SV812 27OCT29MAR 1234567 00074F JED2055 2230JFK FF
 SI AIRCRAFT NOT ALLOWED TO OPERATE DURING NIGHT CURFEW

6.8.2.3 Response to C/L or M/L Procedure – No Offer Acceptable

Confirm

When the coordinator can allocate the clearance as requested, this will be confirmed to the airline by a SAL message using Action Code **K**.

The historic precedence held by the airline will be replaced by the new schedule **and** returned to the slot pool. The information in the **C or M** data line is replaced by the information in the **L** data lines.

Example

```
SCR
/AF10MAY
W03
10MAY
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
LAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SAL
/CPH8JUN
W03
8JUN
CPH
REYT/SV10MAY
KAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
```

Holding

When the coordinator **cannot** allocate the clearance as requested within any timing parameters specified by the airline, the historic schedule, as stated in the associated **C** or **M** data lines, will be maintained.

This will be confirmed to the airline by a SAL message using Action Code **H**.

The slot allocation request (**L** data line) will be automatically placed in the coordinator's database for improvement.

Example

```
SCR
/AF10MAY
W03
10MAY
FRA
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
LAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SAL
/FRA8JUN
W03
8JUN
FRA
REYT/AF10MAY
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
/ CA.R060 CD.R060 RA.0850 RD.1010/
```

6.8.2.4 Response to New Schedule/New Entrant Requests

Confirm

When the coordinator can allocate the new clearance as requested, this will be confirmed to the airline by a SAL message using Action Code **K**.

Example

```
SCR
/AC10MAY
W03
10MAY
LHR
NAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ

SAL
/LHR8JUN
W03
8JUN
LHR
REYT/AC10MAY
KAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
```

Offer

When the coordinator cannot allocate the clearance as requested, the coordinator should offer the nearest available earlier or later slot. This will be confirmed to the airline by a SAL message using Action Code **O**.

The slot allocation request will be automatically recorded in the coordinator's database for improvement.

Example

```
SAL
/LHR8JUN
W03
8JUN
LHR
REYT/AC10MAY
OAC824 AC825 27OCT29MAR 1234567 292333 YUL0930 1625YUL JJ
/ CA.RA CD.RA RA.1030 RD.1725/
```

In exceptional cases, the coordinator may use Action Code **O** in combination with Action Code **U** to indicate that slot allocations were cleared on other capacity elements such as aircraft type. Refer to 'Refusal' below for procedures.

Allocated Subject to Conditions

When an airline has yet to meet the necessary provisions/permissions to operate a schedule, a coordinator may allocate a temporary clearance subject to the conditions being met.

This will be confirmed to the airline by a SAL message using Action Code **T**.

The temporary clearance may be cancelled if the conditions are not met.

Example

SAL
/LHR8JUN
W03
8JUN
LHR
TTTT024 YYY025 27OCT29MAR 1234567 292333 YOW1030 1725YOW JJ

Refusal

When the coordinator **cannot** allocate the clearance as requested and **cannot** offer any other choices, the airline will be advised that a clearance has **not** been allocated.

This will be confirmed to the airline by a SAL message using Action Code **U**.

The requested slot allocation will automatically be recorded in the coordinator's database for improvement.

Example

SAL
/REFER
W03
8JUN
LHR
UAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
/ CA.RA CD.RA/

6.8.3 Airline Action Prior To SC

The airline has the option to either accept the offers (Action Codes **H** and **O**) provided on the coordinator SAL or take no action so that all slot allocation requests are automatically placed in the coordinator's database for improvement.

Prior to the SC, airlines must advise the coordinator when existing clearances are no longer required.

The following table summarises the possible airline responses to the coordinator SAL.

AIRLINE RESPONSE to COORDINATOR SAL	ACTION CODE(S)
Modify Historic Schedule	
• Return to Historic (H) (C/R , C/I , C/L , M/R , M/I , M/L procedures)	A
• Offer (O) (C/R , C/I , M/R , M/I procedures)	A
• Delete (unwanted) schedule (K)	D
New Schedule	
• Offer (O) (B , N , V , Y procedures)	A
• Delete (unwanted) schedule (K)	D

The airline will confirm its acceptance of the clearance being offered (Action Code **O**) or being held (Action Code **H**) by responding to the coordinator with an SCR message using Action Code **A**.

The use of Action Code **A** by the airline indicates that it will not be seeking further improvement on the clearance offered.

If the airline does not respond to an offer (Action Codes **H** and **O**), the offer is considered as being accepted.

The slot allocation request is recorded in the coordinator's outstanding requests database.

Example

```

SCR
/AF10MAY
W03
10MAY
CPH
CAF808 AF812 27OCT29MAR 1234567 126733 MRS0920 1050FRA JJ
RAF808 AF812 27OCT29MAR 1234567 126733 MRS0935 1105FRA JJ
/ FA.09200950 FD.10501140/

SAL
/CPH8JUN
W03
8JUN
CPH
REYT/AF10MAY
0AF808 AF812 27OCT29MAR 1234567 126733 MRS0940 1135FRA JJ

SCR
/AF10JUN
W03
10JUN
CPH
REYT/CPH8JUN
AAF808 AF812 27OCT29MAR 1234567 126733 MRS0940 1135FRA JJ

```

If the coordinator was able to offer clearances both before and after the allocation request, the airline is expected to confirm its acceptance of one of the offers.

Example

```

SCR
/AF10MAY
W03
10MAY
CPH
CAF808 AF812 27OCT29MAR 1234567 126733 MRS0920 1050FRA JJ
RAF808 AF812 27OCT29MAR 1234567 126733 MRS0935 1105FRA JJ

```

SAL
 /CPH8JUN
 W03
 8JUN
 CPH
 REYT/AF10MAY
 OAF808 AF812 270CT29MAR 1234567 126733 MRS0930 1050FRA JJ
 / CA.R010 CD.R030 RA.0935 RD.1105/
 OAF808 AF812 270CT29MAR 1234567 126733 MRS0945 1135FRA JJ
 / CA.R010 CD.R030 RA.0935 RD.1105/
 SCR
 /AF10JUN
 W03
 10JUN
 CPH
 REYT/CPH8JUN
 AAF808 AF812 270CT29MAR 1234567 126733 MRS0945 1135FRA JJ

When, prior to the SC, an airline determines that it will not be operating the schedule either for an historic or a new clearance, the airline must advise the coordinator with an SCR message using Action Code **D**.

The airline is advised that, when using Action Code **D**, the clearance will be returned to the slot pool.

Example

SCR
 /AF10MAY
 W03
 10MAY
 CPH
 CAF808 AF812 270CT29MAR 1234567 126733 MRS0920 1050FRA JJ
 RAF808 AF812 270CT29MAR 1234567 126733 MRS0935 1105FRA JJ
 SAL
 /CPH8JUN
 W03
 8JUN
 CPH
 REYT/AF10MAY
 KAF808 AF812 270CT29MAR 1234567 126733 MRS0935 1105FRA JJ

SCR

/AF10JUN

W03

10JUN

CPH

REYT/CPH8JUN

DAF808 AF812 27OCT29MAR 1234567 126733 MRS0935 1105FRA JJ

Note: Use of Action Code *P* during the initial coordination procedures is implied if no action is taken by the airlines. This indicates that the clearance on offer is 'acceptable' but further improvement on the clearance will be sought. Until confirmation is provided by the airline, the coordinators will record the request in their outstanding requests database.

6.8.4 Coordinator Action Prior To SC

When an airline accepts an offer prior to the start of SC, the coordinator will confirm the clearance with an SCR using Action Code **K**.

If the airline has not responded to the offer(s) (Action Codes **H** and **O**) nor contacted the coordinator at SC, the coordinator will automatically confirm the offer on the third day of SC.

The original slot allocation request is placed in the coordinators outstanding request database for improvement.

If there was more than one offer for the same request and there has been no response from the airline, the coordinator will automatically confirm one of the offers and delete the others on the third day of SC.

The coordinator must confirm this action to the airline immediately after the close of SC with an SCR message.

If an airline advised the coordinator using Action Code **D** that it would not be operating the historic or a new schedule, the coordinator will confirm the cancellation of the clearance with an SCR message using Action Code **X**.


Note: Use of Action Code *P* during the Initial Coordination procedures is implied if no action is taken by the airlines. This indicates that the clearance on offer is 'acceptable' but further improvement on the clearance will be sought.

Until confirmation is provided, the coordinator will record the slot allocation request in its outstanding request database.

6.8.5 During or After the SC Coordination Procedures – Airline Filing Procedures

A diagram of the message exchange flows between airlines and coordinators during, or after SC, using the SCR message with relevant action codes is presented below.

During or After Schedules Conference (SCR Message)



An airline will use the following filing procedures with the appropriate Action Codes or combination of Action Codes in an SCR Message to request new slot allocations, to request amendments to existing clearances or to delete or eliminate existing clearances.

FILING PROCEDURE	ACTION CODE(S)
Modify Existing Clearances	
• Offers acceptable	C and R or M and R
• Offers not acceptable	C and L or M and L
• Continuation from previous adjacent Season – offers acceptable	C and I or M and I
New Schedule	N
New Schedule with New Entrant Status	B

FILING PROCEDURE	ACTION CODE(S)
New Schedule with New Entrant Status with year round status – Continuation from previous adjacent Season	V
New Schedule with year round status – Continuation from previous adjacent Season	Y
Delete Schedule	D
Eliminate Schedule	E

When filing changes or new requests with the above Action Codes (except **C/L**, **M/L**, **D** and **E**), airlines may use the Timing Flexibility Identifier and/or Supplementary Information (SI) lines to indicate the range of timings for acceptable offers.

It is recommended that airlines file separate messages when using the SI line or Timing Flexibility Identifier.

Note: Since flight numbers may be used to identify slot allocations (clearances) in some coordinator systems, system problems may be encountered when a flight number is changed using Action Codes **V** or **Y**.

6.8.5.1 Modify Existing Clearances

C/R or M/R Procedure – Offers Acceptable

An airline uses the **C/R** or **M/R** procedure to request changes to existing clearances.

The request may include both capacity relevant and non-capacity relevant items.

The use of **C/R** or **M/R** indicates to the coordinator that the airline will accept offers and that the existing clearance can be replaced by the clearance being offered.

For each clearance to be changed, the airline submits a SCR message with:

- a data line with Action Code **C** or **M** to identify the existing clearance;
- one or more data lines with Action Code **R** to indicate the revised slot allocation request.

The airline may indicate a range of acceptable timings using either the Timing Flexibility Identifier or the SI (Supplementary Information) line.

Example

```
SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ
```

or

SCR

/AF1506

W03

15JUN

CPH

CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

RAF802 AF810 260CT31DEC 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

/ FA.09100940 FD.10301115/

RAF802 AF810 01JAN27MAR 1234567 287AB4 FCONCE0920 1050LHRMAN JJ

/ FA.09100940 FD.10301115/

SI ALL UTC

Example – Change in Timings

SCR

/AF1506

W03

15JUN

CPH

CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

C/L or M/L Procedure – Offers Not Acceptable

An airline uses the **C/L** or **M/L** procedure to request changes to existing clearances.

The use of **C/L** or **M/L** indicates to the coordinator that the airline will retain the existing clearance **if** the requested slot allocation cannot be confirmed.

For each schedule to be changed, the airline submits a SCR message with:

- a data line with Action Code **C** or **M** to identify the existing clearance;
- one or more data lines with Action Code **L** to indicate the revised slot allocation request.

Example

SCR

/AF1506

W03

15JUN

CPH

CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

LAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

C/I or M/I Procedure – Continuation from Previous Adjacent Season – Offers Acceptable

An airline uses the **C/I** or **M/I** procedure to change a schedule operated in the previous **adjacent** Season into a schedule to be operated on a year-round basis.

The request may include both capacity relevant and non-capacity relevant items.

All provisions of the **C/R** or **M/R** procedure are applicable to the **C/I** or **M/I** procedure.

For each schedule to be changed, the airline submits a SCR message with:

- a data line with Action Code **C** or **M** to identify the existing clearance;
- one or more data lines with Action Code **I** to indicate the revised slot allocation request.

Furthermore, the airline may indicate within the SI (Supplementary Information) data line whether the schedule is a continuation from the previous Season in:

- UTC or Local Time at the coordinated airport;

or

- Local Time at the origin airport;

or

- Local Time at the destination airport.

Example

```
SCR
/AF1506
W03
15JUN
CPH
CAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ
IAF808 AF812 260CT27MAR 1234567 126733 MRS1845 1955FRA JJ
SI CONTINUATION FROM PREVIOUS SEASON IN LOCAL TIME
```

Example – Change in Timings

```
SCR
/AF1506
W03
15JUN
CPH
CAF808 AF812 260CT27MAR 1234567 126733 MRS1855 2010FRA JJ
IAF808 AF812 260CT27MAR 1234567 126733 MRS1845 1955FRA JJ
SI CONTINUATION FROM PREVIOUS SEASON IN LOCAL TIME
```

Example – Change in Timings and Non-Capacity Relevant Item

```
SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
IAF802 AF810 260CT27MAR 1234567 290AB3 NAPNCE0850 1010LHRLHR JJ
```

Modify a clearance previously allocated subject to conditions

An airline may use one of above procedures to request changes to existing clearances that have been allocated subject to conditions. The request may include both capacity relevant and non-capacity relevant items.

For each clearance to be changed, the airline submits a SCR message with:

- a data line with Action Code **C** or **M** to identify the existing clearance held subject to conditions;
- one or more data lines with Action Code **R**, **L** or **I** to indicate the revised slot allocation request.

The airline may indicate a range of acceptable timings using either the Timing Flexibility Identifier or the SI (Supplementary Information) line.

6.8.5.2 New Schedules and/or New Entrants

An airline will use the following filing procedures with the appropriate Action Codes or combination of Action Codes in an SCR Message to request new slot allocations.

Slot allocation requests using Action Codes **B**, **N**, **V** and **Y** will always be validated by the coordinator to ensure the correct application of the codes.

→ Refer to New Schedules and/or New Entrants Procedures in the Initial Coordination Procedures above for details and examples.

6.8.5.3 Delete Schedules

An airline uses the **D** procedure to delete an existing clearance.

Example

```
SCR
/SR1509
W03
15SEP
FRA
DLX700 LX701 01NOV30NOV 1234567 129319 ZRH0915 0955ZRH JJ
```

6.8.5.4 Eliminate Schedules

An airline uses the **E** procedure to permanently delete (eliminate) all clearances on a general level for a Season or to eliminate specific flights.

Airlines are cautioned to use this Action Code correctly to avoid losing their clearances.

Example

```
SCR
/LH1610
W03
16OCT
PER
ELH LH
SCR
/LH1710
W03
17OCT
CDG
ELH116 LH117
```

6.8.6 During or After the SC Coordination Procedures – Coordinator Response to Airline Filing

The coordinator will use the following filing procedures with the appropriate Action Codes or combination of Action Codes in an SCR Message to respond to requests for new slot allocations, requests to amend existing clearances or requests to delete or eliminate existing clearances.

COORDINATOR RESPONSE to AIRLINE REQUEST	ACTION CODE(S)
Modify Existing Clearances	
• Offers acceptable (C/R , M/R)	H/U , H/U/O , X/K , X/T
• Offers not acceptable (C/L , M/L) H/O*: only to be used in exceptional cases	H/O* , H/U , X/K , X/T
• Continuation from previous adjacent Season — offers acceptable (C/I , M/I)	H/U , H/U/O , X/K , X/T
New Schedule (N)	K , P , T , U , U/O
New Schedule with New Entrant Status (B)	K , P , T , U , U/O
New Schedule with New Entrant Status with year round status – Continuation from previous adjacent Season (V)	K , P , T , U , U/O
New Schedule with year round status – Continuation from previous adjacent Season (Y)	K , P , T , U , U/O
Delete Schedule (D)	X
Eliminate Schedule (E)	X

6.8.6.1 Response to C/R or M/R and C/I or M/I Procedures – Offer Acceptable

Confirmation

When the coordinator can allocate the clearance as requested, this will be confirmed to the airline by a SCR message using Action Codes **X** and **K**.

The previous clearance will be replaced by the new clearance **and** returned to the slot pool. The information in the **R** or **I** data lines replaces the information in the **C** or **M** data line.

The cancellation of the existing clearance is confirmed to the airline by using Action Code **X**. The new clearance is confirmed by using Action Code **K**.

Example

```
SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

SCR
/CPHAF1806
W03
18JUN
CPH
REYT/AF1506
XAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
KAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ
```

Holding — Offer Possible

When the coordinator **cannot** confirm the slot allocation requests but can make an offer, the existing clearances will be maintained until the offer is accepted, or refused by the airline. If the airline has not responded to the offer within 3 business days, the coordinator will advise the offer is no longer valid and that the existing clearance has been maintained.

The airline will be advised of the offer(s) using a combination of Action Codes **H**, **U** and **O** where:

- Action Code **H** is used to identify the existing clearance and is the first data line in the SCR;
- Action Code **U** is used to identify the slot allocation request;
- Action Code **O** is used to identify the offer(s) being made.

The coordinator should offer the nearest available earlier or later timing and this will be advised to the airline using one **O data line**.

The coordinator may make offers **before and after** the slot allocation request and these will be advised to the airline using two **O data lines**.

The slot allocation request (**R** data line) will be automatically recorded in the coordinator's outstanding requests database for improvement.

Example

```
SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
```

Offer possible

SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ

Offers possible before and after Request

SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

Holding — No Offer Possible

When the coordinator **cannot** confirm the slot allocation requests and cannot make a reasonable offer, the existing clearances will be maintained.

Action Code **H** is used to identify the existing clearance and Action Code **U** is used to advise that the slot allocation request cannot be confirmed.

The slot allocation request (**R** data line) will be automatically recorded in the coordinator's outstanding requests database for improvement.

Example

SCR
 /AF1506
 W03
 15JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ


```

SCR
/CPH1806
W03
18JUN
CPH
REYT/AF1506
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

```

When a slot allocation request included both capacity and non-capacity relevant items and the coordinator is unable to clear the requested slot allocation request and cannot make a reasonable offer, the coordinator will reply with an offer equal to the timings of the existing clearance.

Such an offer will reflect changes in any capacity non-relevant items.

Action Code **H** is used to identify the existing clearance and is the first data line in the SCR.

Action Code **U** is used to identify the slot allocation request and is used in conjunction with Action Code **O** to identify the offer being made at the timings of the existing clearance.

Example

```

SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 NAPNCE0850 1010LHRLHR JJ

SCR
/CPH1806
W03
18JUN
CPH
REYT/AF1506
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
UAF802 AF810 260CT27MAR 1234567 290AB3 NAPNCE0850 1010LHRLHR JJ
OAF802 AF810 260CT27MAR 1234567 290AB3 NAPNCE0910 1030LHRLHR JJ

```

6.8.6.2 Response to C/L or M/L Procedure; No Offer Acceptable

Confirmation

When the coordinator can allocate the clearance as requested, this will be confirmed to the airline by a SCR message using Action Codes **X** and **K**.

The previous clearance will be replaced by the new clearance **and** returned to the slot pool. The information in the **L** data lines replaces the information in the **C or M** data line.

The cancellation of the existing clearance is confirmed to the airline by using Action Code **X**. The new clearance is confirmed by using Action Code **K**.

Example

```

SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
LAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

SCR
/CPHAF1806
W03
18JUN
CPH
REYT/AF1506
XAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
KAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

```

Holding

When the coordinator **cannot** confirm the slot allocation requests, the existing clearances will be maintained.

Action Code **H** is used to identify the existing clearance and Action Code **U** is used to advise that the slot allocation request cannot be confirmed.

The slot allocation request (**L** data line) will be automatically recorded in the coordinator's outstanding requests database for improvement.

Example

```

SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
LAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SCR
/CPH1806
W03
18JUN
CPH
REYT/AF1506
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

```

6.8.6.3 Response to Modify a Clearance Previously Allocated Subject to Conditions

When a coordinator can allocate a revised clearance as requested but the original condition(s) for allocation continue to exist or new one(s) become appropriate this will be confirmed to the airline by an SCR message using Action Codes **X** and **T**.

Example

SCR
 /AF1806
 W03
 18JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE2110 2230LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE2220 2350LHRMAN JJ

 SCR
 /CPHAF1806
 W03
 18JUN
 CPH
 REYT/AF1506
 XAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE2110 2230LHRMAN JJ
 TAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE2220 2350LHRMAN JJ
 SI SLOTS SUBJECT TO SUFFICIENT NIGHT NOISE QUOTA BEING AVAILABLE

6.8.6.4 Response to New Schedule/New Entrant Requests

Confirm

When the coordinator can allocate the new clearance as requested, this will be confirmed to the airline by a SCR message using Action Code **K**.

Example

SCR
 /AC1506
 W03
 15JUN
 LHR
 NAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ

 SCR
 /LHR1806
 W03
 18JUN
 LHR
 REYT/AC1506
 KAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ

Unable — Offer Possible

When the coordinator **cannot** allocate the requested slot allocations but can make an offer, this will be confirmed to the airline using a combination of Action Codes **U** and **O** where;

- Action Code **U** is used to identify the slot allocation request and is the first data line in the SCR;
- Action Code **O** is used to identify the offer(s) being made.

The coordinator should offer the nearest available earlier or later timing and this will be advised to the airline using one **O data line**

The coordinator may make offers **before and after** the slot allocation request and these will be advised to the airline using two **O data lines**.

The slot allocation request (**N data line**) will be automatically recorded in the coordinator's outstanding requests database for improvement.

Example

```
SCR
/AC1506
W03
15JUN
LHR
NAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
```

Offer possible

```
SCR
/LHR1806
W03
18JUN
LHR
REYT/AC1506
UAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
OAC824 AC825 27OCT29MAR 1234567 292333 YUL1100 1745YUL JJ
```

Offers possible before and after Request

```
SCR
/LHR1806
W03
18JUN
LHR
REYT/AC1506
UAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
OAC824 AC825 27OCT29MAR 1234567 292333 YUL1015 1700YUL JJ
OAC824 AC825 27OCT29MAR 1234567 292333 YUL1100 1745YUL JJ
```

Pending

When the requested slot allocation has been offered to another airline, the coordinator will advise the (requesting) airline that action on its request is dependent on the acceptance or refusal of the offer by the other airline. This will be advised to the (requesting) airline by a SCR message using Action Code **P**.

When the coordinator is able to action the request, he will advise the airline using the appropriate Action Code **K, T, U** or **U/O**.

Example

```
SCR
/AC1506
W03
15JUN
LHR
NAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ

SCR
/LHR1806
W03
18JUN
LHR
REYT/AC1506
PAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ
```

Allocated Subject to Conditions

When an airline has yet to meet the necessary provisions/permissions to operate a schedule, a coordinator may allocate a clearance on a temporary basis.

This will be confirmed to the airline by a SCR message using Action Code **T**.

The temporary clearance may be cancelled if the conditions are not met.

Example

```
SCR
/REFER
W03
18JUN
LHR
TAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ
```

Unable

When the coordinator **cannot** allocate the clearance as requested and **cannot** offer any other choices, the airline will be advised that a clearance has **not** been allocated.

This will be confirmed to the airline by a SCR message using Action Code **U**.

The requested slot allocation will be placed in the coordinator's outstanding requests database for improvement.

Example

```
SCR
/LHR1806
W03
18JUN
LHR
REYT/AC1506
UAC824 AC825 270CT29MAR 1234567 292333 YUL1030 1725YUL JJ
```

6.8.6.5 Response to D and E Procedures

Confirmation

The coordinator will confirm the deletion or elimination of clearances using Action Code **X**.

Example

```
SCR
/LX1509
W03
15SEP
FRA
DLX700 LX701 01NOV30NOV 1234567 129319 ZRH0915 0955ZRH JJ

SCR
/FRA16SEP
W03
16SEP
FRA
REYT/LX1509
XLX700 LX701 01NOV30NOV 1234567 129319 ZRH0915 0955ZRH JJ

SCR
/LH1610
W03
16OCT
PER
ELH LH

SCR
/PER1810
W03
18OCT
PER
REYT/LH1610
XLH111 LH112 26OCT27MAR 0000007 332744 FRAKUL0800 1800KULFRA JJ
XLH114 LH115 26OCT27MAR 0030000 332744 FRASIN0820 1835SINFRA JJ

SCR
/LH1710
W03
17OCT
CDG
ELH116 LH117
```

SCR
 /CDG1910
 W03
 190CT
 CDG
 REYT/LH1710
 XLH116 LH117 260CT27MAR 1234500 103735 MUC0800 0850MUC JJ
 XLH116 LH117 260CT27MAR 0000067 050CR1 MUC0800 0850MUC JJ

6.8.7 Airline Response During or After SC

The airline has the option to accept an offer (Action Code **A**), to decline an offer (Action Code **Z**) or to accept an offer but request improvement (Action Code **P**).

The following table summarises the possible airline responses to the coordinator offer.

AIRLINE RESPONSE to COORDINATOR OFFER	ACTION CODE(S)
Modify Existing Clearances	
• Offer (H/U/O) (C/R, M/R, C/I, M/I procedures)	A, P, Z
New Schedule/Entrant	
• Offer (U/O) (B, N, V, Y procedures)	A, P, Z

6.8.7.1 Modify Existing Clearances and New Schedule/Entrant

Acceptance

The airline will confirm its acceptance of (one of) the clearance(s) being offered by responding to the coordinator with an SCR message using Action Code **A**.

The use of Action Code **A** by the airline indicates that it will not be seeking further improvement on the clearance offered.

If the original request included changes to non-capacity items, acceptance of the offer by the airline results in these changes being actioned by the coordinator.

Example

SCR
 /AF1506
 W03
 15JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ
 SCR
 /AF2006
 W03
 20JUN
 CPH
 REYT/CPH1806
 AAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

Acceptance with Improvement

The airline will provisionally confirm its acceptance of (one of) the clearance(s) being offered by responding to the coordinator with an SCR message using Action Code **P**.

The use of Action Code **P** by the airline indicates that it will be seeking further improvement on the clearance offered and will expect, upon receipt of action code **P** from an airline, the coordinator to place the original slot allocation request in the coordinator's outstanding requests database.

If the original request included changes to non-capacity items, the provisional acceptance of the offer by the airline results in these changes being actioned by the coordinator.

Example

SCR
 /AF1506
 W03
 15JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

SCR
 /AF2006
 W03
 20JUN
 CPH
 REYT/CPH1806
 PAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

Decline Offer

The airline will decline offers by responding to the coordinator with an SCR message using Action Code **Z**.

The use of Action Code **Z** by the airline indicates that none of the offer(s) are acceptable.

Action Code **Z** must be used against all data lines with Action Code **O** when no offer has been accepted with Action Code **A**.

If the original request included changes to non-capacity items, these changes will not be actioned by the coordinator if the airline declines the offer.

For the **C/R**, **M/R**, **C/I** and **M/I** procedures, the existing clearance will be maintained.

The airline may opt to continue the **C/R**, **M/R**, **C/I** or **M/I** procedure with a new slot allocation request with different timings.

Example

SCR
 /AF1506
 W03
 15JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ

SCR
 /AF2006
 W03
 20JUN
 CPH
 REYT/CPH1806
 ZAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ

6.8.8 Coordinator Response During or After SC

The following table summarises the possible coordinator responses to the airline acceptance/declining of an offer or not replying.

COORDINATOR RESPONSE to AIRLINE ACCEPTANCE, DECLINE or NO RESPONSE to an OFFER	ACTION CODE(S)
Modify Existing Clearances (C/R, M/R, C/I, M/I procedures)	
• Acceptance (A)	X/K
• Acceptance with Improvement (P)	X/K
• Decline	H/X
• No Response	H/X
New Schedule/Entrant	
• Acceptance (A)	K
• Acceptance with Improvement (P)	K
• Decline	U/X
• No Response	U/X

6.8.8.1 Modify Existing Clearances (C/R, M/R, C/I, M/I procedures)

The coordinator will confirm the clearance accepted by the airline (Action Code **A**) or will maintain the clearance for improvement in its outstanding requests database (Action Code **P**) using Action Code **K** and the cancellation of the existing clearance using Action Code **X**.

All other offers for the same slot allocation request will be cancelled.

Example

```

SCR
/AF1506
W03
15JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SCR
/CPH1806
W03
18JUN
CPH
REYT/AF1506
HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

```

SCR
 /AF2006
 W03
 20JUN
 CPH
 REYT/CPH1806
 AAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

SCR
 /CPHAF2206
 W03
 23JUN
 CPH
 REYT/AF2006
 XAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 KAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0900 1020LHRMAN JJ

When an offer has been declined (Action Code **Z**), the coordinator will continue to maintain the outstanding request using Action Code **H** and will cancel the offer using Action Code **X**.

Example

SCR
 /AF1506
 W03
 15JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ

SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ

SCR
 /AF2006
 W03
 20JUN
 CPH
 REYT/CPH1806
 ZAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ

SCR
 /CPHAF2206
 W03
 23JUN
 CPH
 REYT/AF2006
 HAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 / CA.GA CD.GA RA.0850 RD.1010/
 XAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ

If the airline did not respond to the offer within 3 business days, the coordinator will advise the offers are no longer valid and that the existing clearance has been maintained.

Action Code **H** is used to confirm the existing clearance and Action Code **X** is used to confirm the cancellation of the offers.

The coordinator will use the SI line to advise that a response was not received within the specified time-frame.

SCR
 /CPH1806
 W03
 18JUN
 CPH
 REYT/AF1506
 HAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 UAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0850 1010LHRMAN JJ
 OAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ
 SCR
 /CPH2206
 W03
 23JUN
 CPH
 REYT/CPH1806
 HAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 XAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0840 1000LHRMAN JJ
 SI DEADLINE TO RESPOND WAS 21 JUN

6.8.8.2 New Schedule/New Entrant

The coordinator will confirm the clearance accepted by the airline (Action Code **A**) or will maintain the clearance for improvement in its outstanding requests database (Action Code **P**) using Action Code **K**.

All other offers for the same slot allocation request will be cancelled.

Example

```

SCR
/AC1506
W03
15JUN
LHR
NAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ

SCR
/LHR1806
W03
18JUN
LHR
REYT/AC1506
UAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
OAC824 AC825 27OCT29MAR 1234567 292333 YUL1015 1700YUL JJ

SCR
/AC2006
W03
20JUN
LHR
REYT/LHR1806
PAC824 AC825 27OCT29MAR 1234567 292333 YUL1015 1700YUL JJ

SCR
/LHR2206
W03
23JUN
LHR
REYT/AC2006
KAC824 AC825 27OCT29MAR 1234567 292333 YUL1015 1700YUL JJ

```

If the airline does not respond to an offer message within 3 business days, the coordinator will advise that the offers are no longer valid (Action Code **U** and **X**). The coordinator will use the SI line to notify the airline that a response was not received in the designated time frame. Further discussion between the airline and the coordinator should use the WCR procedures outlined in 6.12.3

Example

```
SCR
/LHR1806
W03
18JUN
LHR
REYT/AC1506
UAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
OAC824 AC825 27OCT29MAR 1234567 292333 YUL1015 1700YUL JJ

SCR
/LHR1806
W03
23JUN
LHR
REYT/AC1506
UAC824 AC825 27OCT29MAR 1234567 292333 YUL1030 1725YUL JJ
/ CA.GA CD.GA/
XAC824 AC825 27OCT29MAR 1234567 292333 YUL1015 1700YUL JJ
SI DEADLINE TO RESPOND WAS 21JUN
```

6.8.9 Acknowledgement of the Airline Filing by the Coordinator

Coordinators should acknowledge the receipt of the original slot allocation requests from an airline using the special SCR ACK message.

The ACK message will contain the complete schedule information data lines from the original request with Action Code **P** replacing Action Codes **B, F, I, L, N, R, V** or **Y**.

The Creator Reference Line will begin with a '/', followed by ACK and then the coordinator reference.

The Incoming Message Reference should repeat the creator reference and/or the time (stamp) from the original message.

If unable to provide a detailed ACK message, the coordinator should acknowledge receipt of the slot allocation requests using a SI line to confirm that the number of schedule information lines received. All data lines should be counted including any applicable C data lines.

Examples

SCR filing by the airline at 191105

```
SCR
/AYBRU001
S03
19SEP
BRU
FAY821 AY822 30MAR25OCT 1234567 141M82 HEL0630 0740HEL JJ
CAY823 AY824 30MAR25OCT 1234567 141M82 HEL1630 1740HEL JJ
LAY823 AY824 30MAR25OCT 1234567 141M82 HEL1640 1750HEL JJ
```

ACK message response from the coordinator

```
SCR
/ACK/S03AY001
S03
19SEP
BRU
REYT/AYBRU001/191105
PAY821 AY822 30MAR250CT 1234567 141M82 HEL0630 0740HEL JJ
PAY823 AY824 30MAR250CT 1234567 141M82 HEL1640 1750HEL JJ

or

SCR
/ACK/S03AY001
S03
20SEP
BRU
REYT/AYBRU001/191105
SI 3 DATA LINES RECEIVED
```

6.8.10 Action Code T – Conditions met/not met Coordinators Responses

When a coordinator has allocated a slot with conditions using Action Code **T** the airline will have a time frame to meet these conditions. If the conditions are met the coordinator will confirm the slot using Action Code **K**. If the airline is unable to meet the conditions within the given time frame, and following a discussion between parties, the coordinator may use Action Code **X** to cancel the slot allocation.

6.9 Use of Special Reference – //BLOCK or //SWAP

When the Special Reference facility //XX is used for //BLOCK or //SWAP in the SCR message, the coordinator should action either all the requested changes or action none of them.

This implies that the handling of the complete message by the Coordinator will be manual rather than automated.

//BLOCK — C/L, M/L, C/R or M/R Procedure to Exchange Arrival and Departure Clearances

An airport may provide the facility for airlines to exchange arrival and departure clearances.

The request to exchange arrival and departure clearances will be submitted by the airline to the coordinator in a SCR message using the Special Reference '//BLOCK' to ensure that all the transactions are processed as a whole.

If the whole transaction cannot be processed, the historic precedence must be maintained. △

The airline submits the request to the coordinator using Action Code **C** or **M** to identify the existing clearances to be exchanged and using Action Code **L** or **R** to identify the requested slot allocations.

If the coordinator can clear the exchange as requested, this will be confirmed to the airlines in a SCR message using Action **X** to indicate that existing clearance (**C** or **M** data line) has been deleted and using Action Code **K** to indicate the revised clearance (**L** or **R** data line).

Examples

Airline Request to Exchange an Arrival to a Departure Clearance

```

SCR
//BLOCK/AN150CT
W03
150CT
SYD
CAN123 260CT27MAR 1234567 211762 MEL0100 J
R AN124 260CT27MAR 1234567 123733 0100ADL J

SCR
/SYD180CT
W03
180CT
SYD
REYT/150CT
XAN123 260CT27MAR 1234567 211762 MEL0100 J
K AN124 260CT27MAR 1234567 123733 0100ADL J

```

Airline Request to Exchange of Transit/turnaround Clearances

```

SCR
//BLOCK/AN150CT
W03
150CT
SYD
CAN123 AN124 260CT27MAR 1234567 211762 MEL0100 0145BNE JJ
CAN125 AN126 260CT27MAR 1234567 123733 00L0015 0125ADL JJ
RAN125 AN224 260CT27MAR 1234567 211762 00L0015 0100ADL JJ
RAN223 AN124 260CT27MAR 1234567 123733 BNE0125 0145BNE JJ

SCR
/SYD180CT
W03
180CT
SYD
REYT/AN150CT
XAN123 AN124 260CT27MAR 1234567 211762 MEL0100 0145BNE JJ
XAN125 AN126 260CT27MAR 1234567 123733 00L0015 0125ADL JJ
KAN125 AN224 260CT27MAR 1234567 211762 00L0015 0100ADL JJ
KAN223 AN124 260CT27MAR 1234567 123733 BNE0125 0145BNE JJ

```

//BLOCK — D/N with C/L, M/I, C/R or M/R Procedures

When an airline submits an inter-dependent set of requests to exchange slots and to request new slot allocations and/or delete existing clearances, '//BLOCK' is used to indicate that the requests are to be processed as a total transaction.

If the coordinator cannot confirm one or more of the requests, status quo is maintained.

The airline submits the request to the coordinator using Action Code **C or M** to identify the existing clearances to be exchanged and using Action Code **L or R** to identify the requested slot allocations after the exchange.

Action Code **N** is used to request new slot allocations and Action Code **D** is used to delete existing clearances.

If the Coordinator cannot confirm all the requested changes, the **D** and **N** requests will not be actioned and the existing clearances (**C** data line) will be maintained.

```
SCR
//BLOCK
W03
150CT
FRA
DAY823 AY824 270CT29MAR 1234567 141M82 ARNHEL0650 0755ARNHEL JJ
CAY821 AY822 270CT29MAR 1234567 141M82 HEL0630 0740HEL JJ
LAY821 AY822 270CT29MAR 1234567 141M82 HEL0650 0755HEL JJ
CAY825 AY826 270CT29MAR 1234567 141M82 TKUAMS1120 1210AMSTKU JJ
LAY825 AY826 270CT29MAR 1234567 209757 TKUARN0630 0740ARNTKU JJ
NAY827 AY828 270CT29MAR 1234567 209754 TKUHEL1120 1210HELT KU JJ
```

//SWAP — C/L or M/L Procedure to Exchange Clearances

When two or more carriers wish to exchange existing clearances, the SCR **C/L** or **M/L** procedure will be used with the special message header reference '//SWAP'.

The request to exchange existing clearances will be submitted by each airline to the coordinator in a SCR message using Action Code **C or M** to identify the existing clearances and using Action Code **L** to identify the requested allocations after the exchange.

The coordinator will acknowledge the receipt of each request in a SCR message using Action **P** to indicate that the exchange is pending until the requests have been received from all the airlines involved.

If the coordinator can clear the exchange as requested, this will be confirmed to the airlines in a SCR message using Action **X** to indicate that existing clearance (**C or M** data line) has been deleted and using Action Code **K** to indicate the revised clearance (**L** data line).

If the coordinator cannot clear the requested exchange, the existing clearances (**C or M** data line) will be maintained.

Example

Airline Request to Exchange Existing Clearances

```
SCR
//SWAP/KL150CT
W03
150CT
FRA
CAY821 AY822 260CT27MAR 1234567 141M82 HEL0630 0740HEL JJ
CKL825 KL826 260CT27MAR 1234567 113733 AMS0650 0755AMS JJ
LAY821 AY822 260CT27MAR 1234567 141M82 HEL0650 0755HEL JJ
LKL825 KL826 260CT27MAR 1234567 113733 AMS0630 0740AMS JJ
```

Reply by the coordinator prior to receiving SCR from all requesting airlines

```
SCR
/FRA170CT
W03
150CT
FRA
REYT/KL150CT
PAY821 AY822 260CT27MAR 1234567 141M82 HEL0630 0740HEL JJ
PKL825 KL826 260CT27MAR 1234567 113733 AMS0650 0755AMS JJ
PAY821 AY822 260CT27MAR 1234567 141M82 HEL0650 0755HEL JJ
PKL825 KL826 260CT27MAR 1234567 113733 AMS0630 0740AMS JJ
SI PENDING SUBJECT TO RECEIVING MESSAGES FROM ALL AIRLINES CONCERNED
```

Response by the coordinator after receiving messages from all airlines involved

```
SCR
/FRA190CT
S98
190CT
FRA
REYT/AY160CT
XAY821 AY822 260CT27MAR 1234567 141M82 HEL0630 0740HEL JJ
XKL825 KL826 260CT27MAR 1234567 113733 AMS0650 0755AMS JJ
KAY821 AY822 260CT27MAR 1234567 141M82 HEL0650 0755HEL JJ
KKL825 KL826 260CT27MAR 1234567 113733 AMS0630 0740AMS JJ
```

6.10 Schedule Movement (SMA) Procedures

The Schedule Movement procedures defined in this Section are applicable at schedules facilitated airports (Level 2) and are undertaken by airlines and schedules facilitators.

These procedures comprise:

- the Schedule Movement Advice List (SAL) procedure for the exchange of schedule movement information before the SC;
- the Schedule Movement Advice (SMA) procedure to optimise schedule movements within the available airport capacity;
- This procedure may occur throughout the whole scheduling process.

The SMA procedure is used by airlines to submit schedule movement data to schedules facilitators (i.e. data collection agents or other entities such as an airline) at schedules facilitated airports.


Although these airports are not coordinated, information is required to manage the airport capacity in order to avoid the airport having to consider moving to Level 3 status.

Airlines operating, or intending to operate, to a Level 2 airport must submit their proposed schedules to the schedules facilitators within the time-frames defined in the WSG.

The standard Schedule Movement Advice (SMA) message is used to exchange schedules data.

A diagram of the message exchange flows between airlines and schedules facilitators with relevant action codes is presented below.

Note: For the purpose of assisting with future airport planning at Level 1 airports, the SMA message may be used to provide data to a Level 1 airport operator after the Schedules Conference using the Action Code **H** only.



6.10.1 SMA – Airline Filing Procedures

An airline will use the following filing procedures with the appropriate Action Codes or combination of Action Codes in an SMA message to request new schedule movements, to request amendments to existing schedule movements or to delete or eliminate existing schedule movements.

FILING PROCEDURE	ACTION CODE(S)
Modify Existing Schedule Movements	
• Offers acceptable	C and R
New Schedule	N
Delete Schedule	D
Eliminate Schedule	E

When filing changes or new requests with the above Action Codes, airlines may use the Timing Flexibility Identifier and/or Supplementary Information (SI) lines to indicate the range of timings for acceptable offers.

It is recommended that airlines file separate messages when using the SI line or Timing Flexibility Identifier.

6.10.1.1 New Schedule Movement

An airline uses Action Code **N** in a SMA message to request a new schedule movement.

The airline may indicate a range of acceptable timings using either the Timing Flexibility Identifier or the SI (Supplementary Information) line.

Example

```
SMA
/BD1406
W03
14JUN
EDI
NBD66 BD67 26OCT27MAR 0000567 190321 LHR1930 2150LHR JJ
```

6.10.1.2 C/R Procedure – Schedule Movement to be Changed

An airline uses the **C/R** procedure to request changes to existing schedule movements.

For each schedule movement to be changed, the airline submits a SMA message with:

- a data line with Action Code **C** to identify the existing schedule movement;
- one or more data lines with Action Code **R** to indicate the revised schedule movement request.

The airline may indicate a range of acceptable timings using either the Timing Flexibility Identifier or the SI (Supplementary Information) line.

Example

```
SMA
/EI1506
W03
16JUN
EDI
CEI265 EI272 26OCT27MAR 1234567 077146 BHX1245 1310BHX JJ
REI265 EI272 26OCT27MAR 1234567 077146 BHX1255 1330BHX JJ
```

6.10.1.3 Delete or Eliminate Schedules

An airline uses the **D** procedure to delete an existing schedule movement or the **E** procedure to permanently delete (eliminate) all schedule movements.

→ *Refer to New Schedules and/or New Entrants Procedures in the Initial Coordinator Procedures above for details.*

6.10.2 Schedules Facilitator Response to Airline SMA Request

The schedules facilitator uses the following filing procedures with the appropriate Action Codes or combination of Action Codes in a SMA Message to respond to requests for new schedule movements, requests to amend existing schedule movements or requests to delete or eliminate existing schedule movements.

SCHEDULES FACILITATOR RESPONSE to AIRLINE REQUEST	ACTION CODE(S)
Modify Existing Schedule Movements	
• Offers acceptable (C/R)	H/U/O, W, X/K, X/T
New Schedule (N)	K, U, U/O, W, T
Delete Schedule (D)	X
Eliminate Schedule (E)	X

6.10.2.1 Response to C/R Procedure – Offer Acceptable

Confirmation

When the schedules facilitator confirms the schedule movement as requested, this will be advised to the airline by a SMA message using Action Codes **X** and **K**.

The existing schedule movement will be replaced by the revised schedule movement. The information in the **R** data line replaces the information in the **C** data line.

The cancellation of the existing schedule movement is confirmed to the airline using Action Code **X**. The new schedule movement is confirmed using Action Code **K**.

Example

```

SMA
/EI1506
W03
15JUN
EDI
CEI265 EI272 260CT27MAR 1234567 077146 BHX1245 1310BHX JJ
REI265 EI272 260CT27MAR 1234567 077146 BHX1255 1330BHX JJ

SMA
/EDI1706
W03
17JUN
EDI
REYT/EI1506
XEI265 EI272 260CT27MAR 1234567 077146 BHX1245 1310BHX JJ
KEI265 EI272 260CT27MAR 1234567 077146 BHX1255 1330BHX JJ

```

Holding – Voluntary Re-Schedule Offer

When, the schedules facilitator **cannot** confirm the requested schedule movement but can offer, to the airline, an alternative movement time, the existing schedule movements will be maintained until the offer is accepted or refused by the airline.

The airline will be advised of the offer using a combination of Action Codes **H**, **U** and **O**.

The airline should endeavour to accept the alternative movement times offered in order to reduce operational delays and avoid the possibility of the airport changing to Level 3.

→ Refer to *Modify Existing Clearances Procedures — Coordinator Responses above for details and examples.*

The schedule movement request will automatically be placed in the schedules facilitator's database of outstanding requests for improvement.

Unable — Not confirmed

When the schedules facilitator **cannot** confirm the new schedule movement as requested, the airline will be advised by a SMA message using Action Code **U**.

The reason why the request cannot be confirmed may be due to factors such as an inadequate runway length for the type of aircraft operating the schedule.

The requested schedule movement is placed in the schedules facilitator's database of outstanding requests for improvement.

Example

```
SMA
/EDI1606
W03
14JUN
EDI
REYT/BD1406
UBD166 BD167 260CT27MAR 0000567 190321 LHR1930 2150LHR JJ
```

Allocated subject to conditions

When the schedules facilitator can confirm the new schedules movement as requested but subject to conditions, the airline will be advised by a SMA message is using Action Codes **X** and **T** and the SI Text will be used to advise the conditions.

Example

```
SMA
/ORKI966
W03
14JUN
ORK
CBD966 BD967 310CT26MAR 0000500 148733 CVT1930 2150CVT CC
RBD966 BD967 310CT26MAR 0000500 235752 CVT1930 2150CVT CC

SMA
/
W03
14JUN
ORK
REYT/ORK966
XBD966 BD967 310CT26MAR 0000500 148733 CVT1930 2150CVT CC
TBD966 BD967 310CT26MAR 0000500 235752 CVT1930 2150CVT CC
SI SUBJECT TO COMPLETION OF NEW STAND AS DISCUSSED
```

Once the conditions have been met the schedules movement will be confirmed by a SMA message using Action Code **K**. Should the conditions not be met the schedules facilitator will confirm the deletion of the schedules movement using Action Code **X** following discussion with the airline.

6.10.2.2 Response to New Schedule Movement Requests

Confirm

When the schedules facilitator can confirm the new schedule movement as requested, this will be advised to the airline by a SMA message using Action Code **K**.

Example

```
SMA
/BD1406
W03
14JUN
EDI
NBD066 BD067 26OCT27MAR 0000567 190321 LHR1930 2150LHR JJ

SMA
/EDI1606
W03
14JUN
EDI
REYT/BD1406
KBD066 BD067 26OCT27MAR 0000567 190321 LHR1930 2150LHR JJ
```

Unable — Voluntary Reschedule Offer

To avoid congestion at a Level 2 airport the schedules facilitator may offer to the airline the nearest available alternative movement times from those requested by the airline. The airline should endeavour to accept the alternative movement times offered in order to reduce operational delays and avoid the possibility of the airport to changing to Level 3.

The (voluntary) re-scheduled movement will be confirmed to the airline using Action Codes **U** and **O**.

→ *Refer to Coordinator Responses for New Schedule/New Entrant Procedures above for details and examples.*

The original schedule movement request will automatically be recorded on the schedules facilitator's database of outstanding requests for improvement.

Allocated subject to conditions

When the schedules facilitator can confirm the new schedules movement as requested but subject to conditions, the airline will be advised by a SMA message Action Code **T** and the SI Text will be used to advise the conditions.

Example

```
SMA
/ORK966
W03
14JUN
ORK
NBD966 BD967 31OCT26MAR 0000500 235752 CVT1930 2150CVT CC
```

SMA
/
W03
14JUN
ORK
REYT/ORK966
TBD966 BD967 31OCT26MAR 0000500 235752 CVT1930 2150CVT CC
SI SUBJECT TO COMPLETION OF NEW STAND AS DISCUSSED

Once the conditions have been met the airline will be confirmed by a SMA using Action Code **K**. Should the conditions not be met the schedules facilitator will confirm the deletion of the schedules movement using Action Code **X** following discussion with the airline.

6.10.2.3 Response to D and E Procedures

Confirmation

The schedules facilitator will confirm the deletion or the elimination of schedule movements using Action Code **X**.

6.10.3 Airline Response to Offers by Schedule Facilitator

The airline has the option to accept an offer (Action Code **A**), to decline an offer (Action Code **Z**) or to accept an offer but request improvement (Action Code **P**).

The following table summarises the possible airline responses to the schedules facilitator offers.

AIRLINE RESPONSE to SCHEDULES FACILITATOR OFFER	ACTION CODE(S)
Modify Existing Schedule Movements	
• Offer (H/U/O) (C/R procedure)	A, P, Z
New Schedule Movement	
• Offer (U/O)	A, P, Z

6.10.3.1 Modify Existing Schedule Movements and New Schedule Movements

Acceptance

The airline will confirm its acceptance of the schedule movement(s) being offered by responding to the schedules facilitator with a SMA message using Action Code **A**.

The use of Action Code **A** by the airline indicates that it will not be seeking further improvement on the schedule movement offered.

Acceptance with Improvement

The airline will provisionally confirm its acceptance of the schedule movement(s) being offered by responding to the schedules facilitator with a SMA message using Action Code **P**.

The use of Action Code **P** by the airline indicates that it will be seeking further improvement on the schedule movement offered and expects the schedules facilitator to maintain the original schedule movement request for improvement.

Decline Offer

The airline will decline offers by responding to the schedules facilitator with an SMA message using Action Code **Z**.

The use of Action Code **Z** by the airline indicates that the offers are not acceptable.

Action Code **Z** must be used against all data lines with Action Code **O** when no offer has been accepted with Action Code **A**.

When the airline cannot accept an offer from the schedules facilitator requested through the **C/R** procedure, the airline will operate at the time(s) as requested in the R data line.

→ *Refer to Modify Existing Clearances Procedures — Coordinator Responses above for details and examples replacing SCR with SMA as the message type.*

6.10.4 Schedules Facilitator Response

The following table summarises the possible schedules facilitator responses to the airline acceptance of an offer.

SCHEDULES FACILITATOR RESPONSE to AIRLINE ACCEPTANCE	ACTION CODE(S)
Modify Existing Schedule Movements (C/R procedure)	
• Acceptance (A) and Acceptance with Improvement (P)	X/K
• Decline (Z)	K
New Schedule Movement	
• Acceptance (A)	K
• Acceptance with Improvement (P)	K
• Decline (Z)	K

Modify Existing Schedule Movements (C/R procedure)

The schedules facilitator will confirm the clearance accepted by the airline (Action Code **A**) or will maintain the clearance for improvement in its outstanding requests database (Action code **P**) using Action code **K** and the cancellation of the existing schedule movement clearance using Action Code **X**.

All other offers for the same schedule movement request will be cancelled.

→ *Refer to Modify Existing Clearances Procedures — Coordinator Responses above for details and examples.*

New Schedule Movement

The schedules facilitator will confirm the clearance accepted by the airline (Action Code **A**) or will maintain the clearance for improvement in its outstanding requests database (Action Code **P**) using Action Code **K**.

All other offers for the same schedule movement request will be cancelled.

→ *Refer to Modify Existing Clearances Procedures — Coordinator Responses above for details and examples.*

6.10.5 Schedule Advice List (SAL) Procedures

The standard Schedule Advice List (SAL) procedures are for use by schedules facilitators before the SC to inform airlines operating at Level 2 airports that:

- their schedule movement submissions have been recorded in the schedule facilitator database;
- they have been requested to consider a voluntary schedule change;
- their schedule movement requests cannot be confirmed.

When the schedules facilitator cannot confirm a schedule movement request or requests a voluntary change to the schedule movement, the reason why this action is being undertaken must be explained using the Coordinator Reason Codes listed in Appendix J.

If there is no acceptable codes or if the coordinator uses Reason Code 'UA', the reason why the request could not be granted should be provided in a SI line.

The SI line should also be used to provide further information as necessary.

The schedules facilitators use the Schedule Advise List (SAL) message to provide each airline with the status of their schedule movement requests.

The following table summarises the actions that may be undertaken by the schedules facilitators.

SCHEDULES FACILITATOR RESPONSE to AIRLINE	ACTION CODE(S)
Confirmation	K
Offer Voluntary Reschedule Request	O
Not Confirmed	U

Confirm

When the schedules facilitator can confirm the schedule as requested, this will be advised to the airline using Action Code **K**.

This also indicates that the schedule data has been recorded in the schedules facilitator database.

Offer Voluntary Reschedule Request

When the schedules facilitator has requested the airline to consider changing its original schedule request, the re-scheduled offer is confirmed to the airline using Action Code **O**.

If, prior to or during SC, the airline accepts the revised schedule, this will be recorded in the schedules facilitator database.

If the airlines cannot accept the revised schedule, or does not respond or does not contact the schedules facilitator, then the schedules facilitator should record the original schedule request in its database and contact the airline.

Once contacted by the schedules facilitator, the airline must accept or decline the re-schedule offer.

If the Operator then agrees to the revised schedule, the original schedule request will be held by the schedules facilitator in order that the offer might be improved at a later date. The airline has the option to advise the schedules facilitator that it will not be seeking any improvement.

Not Confirmed

When a schedules facilitator cannot confirm the schedule request and does not record the schedule in the database, the airline will be advised using Action Code **U** together with the reason why the request could not be confirmed.

Exceptions

When using Action Codes **O** and **U**, the schedules facilitator should advise arrival and departure schedules on different lines unless both the arrival and departure have the same Action Code.

Example

The fictitious example below reflects pre-Schedules Conference SAL for Airline ZZ at BRE:

```
SAL
/AIRLINE ZZ
W03
04JUN
BRE
KZZ123 ZZ124 29OCT24MAR 0030567 154734 TKU1200 1300TKU JJ
KZZ500 29OCT24MAR 1234567 180752 LHR1055 J
O ZZ501 29OCT24MAR 1234567 180752 1155LHR J / CD.TA/
OZZ257 ZZ257 30OCT28DEC 1204000 00073X DUSCGN2100 2155VIEKLU FF
/ CA.RA CD.CF/
K ZZ258 03JAN21MAR 0030000 00073X 2355DUSCGN F
KZZ2986 ZZ2987 29OCT24MAR 0230000 35674C SINBKK1400 1500BKKSIN QQ
```

6.11 Slot and Schedule Information Request and Response Procedures

The Slot and Schedule Information Request and Response procedures defined in this Section are applicable at Coordinated (Level 3) and/or Schedules Facilitated (Level 2) airports and are undertaken by airlines, coordinators and schedules facilitators at a specified airport.

These procedures comprise:

- The Slot and Schedule Availability Query (SAQ) procedure allows an airline to investigate the possibility of amending existing clearances or adding new services without any definitive action being taken by the coordinator.
- This procedure may be used for the current season or the next coordinated season and may only be used at Level 3 airports.
- The Slot and Schedule Information Request and Reply (SIR) procedure allows an airline to request and receive the status of its clearances or schedule movements at the specified airport.

The SIR procedure also allows an airline to request and receive the status on clearances or schedule movements held by one or more airlines at the specified airport.

- These procedures comprise:
- The SIR procedure may only be used **after** the relevant SC and may be used at both Level 3 and Level 2 airports.
- The SIR procedure is **not** to be used by airlines during the period between the issuance of the SHLs and the start of a SC.
- The SIR procedure may also be used by a coordinator or schedules facilitator to advise an airline — on an unsolicited basis and at any time during or after the SC — the status of its clearances or schedule movements held at the specified airport.

Requests for information using the SAQ procedures will not be processed unless the airline designator in the Schedule Information data line is:

- either identical to the airline designator in the originator's Type B address;
- or corresponds to additional authorised teletype address or the 'generic' E-mail address as listed in SSIM Attachment 2 for the requesting airline.

Requests for information using the SIR procedures will not be processed unless the airline designator in the Schedule Information data line to an authorised teletype address or the 'generic' E-mail address as listed in SSIM Attachment 2.

Responses to Slot and Schedule Information requests must only be transmitted to the originator of the request as specified in the Type B/e-mail address in the Creator Reference.

Unsolicited Slot and Schedule Information originating from a coordinator or schedules facilitator must only be transmitted to the authorised teletype address or the 'generic' E-mail address of the airline holding the clearances or schedule movements at the specified airport.

The SIR message format allows for all combinations of request for information for:

- all flights (arrival, departure or transit/turnout);
- all airlines or a specific airline;
specific flight(s) for a specific airline;
- part of a Season;
- all days and/or times throughout the whole Season;
- specific the whole Season;
- days and/or times throughout the whole Season;
- specific days and/or times.

6.11.1 Slot and Schedule Availability Query (SAQ) Procedure

Airline Request for Information on New Slot Allocation

The airline submits a SAQ message to a coordinator using Action Code **N** to request availability information for a new slot allocation.

The request may be for a whole Season, part of a Season, all days of the week or specific days of the week and all combinations of these.

Example

```
SAQ
/EW1604
S03
16APR
BRU
NEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ
```

Airline Request for Information on Revised Clearance

The airline submits a SAQ message to a coordinator using a combination of Action Codes **C** and **R** to request availability information for a possible change to an existing clearance.

The **C** data line identifies the existing clearance and the **R** data line identifies the slot allocation request being considered.

Example

```
SAQ
/EW1704
S03
17APR
BRU
CEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
REW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ
```

Coordinator Response to Request for Availability Information

The coordinator will provide clearance availability information to the airline in a SAQ message using either Action Code **I** or a combination of Action Codes **H**, **U** and **I**.

The information provided by the coordinator is for information purposes only.

The coordinator may use the Coordinator Reason Codes listed in Appendix J to advise the airline of potential problems that could be encountered if a request to change an existing clearance is submitted.

Airlines must understand that there is **no** guarantee or obligation that the available clearance(s) advised in the SAQ message will be confirmed if and when the airline submits a formal request using the SCR procedures.

All possibilities as used in SCR requests using Action Codes **N** or **C/R** can be used for these requests for information.

When a clearance is available at the requested timings for a new slot allocation, the coordinator will advise the airline using Action Code **I**.

When a clearance is not available at the requested timings for a new slot allocation, the coordinator will advise the airline using Action Code **U**.

When a clearance is not available at the requested timings for a new slot but there is availability close to these requested timings, the coordinator will advise the airline using Action Code **U** to identify the requested timings and Action Code **I** on one or two data lines to indicate the potential available times.

When a clearance is available at the requested timings for a revised clearance, the coordinator will advise the airline using a combination of Action Codes **H** and **I**.

The existing clearance (**C** data line) is replaced by the **H** data line and the **R** data line is replaced by one or more **I** data lines.

When a revised clearance is not available at the requested timings but there is availability close to these requested timings, the coordinator will advise the airline using a combination of Action Codes **H**, **U** and **I** to indicate the potential availability:

- Action Code **H** is used to identify the existing clearance (**C** data line) and must precede **U** lines
- Action Code **U** is used to identify the requested revised clearance (**R** data line) and must precede any **I** lines
- Action Code **I** is used to identify the potential availability either before and/or after the requested timings.

If no reasonable clearance is available for a revised clearance, the coordinator will advise the airline using Action Codes **H** and **U** where the existing clearance (**C** data line) is replaced by the **H** data line and the **R** data line is replaced by the **U** data line.

Example — New Clearance Availability Request with Availability at Requested Timings

```
SAQ
/EW1604
S03
16APR
BRU
NEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ
```

SAQ
 /BRU1804
 S03
 18APR
 BRU
 REYT/EW1604
 IEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ

Example — New Clearance Availability Request with Reasonable Availability close to Requested Timings

SAQ
 /EW1604
 S03
 16APR
 BRU
 NEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ
 SAQ
 /BRU1804
 S03
 18APR
 BRU
 REYT/EW1604
 UEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ
 IEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1715 1800NUE JJ
 IEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1745 1830NUE JJ

Example — New Clearance Availability Request and no Reasonable Availability

SAQ
 /EW1604
 S03
 16APR
 BRU
 NEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ
 SAQ
 /BRU1804
 S03
 18APR
 BRU
 REYT/EW1604
 UEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1730 1815NUE JJ

Example — Revised Clearance Availability Request with Availability at Requested Timings

SAQ
/EW1704
S03
17APR
BRU
CEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
REW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ

SAQ
/BRU1704
S03
18APR
BRU
HEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
IEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ

Example — Revised Clearance Availability Request with Reasonable Availability close to Requested Timings

SAQ
/EW1704
S03
17APR
BRU
CEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
REW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ

SAQ
/BRU1704
S03
18APR
BRU
HEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
UEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ
IEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1115 1245NUE JJ
IEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1135 1220NUE JJ

Example — Revised Clearance Availability Request with No Reasonable Availability

SAQ
/EW1704
S03
17APR
BRU
CEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
REW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ

SAQ
/BRU1704
S03
18APR
BRU
HEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1055 1140NUE JJ
UEW881 EW882 05MAY27JUN 1234500 042AT3 NUE1130 1215NUE JJ

Use by Coordinator in SIR Procedures

Action Code U is used by a coordinator in the SIR procedures to advise an airline that a clearance has not been allocated.

SIR
/LHR1806
W05
23SEP
LHR
UAC824 AC825 30OCT25MAR 1234567 292333 YUL0800 1245YUL JJ
/ CA.GA CD.GA/

6.11.2 Slot and Schedule Information Request and Reply (SIR) Procedure

Airline Request

The airline transmits a SIR message with Action Code **Q** to a coordinator at the specified Level 3 airport to:

- request the status of its clearances submitted by the SCR procedures;
- request the status of the clearances held by other airlines.

The airline transmits a SIR message with Action Code **Q** to a schedules facilitator at the specified Level 2 airports to:

- request the status of its schedule movements submitted by the SMA procedures;
- request the status of schedule movements held by other airlines.

Requests for information for multiple airlines cannot be included in the same SIR message.

There must be one SIR message per airline.

When submitting requests for information at the larger airports, the airline must be very precise in specifying the information it requires.

Otherwise, it subjects those responding to the request to an unnecessary workload and the airline, in turn, may receive large volumes of information that it did not require.

Since the SIR procedures — and the examples below — are applicable to both Level 3 and Level 2 airport, airlines requesting information are cautioned to accurately specify the airport to ensure that relevant information is provided.

Examples

Request for clearance information throughout the Season for Transit/Turnaround Flights (airline own operation or other airline)

SIR
/0A120CT
W03
120CT
FRA
Q0A 0A

Request for clearance information throughout the Season for Arrival Flights (airline own operation or other airline)

SIR
/0A120CT
W03
120CT
FRA
Q0A

Request for clearance information throughout the Season for Departure Flights (airline own operation or other airline)

SIR
/0A120CT
W03
120CT
FRA
Q 0A

Request for clearance information for specific flight designators throughout the Season for Transit/Turnaround Flights and for Arrival and Departure Flights

SIR
/AF150CT
W03
150CT
SKG
QAF772 AF773
QAF1800
Q AF1805

Request for clearance information for a specific flight designator for a specific period for a departure flight

SIR
/AZ180CT
W03
190CT
FRA
Q AZ773 18DEC15JAN

Request for clearance information for more than one specific flight designator.

SIR
/BA15DEC
W03
15DEC
LHR
Q LH031
Q LH033 24DEC05JAN

Request for daily clearance information for the whole Season between 1700 and 1930 UTC for AY 823 (arrival) and AY824 (departure)

SIR
/AZ07SEP
W03
07SEP
FRA
QAY823 AY824 26OCT27MAR 1234567 1700 1930

Request for daily clearance information for the period 01MAR — 26MAR between 1200 and 1600 UTC for all AY flights

SIR
/SK15FEB
W03
15FEB
ARN
QAY AY 01MAR26MAR 1234567 1200 1600

Request for clearance information throughout the Season for Transit/Turnaround Flights for all airlines

SIR
/0A12OCT
W03
12OCT
FRA
QQQQ QQQ

Request for schedule movement information for the whole Season on Day 5 only between 1300 and 1445 UTC for all airlines (QQQ)

SIR
/AZ3008
W03
30AUG
LGW
QQQQ QQQ 26OCT27MAR 0000500 1300 1445

Request for all schedule movement arrival information for the whole Season on Day 7 only between 1000 and 1345 UTC for CY

SIR
/BA180CT
W03
180CT
LCA
QCY 260CT27MAR 0000007 1230 1450

Request for schedule movement information for a specific flight designator for a specific period for Transit/Turnaround. Arrival and Departure Flights

SIR
/AZ180CT
W03
190CT
PSA
QAZ773 AZ774 18DEC15JAN
QAZ1800 03NOV15DEC
Q AZ1805 18NOV15FEB

Coordinator and Schedules Facilitator Response

For Level 3 airports, the coordinator responds to the airline with a SIR message using Action Codes **H, O, P, T or U**.

When an airline request is in the outstanding request database for improvement, the coordinator/schedules facilitator may chose to indicate the originally requested timings using the Requested Timings facility.

For Level 2 airports, the schedules facilitator responds to the airline with an SIR message using Action Codes **H** only.

The schedules facilitator will **not** provide information on offers or pending acceptances.

Coordinators and schedules facilitators will always respond using the Schedule Information Line and may use the Additional Schedule Information line to provide supplementary information.

If necessary, alternative transmission methods (e.g. diskette) may be used for large volumes of data.

Examples

Request for clearance information throughout the Season for Transit/Turnaround Flights (airline own operation or other airline)

SIR
/OA120CT
W03
120CT
FRA
QOA OA

SIR
 /FRA150CT
 W03
 150CT
 FRA
 REYT/OA120CT
 H0A750 0A751 260CT27MAR 1234567 135733 ATH0900 0955ATH JJ
 00A752 0A753 260CT27MAR 1234567 111735 SKG0940 1030SKH JJ
 / RA.0950 RD.1040/

Request for clearance information for specific flight designators throughout the Season for Transit/Turnaround Flights

SIR
 /AF150CT
 W03
 150CT
 SKG
 QAF772 AF773

SIR
 /SKG170CT
 W03
 170CT
 SKG
 REYT/AF150CT
 HAF772 AF773 01NOV31JAN 1234567 111735 CDG0900 0955CDG JJ

Request for schedule movement information for a specific flight designator for a specific period for a departure flight

SIR
 /AZ180CT
 W03
 190CT
 PSA
 Q AZ773 18DEC15JAN

SIR
 /PSA220CT
 W03
 220CT
 PSA
 REYT/AZ180CT
 P AZ773 18DEC15JAN 1234567 131M80 1220FC0 J

Request for clearance information for more than one specific flight designator

SIR
/BA15DEC
W03
15DEC
LHR
Q LH031
Q LH033 24DEC05JAN

SIR
/LHR18DEC
W03
18DEC
LHR
REYT/BA15DEC
H LH031 26OCT27MAR 1234567 121733 1205FRA J
H LH033 24DEC05JAN 1234567 144320 1100HAM J

Request for schedule movement information for the whole Season on Day 5 only between 1300 and 1345 UTC for all airlines (QQQ)

SIR
/AZ3008
W03
30AUG
LGW
QQQQ QQQ 26OCT27MAR 0000500 1300 1445

SIR
/LGW01SEP
W03
30AUG
LGW
REYT/AZ3008
HIB7578 IB7579 26OCT27MAR 0000500 165320 ALC1300 1355ALC JJ
HBA2725 BA2726 26OCT27MAR 0000500 145736 MUC1325 1410MUC JJ
HBA2959 BA2939 26OCT27MAR 0000500 142734 GLA1330 1410EDI JJ
HIB7556 IB7639 26OCT27MAR 0000500 290AB3 BI01335 1420BCN JJ
/ RA.1250 RD.1335/

Request for daily clearance information for the period 01MAR — 26MAR between 1200 and 1600 UTC for all AY flights

SIR
 /SK15FEB
 W03
 15FEB
 ARN
 QAY AY 01MAR26MAR 1234567 1200 1600

 SIR
 /ARN17FEB
 W03
 09SEP
 ARN
 REYT/SK15FEB
 HAY836 AY833 01MAR26MAR 1234567 171321 LHR1225 1305LHR JJ
 HAY872 AY873 01MAR26MAR 1234567 171321 CDG1425 1525CDG JJ
 HAY862 AY863 01MAR26MAR 1234567 171321 ZRH1435 1545ZRH JJ

Request for all schedule movement arrival information for the whole Season on Day 7 only between 1600 and 1700 UTC for CY

SIR
 /BA180CT
 W03
 180CT
 LCA
 QCY 260CT27MAR 0000007 1600 1700

 SIR
 /BA180CT
 W03
 180CT
 LCA
 REYT/BA180CT
 HCY327 260CT27MAR 0000007 292330 LHR1610 J
 HCY317 260CT27MAR 0000007 120319 FC01630 J
 HCY305 260CT27MAR 0000007 292330 ATH1655 J

Request for clearance information for specific flight designators throughout the Season for Transit/Turnaround Flights, which currently do not have a clearance allocated.

SIR
 /AF150CT
 W03
 150CT
 SKG
 QAF772 AF773

SIR
 /SKG170CT
 W03
 170CT
 SKG
 REYT/AF150CT
 UAF772 AF773 01NOV31JAN 1234567 111735 CDG0900 0955CDG JJ
 / CA.AA CD.AA/

6.12 Outstanding Request Procedures

The Outstanding Request Procedures defined in this Section relate to the handling of outstanding requests by airlines, coordinators and schedules facilitators and may be used throughout the coordination process.

The Outstanding Request Procedures comprise:

- the Slot Allocation and Schedule Information Request and Reply (SCR) procedure;
- the Outstanding Request and Reply (WIR) procedure;
- the Outstanding Request Change Request and Reply (WCR) procedure.

Airlines must pay special attention between the use of the WCR and SCR procedures as both are applicable within this Section.

Airlines are cautioned that the use of the wrong procedure may result in a detrimental effect on the resulting schedules.

6.12.1 Slot Allocation and Schedule Information Request and Reply (SCR) Procedure

To avoid confusion with the WCR procedures, the SCR Outstanding Request Procedures and relevant Actions Codes are summarised in the tables below.

6.12.1.1 Initial (SCR) Coordination Procedures

Initial (SCR) Coordination Procedures	Outstanding Requests and SAL Action Code(s)
Maintain historic schedule (F)	No Outstanding Request
Modify Historic Schedule	
• Offers acceptable (C/R, M/R)	H, O
• Offers not acceptable (C/L, M/L)	H
• Continuation from previous adjacent Season — offers acceptable (C/I, M/I)	H, O
New Schedule (N)	O or U
New Schedule with New Entrant Status (B)	O or U

Initial (SCR) Coordination Procedures	Outstanding Requests and SAL Action Code(s)
New Schedule with year round status – Continuation from previous adjacent Season (Y)	O or U
New Schedule with New Entrant Status with year round status – Continuation from previous adjacent Season (V)	O or U

New Service or C/L or M/L Procedures

When a coordinator is unable to clear these slot allocation request, this will be confirmed to the airline by a SAL message using Action Codes **H**, **O** or **U**.

The original slot allocation request (**B**, **I**, **N**, **V**, or **Y** data lines) will automatically be recorded in the coordinator/schedule facilitators (where applicable) outstanding requests database for improvement.

C/R, M/R, C/I and M/I Procedures

When a coordinator is unable to clear the **C/R**, **M/R**, **C/I** or **M/I** slot allocation request, this will be confirmed to the airline by a SCR message using Action Codes **H** or **O**.

The original slot allocation request (**R** or **I** data line) will automatically be recorded on the coordinator/schedule facilitators (where applicable) outstanding requests database for improvement.

Prior to or during SC, the airline must advise the coordinator/schedule facilitator whether the outstanding request is to remain in, or be deleted from, the outstanding requests database.

The airline should submit his preference in an SCR message prior to the start of SC.

Action Code **P** is used to advise that the outstanding request is to be maintained and that further improvement is being sought.

Action Code **A** is used to advise that the offer is acceptable and that the original request can be deleted from the outstanding requests database.

If there was more than one offer for the same request and there has been no response from the airline, the coordinator will automatically confirm one of the offers and delete the others on the third day of SC.

The coordinator must confirm this action to the airline immediately after the close of SC.

If the airline cannot attend the SC and has not accepted any offers within the prescribed time-frame, the coordinator will cancel all offers.

If two offers have been given and one of them is acceptable, the airline advises the coordinator with a SCR using code **A** to indicate the offer being accepted.

If an improvement is still required, the airline sends an SCR using Action Code **P** against the offer being sought for improvement. The original request (**R** data line) remains in the coordinators outstanding requests database for improvement.

If the operator accepts the offer (**O/H**) with Action Code **A**, the coordinator/schedules facilitator (where applicable) will remove the original request (**R** data line) from the outstanding requests database.

If no contact is made prior or during the SC, the coordinator will inform the operator that all the original slot allocation requests (**R** data lines) are in the coordinators outstanding requests database for improvement using a WIR message.

6.12.1.2 During or After the SC Procedures

During or After the SC	Outstanding Requests and SAL Action Code(s)
Maintain historic schedule (F)	No Outstanding Requests
Modify Historic Schedule	
• Offers acceptable (C/R, M/R)	H/O or H/U
• Offers not acceptable (C/L, C/L)	H/U
• Continuation from previous adjacent Season — offers acceptable (C/I, M/I)	H/O or H/U
New Schedule (N)	O or U
New Schedule with New Entrant Status (B)	O or U
New Schedule with year round status – Continuation from previous adjacent Season (Y)	O or U
New Schedule with New Entrant Status with year round status – Continuation from previous adjacent Season (V)	O or U

New Service Procedures

When a coordinator is unable to clear the slot allocation requests, this will be confirmed to the airline by a SCR message using Action Codes **O** or **U**.

The original slot allocation request (**B**, **N**, **V**, or **Y** data lines) will automatically be recorded in the coordinators outstanding requests database for improvement.

If the airline subsequently accepts the offer with an SCR message using Action Code **A**, the original slot allocation request (**B**, **N**, **V**, or **Y** data lines) will be deleted from the coordinators outstanding requests database.

C/L or M/L Procedures

When a coordinator is unable to clear the **C/L** or **M/L** slot allocation request, this will be confirmed to the airline by a SCR message using a combination of Action Codes **H** and **U**.

The original slot allocation request (**L** data line) will automatically be recorded in the coordinator's outstanding requests database for improvement.

When the **C/L** or **M/L** procedure is used and the requested timings equals the outstanding requests timings held by the coordinator, the outstanding request data will not be changed.

When the **C/L** or **M/L** procedure is used and the requested timing (**L** data line) is not equal to the timing held by the coordinator (**C** or **M** data line) and when the request cannot be confirmed, the outstanding request timing will be adjusted to the new requested timing.

C/I, M/I, C/R and M/R Procedures

When a coordinator is unable to clear the **C/I**, **M/I**, **C/R** or **M/I** slot allocation request, this will be confirmed to the airline by a SCR message using a combination of Action Codes **H** and **O** or Action Codes **H** and **U**.

The original slot allocation request (**R** or **I** data line) will automatically be recorded in the coordinators outstanding requests database for improvement.

If the airline subsequently accepts the offer with an SCR message using Action Code **A**, the original slot allocation request (**R** or **I** data line) will be deleted from the coordinators outstanding requests database.

If the airline subsequently accepts the offer with an SCR message using Action Code **P**, or declines the offer using Action Code **Z**, the original request remains in the outstanding requests database for further improvement.

When the **C/I**, **M/I**, **C/R** or **M/R** procedure is used and the requested timings equals the outstanding requests timings held by the coordinator, the outstanding requests database will not be changed.

When the **C/I**, **M/I**, **C/R** or **M/R** procedure is used and the requested timing (**I** or **R** line) is not equal to the timing held by the coordinator (**C** or **M** line) and when the request cannot be confirmed, the outstanding request timing will be adjusted to the new requested timing.

6.12.2 Outstanding Request Information Request and Reply (WIR) Procedures

The WIR procedures allow an airline to request and to receive a response on the slot information recorded in the coordinator/schedules facilitator outstanding requests database for either its own outstanding requests or the outstanding requests of another airline.

They also allow a coordinator to advise an airline — on an unsolicited basis and at any time during or after the SC — the status of the slot information recorded in the coordinator/schedules facilitators outstanding requests database.

Requests for information will not be processed unless the airline designator in the Schedule Information data line corresponds with an authorised teletype address or the generic E-mail address as listed in SSIM Attachment 2.

Responses to Outstanding Requests Information requests must only be transmitted to the originator of the request as specified in the Type B/email address.

Unsolicited Outstanding Requests Information requests originating from a coordinator/schedules facilitator must only be transmitted to the authorised teletype address or the 'generic' E-mail address of the airline holding an outstanding request at the specified airport.

Airline Request for Outstanding Request Information

The airline submits a WIR message to a coordinator at a specified airport using Action Code **Q** to request the status of its outstanding requests (new and/or changes to existing clearances) or the outstanding requests for other airlines operating at the airport.

The airline will specify the 'search' criteria as one or more of the following:

- all flights (arrival, departure or transit/turnout);
- all airlines or a specific airline;
- specific flight(s) for a specific airline;
- the whole Season;
- part of a Season;
- all days and/or times throughout the whole Season;
- specific days and/or times throughout the whole Season;
- specific days and/or times.

Example

```
WIR
/0A12FEB
S03
12FEB
FRA
Q0A 0A
```

Coordinator Reply to Outstanding Request Information Request

The coordinator advises the airline of the status of its outstanding requests with a WIR message using Action Code P.

The coordinator may indicate the cleared times using the Cleared Time Identifier(s).

Example

```
WIR
/OA12DEC
S03
12DEC
FRA
Q0A 0A

WIR
/FRA12DEC
S03
12DEC
FRA
REYT/OA12DEC
POA752 OA753 24MAR31MAY 1030507 111735 ATH0940 1030ATH JJ
/ AA.0910 AD.1010/
POA752 OA753 24MAR31MAY 0204000 111735 ATH0940 1030ATH JJ
/ AA.0930 AD.1020/
POA752 OA753 24MAR31MAY 0000060 111735 ATH0940 1030ATH JJ
```

Note: The last data line for the day 6 operation does not have any associated cleared time data tags (AA. or AD.). This means these flights do not hold any slot clearances.

```
/TP15FEB
W03
15FEB
HEL
QQQQ QQQ 26OCT27MAR 1234500 1200 1555

WIR
/HEL16FEB
W03
16FEB
HEL
REYT/TP15FEB
PAY836 AY833 26OCT27MAR 1234500 171321 LHR1225 1305LHR JJ
PKF872 KF873 26OCT27MAR 1234500 171321 CDG1425 1525CDG JJ
PAY862 AY863 26OCT27MAR 1234500 171321 ZRH1435 1545ZRH JJ
```

WIR
/AZ12FEB
W03
12FEB
FRA
Q0A752 0A753 24MAR31MAY 1234567 0900 1100

WIR
/FRA12FEB
S03
12FEB
FRA
REYT/AZ12FEB
P0A752 0A753 24MAR31MAY 1030507 111735 ATH0940 1030ATH JJ
/ AA.0910 AD.1010/
P0A752 0A753 24MAR31MAY 0204060 111735 ATH0940 1030ATH JJ
/ AA.0930 AD.1020/

6.12.3 Outstanding Request Change and Reply (WCR) Procedure

The Outstanding Request Change and Reply (WCR) Procedures are used by airlines and coordinators/schedules facilitators to change outstanding requests.

These procedures allow an airline to:

- submit changes to their outstanding requests without impacting the existing clearance;
- maintain or delete the existing clearance and delete the outstanding requests held by the coordinator/schedules facilitator in their database;
- request that a new slot allocation request be placed in the outstanding requests database of the coordinator/schedules facilitator.


WCR may be used in standard telegraph messages or electronic data exchanges.

Replies will be transmitted solely to the originator of the request as per the generic email address.

Replies will not be transmitted unless the airline designator in the Schedule Information data line is:

- either identical to the airline designator Type B/email address of the originator;
- or corresponds to the additional authorised teletype address as listed in SSIM Attachment 2 for the requesting carrier.

A diagram of the message exchange flows between airlines and coordinators with relevant action codes is presented below.



6.12.3.1 Airline Outstanding Requests

The airline uses one of the following procedures with the appropriate Action Code or combination of Action Codes to request changes to its outstanding requests data.

Airline Outstanding Requests	Action Code(s)
Revision to Outstanding Requests	C and R or M and R
New Addition to Outstanding Requests	N
Delete from Outstanding Requests or Delete Outstanding Request and Retain Existing Clearance	Z

C/R or M/R Procedure — Revision to Outstanding Requests

An airline uses the **C/R** or **M/R** procedure during or after the SC to request changes to the Outstanding Requests database.

For each change to the outstanding request data, the airline submits a WCR message with:

- a data line with Action Code **C** or **M** to identify the Outstanding Requests recorded by the coordinator;
- one or more data lines with Action Code **R** to indicate revisions to the Outstanding Requests database.

The use of **C/R** or **M/R** indicates to the coordinator that the Outstanding Request currently recorded is to be cancelled (**C** or **M** data line) and replaced by the revisions to the Outstanding Requests database (**R** data line).

A transaction consisting of multiple **C** and **R** or **M** and **R** data lines must include all **C** or **M** data lines first followed by all associated **R** data lines. The total of such associated **C** or **M** with the **R** data lines must not exceed ten lines.

However, subject to message length constraints, an unlimited number of transactions can be contained in a single message.

Airlines must be aware that the **C** or **M** data line in a WCR message always refers to Outstanding Requests and not to an existing clearance.

Example

CAF2402 AF810 29MAR240CT 1234567 290AB4 NCE0910 1030LHR JJ

RAF2402 AF810 29MAR240CT 1234567 290AB4 NCE0900 1020LHR JJ

N Procedure — New Addition to Outstanding Request Database

An airline uses the **N** procedure request that an existing clearance be added to the Outstanding Request Database at a new time for possible improvement.

This also indicates to the coordinator that the existing clearance is to be maintained if no improvement is possible.

For each new slot request to be added, the airline submits a WCR message with a data line with Action Code **N** to identify the additional Outstanding Request.

Example

NAF2402 AF810 29MAR240CT 1234567 290AB4 NCE0910 1030LHR JJ

Z Procedure — Delete from Outstanding Requests

An airline uses the **Z** procedure to delete the Outstanding Request recorded by the coordinator for either existing clearances or for new slot allocation requests.

For existing clearances, the use of **Z** indicates to the coordinator that no further improvement will be required.

When a clearance cannot be confirmed for new slot allocation requests, the use of **Z** indicates to the coordinator that the Outstanding Request can be deleted as the clearance is no longer required.

Example

ZAF2402 AF810 29MAR240CT 1234567 290AB4 NCE0910 1030LHR JJ

6.12.3.2 Coordinator Outstanding Request Response to C/R Procedure — Revision to Outstanding Request

The coordinator uses one of the following procedures with the appropriate Action Code or combination of Action Codes to respond to the airline Outstanding Request Change request.

Coordinator Outstanding Request Responses	Action Code(s)
Revision to Outstanding Requests (C/R , M/R)	W/P , X/P
New Addition to Outstanding Request (N)	P , W
Delete from Outstanding Request/Delete Outstanding Request and Retain Existing Clearance (Z)	W , W/P , X

Pending — Able to Confirm

When the coordinator can amend the Outstanding Request Database, this is confirmed to the airline by a WCR message using Action Codes **P** and **X**.

The revised outstanding request data is confirmed using Action Code **P** to replace the **R** data line and the cancellation of existing outstanding requests is confirmed using Action Code **X** to replace the **C** or **M** data line.

Example

```
WCR
/AF1506
W03
16JUN
FRA
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ

WCR
/FRA1606
W03
18JUN
FRA
REYT/AF1506
XAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
PAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ
```

Pending — Unable to Confirm

When the coordinator cannot amend the Outstanding Request Database due to circumstances such as curfews and airport closures, the existing data held in the database (the **C** or **M** data line) is automatically retained.

The coordinator will advise the airline using Action Code **P** to identify the existing data and Action Code **U** to advise that the request cannot be confirmed.

Example

```
WCR
/AF1506
W03
16JUN
CPH
CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE2210 2350LHRMAN JJ
RAF802 AF810 260CT27MAR 1234567 350744 FCONCE2220 2350LHRMAN JJ
```

WCR
 /CPH1606
 W03
 18JUN
 CPH
 REYT/AF1506
 PAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE2210 2350LHRMAN JJ
 UAF802 AF810 260CT27MAR 1234567 350744 FCONCE2210 2350LHRMAN JJ
 SI744 AIRCRAFT NOT ALLOWED TO LAND OR TAKEOFF BETWEEN 2200 AND 0900

Pending — Unable to Reconcile Flight Information

When an outstanding request change does not coincide with the data currently held by the coordinator, no action is taken on the request.

This will be confirmed to the airline by a WCR message using Action Codes **P** and **W**.

The data that the airline believes has been recorded by the coordinator is returned to the airline using Action Code **W** to replace the **C** or **M** data line. The data held by the coordinator is confirmed to the airline using Action Code **P**.

No action is taken on the **R** data line.

Example

WCR
 /AF1506
 W03
 16JUN
 CPH
 CAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 RAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0920 1050LHRMAN JJ
 WCR
 /CPH1606
 W03
 18JUN
 CPH
 REYT/AF1506
 WAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
 PAF802 AF810 260CT27MAR 1234567 290AB3 FCONCE0915 1040LHRMAN JJ

6.12.3.3 Response to N Procedure

Pending — Able to Confirm

When the coordinator can add the new requested slot to the outstanding request database, this is confirmed to the airline by a WCR message using Action Code **P**.

Example

```
WCR
/AF1506
W03
16JUN
CPH
NAF2402 AF810 29MAR240CT 1234567 290AB4 NCE0910 1030LHR JJ

WCR
/CPH1706
W03
17JUN
CPH
REYT/AF1506
PAF2402 AF810 29MAR240CT 1234567 290AB4 NCE0910 1030LHR JJ
```

Pending — Unable to Confirm

When the coordinator cannot add the new requested slot to the outstanding request database, the coordinator will advise the airline using Action Code **U**.

Example

```
WCR
/AF1506
W03
16JUN
CPH
NAF2402 AF810 29MAR240CT 1234567 290AB3 NCE0940 1030LHR JJ

WCR
/CPH1606
W03
18JUN
CPH
REYT/AF1506
UAF2402 AF810 29MAR240CT 1234567 290AB3 NCE0940 1030LHR JJ
```

6.12.3.4 Response to Z Procedure

Cancellation — Able to Confirm

The coordinator confirms to the airline that the outstanding request data has been deleted from the outstanding request database by a WCR message using Action Code **X**.

Example

```
WCR
/AF1506
W03
16JUN
CPH
ZAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

WCR
/CPH1606
W03
16JUN
CPH
XAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
```

Cancellation — Unable to reconcile flight information

When the flight information in the cancellation request does not coincide with the information currently held by the coordinator, no action is taken on the request.

This will be confirmed to the airline by a WCR message using Action Codes **P** and **W**.

The cancel request is returned to the airline using Action Code **W** to replace the **Z** data line.

The data as held by the coordinator is confirmed to the airline using Action Code **P** to replace the **C** data line.

Example

```
WCR
/AF1506
W03
16JUN
CPH
ZAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ

WCR
/CPH1606
W03
16JUN
CPH
REYT/AF1506
WAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0910 1030LHRMAN JJ
PAF802 AF810 26OCT27MAR 1234567 290AB3 FCONCE0920 1040LHRMAN JJ
SI PLS NOTE DIFFERENT DATA FOR THE DELETION REQUEST
```

6.12.4 Coordinator Initiated SCRs and Outstanding Requested Times

The coordinator can initiate further action to times held in the outstanding request database using SCRs. The SCR procedures must be used with //OUTREQ for the conditional special reference line as outlined in Section 6.9. This may be undertaken without any request for improvement being submitted by the airline.

The coordinator will advise the airline that the slot can be improved using Action Code **O** for new offer in combination with Action Code **H** to indicate the slot currently held and Action Code **U** to reflect the data in the outstanding request database.

Example

```
SCR
//LT//OUTREQ/NRT15DEC
W03
15DEC
NRT
HAF2402 AF810 01JAN27MAR 1234567 290763 NCE0920 1030LHR JJ
UAF2402 AF810 01JAN27MAR 1234567 290763 NCE0950 1110LHR JJ
OAF2402 AF810 01JAN27MAR 1234567 290763 NCE0940 1050LHR JJ
```

The airline can accept this improvement replying with Action Code **A** or **P** against the offer.

The airline can decline the offer using Action Code **Z**. In this case the coordinator will maintain the slots held (as per the **H** line of the above example) and the originally requested time on the **U** line will remain in the outstanding request database. The Coordinator will advise the airline of this using an SCR with Action Code **H/X** as illustrated in the example below. Should further dialog between airline and coordinator be necessary then the WCR procedure will be used (6.12.3).

Example

Airline declines offer:

```
SCR
//LT//OUTREQ/NRT15DEC
W03
16DEC
NRT
/REYT 15DEC
ZAF2402 AF810 01JAN27MAR 1234567 290763 NCE0940 1050LHR JJ
```

Coordinator confirmation of data held:

```
SCR
//LT//OUTREQ/NRT15DEC
W03
17DEC
NRT
/REYT 16DEC
HAF2402 AF810 01JAN27MAR 1234567 290763 NCE0920 1030LHR JJ
/RA.0950 RD.1110/
XAF2402 AF810 01JAN27MAR 1234567 290763 NCE0940 1050LHR JJ
```

The above examples also show the use of the Local Time identifier in association with another Special Handling identifier in this case //OUTREQ.

For new slots held on the outstanding request as no slots the coordinator will advise the airline using a combination of Action Code **U** and Action Code **O**.

Example

```
SCR
//OUTREQ
W03
16DEC
CPH
UAF2402 AF810 01JAN27MAR 1234567 290763 NCE0920 1030LHR JJ
OAF2402 AF810 01JAN27MAR 1234567 290763 NCE1050 1150LHR JJ
```

The airline can accept this improvement replying with Action Code **A** or **P** against the offer.

The airline can decline the offer using Action Code **Z**. In this case the coordinator will maintain the previously requested time on the U line in the database of outstanding requests. The Coordinator will advise the airline of this using an SCR with Action Code **U/X** as illustrated in the example below. Should further dialog between airline and coordinator be necessary then the WCR procedure will be used (6.12.3).

Airline declines offer:

```
SCR
//OUTREQ
W03
16DEC
CPH
/REYT 15DEC
ZAF2402 AF810 01JAN27MAR 1234567 290763 NCE1050 1150LHR JJ
```

Coordinator confirmation of data held:

```
SCR
//OUTREQ
W03
17DEC
CPH
/REYT 16DEC
UAF2402 AF810 01JAN27MAR 1234567 290763 NCE0920 1030LHR JJ
XAF2402 AF810 01JAN27MAR 1234567 290763 NCE1050 1150LHR JJ
```

CHAPTER 7 – PRESENTATION AND TRANSFER OF A SCHEDULE DATA SET

7.1 General

This Chapter describes the rules for formatting complete schedules for processing by computerized systems. A complete schedule comprises all services operated under an Airline Designator for the Period of Schedule Validity as specified in Record Type 2.

These rules define the formats of schedules stored on physical devices such as tapes and diskettes and also to schedules to be transmitted between two computers.

Communication of schedules by direct computer-to-computer transmission depends on the hardware and software used by each party and the standards for the transmission should be agreed bilaterally.

Technical characteristics of physical devices may also be agreed bilaterally but some examples of minimum standards are defined in the Technical Specifications section.

The rules have been constructed by the Schedules Information Standards Committee in close liaison with the ATC Passenger Committee, a committee of the ATC (Air Traffic Conference of America — Division of Air Transport Association of America, ATA). This definition can thus be regarded as a world standard, equally usable for International IATA Carriers and for the American Domestic Carriers, each with their own special requirements.

This schedule transfer will also involve other organisations, such as air traffic control authorities and timetable agencies.

In order to facilitate industrywide acceptance, a range of optional features, such as the use of local times, non-weekly flight indicator, meal codes, traffic rights/prohibition notes, free text Data Elements, etc. have been included in the data formats.

7.2 Principles for the Transfer of Computerized Schedules

7.2.1 Data transfer takes place on a bilateral basis.

7.2.2 The data transferred must not be reforwarded to other parties unless permission is granted in a bilateral agreement.

7.2.3 Unless bilaterally agreed, the SSIM Standards for transferring computerized schedules give only the facility to transmit **complete schedules**. It is the responsibility of the recipient to select those areas of the schedule which he requires, rather than for the sender to select parts of schedules. This means that the recipient determines which parts of the schedule are relevant for his own purposes and which parts of the schedule have changes since previous issues.

It is recommended that at least 360 days of advance schedules data, including Minimum Connect Time data, should be distributed on an equal basis to all schedules aggregators, reservations and ticketing systems in which a carrier participates, to maximise the efficiencies of such systems.

7.2.4 File or transmission may contain for any one carrier (represented by a unique Airline Designator) sets of schedules of different status and period of validity. It is not obligatory to send schedules within discrete IATA seasons. This is, however, recommended in respect of schedules for IATA Schedules Conference.

7.2.5 Whenever a schedule is received the information contained supersedes all information covering the same period on a previously received file.

7.3 Computerized Schedules constraints

Five Data Records have been defined. Each complete schedule is made up of a combination of these five record types. Each record is 200 bytes long and is subdivided into Data Elements.

Each Data Element is expressed in a single fixed length format; it occupies a fixed position in a record. The Data Element Status describes whether the information is mandatory, conditional or optional, also how redundant information is to be padded, e.g. with blanks or zeroes. Incompletely filled or unused Data Elements will be padded so that all records are 200 bytes long.

It is important to recognize that schedules may be sent in Local Time or UTC. A UTC/Local Time Variation field is supplied for conversion from one standard to the other. This will mean that Local Time oriented carriers (such as American domestics) can use this format to exchange schedules between themselves in Local Time. Likewise, UTC oriented carriers can do the same in UTC. Exchange between a UTC oriented user and a Local Time oriented user will be carried out in UTC or Local Time by bilateral agreement:

All data will be expressed in EBCDIC or ASCII;

A blank should be equivalent to the space character, defined as hexadecimal 40;

A zero should be equivalent to the display zero character, defined as hexadecimal F0;

Records will be blocked in 5's, i.e. one block is equivalent to 5 × 200 byte records.

7.4 Record Organisation

Five Record Types are used. These are:

Header Record, Carrier Record, Flight Leg Record, Segment Data Record and Trailer Record.

1st Block — Header Record — Record Type 1 (Mandatory)

The first 200 bytes will comprise the record itself. The block will then be filled with 4 × 200 byte zero records to the standard 1000 byte block length.

2nd Block — Carrier Record — Record Type 2 (Mandatory)

The first 200 bytes will comprise the record itself. The block will then be filled with 4 × 200 byte zero records to the standard 1000 byte block length.

3rd and — subsequent blocks

The third block is used to commence expressing the schedule data. Subsequent 200 byte records blocked in 5's will be used to describe the total schedule desired. If the schedule terminates in the middle of a block, e.g. record 2 of block 41, then the block must be filled as appropriate with 200 byte zero records to the standard 1000 byte block length.

(a) Flight Leg Record — Record Type 3 (Mandatory)

(b) Segment Data Record — Record Type 4 (Conditional for Data Element Identifiers below 100 and Data Element Identifiers associated with Traffic Restrictions; Optional for others)

Other (Repeated) Record Types 3 and 4 before Trailer Record

Subsequent Block — Trailer Record — Record Type 5 (Mandatory)

The first 200 bytes will comprise the record itself. The block will then be filled with 4 × 200 byte zero records to the standard 1000 byte block length.

Further sets of Carrier, Flight Leg, Segment Data and Trailer records may be included.

End of file will be marked by a further two standard length blocks containing only zeros, followed by at least two physical tape marks.

Note: *Segment Data Records should always immediately follow the Flight Leg Record to which they refer. Flight Leg Records should be in Flight Designator order, within that by Itinerary Variation Identifier, and within that by Leg Sequence Number.*

7.5 Record Composition

7.5.1 Header Record — Record Type 1

The record has a standard length of 200 bytes broken into the following fields. The purpose of this record is to assure the users that the data set is being correctly read, and defines, where applicable, the number of seasons which follow.

Bytes From	To	Data Element	Data Element Status	Remarks
1	1	Record Type	M	Always 1
2	35	Title of Contents	M	Always reads AIRLINE STANDARD SCHEDULE DATA SET
36	40	(Spare)	M	Blank fill
41	41	Number of Seasons	O	Blank fill
42	191	(Spare)	M	Blank fill
192	194	Data Set Serial Number	M	
195	200	Record Serial Number	M	Always 000001

7.5.2 Carrier Record — Record Type 2

The record gives an indication of the period(s) of applicability of the schedules that follow on subsequent records. The record has the standard length of 200 bytes broken into the following fields:

Bytes From	To	Data Element	Data Element Status	Remarks
1	1	Record Type	M	Always 2
2	2	Time Mode	M	U = UTC L = Local Time
3	5	Airline Designator	M	IATA Airline Designator of carrier whose schedules are contained within this Carrier/Trailer Record Left justify
6	10	(Spare)	M	Blank fill
11	13	Season	O	Blank fill
14	14	(Spare)	M	Blank fill

Bytes From	To	Data Element	Data Element Status	Remarks
15	28	Period of Schedule Validity (from) bytes 15–21 (to) bytes 22–28	M	First and last date of the schedules contained within this Carrier/Trailer Record. Shown as day, month, year in the time mode as specified in byte 2. <i>Note: When the Scheduled Time of Aircraft Departure (STD) is stated in Local Time and the recipient converts to UTC, or vice versa, the Period of Operation may need to be adjusted to maintain the correct Days of Operation around season boundaries and across Daylight Saving Time changes. If this is not done correctly, a lost day of operation and/or a day duplication may occur.</i>
29	35	Creation Date	M	Day, month, year of data set creation (e.g. 01APR90)
36	64	Title of Data	O	Free format, blank fill e.g. SAS IATA DRAFT S90
65	71	Release (Sell) Date	O	Day, month, year or blank fill
72	72	Schedule Status	M	P or C
73	107	Creator Reference	O	Free format, blank fill
108	108	Duplicate Airline Designator Marker	C	Blank fill
109	169	General Information	O	Free format, blank fill
170	188	In-Flight Service Information defaults	O	The format is as defined in Chapter 2, except that the DEI (503) is not required. Right justified, blank fill
189	190	Electronic Ticketing Information	O	EN = default for Carrier is that flight legs are Not Electronic Ticketing Candidates ET = default for Carrier is that flight legs are Electronic Ticketing Candidates
191	194	Creation Time	M	Hours, minutes of data set creation, e.g. 1346.
195	200	Record Serial Number	M	Numeric. One greater than the previous record which must have been either a Header Record or a Trailer Record. Zero fill. Right justified. See Chapter 2 Record Serial Number description if record count exceeds 999999.

7.5.3 Flight Leg Record — Record Type 3

The record(s) gives schedule details leg by leg for each Flight Designator. The record has a standard length of 200 bytes broken into the following fields:

Bytes From	To	Data Element	Data Element Status	Remarks
1	1	Record Type	M	Always 3
2	2	Operational Suffix	C	Blank fill
(3)	(9)	Flight Designator	M	
3	5	Airline Designator	M	Left justified. Code as in bytes 3–5 of Record Type 2
6	9	Flight Number	M	Right justified, blank fill
10	11	Itinerary Variation Identifier	M	Number between 01 and 99
12	13	Leg Sequence Number	M	Number between 01 and 99, sequencing continuous flight legs as they operate within each Itinerary Variation Identifier
14	14	Service Type	M	Alpha
15	28	Period of Operation (from) bytes 15-21 (to) bytes 22-28	M	Day, month, year This field applies to the aircraft STD and must be compatible with the Time Mode in byte 2 of Record Type 2
29	35	Day(s) of Operation	M	This field applies to the aircraft STD and must be compatible with the Time Mode in byte 2 of Record Type 2. This field is blank filled, for non-operational days
36	36	Frequency Rate	C	Blank fill
37	39	Departure Station	M	3-character IATA code
40	43	Scheduled time of Passenger Departure (Passenger STD)	M	This field must be compatible with the Time Mode in byte 2 of Record Type 2. Although this time will nearly always be the same as aircraft STD it must be completed △
44	47	Scheduled Time of Aircraft Departure (Aircraft STD)	M	This field must be compatible with Time Mode in byte 2 of Record Type 2. △
48	52	UTC/Local Time Variation (for Departure Station)	M	Hours and Minutes variation from UTC (see Appendix F)
53	54	Passenger Terminal for departure station	C	Alphanumeric, left justify, blank fill
55	57	Arrival Station	M	3-character IATA code
58	61	Scheduled Time of Aircraft Arrival (Aircraft STA)	M	This field must be compatible with the Time Mode in byte 2 of Record Type 2. △

△

Bytes From	To	Data Element	Data Element Status	Remarks
62	65	Scheduled time of Passenger Arrival (Passenger STA)	M	This field must be compatible with the Time Mode in byte 2 of Record Type 2. Although this time will nearly always be the same as aircraft STA it must be completed
66	70	UTC/Local Time Variation (for Arrival Station)	M	Hours and Minutes variation from UTC (see Appendix F)
71	72	Passenger Terminal for arrival station	C	Alphanumeric, left justify, blank fill
73	75	Aircraft Type	M	ATA/IATA Aircraft Type. See Appendix A.
76	95	Passenger Reservations Booking Designator (PRBD) Note: Either this field or the Aircraft Configuration/Version (in bytes 173–192) is mandatory.	C	Blank fill
96	100	Passenger Reservations Booking Modifier (PRBM)	C	Blank fill by Passenger Reservations Booking Designator class
101	110	Meal Service Note	O	Blank fill by Passenger Reservations Booking Designator class
111	119	Joint Operation Airline Designators	C	In the case of 2 character Airline Designators bytes 113 and/or 116 and/or 119 must be blank. Left justify and blank fill if fewer than three carriers.
120	121	Minimum Connecting Time International/Domestic Status	O	Blank fill Two character combination of D and/or I Position 120 is leg departure status Position 121 is leg arrival status
122	127	(Spare)	M	Blank fill
128	128	Itinerary Variation Identifier Overflow	C	Blank fill
129	131	Aircraft Owner	C	Left justify, blank fill
132	134	Cockpit Crew Employer	C	Left justify, blank fill
135	137	Cabin Crew Employer	C	Left justify, blank fill
(138)	(146)	Onward Flight	O	Blank fill
138	140	Airline Designator	M	Left justify, blank fill
141	144	Flight Number	M	Right justify, blank fill
145	145	Aircraft Rotation Layover	C	Blank fill
146	146	Operational Suffix	C	Blank fill
147	147	Spare	M	Blank fill

Bytes From	To	Data Element	Data Element Status	Remarks
148	148	Flight Transit Layover	C	Blank fill
149	149	Operating Airline Disclosure — Code Share (DEI 2) or Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)	C	Blank fill
150	160	Traffic Restriction Code	C	Blank fill
161	161	Traffic Restriction Code Leg Overflow Indicator	C	Blank fill
162	172	(Spare)	M	Blank fill
173	192	Aircraft Configuration/Version Note: Either this field or the Passenger Reservations Booking Designator (bytes 76–95) is mandatory.	C	Blank fill
193	194	Date Variation	O	Blank fill
195	200	Record Serial Number	M	Right justified, 0 filled and sequential to previous record irrespective of its Record Type. See Chapter 2 Record Serial Number description if record count exceeds 999999.

7.5.4 Segment Data Record — Record Type 4

The record(s) specifies the information applicable to a unique Flight Leg Record as specified in bytes 02–14.

Although no order is prescribed when multiple Data Element Identifiers follow the same Flight Leg Record, the following is recommended:

- when multiple Segment Data Records apply to different Off Points, the Segment Data Records should be ordered according to the occurrence of the Off Point in the itinerary;
- if multiple Segment Data Records apply to the same Off Point, they should appear together and be ordered according to the numeric sequence of the Data Element Identifiers starting with the lowest number.

However, systems should be able to process data elements in any order.

The record has a standard length of 200 bytes broken into the following fields:

Bytes From	To	Data Element	Data Element Status	Remarks
1	1	Record Type	M	Always 4
2	2	Operational Suffix	C	Blank fill
(3)	(9)	Flight Designator	M	
3	5	Airline Designator	M	Left justified. Code as in bytes 3–5 of Record Type 2.
6	9	Flight Number	M	Right justified, blank fill

Bytes From	To	Data Element	Data Element Status	Remarks
10	11	Itinerary Variation Identifier	M	Number between 01 and 99
12	13	Leg Sequence Number	M	Number between 01 and 99 sequencing continuous flight legs as they operate within each Itinerary Variation Identifier
14	14	Service Type	M	Alpha
15	27	(Spare)	M	Blank fill
28	28	Itinerary Variation Identifier Overflow	C	Blank fill
29	29	Board Point Indicator	M	Alpha
30	30	Off Point Indicator	M	Alpha
31	33	Data Element Identifier	M	Right justify, zero fill
(34)	(39)	Segment	M	
34	36	Board Point	M	3-character IATA Code
37	39	Off Point	M	3-character IATA Code
40	194	Data (associated with Data Element Identifier)	C	The format for each data element is defined in Chapter 2. Blank fill.
195	200	Record Serial Number	M	Sequential to previous record irrespective of its Record Type. 0 filled. Right justified. See Chapter 2 Record Serial Number description if record count exceeds 999999.

7.5.5 Trailer Record — Record Type 5

The record defines the end of the data under the preceding Carrier Record. Further Carrier/Trailer Record combinations may appear on this data set. The record has a standard length of 200 bytes broken into the following fields:

Bytes From	To	Data Element	Data Element Status	Remarks
1	1	Record Type	M	Always 5
2	2	(Spare)	M	Blank fill
3	5	Airline Designator	M	Left justify
6	12	Release (Sell) Date	O	As in bytes 65–71 of Carrier Record or blank fill
13	187	(Spare)	M	Blank fill
188	193	Serial Number Check Reference	M	6-digit numeric Serial Number. Equal to the Record Serial Number of the previous record irrespective of its Record Type and one less than the Record Serial Number of this Trailer Record (bytes 195–200).

Bytes From	To	Data Element	Data Element Status	Remarks
194	194	Continuation/End Code	M	C or E
195	200	Record Serial Number	M	Sequential to previous record irrespective of its Record Type 0 filled. Right justified. See Chapter 2 Record Serial Number description if record count exceeds 999999.

This block is then padded to the standard length (5 × 200 bytes) with zeroes. If a new period or season is to be put on the same physical device, as the first period or seasons, then it must commence with the new Carrier Record, and then follow the rules described in this Chapter.

At the end of the data set there must be 2 further length (5 × 200 bytes) blocks, which contain only zeros. For magnetic tapes two physical tape marks must follow.

7.6 Application

The code values are as follows:

1	Arrival/departure on the next day
2	Arrival/departure two days later etc.
0	Arrival/departure on the same day
A	Arrival/departure is previous day

The first indicator stated in the format applies to the Departure Variation and the second indicator applies to the Arrival Variation.

Example:

```

3 XX 12340101J 15AUG0615DEC061234567 ATL20002000-0500SLGW09000900...01
3 XX 12340102J 16AUG0616DEC061234567 LGW10301030+0000SFRA13301330...11
3 XX 12340103J 16AUG0616DEC061234567 FRA16001600-0100 SIN04000400...12
3 YY 010101J 15AUG0615DEC061234567 AKL10301030+1000 HNL21152115...0A
3 YY 010102J 14AUG0614DEC061234567 HNL23002300-1000 LAX07000700...A0

```


Please note that **EDIFACT Procedures** have been rescinded from the SSIM publication standards △ and are stored on the private page of the SISC website via link: www.iata.org/workgroups/sisc. Questions are to be forwarded to SSIM@iata.org.

Please note that **Leg Schedule Message Procedures** have been rescinded from the SSIM △ publication standards and are stored on the private page of the SISC website via link: www.iata.org/workgroups/sisc. Questions are to be forwarded to SSIM@iata.org.



APPENDIX A

ATA/IATA AIRCRAFT TYPES

The Aircraft Types listed in this Appendix are designed for schedulers, airport authorities, and airport coordinators. They are available for use both in the planning stage of scheduling as well as in day-to-day operations. They also are recommended for public timetable purposes and for all internal airline planning purposes.

Codes are included for all aircraft that are currently flown, or are soon to be flown, for commercial scheduled or charter services only, or which have been announced by the manufacturer and for which airline orders have been placed. In principle new aircraft type codes are only assigned when the new aircraft has been certified.

There are two levels of codes:

(a) **Aircraft Type codes**

Each aircraft type is assigned a specific code. Within a group of aircraft covered by an Aircraft Group code, multiple Aircraft Type Codes may be assigned where substantial differences (e.g. fuselage length, wingspan, category) exist between different models of the same aircraft family. However, Aircraft Type codes will not be assigned to differentiate technical characteristics of an aircraft (i.e. engines, range, cockpit configuration etc.).

For certain categories of Aircraft Types, different codes have been assigned to reflect different service characteristics (Passenger, Mixed Configuration, Freighter).

Aircraft Type codes are designed to be used wherever precision in the specification of aircraft types is required. This applies especially in SSIM Chapter 6 applications.

(b) **Aircraft Group codes**

For aircraft sharing a family name, a common fuselage cross section and a common service character (e.g. Passenger, Cargo or Mixed Configuration) a unique Aircraft Group code will be assigned.

Aircraft Group codes are designed to be used wherever a lesser degree of precision in the specification of aircraft types is required.

Aircraft Type Publication Override

When exceptional requirements exist to use codes not listed in Appendix A (e.g. to identify specific types of trains), then the non-standard code should be stated using Data Element Identifier 121 (Aircraft Type Publication Override).

A valid Aircraft Type code should always be stated in the position reserved for Aircraft Type specification.

Surface Equipment

Aircraft Type Codes have been included to specify surface vehicle categories to cater for such passenger and cargo operations performed by airlines or Travel Partners.

General Aviation

While some codes have been assigned to Aircraft Types serving General Aviation purposes, Appendix A does not claim completeness in these assignments.

Requests for additional codes should be directed to the IATA Management in accordance with the procedure described under “Revisions” below.

A generic General Aviation type code is available for use in the context of Appendix K only.

ICAO Codes

ICAO aircraft codes are included in Appendix A for reference purposes only in order to facilitate conversion between IATA and ICAO codes. ICAO codes are used in the ATC environment and should not be used in any procedure described in SSIM.

When a conversion of an IATA code involves multiple ICAO codes, an asterisk (*) is shown instead of the ICAO code.

In cases where ICAO has not yet assigned a code for a new aircraft type, ‘ZZZZ’ is shown to indicate that the ICAO assignment is still pending except for *Freighter* where no code will be assigned and will be blank.

Category

Category of each Aircraft Type is indicated as follows:

- H Helicopter
- J Jet-engined aircraft (preceded by number of engines)
- P Piston-engined aircraft (preceded by number of engines)
- S Surface equipment
- T Turboprop-engined aircraft (preceded by number of engines)

Revisions

Requests for additions or amendments to the contents of this Appendix should be addressed to the IATA Management (E-mail: ssim@iata.org) for consideration by the Schedules Information Standards Committee.

Aircraft Types found to be out of use for a substantial time will be deleted as revised copies of the Appendix are issued.

Encoding List

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Aerospatiale (Nord) 262	ND2	ND2	2T	N262
Aerospatiale (Sud) SE210 Caravelle	CRV	CRV	2J	S210
Aerospatiale SN601 Corvette	NDC	NDC	2J	S601
Agusta A109	AGH	AGH	H	A109
Airbus Industrie A300 Passenger		AB3		
Airbus Industrie A300B2 / A300B4 Passenger	AB4	AB3	2J	A30B
Airbus Industrie A300-600 Passenger	AB6	AB3	2J	A306
Airbus Industrie A300 Freighter		ABF		
Airbus Industrie A300B4 / A300C4 / A300F4 Freighter	ABX	ABF	2J	A30B
Airbus Industrie A300-600 Freighter	ABY	ABF	2J	A306
Airbus Industrie A300-600ST Beluga Freighter	ABB	ABF	2J	A3ST
Airbus Industrie A310 Passenger		310		
Airbus Industrie A310-200 Passenger	312	310	2J	A310
Airbus Industrie A310-300 Passenger	313	310	2J	A310
Airbus Industrie A310 Freighter		31F		
Airbus Industrie A310-200 Freighter	31X	31F	2J	A310
Airbus Industrie A310-300 Freighter	31Y	31F	2J	A310
Airbus Industrie A318 / A319 / A320 / A321		32S		
Airbus Industrie A318	318	32S	2J	A318
Airbus Industrie A319	319	32S	2J	A319
Airbus Industrie A320	320	32S	2J	A320
Airbus Industrie A321	321	32S	2J	A321
Airbus Industrie A330		330		
Airbus Industrie A330-200	332	330	2J	A332
Airbus Industrie A330-300	333	330	2J	A333

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Airbus Industrie A330 Freighter		33F		
Airbus Industrie A330-200 Freighter	33X	33F	2J	A332
Airbus Industrie A340		340		
Airbus Industrie A340-200	342	340	4J	A342
Airbus Industrie A340-300	343	340	4J	A343
Airbus Industrie A340-500	345	340	4J	A345
Airbus Industrie A340-600	346	340	4J	A346
Airbus Industrie A380-800 Passenger	388	380	4J	A388
Airbus Industrie A380-800F Freighter	38F	38F	4J	A388
Antonov An-12	ANF	ANF	4T	AN12
Antonov An-22	A22	A22	4T	AN22
Antonov An-24	AN4	AN4	2T	AN24
Antonov An-26 / An-30 / An-32		AN6		
Antonov An-26	A26	AN6	2T	AN26
Antonov An-30	A30	AN6	2T	AN30
Antonov An-32	A32	AN6	2T	AN32
Antonov An-28 / PZL Mielec M-28 Skytruck	A28	A28	2T	AN28
Antonov An-38	A38	A38	2T	AN38
Antonov An-72 / An-74	AN7	AN7	2J	AN72
Antonov An-124 Ruslan	A4F	A4F	4J	A124
Antonov An-140	A40	A40	2T	A140
Antonov AN148-100	A81	A81	2J	A148

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Antonov An-225	A5F	A5F	6J	A225
ATR 42 / ATR 72		ATR		
ATR 42-300 / 320	AT4	ATR	2T	AT43
ATR 42-400	ATD	ATR	2T	AT44
ATR 42-500	AT5	ATR	2T	AT45
ATR 72	AT7	ATR	2T	AT72
ATR 42 Freighter	ATZ	ATZ	2T	*
ATR 72 Freighter	ATF	ATF	2T	AT72
Avro RJ70 / RJ85 / RJ100		ARJ		
Avro RJ70	AR7	ARJ	4J	RJ70
Avro RJ85	AR8	ARJ	4J	RJ85
Avro RJ100	AR1	ARJ	4J	RJ1H
Beech (Light aircraft)		BEC		
Beech (Light aircraft – single piston engine)	BEP	BEC	1P	*
Beech (Light aircraft – twin piston engines)	BE2	BEC	2P	*
Beech (Light aircraft – twin turboprop engines)	BET	BEC	2T	*
Beech 1900 Airliner		BE1		
Beech 1900C Airliner	BES	BE1	2T	B190
Beech 1900D Airliner	BEH	BE1	2T	B190
Beech 1900 Freighter	BEF	BEF	2T	B190
Beech C99 Airliner	BE9	BE9	2T	BE99
Beech/Raytheon Beechjet 400	BE4	BE4	2J	BE40
Bell (Helicopters)	BH2	BH2	H	*
Boeing 707 / 720 Passenger		707		
Boeing 707-320B / 320C Passenger	703	707	4J	B703
Boeing 720-020B	B72	707	4J	B720

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Boeing 707-320B / 320C Mixed Configuration	70M	70M	4J	B703
Boeing 707-320B / 320C Freighter	70F	70F	4J	B703
Boeing 717-200	717	717	2J	B712
Boeing 727 Passenger		727		
Boeing 727-100 Passenger	721	727	3J	B721
Boeing 727-200 Passenger	722	727	3J	B722
Boeing 727-200 (winglets) Passenger	72W	727	3J	B722
Boeing 727 Mixed Configuration		72M		
Boeing 727-100 Mixed Configuration	72B	72M	3J	B721
Boeing 727-200 Mixed Configuration	72C	72M	3J	B722
Boeing 727 Freighter		72F		
Boeing 727-100 Freighter	72X	72F	3J	B721
Boeing 727-200 Freighter	72Y	72F	3J	B722
Boeing 737 Passenger		737		
Boeing 737-100 Passenger	731	737	2J	B731
Boeing 737-200 Passenger	732	737	2J	B732
Boeing 737-300 Passenger	733	737	2J	B733
Boeing 737-300 (winglets) Passenger	73C	737	2J	B733
Boeing 737-400 Passenger	734	737	2J	B734
Boeing 737-500 Passenger	735	737	2J	B735
Boeing 737-500 (winglets) Passenger	73E	737	2J	B735
Boeing 737-600 Passenger	736	737	2J	B736
Boeing 737-700 Passenger	73G	737	2J	B737
Boeing 737-700 (winglets) Passenger	73W	737	2J	B737
Boeing 737-800 Passenger	738	737	2J	B738
Boeing 737-800 (winglets) Passenger	73H	737	2J	B738
Boeing 737-900 Passenger	739	737	2J	B739
Boeing 737-900 (winglets) Passenger	73J	737	2J	B739

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Boeing 737 Mixed Configuration		73M		
Boeing 737-200 <i>Mixed Configuration</i>	73L	73M	2J	B732
Boeing 737-300 <i>Mixed Configuration</i>	73N	73M	2J	B733
Boeing 737-400 <i>Mixed Configuration</i>	73Q	73M	2J	B734
Boeing 737-700 <i>Mixed Configuration</i>	73R	73M	2J	B737
Boeing 737 Freighter		73F		
Boeing 737-200 <i>Freighter</i>	73X	73F	2J	B732
Boeing 737-300 <i>Freighter</i>	73Y	73F	2J	B733
Boeing 737-400 <i>Freighter</i>	73P	73F	2J	B734
Boeing 747 Passenger		747		
Boeing 747-100 <i>Passenger</i>	741	747	4J	B741
Boeing 747-200 <i>Passenger</i>	742	747	4J	B742
Boeing 747-300 / 747-100/200 SUD <i>Passenger</i>	743	747	4J	B743
Boeing 747-400 <i>Passenger</i>	744	747	4J	B744
Boeing 747-400 (Domestic) <i>Passenger</i>	74J	747	4J	B74D
Boeing 747-8I <i>Passenger</i>	74H	747	4J	ZZZZ
Boeing 747SP <i>Passenger</i>	74L	747	4J	B74S
Boeing 747SR <i>Passenger</i>	74R	747	4J	B74R
Boeing 747 Mixed Configuration		74M		
Boeing 747-200 <i>Mixed Configuration</i>	74C	74M	4J	B742
Boeing 747-300 / 747-200 SUD <i>Mixed Configuration</i>	74D	74M	4J	B743
Boeing 747-400 <i>Mixed Configuration</i>	74E	74M	4J	B744
Boeing 747 Freighter		74F		
Boeing 747-100 <i>Freighter</i>	74T	74F	4J	B741
Boeing 747-200 <i>Freighter</i>	74X	74F	4J	B742
Boeing 747-300 / 747-200 SUD <i>Freighter</i>	74U	74F	4J	B743
Boeing 747-400 <i>Freighter</i>	74Y	74F	4J	B744
Boeing 747-400 <i>Swingtail Freighter</i>	74B	74F	4J	B744
Boeing 747-8F <i>Freighter</i>	74N	74F	4J	ZZZZ
Boeing 747SR <i>Freighter</i>	74V	74F	4J	B74R

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Boeing 757 Passenger		757		
Boeing 757-200 <i>Passenger</i>	752	757	2J	B752
Boeing 757-200 (winglets) <i>Passenger</i>	75W	757	2J	B752
Boeing 757-300 <i>Passenger</i>	753	757	2J	B753
Boeing 757-300 (winglets) <i>Passenger</i>	75T	757	2J	B753
Boeing 757-200 Mixed Configuration	75M	75M	2J	B752
Boeing 757-200 Freighter	75F	75F	2J	B752
Boeing 767 Passenger		767		
Boeing 767-200 <i>Passenger</i>	762	767	2J	B762
Boeing 767-300 <i>Passenger</i>	763	767	2J	B763
Boeing 767-300 (winglets) <i>Passenger</i>	76W	767	2J	B763
Boeing 767-400 <i>Passenger</i>	764	767	2J	B764
Boeing 767 Freighter		76F		
Boeing 767-200 <i>Freighter</i>	76X	76F	2J	B762
Boeing 767-300 <i>Freighter</i>	76Y	76F	2J	B763
Boeing 767-300 (winglets) <i>Freighter</i>	76V	76F	2J	B763
Boeing 777		777		
Boeing 777-200/ 200ER	772	777	2J	B772
Boeing 777-200LR	77L	777	2J	B772
Boeing 777-300	773	777	2J	B773
Boeing 777-300ER	77W	777	2J	B773
Boeing 777 Freighter		77F		
Boeing 777-200F <i>Freighter</i>	77X	77F	2J	B772
Boeing 787		787		
Boeing 787-3	783	787	2J	B783
Boeing 787-8	788	787	2J	B788
Boeing 787-9	789	787	2J	B789
Boeing (Douglas) DC-3 Passenger	DC3	DC3	2P	DC3

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Boeing (Douglas) DC-3 Freighter	D3F	D3F	2P	DC3
Boeing (Douglas) DC-4	DC4	DC4	4P	DC4
Boeing (Douglas) DC-6B Passenger	DC6	DC6	4P	DC6
Boeing (Douglas) DC-6A / DC-6B / DC-6C Freighter	D6F	D6F	4P	DC6
Boeing (Douglas) DC-8 Passenger		DC8		
Boeing (Douglas) DC-8-62 Passenger	D8L	DC8	4J	DC86
Boeing (Douglas) DC-8-72 Passenger	D8Q	DC8	4J	DC87
Boeing (Douglas) DC-8-62 Mixed Configuration	D8M	D8M	4J	DC86
Boeing (Douglas) DC-8 Freighter		D8F		
Boeing (Douglas) DC-8-50 Freighter	D8T	D8F	4J	DC85
Boeing (Douglas) DC-8-61 / 62 / 63 Freighter	D8X	D8F	4J	DC86
Boeing (Douglas) DC-8-71 / 72 / 73 Freighter	D8Y	D8F	4J	DC87
Boeing (Douglas) DC-9 Passenger		DC9		
Boeing (Douglas) DC-9-10 Passenger	D91	DC9	2J	DC91
Boeing (Douglas) DC-9-20 Passenger	D92	DC9	2J	DC92
Boeing (Douglas) DC-9-30 Passenger	D93	DC9	2J	DC93
Boeing (Douglas) DC-9-40 Passenger	D94	DC9	2J	DC94
Boeing (Douglas) DC-9-50 Passenger	D95	DC9	2J	DC95
Boeing (Douglas) DC-9 Freighter		D9F		
Boeing (Douglas) DC-9-10 Freighter	D9X	D9F	2J	DC91
Boeing (Douglas) DC-9-30 Freighter	D9C	D9F	2J	DC93
Boeing (Douglas) DC-9-40 Freighter	D9D	D9F	2J	DC94
Boeing (Douglas) DC-10 Passenger		D10		
Boeing (Douglas) DC-10-10 / 15 Passenger	D11	D10	3J	DC10
Boeing (Douglas) DC-10-30 / 40 Passenger	D1C	D10	3J	DC10
Boeing (Douglas) DC-10-30 Mixed Configuration	D1M	D1M	3J	DC10

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Boeing (Douglas) DC-10 Freighter		D1F		
Boeing (Douglas) DC-10-10 Freighter	D1X	D1F	3J	DC10
Boeing (Douglas) DC-10-30 / 40 Freighter	D1Y	D1F	3J	DC10
Boeing (Douglas) MD-11 Passenger	M11	M11	3J	MD11
Boeing (Douglas) MD-11 Mixed Configuration	M1M	M1M	3J	MD11
Boeing (Douglas) MD-11 Freighter	M1F	M1F	3J	MD11
Boeing (Douglas) MD-80		M80		
Boeing (Douglas) MD-81	M81	M80	2J	MD81
Boeing (Douglas) MD-82	M82	M80	2J	MD82
Boeing (Douglas) MD-83	M83	M80	2J	MD83
Boeing (Douglas) MD-87	M87	M80	2J	MD87
Boeing (Douglas) MD-88	M88	M80	2J	MD88
Boeing (Douglas) MD-90	M90	M90	2J	MD90
Bombardier Continental	CL3	CL3	2J	CL30
Bombardier BD-700 Global Express	CCX	CCX	2J	GLEX
British Aerospace (BAC) One-Eleven		B11		
British Aerospace (BAC) One-Eleven 200	B12	B11	2J	BA11
British Aerospace (BAC) One-Eleven 300	B13	B11	2J	BA11
British Aerospace (BAC) One-Eleven 400 / 475	B14	B11	2J	BA11
British Aerospace (BAC) One-Eleven 500 / RomBac One-Eleven 560	B15	B11	2J	BA11
British Aerospace (De Havilland) 104 Dove	DHD	DHD	2P	DOVE
British Aerospace (De Havilland) 114 Heron	DHH	DHH	4P	HERN
British Aerospace (Hawker Siddeley) 748 / Andover	HS7	HS7	2T	A748
British Aerospace (Vickers) Viscount	VCV	VCV	4T	VISC

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
British Aerospace 146 Passenger		146		
British Aerospace 146-100 <i>Passenger</i>	141	146	4J	B461
British Aerospace 146-200 <i>Passenger</i>	142	146	4J	B462
British Aerospace 146-300 <i>Passenger</i>	143	146	4J	B463
British Aerospace 146 Freighter		14F		
British Aerospace 146-100 <i>Freighter</i>	14X	14F	4J	B461
British Aerospace 146-200 <i>Freighter</i>	14Y	14F	4J	B462
British Aerospace 146-300 <i>Freighter</i>	14Z	14F	4J	B463
British Aerospace Jetstream		JST		
British Aerospace Jetstream 31	J31	JST	2T	JS31
British Aerospace Jetstream 32	J32	JST	2T	JS32
British Aerospace Jetstream 41	J41	JST	2T	JS41
British Aerospace ATP	ATP	ATP	2T	ATP
British Aerospace ATP Freighter	APF	APF	2T	ZZZZ
Britten-Norman BN-2A / BN-2B Islander	BNI	BNI	2P	BN2P
Britten-Norman BN-2A Mk.III Trislander	BNT	BNT	3P	TRIS
Canadair (Bombardier) CL-600 / 601 / 604 / 605 Challenger	CCJ	CCJ	2J	CL60
Canadair (Bombardier) Regional Jet		CRJ		
Canadair (Bombardier) Regional Jet 100	CR1	CRJ	2J	CRJ1
Canadair (Bombardier) Regional Jet 200	CR2	CRJ	2J	CRJ2
Canadair (Bombardier) Regional Jet 700	CR7	CRJ	2J	CRJ7
Canadair (Bombardier) Regional Jet 705	CRA	CRJ	2J	CRJ9
Canadair (Bombardier) Regional Jet 900	CR9	CRJ	2J	CRJ9
Canadair (Bombardier) Regional Jet 1000	CRK	CRJ	2J	ZZZZ
Canadair (Bombardier) Regional Jet Freighter	CRF	CRF	2J	ZZZZ
CASA / IPTN 212 Aviocar	CS2	CS2	2T	C212

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
CASA / IPTN CN-235	CS5	CS5	2T	CN35
Cessna (Light aircraft)		CNA		
Cessna (Light aircraft – single piston engine)	CN1	CNA	1P	*
Cessna (Light aircraft – twin piston engines)	CN2	CNA	2P	*
Cessna (Light aircraft – single turboprop engine)	CNC	CNA	1T	*
Cessna (Light aircraft – twin turboprop engines)	CNT	CNA	2T	*
Cessna Citation	CNJ	CNJ	2J	*
Cessna 208B Freighter	CNF	CNF	2T	*
Cessna 750 Citation X	CN7	CN7	2J	C750
Convair 240 / 440 / 580 Passenger		CVR		
Convair 240 <i>Passenger</i>	CV2	CVR	2P	CVLP
Convair 440 <i>Metropolitan Passenger</i>	CV4	CVR	2P	CVLP
Convair 580 <i>Passenger</i>	CV5	CVR	2T	CVLT
Convair 240 / 340 / 440 / 580 / 5800 / 600 / 640 Freighter		CVF		
Convair 240 <i>Freighter</i>	CVV	CVF	2P	CVLP
Convair 340 / 440 <i>Freighter</i>	CVX	CVF	2P	CVLP
Convair 580 / 5800 / 600 / 640 <i>Freighter</i>	CVY	CVF	2T	CVLT
Curtiss C-46 Commando	CWC	CWC	2P	C46
Dassault Falcon		DFL		
Dassault Falcon 10 / 100 / 20 / 200 / 2000	DF2	DFL	2J	*
Dassault Falcon 50 / 900	DF3	DFL	3J	*
De Havilland (Bombardier) DHC-2 Beaver / Turbo Beaver		DHB		
De Havilland (Bombardier) DHC-2 Beaver	DHP	DHB	1P	DHC2
De Havilland (Bombardier) DHC-2 Turbo Beaver	DHR	DHB	1T	DH2T

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
De Havilland (Bombardier) DHC-3 Otter / Turbo Otter		DH0		
De Havilland (Bombardier) DHC-3 Otter	DHS	DH0	1P	DHC3
De Havilland (Bombardier) DHC-3 Turbo Otter	DHL	DH0	1T	DH3T
De Havilland (Bombardier) DHC-4 Caribou	DHC	DHC	2P	DHC4
De Havilland (Bombardier) DHC-6 Twin Otter	DHT	DHT	2T	DHC6
De Havilland (Bombardier) DHC-7 Dash 7	DH7	DH7	4T	DHC7
De Havilland (Bombardier) DHC-8 Dash 8		DH8		
De Havilland (Bombardier) DHC-8-100 Dash 8 / 8Q	DH1	DH8	2T	DH8A
De Havilland (Bombardier) DHC-8-200 Dash 8 / 8Q	DH2	DH8	2T	DH8B
De Havilland (Bombardier) DHC-8-300 Dash 8 / 8Q	DH3	DH8	2T	DH8C
De Havilland (Bombardier) DHC-8-400 Dash 8Q	DH4	DH8	2T	DH8D
De Havilland (Bombardier) DHC-8-400 Dash 8Q Freighter	D4X	DHF	2T	DH8D
EMBRAER 110 Bandeirante	EMB	EMB	2T	E110
EMBRAER 120 Brasilia	EM2	EM2	2T	E120
EMBRAER RJ135 / RJ140 / RJ145		ERJ		
EMBRAER RJ135	ER3	ERJ	2J	E135
EMBRAER RJ140	ERD	ERJ	2J	E135
EMBRAER RJ145	ER4	ERJ	2J	E145
EMBRAER 170 / 175 / 190 / 195		EMJ		
EMBRAER 170	E70	EMJ	2J	E170
EMBRAER 175	E75	EMJ	2J	E170
EMBRAER 190	E90	EMJ	2J	E190
EMBRAER 195	E95	EMJ	2J	E190
Eurocopter (Aerospatiale) SA330 Puma / AS332 Super Puma	APH	APH	H	*

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Eurocopter (Aerospatiale) AS350 Ecureuil / AS355 Ecureuil 2	NDE	NDE	H	*
Eurocopter (Aerospatiale) SA365C / SA365N Dauphin 2	NDH	NDH	H	*
Eurocopter (MBB) BO105	MBH	MBH	H	B105
Eurocopter EC130	EC3	EC3	H	EC30
Fairchild Dornier 228	D28	D28	2T	D228
Fairchild Dornier 328-100	D38	D38	2T	D328
Fairchild Dornier 328JET	FRJ	FRJ	2J	J328
Fairchild (Swearingen) SA26 / SA226 / SA227 Merlin / Metro / Expediter	SWM	SWM	2T	*
Fairchild (Swearingen) SA226 <i>Freighter</i>	SWF	SWF	2T	*
Fairchild Industries FH-227	FK7	FK7	2T	F27
Fokker F27 Friendship / Fairchild Industries F-27	F27	F27	2T	F27
Fokker F28 Fellowship		F28		
Fokker F28 Fellowship 1000	F21	F28	2J	F28
Fokker F28 Fellowship 2000	F22	F28	2J	F28
Fokker F28 Fellowship 3000	F23	F28	2J	F28
Fokker F28 Fellowship 4000	F24	F28	2J	F28
Fokker 50	F50	F50	2T	F50
Fokker 50 <i>Freighter</i>	F5F	F5F	2T	F50
Fokker 70	F70	F70	2J	F70
Fokker 100	100	100	2J	F100

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Government Aircraft Factories N22B / N24A Nomad	CD2	CD2	2T	NOMA
Grumman G-21 Goose (Amphibian)	GRG	GRG	2P	G21
Grumman G-73 Turbo Mallard (Amphibian)	GRM	GRM	2T	G73T
Gulfstream Aerospace G-150	GR1	GR1	2J	G150
Gulfstream Aerospace G-200 (Galaxy)	GR2	GR2	2J	G200
Gulfstream Aerospace (Grumman) G-159 Gulfstream I	GRS	GRS	2T	G159
Gulfstream Aerospace (Grumman) Gulfstream II / III / IV / V	GRJ	GRJ	2J	*
Harbin Yunshuji Y12	YN2	YN2	2T	Y12
Hawker (Hawker Siddeley / British Aerospace 125)	H25	H25	2J	*
Helio H-250 Courier / H-295 / 395 Super Courier	HEC	HEC	1P	COUR
Ilyushin Il-18	IL8	IL8	4T	IL18
Ilyushin Il-62	IL6	IL6	4J	IL62
Ilyushin Il-76	IL7	IL7	4J	IL76
Ilyushin Il-86	ILW	ILW	4J	IL86
Ilyushin Il-96 <i>Passenger</i>	IL9	IL9	4J	IL96
Ilyushin Il-96 <i>Freighter</i>	I9F	I9F	4J	IL96
Ilyushin Il-114	I14	I14	2T	I114
Israel Aircraft Industries 1124 Westwind	WWP	WWP	2J	WW24

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Junkers Ju 52/3m	JU5	JU5	3P	JU52
Learjet	LRJ	LRJ	2J	*
Let 410	L4T	L4T	2T	L410
Let 410 <i>Freighter</i>	L4F	L4F	2T	L410
Lockheed L-749 Constellation / L-1049 Super Constellation	L49	L49	4P	CONI
Lockheed L-182 / L-282 / L-382 (L-100) Hercules	L0H	L0H	4T	C130
Lockheed L-188 Electra	L0E	L0E	4T	L188
Lockheed L-188 Electra <i>Mixed Configuration</i>	L0M	L0M	4T	L188
Lockheed L-188 Electra <i>Freighter</i>	L0F	L0F	4T	L188
Lockheed L-1011 TriStar <i>Passenger</i>		L10		
Lockheed L-1011 TriStar 1 / 50 / 100 / 150 / 200 / 250 <i>Passenger</i>	L11	L10	3J	L101
Lockheed L-1011 TriStar 500 <i>Passenger</i>	L15	L10	3J	L101
Lockheed L-1011 TriStar <i>Freighter</i>	L1F	L1F	3J	L101
MD Helicopters MD 900 Explorer	MD9	MD9	H	EXPL
Mil Mi-8 / Mi-17 / Mi-171 / Mi-172	MIH	MIH	H	MI8
Mitsubishi MU-2	MU2	MU2	2T	MU2
NAMC YS-11	YS1	YS1	2T	YS11
Partenavia P.68	PN6	PN6	2P	P68
Piaggio P180 Avanti II	P18	P18	2T	P180

ZZZZ ICAO code pending

* Multiple ICAO codes

□

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Pilatus PC-6 Turbo Porter	PL6	PL6	1T	PC6T
Pilatus PC-12	PL2	PL2	1T	PC12
Piper (Light aircraft)		PAG		
Piper (Light aircraft – single piston engine)	PA1	PAG	1P	*
Piper (Light aircraft – twin piston engines)	PA2	PAG	2P	*
Piper (Light aircraft – twin turboprop engines)	PAT	PAG	2T	*
Raytheon Premier 1	PR1	PR1	2J	PRM1
Regional Jet Aircraft, China ARJ21		AJ2		
Regional Jet Aircraft, China ARJ21-700	AJ7	AJ2	2J	ZZZZ
Saab 340	SF3	SF3	2T	SF34
Saab 340B	SFB	SF3	2T	SF34
Saab 340 Freighter	SFF	SFF	2T	SF34
Saab 2000	S20	S20	2T	SB20
Shorts SC.5 Belfast	SHB	SHB	4T	BELF
Shorts Skyvan (SC-7)	SHS	SHS	2T	SC7
Shorts 330 (SD3-30)	SH3	SH3	2T	SH33
Shorts 360 (SD3-60)	SH6	SH6	2T	SH36
Sikorsky S-58T	S58	S58	H	S58T
Sikorsky S-61	S61	S61	H	S61
Sikorsky S-76	S76	S76	H	S76
SOCATA TBM-700	TBM	TBM	1T	TBM7

ZZZZ ICAO code pending

* Multiple ICAO codes

Manufacturer and Aircraft Name/Model	Aircraft Type	Aircraft Group	Category	ICAO Code
Sukhoi Superjet 100		SU1		
Sukhoi Superjet 100-75	SU7	SU1	2J	ZZZZ
Sukhoi Superjet 100-95	SU9	SU1	2J	ZZZZ
Surface Equipment – Bus	BUS	BUS	S	0000
Surface Equipment – Hovercraft	H0V	H0V	S	0000
Surface Equipment – Launch / Boat	LCH	LCH	S	0000
Surface Equipment – Limousine	LM0	LM0	S	0000
Surface Equipment – Road Feeder Service (Truck)	RFS	RFS	S	0000
Surface Equipment – Train	TRN	TRN	S	0000
Tupolev Tu-134	TU3	TU3	2J	T134
Tupolev Tu-154	TU5	TU5	3J	T154
Tupolev Tu-204 / Tu-214	T20	T20	2J	T204
Tupolev Tu-204 <i>Freighter</i>	T2F	T2F	2J	T204
Tupolev Tu-334	T34	T34	2J	T334
Twin (Aero) Commander / Turbo Commander / Jetprop Commander		ACD		
Twin (Aero) Commander	ACP	ACD	2P	*
Twin (Aero) Turbo Commander / Jetprop Commander	ACT	ACD	2T	*
Xian Yunshuji Y7 / MA-60	YN7	YN7	2T	AN24
Yakovlev Yak-40	YK4	YK4	3J	YK40
Yakovlev Yak-42 / Yak-142	YK2	YK2	3J	YK42

ZZZZ ICAO code pending

* Multiple ICAO codes

Decoding List

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
100	100	Fokker 100	2J	F100
141	146	British Aerospace 146-100 <i>Passenger</i>	4J	B461
142	146	British Aerospace 146-200 <i>Passenger</i>	4J	B462
143	146	British Aerospace 146-300 <i>Passenger</i>	4J	B463
—	146	British Aerospace 146 <i>Passenger</i>		
—	14F	British Aerospace 146 <i>Freighter</i>		
14X	14F	British Aerospace 146-100 <i>Freighter</i>	4J	B461
14Y	14F	British Aerospace 146-200 <i>Freighter</i>	4J	B462
14Z	14F	British Aerospace 146-300 <i>Freighter</i>	4J	B463
—	310	Airbus Industrie A310 <i>Passenger</i>		
312	310	Airbus Industrie A310-200 <i>Passenger</i>	2J	A310
313	310	Airbus Industrie A310-300 <i>Passenger</i>	2J	A310
318	32S	Airbus Industrie A318	2J	A318
319	32S	Airbus Industrie A319	2J	A319
—	31F	Airbus Industrie A310 <i>Freighter</i>		
31X	31F	Airbus Industrie A310-200 <i>Freighter</i>	2J	A310
31Y	31F	Airbus Industrie A310-300 <i>Freighter</i>	2J	A310
320	32S	Airbus Industrie A320	2J	A320
321	32S	Airbus Industrie A321	2J	A321
—	32S	Airbus Industrie A318 / A319 / A320 / A321		
—	330	Airbus Industrie A330		
332	330	Airbus Industrie A330-200	2J	A332
333	330	Airbus Industrie A330-300	2J	A333
—	33F	Airbus Industrie A330 <i>Freighter</i>		
33X	33F	Airbus Industrie A330-200 <i>Freighter</i>	2J	A332
—	340	Airbus Industrie A340		
342	340	Airbus Industrie A340-200	4J	A342
343	340	Airbus Industrie A340-300	4J	A343
345	340	Airbus Industrie A340-500	4J	A345
346	340	Airbus Industrie A340-600	4J	A346
388	380	Airbus Industrie A380-800 <i>Passenger</i>	4J	A388
38F	38F	Airbus Industrie A380-800F <i>Freighter</i>	4J	A388
703	707	Boeing 707-320B / 320C <i>Passenger</i>	4J	B703
—	707	Boeing 707 / 720 <i>Passenger</i>		
70F	70F	Boeing 707-320B / 320C <i>Freighter</i>	4J	B703

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
70M	70M	Boeing 707-320B / 320C <i>Mixed Configuration</i>	4J	B703
717	717	Boeing 717-200	2J	B712
721	727	Boeing 727-100 <i>Passenger</i>	3J	B721
722	727	Boeing 727-200 <i>Passenger</i>	3J	B722
—	727	Boeing 727 <i>Passenger</i>		
72B	72M	Boeing 727-100 <i>Mixed Configuration</i>	3J	B721
72C	72M	Boeing 727-200 <i>Mixed Configuration</i>	3J	B722
—	72F	Boeing 727 <i>Freighter</i>		
—	72M	Boeing 727 <i>Mixed Configuration</i>		
72W	727	Boeing 727-200 (winglets) <i>Passenger</i>	3J	B722
72X	72F	Boeing 727-100 <i>Freighter</i>	3J	B721
72Y	72F	Boeing 727-200 <i>Freighter</i>	3J	B722
731	737	Boeing 737-100 <i>Passenger</i>	2J	B731
732	737	Boeing 737-200 <i>Passenger</i>	2J	B732
733	737	Boeing 737-300 <i>Passenger</i>	2J	B733
734	737	Boeing 737-400 <i>Passenger</i>	2J	B734
735	737	Boeing 737-500 <i>Passenger</i>	2J	B735
736	737	Boeing 737-600 <i>Passenger</i>	2J	B736
—	737	Boeing 737 <i>Passenger</i>		
738	737	Boeing 737-800 <i>Passenger</i>	2J	B738
739	737	Boeing 737-900 <i>Passenger</i>	2J	B739
73C	737	Boeing 737-300 (winglets) <i>Passenger</i>	2J	B733
73E	737	Boeing 737-500 (winglets) <i>Passenger</i>	2J	B735
—	73F	Boeing 737 <i>Freighter</i>		
73G	737	Boeing 737-700 <i>Passenger</i>	2J	B737
73H	737	Boeing 737-800 (winglets) <i>Passenger</i>	2J	B738
73J	737	Boeing 737-900 (winglets) <i>Passenger</i>	2J	B739
73L	73M	Boeing 737-200 <i>Mixed Configuration</i>	2J	B732
—	73M	Boeing 737 <i>Mixed Configuration</i>		
73N	73M	Boeing 737-300 <i>Mixed Configuration</i>	2J	B733
73P	73F	Boeing 737-400 <i>Freighter</i>	2J	B734
73Q	73M	Boeing 737-400 <i>Mixed Configuration</i>	2J	B734
73R	73M	Boeing 737-700 <i>Mixed Configuration</i>	2J	B737
73W	737	Boeing 737-700 (winglets) <i>Passenger</i>	2J	B737
73X	73F	Boeing 737-200 <i>Freighter</i>	2J	B732
73Y	73F	Boeing 737-300 <i>Freighter</i>	2J	B733
741	747	Boeing 747-100 <i>Passenger</i>	4J	B741

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
742	747	Boeing 747-200 <i>Passenger</i>	4J	B742
743	747	Boeing 747-300 / 747-100/200 SUD <i>Passenger</i>	4J	B743
744	747	Boeing 747-400 <i>Passenger</i>	4J	B744
—	747	Boeing 747 <i>Passenger</i>		
74B	74F	Boeing 747-400 <i>Swingtail Freighter</i>	4J	B744
74C	74M	Boeing 747-200 <i>Mixed Configuration</i>	4J	B742
74D	74M	Boeing 747-300 / 747-200 SUD <i>Mixed Configuration</i>	4J	B743
74E	74M	Boeing 747-400 <i>Mixed Configuration</i>	4J	B744
—	74F	Boeing 747 <i>Freighter</i>		
74H	747	Boeing 747-8I <i>Passenger</i>	4J	ZZZZ
74J	747	Boeing 747-400 (Domestic) <i>Passenger</i>	4J	B74D
74L	747	Boeing 747SP <i>Passenger</i>	4J	B74S
—	74M	Boeing 747 <i>Mixed Configuration</i>		
74N	74F	Boeing 747-8F <i>Freighter</i>	4J	ZZZZ
74R	747	Boeing 747SR <i>Passenger</i>	4J	B74R
74T	74F	Boeing 747-100 <i>Freighter</i>	4J	B741
74U	74F	Boeing 747-300 / 747-200 SUD <i>Freighter</i>	4J	B743
74V	74F	Boeing 747SR <i>Freighter</i>	4J	B74R
74X	74F	Boeing 747-200 <i>Freighter</i>	4J	B742
74Y	74F	Boeing 747-400 <i>Freighter</i>	4J	B744
752	757	Boeing 757-200 <i>Passenger</i>	2J	B752
753	757	Boeing 757-300 <i>Passenger</i>	2J	B753
—	757	Boeing 757 <i>Passenger</i>		
75F	75F	Boeing 757-200 <i>Freighter</i>	2J	B752
75M	75M	Boeing 757-200 <i>Mixed Configuration</i>	2J	B752
75T	757	Boeing 757-300 (winglets) <i>Passenger</i>	2J	B753
75W	757	Boeing 757-200 (winglets) <i>Passenger</i>	2J	B752
762	767	Boeing 767-200 <i>Passenger</i>	2J	B762
763	767	Boeing 767-300 <i>Passenger</i>	2J	B763
764	767	Boeing 767-400 <i>Passenger</i>	2J	B764
—	767	Boeing 767 <i>Passenger</i>		
—	76F	Boeing 767 <i>Freighter</i>		
76V	76F	Boeing 767-300 (winglets) <i>Freighter</i>	2J	B763
76W	767	Boeing 767-300 (winglets) <i>Passenger</i>	2J	B763
76X	76F	Boeing 767-200 <i>Freighter</i>	2J	B762
76Y	76F	Boeing 767-300 <i>Freighter</i>	2J	B763
772	777	Boeing 777-200/ 200ER	2J	B772

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
773	777	Boeing 777-300	2J	B773
—	777	Boeing 777		
77L	777	Boeing 777-200LR	2J	B772
77W	777	Boeing 777-300ER	2J	B773
—	77F	Boeing 777 <i>Freighter</i>		
77X	77F	Boeing 777-200F <i>Freighter</i>	2J	B772
—	787	Boeing 787		
783	787	Boeing 787-3	2J	B783
788	787	Boeing 787-8	2J	B788
789	787	Boeing 787-9	2J	B789
A22	A22	Antonov An-22	4T	AN22
A26	AN6	Antonov An-26	2T	AN26
A28	A28	Antonov An-28 / PZL Mielec M-28 Skytruck	2T	AN28
A30	AN6	Antonov An-30	2T	AN30
A32	AN6	Antonov An-32	2T	AN32
A38	A38	Antonov An-38	2T	AN38
A40	A40	Antonov An-140	2T	A140
A4F	A4F	Antonov An-124 Ruslan	4J	A124
A5F	A5F	Antonov An-225	6J	A225
A81	A81	Antonov AN148-100	2J	A148
—	AB3	Airbus Industrie A300 <i>Passenger</i>		
AB4	AB3	Airbus Industrie A300B2 / A300B4 <i>Passenger</i>	2J	A30B
AB6	AB3	Airbus Industrie A300-600 <i>Passenger</i>	2J	A306
ABB	ABF	Airbus Industrie A300-600ST Beluga <i>Freighter</i>	2J	A3ST
—	ABF	Airbus Industrie A300 <i>Freighter</i>		
ABX	ABF	Airbus Industrie A300B4 / A300C4 / A300F4 <i>Freighter</i>	2J	A30B
ABY	ABF	Airbus Industrie A300-600 <i>Freighter</i>	2J	A306
—	ACD	Twin (Aero) Commander / Turbo Commander / Jetprop Commander		
ACP	ACD	Twin (Aero) Commander	2P	*
ACT	ACD	Twin (Aero) Turbo Commander / Jetprop Commander	2T	*
AGH	AGH	Agusta A109	H	A109
—	AJ2	Regional Jet Aircraft, China ARJ21		
AJ7	AJ2	Regional Jet Aircraft, China ARJ21-700	2J	ZZZZ
AN4	AN4	Antonov An-24	2T	AN24
—	AN6	Antonov An-26 / An-30 / An-32		
AN7	AN7	Antonov An-72 / An-74	2J	AN72
ANF	ANF	Antonov An-12	4T	AN12

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
APF	APF	British Aerospace ATP <i>Freighter</i>	2T	ZZZZ
APH	APH	Eurocopter (Aerospatiale) SA330 Puma / AS332 Super Puma	H	*
AR1	ARJ	Avro RJ100	4J	RJ1H
AR7	ARJ	Avro RJ70	4J	RJ70
AR8	ARJ	Avro RJ85	4J	RJ85
—	ARJ	Avro RJ70 / RJ85 / RJ100		
AT4	ATR	ATR 42-300 / 320	2T	AT43
AT5	ATR	ATR 42-500	2T	AT45
AT7	ATR	ATR 72	2T	AT72
ATD	ATR	ATR 42-400	2T	AT44
ATF	ATF	ATR 72 <i>Freighter</i>	2T	AT72
ATP	ATP	British Aerospace ATP	2T	ATP
—	ATR	ATR 42 / ATR 72		
ATZ	ATZ	ATR 42 <i>Freighter</i>	2T	*
—	B11	British Aerospace (BAC) One-Eleven		
B12	B11	British Aerospace (BAC) One-Eleven 200	2J	BA11
B13	B11	British Aerospace (BAC) One-Eleven 300	2J	BA11
B14	B11	British Aerospace (BAC) One-Eleven 400 / 475	2J	BA11
B15	B11	British Aerospace (BAC) One-Eleven 500 / RomBac One-Eleven 560	2J	BA11
B72	707	Boeing 720-020B	4J	B720
—	BE1	Beech 1900 Airliner		
BE2	BEC	Beech (Light aircraft – twin piston engines)	2P	*
BE4	BE4	Beech/Raytheon Beechjet 400	2J	BE40
BE9	BE9	Beech C99 Airliner	2T	BE99
—	BEC	Beech (Light aircraft)		
BEF	BEF	Beech 1900 <i>Freighter</i>	2T	B190
BEH	BE1	Beech 1900D Airliner	2T	B190
BEP	BEC	Beech (Light aircraft – single piston engine)	1P	*
BES	BE1	Beech 1900C Airliner	2T	B190
BET	BEC	Beech (Light aircraft – twin turboprop engines)	2T	*
BH2	BH2	Bell (Helicopters)	H	*
BNI	BNI	Britten-Norman BN-2A / BN-2B Islander	2P	BN2P
BNT	BNT	Britten-Norman BN-2A Mk.III Trislander	3P	TRIS
BUS	BUS	Surface Equipment – Bus	S	0000
CCJ	CCJ	Canadair (Bombardier) CL-600 / 601 / 604 / 605 Challenger	2J	CL60

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
CCX	CCX	Bombardier BD-700 Global Express	2J	GLEX
CD2	CD2	Government Aircraft Factories N22B / N24A Nomad	2T	NOMA
CL3	CL3	Bombardier Continental	2J	CL30
CN1	CNA	Cessna (Light aircraft – single piston engine)	1P	*
CN2	CNA	Cessna (Light aircraft – twin piston engines)	2P	*
CN7	CN7	Cessna 750 Citation X	2J	C750
—	CNA	Cessna (Light aircraft)		
CNC	CNA	Cessna (Light aircraft – single turboprop engine)	1T	*
CNF	CNF	Cessna 208B <i>Freighter</i>	2T	*
CNJ	CNJ	Cessna Citation	2J	*
CNT	CNA	Cessna (Light aircraft – twin turboprop engines)	2T	*
CR1	CRJ	Canadair (Bombardier) Regional Jet 100	2J	CRJ1
CR2	CRJ	Canadair (Bombardier) Regional Jet 200	2J	CRJ2
CR7	CRJ	Canadair (Bombardier) Regional Jet 700	2J	CRJ7
CR9	CRJ	Canadair (Bombardier) Regional Jet 900	2J	CRJ9
CRA	CRJ	Canadair (Bombardier) Regional Jet 705	2J	CRJ9
CRF	CRF	Canadair (Bombardier) Regional Jet <i>Freighter</i>	2J	ZZZZ
—	CRJ	Canadair (Bombardier) Regional Jet		
CRK	CRJ	Canadair (Bombardier) Regional Jet 1000	2J	ZZZZ
CRV	CRV	Aerospatiale (Sud) SE210 Caravelle	2J	S210
CS2	CS2	CASA / IPTN 212 Aviocar	2T	C212
CS5	CS5	CASA / IPTN CN-235	2T	CN35
CV2	CVR	Convair 240 <i>Passenger</i>	2P	CVLP
CV4	CVR	Convair 440 Metropolitan <i>Passenger</i>	2P	CVLP
CV5	CVR	Convair 580 <i>Passenger</i>	2T	CVLT
—	CVF	Convair 240 / 340 / 440 / 580 / 5800 / 600 / 640 <i>Freighter</i>		
—	CVR	Convair 240 / 440 / 580 <i>Passenger</i>		
CVV	CVF	Convair 240 <i>Freighter</i>	2P	CVLP
CVX	CVF	Convair 340 / 440 <i>Freighter</i>	2P	CVLP
CVY	CVF	Convair 580 / 5800 / 600 / 640 <i>Freighter</i>	2T	CVLT
CWC	CWC	Curtiss C-46 Commando	2P	C46
—	D10	Boeing (Douglas) DC-10 <i>Passenger</i>		
D11	D10	Boeing (Douglas) DC-10-10 / 15 <i>Passenger</i>	3J	DC10
D1C	D10	Boeing (Douglas) DC-10-30 / 40 <i>Passenger</i>	3J	DC10
—	D1F	Boeing (Douglas) DC-10 <i>Freighter</i>		
D1M	D1M	Boeing (Douglas) DC-10-30 <i>Mixed Configuration</i>	3J	DC10

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
D1X	D1F	Boeing (Douglas) DC-10-10 <i>Freighter</i>	3J	DC10
D1Y	D1F	Boeing (Douglas) DC-10-30 / 40 <i>Freighter</i>	3J	DC10
D28	D28	Fairchild Dornier 228	2T	D228
D38	D38	Fairchild Dornier 328-100	2T	D328
D3F	D3F	Boeing (Douglas) DC-3 <i>Freighter</i>	2P	DC3
D4X	DHF	De Havilland (Bombardier) DHC-8-400 Dash 8Q <i>Freighter</i>	2T	DH8D
D6F	D6F	Boeing (Douglas) DC-6A / DC-6B / DC-6C <i>Freighter</i>	4P	DC6
—	D8F	Boeing (Douglas) DC-8 <i>Freighter</i>		
D8L	DC8	Boeing (Douglas) DC-8-62 <i>Passenger</i>	4J	DC86
D8M	D8M	Boeing (Douglas) DC-8-62 <i>Mixed Configuration</i>	4J	DC86
D8Q	DC8	Boeing (Douglas) DC-8-72 <i>Passenger</i>	4J	DC87
D8T	D8F	Boeing (Douglas) DC-8-50 <i>Freighter</i>	4J	DC85
D8X	D8F	Boeing (Douglas) DC-8-61 / 62 / 63 <i>Freighter</i>	4J	DC86
D8Y	D8F	Boeing (Douglas) DC-8-71 / 72 / 73 <i>Freighter</i>	4J	DC87
D91	DC9	Boeing (Douglas) DC-9-10 <i>Passenger</i>	2J	DC91
D92	DC9	Boeing (Douglas) DC-9-20 <i>Passenger</i>	2J	DC92
D93	DC9	Boeing (Douglas) DC-9-30 <i>Passenger</i>	2J	DC93
D94	DC9	Boeing (Douglas) DC-9-40 <i>Passenger</i>	2J	DC94
D95	DC9	Boeing (Douglas) DC-9-50 <i>Passenger</i>	2J	DC95
D9C	D9F	Boeing (Douglas) DC-9-30 <i>Freighter</i>	2J	DC93
D9D	D9F	Boeing (Douglas) DC-9-40 <i>Freighter</i>	2J	DC94
—	D9F	Boeing (Douglas) DC-9 <i>Freighter</i>		
D9X	D9F	Boeing (Douglas) DC-9-10 <i>Freighter</i>	2J	DC91
DC3	DC3	Boeing (Douglas) DC-3 <i>Passenger</i>	2P	DC3
DC4	DC4	Boeing (Douglas) DC-4	4P	DC4
DC6	DC6	Boeing (Douglas) DC-6B <i>Passenger</i>	4P	DC6
—	DC8	Boeing (Douglas) DC-8 <i>Passenger</i>		
—	DC9	Boeing (Douglas) DC-9 <i>Passenger</i>		
DF2	DFL	Dassault Falcon 10 / 100 / 20 / 200 / 2000	2J	*
DF3	DFL	Dassault Falcon 50 / 900	3J	*
—	DFL	Dassault Falcon		
DH1	DH8	De Havilland (Bombardier) DHC-8-100 Dash 8 / 8Q	2T	DH8A
DH2	DH8	De Havilland (Bombardier) DHC-8-200 Dash 8 / 8Q	2T	DH8B
DH3	DH8	De Havilland (Bombardier) DHC-8-300 Dash 8 / 8Q	2T	DH8C
DH4	DH8	De Havilland (Bombardier) DHC-8-400 Dash 8Q	2T	DH8D

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
DH7	DH7	De Havilland (Bombardier) DHC-7 Dash 7	4T	DHC7
—	DH8	De Havilland (Bombardier) DHC-8 Dash 8		
—	DHB	De Havilland (Bombardier) DHC-2 Beaver / Turbo Beaver		
DHC	DHC	De Havilland (Bombardier) DHC-4 Caribou	2P	DHC4
DHD	DHD	British Aerospace (De Havilland) 104 Dove	2P	DOVE
DHH	DHH	British Aerospace (De Havilland) 114 Heron	4P	HERN
DHL	DH0	De Havilland (Bombardier) DHC-3 Turbo Otter	1T	DH3T
—	DH0	De Havilland (Bombardier) DHC-3 Otter / Turbo Otter		
DHP	DHB	De Havilland (Bombardier) DHC-2 Beaver	1P	DHC2
DHR	DHB	De Havilland (Bombardier) DHC-2 Turbo Beaver	1T	DH2T
DHS	DH0	De Havilland (Bombardier) DHC-3 Otter	1P	DHC3
DHT	DHT	De Havilland (Bombardier) DHC-6 Twin Otter	2T	DHC6
EM2	EM2	EMBRAER 120 Brasilia	2T	E120
E70	EMJ	EMBRAER 170	2J	E170
E75	EMJ	EMBRAER 175	2J	E170
E90	EMJ	EMBRAER 190	2J	E190
E95	EMJ	EMBRAER 195	2J	E190
EC3	EC3	Eurocopter EC130	H	EC30
EMB	EMB	EMBRAER 110 Bandeirante	2T	E110
—	EMJ	EMBRAER 170 / 175 / 190 / 195		
ER3	ERJ	EMBRAER RJ135	2J	E135
ER4	ERJ	EMBRAER RJ145	2J	E145
ERD	ERJ	EMBRAER RJ140	2J	E135
—	ERJ	EMBRAER RJ135 / RJ140 / RJ145		
F21	F28	Fokker F28 Fellowship 1000	2J	F28
F22	F28	Fokker F28 Fellowship 2000	2J	F28
F23	F28	Fokker F28 Fellowship 3000	2J	F28
F24	F28	Fokker F28 Fellowship 4000	2J	F28
F27	F27	Fokker F27 Friendship / Fairchild Industries F-27	2T	F27
—	F28	Fokker F28 Fellowship		
F50	F50	Fokker 50	2T	F50
F5F	F5F	Fokker 50 <i>Freighter</i>	2T	F50
F70	F70	Fokker 70	2J	F70
FK7	FK7	Fairchild Industries FH-227	2T	F27
FRJ	FRJ	Fairchild Dornier 328JET	2J	J328
GR1	GR1	Gulfstream Aerospace G-150	2J	G150
GR2	GR2	Gulfstream Aerospace G-200 (Galaxy)	2J	G200

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
GRG	GRG	Grumman G-21 Goose (Amphibian)	2P	G21
GRJ	GRJ	Gulfstream Aerospace (Grumman) Gulfstream II / III / IV / V	2J	*
GRM	GRM	Grumman G-73 Turbo Mallard (Amphibian)	2T	G73T
GRS	GRS	Gulfstream Aerospace (Grumman) G-159 Gulfstream I	2T	G159
H25	H25	Hawker (Hawker Siddeley / British Aerospace 125)	2J	*
HEC	HEC	Helio H-250 Courier / H-295 / 395 Super Courier	1P	COUR
H0V	H0V	Surface Equipment – Hovercraft	S	0000
HS7	HS7	British Aerospace (Hawker Siddeley) 748 / Andover	2T	A748
I14	I14	Ilyushin Il-114	2T	I114
I9F	I9F	Ilyushin Il-96 <i>Freighter</i>	4J	IL96
IL6	IL6	Ilyushin Il-62	4J	IL62
IL7	IL7	Ilyushin Il-76	4J	IL76
IL8	IL8	Ilyushin Il-18	4T	IL18
IL9	IL9	Ilyushin Il-96 <i>Passenger</i>	4J	IL96
ILW	ILW	Ilyushin Il-86	4J	IL86
J31	JST	British Aerospace Jetstream 31	2T	JS31
J32	JST	British Aerospace Jetstream 32	2T	JS32
J41	JST	British Aerospace Jetstream 41	2T	JS41
—	JST	British Aerospace Jetstream		
JU5	JU5	Junkers Ju 52/3m	3P	JU52
—	L10	Lockheed L-1011 TriStar <i>Passenger</i>		
L11	L10	Lockheed L-1011 TriStar 1 / 50 / 100 / 150 / 200 / 250 <i>Passenger</i>	3J	L101
L15	L10	Lockheed L-1011 TriStar 500 <i>Passenger</i>	3J	L101
L1F	L1F	Lockheed L-1011 TriStar <i>Freighter</i>	3J	L101
L49	L49	Lockheed L-749 Constellation / L-1049 Super Constellation	4P	CONI
L4F	L4F	Let 410 <i>Freighter</i>	2T	L410
L4T	L4T	Let 410	2T	L410
LCH	LCH	Surface Equipment – Launch / Boat	S	0000
LM0	LM0	Surface Equipment – Limousine	S	0000
L0E	L0E	Lockheed L-188 Electra	4T	L188
L0F	L0F	Lockheed L-188 Electra <i>Freighter</i>	4T	L188
L0H	L0H	Lockheed L-182 / L-282 / L-382 (L-100) Hercules	4T	C130
L0M	L0M	Lockheed L-188 Electra <i>Mixed Configuration</i>	4T	L188
LRJ	LRJ	Learjet	2J	*
M11	M11	Boeing (Douglas) MD-11 <i>Passenger</i>	3J	MD11

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
M1F	M1F	Boeing (Douglas) MD-11 <i>Freighter</i>	3J	MD11
M1M	M1M	Boeing (Douglas) MD-11 <i>Mixed Configuration</i>	3J	MD11
—	M80	Boeing (Douglas) MD-80		
M81	M80	Boeing (Douglas) MD-81	2J	MD81
M82	M80	Boeing (Douglas) MD-82	2J	MD82
M83	M80	Boeing (Douglas) MD-83	2J	MD83
M87	M80	Boeing (Douglas) MD-87	2J	MD87
M88	M80	Boeing (Douglas) MD-88	2J	MD88
M90	M90	Boeing (Douglas) MD-90	2J	MD90
MBH	MBH	Eurocopter (MBB) BO105	H	B105
MD9	MD9	MD Helicopters MD 900 Explorer	H	EXPL
MIH	MIH	Mil Mi-8 / Mi-17 / Mi-171 / Mi-172	H	MI8
MU2	MU2	Mitsubishi MU-2	2T	MU2
ND2	ND2	Aerospatiale (Nord) 262	2T	N262
NDC	NDC	Aerospatiale SN601 Corvette	2J	S601
NDE	NDE	Eurocopter (Aerospatiale) AS350 Ecureuil / AS355 Ecureuil 2	H	*
NDH	NDH	Eurocopter (Aerospatiale) SA365C / SA365N Dauphin 2	H	*
P18	P18	Piaggio P180 Avanti II	2T	P180
PA1	PAG	Piper (Light aircraft – single piston engine)	1P	*
PA2	PAG	Piper (Light aircraft – twin piston engines)	2P	*
—	PAG	Piper (Light aircraft)		
PAT	PAG	Piper (Light aircraft – twin turboprop engines)	2T	*
PL2	PL2	Pilatus PC-12	1T	PC12
PL6	PL6	Pilatus PC-6 Turbo Porter	1T	PC6T
PN6	PN6	Partenavia P.68	2P	P68
PR1	PR1	Raytheon Premier 1	2J	PRM1
RFS	RFS	Surface Equipment – Road Feeder Service (Truck)	S	0000
S20	S20	Saab 2000	2T	SB20
S58	S58	Sikorsky S-58T	H	S58T
S61	S61	Sikorsky S-61	H	S61
S76	S76	Sikorsky S-76	H	S76
SF3	SF3	Saab 340	2T	SF34
SFB	SF3	Saab 340B	2T	SF34
SFF	SFF	Saab 340 <i>Freighter</i>	2T	SF34
SH3	SH3	Shorts 330 (SD3-30)	2T	SH33
SH6	SH6	Shorts 360 (SD3-60)	2T	SH36

ZZZZ ICAO code pending

* Multiple ICAO codes

Aircraft Type	Aircraft Group	Manufacturer and Aircraft Name/Model	Category	ICAO Code
SHB	SHB	Shorts SC.5 Belfast	4T	BELF
SHS	SHS	Shorts Skyvan (SC-7)	2T	SC7
SU7	SU1	Sukhoi Superjet 100-75	2J	ZZZZ
SU9	SU1	Sukhoi Superjet 100-95	2J	ZZZZ
—	SU1	Sukhoi Superjet 100		
SWF	SWF	Fairchild (Swearingen) SA226 <i>Freighter</i>	2T	*
SWM	SWM	Fairchild (Swearingen) SA26 / SA226 / SA227 Merlin / Metro / Expediter	2T	*
T20	T20	Tupolev Tu-204 / Tu-214	2J	T204
T2F	T2F	Tupolev Tu-204 <i>Freighter</i>	2J	T204
T34	T34	Tupolev Tu-334	2J	T334
TRN	TRN	Surface Equipment – Train	S	0000
TBM	TBM	SOCATA TBM-700	1T	TBM7
TU3	TU3	Tupolev Tu-134	2J	T134
TU5	TU5	Tupolev Tu-154	3J	T154
VCV	VCV	British Aerospace (Vickers) Viscount	4T	VISC
WWP	WWP	Israel Aircraft Industries 1124 Westwind	2J	WW24
YK2	YK2	Yakovlev Yak-42 / Yak-142	3J	YK42
YK4	YK4	Yakovlev Yak-40	3J	YK40
YN2	YN2	Harbin Yunshuji Y12	2T	Y12
YN7	YN7	Xian Yunshuji Y7 / MA-60	2T	AN24
YS1	YS1	NAMC YS-11	2T	YS11

ZZZZ ICAO code pending

* Multiple ICAO codes



APPENDIX B

MEAL SERVICE CODES

Code	Meaning
B	Breakfast
C	Alcoholic Beverages — Complimentary
D	Dinner
F	Food for Purchase
G	Food and Beverages for Purchase
H	Hot Meal
K	Continental Breakfast
L	Lunch
M	Meal (to be used as a generalization if no specific meal is intended)
N	No Meal Service
O	Cold Meal
P	Alcoholic Beverages for Purchase
R	Refreshments — Complimentary
S	Snack or Brunch
V	Refreshments for Purchase

APPENDIX C

SERVICE TYPES

Service Type Code	Application	Type of Operation	Service Type Description
J	Scheduled	Passenger	Normal Service
S	Scheduled	Passenger	Shuttle Mode
U	Scheduled	Passenger	Service operated by Surface Vehicle
F	Scheduled	Cargo/Mail	Loose Loaded cargo and/or preloaded devices
V	Scheduled	Cargo/Mail	Service operated by Surface Vehicle
M	Scheduled	Cargo/Mail	Mail only
Q	Scheduled	Passenger/Cargo	Passenger/Cargo in Cabin (mixed configuration aircraft)
G	Additional Flights	Passenger	Normal Service
B	Additional Flights	Passenger	Shuttle Mode
A	Additional Flights	Cargo/Mail	Cargo/Mail
R	Additional Flights	Passenger/Cargo	Passenger/Cargo in Cabin (mixed configuration aircraft)
C	Charter	Passenger	Passenger Only
O	Charter	Special Handling	Charter requiring special handling (e.g. Migrants/immigrant Flights)
H	Charter	Cargo/Mail	Cargo and /or Mail
L	Charter	Passenger/Cargo/Mail	Passenger and Cargo and/or Mail
P	Others	Not specific	Non-revenue (Positioning/Ferry/Delivery/Demo)
T	Others	Not specific	Technical Test
K	Others	Not specific	Training (School/Crew check)
D	Others	Not specific	General Aviation
E	Others	Not specific	Special (FAA/Government)
W	Others	Not specific	Military
X	Others	Not specific	Technical Stop (for Chapter 6 applications only)

Service Type Code	Application	Type of Operation	Service Type Description
I	Others	Not specific	State/Diplomatic/Air Ambulance (Chapter 6 only)
N	Others	Not specific	Business Aviation/Air Taxi

It is presumed that limited amounts of cargo/mail may be accommodated on all passenger services.

The codes Y Z are for special internal company purposes, but they may later be assigned for specific purposes.

APPENDIX D

PASSENGER TERMINAL INDICATORS

Introduction

This Appendix lists airports which have been identified as having more than one PASSENGER terminal or uniquely designated embarkation/disembarkation facility. A one-or two-character code has been assigned to each Passenger Terminal or facility. The intent of airport terminal nomenclature is to more clearly define departure/arrival areas for the benefit of the PASSENGER.

In producing this Appendix, the following criteria have been used to determine which airports qualify as having more than one terminal.

- (a) Terminals, including Train/Bus Stations, should be physically separated from one another or be very well defined parts of an airport complex.
- (b) If terminals are linked together, each facility must have unique terminal signage, otherwise the various sections are considered to be concourses and not separate terminals.
- (c) Terminals should be referred to as such by the authorities of the airport they belong to in their publicity material.
- (d) Terminals with different satellites may be included in this Appendix provided they are clearly identified as such by the authorities of the airport they belong to in their publicity material and must have proper signage within the terminal.

Changes to Appendix D will be advised by E-mail. In order to maintain sequential control the message heading includes a message reference 'APP/D/number/date' e.g. APP/D/009/15JAN04. The revised information is presented in the same format as in SSIM Appendix D tables.

Assignment Principles

The Passenger Terminal is identified by a one or two character code. In assigning codes, the following principles have been used:

- (a) Numeric and alphabetic characters only have been used.
- (b) Terminals are identified in many different ways. Whenever possible, codes have been assigned in a standard way:

Code	Meaning
I	International
D	Domestic
E	East
N	North
S	South or Satellite
W	West
A, B, C etc.	A, B, C etc.
1, 2, 3 etc.	1, 2, 3 etc.
Airline Designator	Name of airline
First letter of surname	Name of person

Code	Meaning
L	Budget/Low Cost
U	Shuttle
M	Main, Central etc.
H	Charter
R	Regional/Commuter
Z*	Other

*Z has been assigned to all other terminal identifications such as Marine, Inter-Island etc.

- (c) One-character codes are always left justified, e.g. MØ (not ØM) and 1Ø (not Ø1).
- (d) One-character codes have been assigned to avoid any possible confusion with Airline Designators.
- (e) If the terminal used by a flight at an airport included in Appendix D is not pre-determined, or when different terminals apply to different passenger categories, the Passenger Terminal shall be stated as 0 (zero).
- (f) In general new terminal codes will be published at least one year prior to the terminal being opened.

Revisions

Requests for additions or amendments to the contents of this Appendix should be addressed to the IATA Management (E-mail: ssim@iata.org) for consideration by the Schedules Information Standards Committee.

List of Passenger Terminals

This list contains changes notified to airlines attending Schedules Conferences up to message △ APP/D/003/27OCT09.

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
ABU DHABI, International	AUH	Terminal 1	1	United Arab Emirates	AE	
		Terminal 2	2			
		Terminal 3	3			
ADELAIDE	ADL	Main Terminal	1	Australia	AU	SA
		General Aviation	R			
ALICANTE	ALC	Terminal 1	1	Spain	ES	
		Terminal 2	2			
		Terminal 3	3			
AMMAN, Queen Alia, International	AMM	Terminal 1	1	Jordan	JO	
		Terminal 2	2			
ANCHORAGE, International	ANC	North (International)	N	USA	US	AK
		South (Domestic)	S			
ANTALYA	AYT	Terminal 1	1	Turkey	TR	
		Terminal 2	2			
		Domestic Terminal	D			
ATLANTA, Hartsfield-Jackson	ATL	Terminal North	N	USA	US	GA
		Terminal South	S			
AUCKLAND, International	AKL	Domestic Terminal	D	New Zealand	NZ	
		International Terminal	I			
		Qantas NZ	ZQ			
BANGKOK, Don Muang	DMK	Terminal 1	1	Thailand	TH	
		Terminal 2	2			
		Domestic Terminal	D			
BARCELONA	BCN	Terminal 1	1	Spain	ES	
		Terminal 2	2			
BEIJING, Capital	PEK	Terminal 1	1	China, Peoples Republic of	CN	
		Terminal 2	2			
		Terminal 3	3			
BELGRADE	BEG	Terminal 1	1	Serbia	RS	
		Terminal 2	2			
BIRMINGHAM, International	BHX	Terminal 1 (Main Terminal)	1	United Kingdom	GB	
		Terminal 2 (Eurohub)	2			
		Train Station	TN			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
BOGOTA, Eldorado	BOG	Terminal 1	1	Colombia	CO	
		Terminal 2	2			
BORDEAUX, Merignac	BOD	Hall A	A	France	FR	
		Hall B	B			
		billi Terminal	L			
BOSTON, Logan International	BOS	Terminal A	A	USA	US	MA
		Terminal B	B			
		Terminal C	C			
		Terminal D	D			
		Terminal E	E			
BRISBANE, International	BNE	Domestic Terminal	D	Australia	AU	QL
		International Terminal	I			
BRUSSELS	BRU	Main Terminal	M	Belgium	BE	
		Low Cost Terminal	L			
BUDAPEST, Ferihegy	BUD	Ferihegy 1	1	Hungary	HU	
		Ferihegy 2A	2A			
		Ferihegy 2B	2B			
CAIRNS, International	CNS	Domestic Terminal	D	Australia	AU	QL
		International Terminal	I			
		General Aviation Terminal	R			
CAIRO, International	CAI	Terminal 1	1	Egypt	EG	
		Terminal 2	2			
		Terminal 3	3			
CANCUN	CUN	Terminal 1	1	Mexico	MX	
		Terminal 2	2			
		Terminal 3	3			
CASABLANCA, Mohamed V	CMN	Terminal 1	1	Morocco	MA	
		Terminal 2	2			
		Terminal 3	3			
CHENNAI	MAA	Domestic Terminal	D	India	IN	
		International Terminal	I			
CHICAGO, O'Hare, International	ORD	Terminal 1	1	USA	US	IL
		Terminal 2	2			
		Terminal 3	3			
		Terminal 4 (Bus Station)	BS			
		International Terminal 5	5			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
CHRISTCHURCH, International	CHC	Main Terminal	M	New Zealand	NZ	
		Qantas NZ	ZQ			
CINCINNATI, Northern Kentucky	CVG	Terminal 1	1	USA	US	OH
		Terminal 2	2			
		Terminal 3	3			
COLOGNE	CGN	Terminal 1	1	Germany	DE	
		Terminal 2	2			
COPENHAGEN	CPH	Terminal 1	1	Denmark	DK	
		Terminal 2	2			
		Terminal 3	3			
DALLAS/FORT WORTH, International	DFW	Terminal A	A	USA	US	TX
		Terminal B	B			
		Terminal C	C			
		Terminal D	D			
		Terminal E	E			
DELHI, Indira Gandhi	DEL	Terminal 1	1	India	IN	
		Terminal 2	2			
		Terminal 3	3			
DETROIT, Wayne County	DTW	North Terminal	N	USA	US	MI
		E.M. McNamara Terminal	EM			
DUBAI, International	DXB	Terminal 1	1	United Arab Emirates	AE	
		Terminal 2	2			
		Terminal 3	3			
DUBLIN	DUB	Terminal 1	1	Eire	IE	
		Terminal 2	2			
FORT LAUDERDALE, Hollywood, International	FLL	Terminal 1	1	USA	US	FL
		Terminal 2	2			
		Terminal 3	3			
		Terminal 4	4			
		Commuter Terminal	R			
FRANKFURT, International	FRA	Terminal 1	1	Germany	DE	
		Terminal 2	2			
		ICE Train Station	TN			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
FUKUOKA	FUK	Domestic 1	D1	Japan	JP	
		Domestic 2	D2			
		Domestic 3	D3			
		International	I			
GENEVA, International	GVA	Main Terminal	M	Switzerland	CH	
		Charter Terminal	H			
		Train Station	TN			
GLASGOW, International	GLA	Terminal B	B	United Kingdom	GB	
		Main Terminal	M			
GOLD COAST, Coolangatta	OOL	Terminal 1	1	Australia	AU	QL
		Terminal 3	3			
GUADALAJARA, Miguel Hidalgo	GDL	Terminal 1	1	Mexico	MX	
		Terminal 2	2			
HAMBURG	HAM	Terminal 1	1	Germany	DE	
		Terminal 2	2			
HARARE	HRE	Domestic Terminal	D	Zimbabwe	ZW	
		International Terminal	I			
HELSINKI, Vantaa	HEL	Terminal 1	1	Finland	FI	
		Terminal 2	2			
HOBART, International	HBA	Domestic Terminal	D	Australia	AU	TS
		International Terminal	I			
HO CHI MINH CITY	SGN	Terminal 1	1	Vietnam	VN	
		Terminal 2	2			
HONG KONG, International	HKG	Terminal 1	1	Hong Kong (SAR) China	HK	
		Terminal 2	2			
HONOLULU, International	HNL	Main Terminal	M	USA	US	HI
		Commuter Terminal	R			
		Inter-Island	Z			
HOUSTON, George Bush Intercontinental	IAH	Terminal A	A	USA	US	TX
		Terminal B	B			
		Terminal C	C			
		Terminal D	D			
		Terminal E	E			
ISTANBUL, Ataturk	IST	Domestic Terminal	D	Turkey	TR	
		International Terminal	I			
IZMIR, Adnan Menderes	ADB	Domestic	D	Turkey	TR	
		International	I			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
JAKARTA, Soekarno-Hatta	CGK	Terminal 1	1	Indonesia	ID	
		Terminal 2	2			
		Terminal 3	3			
JEDDAH, King Abdulaziz International	JED	Hajj Terminal	H	Saudi Arabia	SA	
		North Terminal	N			
		South Terminal	S			
JOHANNESBURG, O.R. Tambo International	JNB	Terminal A	A	South Africa	ZA	
		Terminal B	B			
KANSAS CITY, International	MCI	Building A	A	USA	US	MO
		Building B	B			
		Building C	C			
KIEV, Borispol	KBP	Terminal A (Domestic & CIS)	A	Ukraine	UA	
		Terminal B (International)	B			
		Terminal F (International)	F			
KRAKOW, John Paul II Balice International	KRK	Domestic Terminal	D	Poland	PL	
		International Terminal	I			
KUALA LUMPUR, International	KUL	Low Cost Carrier Terminal	L	Malaysia	MY	
		Main Terminal	M			
LAGOS, Murtala Muhammed	LOS	Domestic Terminal	D	Nigeria	NG	
		International Terminal	I			
LAS VEGAS, McCarran, International	LAS	Terminal 1	1	USA	US	NV
		Terminal 2	2			
LISBON	LIS	Terminal 1	1	Portugal	PT	
		Terminal 2	2			
LODZ, Lublinek	LCJ	Terminal 1	1	Poland	PL	
		Terminal 2	2			
LONDON, Gatwick	LGW	North Terminal	N	United Kingdom	GB	
		South Terminal	S			
Heathrow	LHR	Terminal 1	1	United Kingdom	GB	
		Terminal 3	3			
		Terminal 4	4			
		Terminal 5	5			
		Central Train Station (terminal 1/2/3)	TN			

□

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
LOS ANGELES, International	LAX	Terminal 1	1	USA	US	CA
		Terminal 2	2			
		Terminal 3	3			
		Terminal 4	4			
		Terminal 5	5			
		Terminal 6	6			
		Terminal 7	7			
		Terminal 8	8			
		Tom Bradley International Terminal	B			
		West Imperial Terminal	W			
LYON, Saint Exupery	LYS	Terminal 1	1	France	FR	
		Terminal 2	2			
		Terminal 3	3			
		Train Station	TN			
MADRID, Barajas	MAD	Terminal 1	1	Spain	ES	
		Terminal 2	2			
		Terminal 3	3			
		Terminal 4	4			
		Term 4S	4S			
MALAGA	AGP	Terminal 1	1	Spain	ES	
		Terminal 2	2			
		Terminal 3	3			
MANCHESTER, International	MAN	Terminal 1	1	United Kingdom	GB	
		Terminal 2	2			
		Terminal 3	3			
		Train Station	TN			
MANILA, Ninoy Aquino, International	MNL	Domestic Terminal 1	D1	Philippines	PH	
		Domestic Terminal 2	D2			
		International terminal 1	I1			
		Terminal 2 (Centennial)	C2			
		Terminal 3	3			
MARRAKECH, Menara	RAK	Terminal 1	1	Morocco	MA	
		Terminal 2	2			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
MARSEILLE, Provence	MRS	1 (International)	1	France	FR	
		3 (Domestic)	3			
		4 (Domestic)	4			
		MP2 Terminal	L			
MELBOURNE	MEL	Terminal 1	1	Australia	AU	VI
		Terminal 2	2			
		Terminal 3	3			
		Terminal 4	4			
MEXICO CITY, Juarez, International	MEX	Terminal 1	1	Mexico	MX	
		Terminal 2	2			
MILAN, Malpensa	MXP	Terminal 1	1	Italy	IT	
		Terminal 2	2			
MINNEAPOLIS, International	MSP	Hubert H. Humphrey Terminal	H	USA	US	MN
		Lindbergh	L			
MOMBASA, Moi International	MBA	Terminal 1	1	Kenya	KE	
		Terminal 2	2			
MONTERREY, General Mariano Escobedo	MTY	Terminal A	A	Mexico	MX	
		Terminal B	B			
MOSCOW, Sheremetyevo International	SVO	1 (Domestic)	1	Russian Federation	RU	
		C (International)	C			
		Terminal D (Domestic/International)	D			□
		Terminal E (International)	E			□
		F (International)	F			△
Vnukovo, International	VKO	Terminal A (International and Domestic)	A	Russian Federation	RU	□
		Terminal B (International)	B			
		Terminal D (Domestic)	D			
		Gen Aviation 3A	3A	Russian Federation	RU	
		Gen Aviation 3B	3B			
		Kosmos (Gen Aviation)	K			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
MUMBAI, Chhatrapati Shivaji, International	BOM	Terminal 1 (Domestic)	1	India	IN	
		Terminal 2 (International)	2			
MUNICH, International	MUC	Terminal 1	1	Germany	DE	
		Terminal 2	2			
NEWARK, Liberty International	EWR	Terminal A	A	USA	US	NJ
		Terminal B	B			
		Terminal C	C			
		Train Station	TN			
NEW YORK, J F Kennedy International	JFK	Terminal 1	1	USA	US	NY
		Terminal 2 Delta Air Lines	2			
		Terminal 3 Delta Air Lines	3			
		Terminal 4	4			
		Terminal 5	5			
		Terminal 6 (Jetblue)	6			
		Terminal 7 (BA and UA)	7			
		Terminal 8 (American Airlines)	8			
La Guardia	LGA	Delta Air Lines	DL	USA	US	NY
		Central Terminal	M			
		USAir LGA Terminal	US			
		Marine Air Terminal	Z			
NICE, Cote D'Azur	NCE	Aerogare 1	1	France	FR	
		Aerogare 2	2			
OAKLAND, International	OAK	Terminal 1	1	USA	US	CA
		Terminal 2 (Lionel J. Wilson)	2			
ONTARIO, International	ONT	Terminal 2	2	USA	US	CA
		Terminal 4	4			
		International Terminal	I			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
PARIS, Charles de Gaulle	CDG	Aerogare 1	1	France	FR	
		Aerogare 2 Terminal A	2A			
		Aerogare 2 Terminal B	2B			
		Aerogare 2 Terminal C	2C			
		Aerogare 2 Terminal D	2D			
		Aerogare 2 Terminal E	2E			
		Aerogare 2 Terminal F	2F			
		Aerogare 2 Terminal G	2G			
		Aerogare 3	3			
		Train Station	TN			
Orly	ORY	Orly Sud	S	France	FR	
		Orly Ouest	W			
PERTH	PER	T1 (International)	1	Australia	AU	WA
		T2 (Qantas)	2			
		T3 (Domestic)	3			
		National Jet Systems Terminal	NC			
		Flight Centre Terminal	Z			
PHILADELPHIA, International	PHL	Terminal A	A	USA	US	PA
		Terminal B	B			
		Terminal C	C			
		Terminal D	D			
		Terminal E	E			
		Terminal F	F			
PHOENIX, Sky Harbor International	PHX	Terminal 2	2	USA	US	AZ
		Terminal 3	3			
		Terminal 4	4			
PRAGUE, Ruzyně	PRG	Terminal 1	1	Czech Republic	CZ	
		Terminal 2	2			
		Terminal 3	3			
RALEIGH, Durham	RDU	Terminal 1	1	USA	US	NC
		Terminal 2	2			
RIO DE JANEIRO, International	GIG	Terminal 1	1	Brazil	BR	RJ
		Terminal 2	2			

△
△
△

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
RIYADH, King Khaled, International	RUH	Terminal 1	1	Saudi Arabia	SA	
		Terminal 2	2			
		Terminal 3	3			
ROME, Fiumicino	FCO	Terminal 1	1	Italy	IT	
		Terminal 2	2			
		Terminal 3	3			
		Terminal 5	5			
SACRAMENTO, International	SMF	Terminal A	A	USA	US	CA
		Terminal B	B			
		Commuter Terminal	R			
ST LOUIS, Lambert International	STL	East Terminal	E	USA	US	MO
		Main Terminal	M			
ST PETERSBURG, Pulkovo	LED	Pulkovo 1	1	Russian Federation	RU	
		Pulkovo 2	2			
SALT LAKE CITY, International	SLC	Terminal Unit 1	1	USA	US	UT
		Terminal Unit 2	2			
SAN ANTONIO, International	SAT	Terminal 1	1	USA	US	TX
		Terminal 2	2			
SAN DIEGO, International	SAN	Terminal 1	1	USA	US	CA
		Terminal 2	2			
		Commuter Terminal	R			
SAN FRANCISCO, International	SFO	Terminal 1	1	USA	US	CA
		Terminal 2	2			
		Terminal 3	3			
		International Terminal	I			
SAN JOSE, International	SJC	Terminal A	A	USA	US	CA
		Terminal C	C			
SAN JUAN, Luis Munoz Marin	SJU	Terminal A	A	Puerto Rico	PR	
		Terminal B	B			
		Terminal C	C			
		Terminal D	D			
SANTIAGO, Arturo Merino Benitez	SCL	Domestic Terminal	D	Chile	CL	
		International Terminal	I			
SAO PAULO, Guarulhos	GRU	Terminal 1	1	Brazil	BR	SP
		Terminal 2	2			
SARASOTA, Bradenton	SRQ	Main Terminal	M	USA	US	FL
		Commuter Terminal	R			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
SEOUL, Gimpo International	GMP	Terminal 1	1	Korea, Republic of	KR	
		Terminal 2	2			
		Domestic Terminal	D			
SHANGHAI, Pudong International	PVG	Terminal 1	1	China	CN	
		Terminal 2	2			
SHARM EL SHEIKH, International	SSH	Terminal 1	1	Egypt	EG	
		Terminal 2	2			
SHENZHEN	SZX	Terminal A	A	China	CN	
		Terminal B	B			
		Terminal D	D			
SINGAPORE, Changi	SIN	Terminal 1	1	Singapore	SG	
		Terminal 2	2			
		Terminal 3	3			
		Budget Terminal	L			
SOFIA, Vrazhdebna	SOF	Terminal 1	1	Bulgaria	BG	
		Terminal 2	2			
STOCKHOLM, Arlanda	ARN	Terminal 2	2	Sweden	SE	
		Terminal 3	3			
		Terminal 4	4			
		Terminal 5	5			
		SJ Train Station	TN			
		Arlanda Express Train Station	TX			
STUTTGART	STR	Terminal 1	1	Germany	DE	
		Terminal 2	2			
		Terminal 3	3			
		Terminal 4	4			
SYDNEY, Kingsford Smith	SYD	Terminal 1 (International)	1	Australia	AU	NS
		Terminal 2 (Domestic)	2			
		Terminal 3 (Qantas Domestic)	3			
TAIPEI, Taoyuan International	TPE	Terminal 1	1	Taiwan	TW	
		Terminal 2	2			
TAMPERE, Pirkkala	TMP	Terminal 1	1	Finland	FI	
		Terminal 2	2			
TEHRAN, Mehrabad International	THR	Terminal 1	1	Iran	IR	
		Terminal 2	2			
		3 Haj (Charter)	3			
		Terminal 4	4			

Airport Name	Airport Code	Terminal Name	Terminal Code	Country	Country Code	State
TEL AVIV, Ben Gurion International	TLV	Terminal 1	1	Israel	IL	
		Terminal 2	2			
		Terminal 3 (International)	3			
TOKYO, Haneda	HND	Domestic Terminal 1	D1	Japan	JP	
		Domestic Terminal 2	D2			
		International Terminal	I			
Narita	NRT	Terminal 1	1	Japan	JP	
		Terminal 2	2			
TORONTO, Lester B Pearson	YYZ	Terminal 1	1	Canada	CA	ON
		Terminal 3	3			
TUINIS, Carthage	TUN	Charter Terminal	H	Tunisia	TN	
		Main Terminal	M			
URUMQI	URC	Terminal 1	1	China, Peoples Republic of	CN	
		Terminal 2	2			
		Terminal 3	3			
VANCOUVER, International	YVR	Main Terminal	M	Canada	CA	BC
		South Terminal	S			
WAWSAW, Frederic Chopin	WAW	Domestic Terminal 2	D	Poland	PL	
		International Terminal 1	I			
WASHINGTON, Ronald Reagan National	DCA	Terminal A	A	USA	US	DC
		Terminal B	B			
		Terminal C	C			
WUTHAN, Hsukiapeng	WUH	Terminal 1	1	China	CN	
		Terminal 2	2			
XI AN XIANYANG	XIY	Terminal 1	1	China	CN	
		Terminal 2	2			
ZHENGZHOU	CGO	Low Cost Carrier Terminal	L	China	CN	
		Main Terminal	M			

APPENDIX E

REJECT REASON

This Appendix lists in alphabetical order the standard texts to be used as Reject Reason on SSM and ASM messages using Action identifier NAC. See Chapter 4 or 5 for application.

ACTION IDENTIFIER INVALID
ACV CODE INVALID
AIRCRAFT TYPE INVALID
AIRLINE DESIGNATOR INVALID
AIRLINE DESIGNATOR IS REQUIRED
DATE DISCREPANCY INVALID
DATE INVALID
DATE OF ARRIVAL INVALID
DATE OF DEPARTURE INVALID
DATE VARIATION INVALID
DAYS OF OPERATION INVALID
DAYS/DATES OVERLAPPING
DEI 2/3/4/5/9 AIRLINE DESIGNATOR INVALID
DEI 7 INVALID
DEI 7 WITH INVALID CLASS
DEI 710/711 INVALID
DEI 8 CODE INVALID
DEI 8 CONFLICT
DEI 8 TRAFFIC RESTRICTION TYPE INVALID
DEI 10 AND 50 NOT ALLOWED ON SAME LEG
DEI 98/99 CONFLICT
DEI 113/114/115 IS REQUIRED
DEI 127 IS REQUIRED
DEI 201 INVALID
DEI 501 CONFLICT
DEI 503 CODE INVALID
DEI 505 CODE INVALID
DEI DUPLICATION
DEI FORMAT ERROR
DEI IS REQUIRED
DEI NOT ALLOWED IN SEGMENT INFORMATION
DEI NOT ALLOWED ON FIRST LEG
DEI NOT ALLOWED ON SEGMENT

DEI NUMBER INVALID
DEI SEGMENT/LEG INVALID
DEI TEXT IS REQUIRED
DEI WITH NIL NOT ALLOWED
EQUIPMENT CHANGE NOT ALLOWED
EQUIPMENT CHANGE USED TOO MANY TIMES
EQUIPMENT DATA IS REQUIRED
FLIGHT ARRIVAL — ONLY ONE PER AIRPORT PER DAY
FLIGHT DEPARTURE — ONLY ONE PER AIRPORT PER DAY
FLIGHT DESIGNATOR IS REQUIRED
FLIGHT DOES NOT OPERATE FOR DATE AND FREQUENCY
FLIGHT NUMBER INVALID
FLIGHT/DATE LIMITED TO ONE OCCURRENCE
INTERNAL PROCESSING ERROR — PLEASE RESUBMIT
LEG CHANGE NOT ALLOWED
LEG DATA CANNOT BE COMPLETELY DELETED
LEG DATA CONFLICT WITH EXISTING SCHEDULE
LEG DATA INVALID
LEG DATA IS REQUIRED
LEG NUMBER GREATER THAN MAXIMUM ALLOWED
MESSAGE FUNCTION INVALID
MESSAGE SEQUENCE REFERENCE INVALID
ON-TIME PERFORMANCE INVALID
OPERATIONAL SUFFIX INVALID
PERIOD — FREQUENCY RATE INVALID
PERIOD OF OPERATION INVALID
PERIOD OF SCHEDULE VALIDITY INVALID
PERIOD OUTSIDE SYSTEM DATA RANGE
PERIOD/FREQUENCY CONFLICT WITH EXISTING
PERIOD/FREQUENCY NOT ALLOWED
PRBD DUPLICATION
PRBD INVALID
PRBD/PRBM OR ACV DO NOT MATCH
PRBM INVALID
REPEAT REQUEST — UPDATING IN PROGRESS
RTNS NOT USED PROPERLY
SECONDARY ACTION IDENTIFIER INVALID
SERVICE TYPE CODE INVALID
STATION CODE INVALID
STATION OF ARRIVAL INVALID
STATION OF DEPARTURE DIFFERS FROM PREVIOUS ARRIVAL
STATION OF DEPARTURE INVALID

TERMINAL CODE INVALID
TIME INVALID
TIME MODE INVALID
TIME OF ARRIVAL INVALID
TIME OF DEPARTURE EARLIER THAN PREVIOUS ARRIVAL
TIME OF DEPARTURE INVALID
UNAUTHORISED TO AMEND THIS FLIGHT
UTC/LT VARIATION INVALID
XASM NOT USED PROPERLY



APPENDIX F

UTC – LOCAL TIME COMPARISONS AND ISO TWO LETTER COUNTRY CODES

General

The Air Transport industry operates in an environment where local time and days vary from country to country. With the added complication caused by many countries adopting Daylight Saving Time during summer months, airlines require access to information displaying worldwide UTC (Universal Time Coordinated) — Local Time comparisons.

Appendix F provides UTC Standard and Daylight Saving Time — Local Time variations for each country where regular scheduled services operate.

While IATA is responsible for the administration of this Appendix, the information is deemed to be **‘the best available’** at the time of publication.

When a country changes its DST dates then this pattern will be used to determine each successive DST date unless IATA is advised to the contrary by the country concerned.

The validity and use of the document relies entirely on the quality of the input, so your attention is directed to the section headed **AMENDMENT PROCEDURE**.

It should be remembered that this Appendix is an essential data base to other SSIM Chapters, particularly Chapter 7 in respect of the exchange of schedule data sets. For this reason alone, the Appendix must be an unambiguous accurate statement of time variations throughout the World.

The large number of countries included in the Appendix is intended to accommodate the needs of all first and second level air transport operators, for both on-line and connection purposes.

How To Use Appendix F Country Listing Showing UTC — Local Time Comparisons

The Appendix is arranged alphabetically by country name, each followed by its International Standards Organisation two letter country code. (Note that the country names are based on the “Codes For the Presentation of Names of Countries” adopted by the ISO, but edited slightly for the purposes of this Manual). Thus, it can be used to establish the ISO code for any included country. A decode of ISO Country Codes appears at the end of Appendix F.

Each country's ISO Code is used as the basic element in the Time Zone code. Within their borders, some countries have multiple Time Zones, each having a different standard UTC – Local Time variation. In such instances, numerics are appended to the Country Code to uniquely identify each basic Time Zone. Where variations in the application of Daylight Saving Time apply within a basic Time Zone, an additional alpha character is added to form a unique code for each sub-zone.

For each unique Time Zone the Standard Variation to UTC is displayed as plus (+) or minus (–) hours and minutes.

Example:

+0430 is 4.5 hours ahead of UTC;

–1100 is 11 hours behind UTC.

Where applicable, the DST Variation to UTC is similarly quoted following the Start Time/Date and End Time/Date, expressed in UTC, showing the period when DST is applied. A DST Start Time at midnight (UTC) is expressed as 0000 and refers to the date just starting. A DST End Time at midnight (UTC) is expressed as 2400 and refers to the date just ending. Three years DST information is included.

△

Generally, the Time Zone applicable for each individual location can be determined from the geographical description for each Time Zone. However, specific Local Time Zone airport information for each individual Location Identifier should be obtained within the IATA Airline Coding Directory.

Amendment Procedure

- (a) The Appendix is updated for each edition of this Manual.
- (b) Confirmed and planned amendments to Standard Times and Daylight Saving Times should be reported to IATA by E-mail (ssim@iata.org).
- (c) Changes to Appendix F will be advised by E-mail. In order to maintain sequential control the message heading includes a message reference 'APP/F/number/date' e.g. APPF/29/21NOV06. The revised information is presented in the same format as in SSIM Appendix F tables.

Country Listing Showing UTC — Local Time Comparisons

Countries are abbreviated in this Manual by the use of the following two letter country codes which are based on the 'Codes For the Presentation of Names of Countries' adopted by the International Organization for Standardization, but have been edited slightly for the purpose of this Manual.

The information below includes DST information for:

Northern Hemisphere summers 2010, 2011, 2012

△

Southern Hemisphere summers 2009/2010, 2010/2011, 2011/2012

and reflects changes notified to airlines attending Schedules Conferences up to message APP/F/019/15JAN10. △

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
Afghanistan	AF	+0430					
Aland Islands	AX	Aland Islands					
		+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Albania	AL	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Algeria	DZ	+0100					
American Samoa	AS	-1100					
Andorra	AD	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Angola	AO	+0100					
Anguilla	AI	-0400					
Antigua and Barbuda	AG	-0400					
Argentina	AR 1	Provinces of Buenos Aires, Chaco, Cordoba, Corrientes, Entre Rios, Formosa, Misiones, Santa Fe, Santiago del Estero, Tucuman					
		-0300					
	AR 1A	Provinces of Catamarca, Chubut, Jujuy, La Pampa, La Rioja, Mendoza, Neuquen, Rio Negro, Salta, San Juan, Santa Cruz, Tierra del Fuego (including Antarctica and South Atlantic Islands)					
		-0300					
	AR 2	Province of San Luis					
		-0400	0400	11OCT09	0300	11APR10	-0300
			0400	10OCT10	0300	10APR11	-0300
			0400	09OCT11	0300	08APR12	-0300
Armenia	AM	+0400	2200	27MAR10	2200	30OCT10	+0500
			2200	26MAR11	2200	29OCT11	+0500
			2200	24MAR12	2200	27OCT12	+0500
Aruba	AW	-0400					
Australia	AU 1	Lord Howe Island					
		+1030	1530	03OCT09	1530	03APR10	+1100
			1530	02OCT10	1530	02APR11	+1100
			1530	01OCT11	1530	31MAR12	+1100

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
	AU 2	Australian Capital Territory, New South Wales (excluding Lord Howe Island and Broken Hill), Victoria					
		+1000	1600	03OCT09	1600	03APR10	+1100
			1600	02OCT10	1600	02APR11	+1100
			1600	01OCT11	1600	31MAR12	+1100
	AU 2A	Tasmania					
		+1000	1600	03OCT09	1600	03APR10	+1100
			1600	02OCT10	1600	02APR11	+1100
			1600	01OCT11	1600	31MAR12	+1100
	AU 2B	Queensland					
		+1000					
	AU 3	South Australia, Broken Hill					
		+0930	1630	03OCT09	1630	03APR10	+1030
			1630	02OCT10	1630	02APR11	+1030
			1630	01OCT11	1630	31MAR12	+1030
	AU 3A	Northern Territory					
		+0930					
	AU 4	Western Australia					
		+0800					
Austria	AT	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Azerbaijan	AZ	+0400	0000	28MAR10	2400	30OCT10	+0500
			0000	27MAR11	2400	29OCT11	+0500
			0000	25MAR12	2400	27OCT12	+0500
Bahamas (excluding Turks and Caicos Islands)	BS	-0500	0700	14MAR10	0600	07NOV10	-0400
			0700	13MAR11	0600	06NOV11	-0400
			0700	11MAR12	0600	04NOV12	-0400
Bahrain	BH	+0300					
Bangladesh	BD	+0600	1700	31MAR10	1700	31OCT10	+0700
			1700	31MAR11	1700	31OCT11	+0700
			1700	31MAR12	1700	31OCT12	+0700
Barbados	BB	-0400					
Belarus	BY	+0200	0000	28MAR10	2400	30OCT10	+0300
			0000	27MAR11	2400	29OCT11	+0300
			0000	25MAR12	2400	27OCT12	+0300
Belgium	BE	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Belize	BZ	-0600					
Benin	BJ	+0100					
Bermuda	BM	-0400	0600	14MAR10	0500	07NOV10	-0300
			0600	13MAR11	0500	06NOV11	-0300
			0600	11MAR12	0500	04NOV12	-0300
Bhutan	BT	+0600					

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
Bolivia	BO	-0400					
Bosnia and Herzegovina	BA	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Botswana	BW	+0200					
Brazil	BR 1	Rio Grande do Sul, Santa Catarina, Parana, Sao Paulo, Rio de Janeiro, Espirito Santo, Minas Gerais, Goias, Distrito Federal					
		-0300	0300	18OCT09	0200	21FEB10	-0200
			0300	17OCT10	0200	20FEB11	-0200
			0300	16OCT11	0200	26FEB12	-0200
	BR 1A	Amapa, Para, Pernambuco, Ceara, Maranhao, Paraiba, Tocantins, Rio Grande do Norte, Alagoas, Sergipe, Piaui, Bahia					
		-0300					
	BR 2	Mato Grosso, Mato Grosso do Sul					
		-0400	0400	18OCT09	0300	21FEB10	-0300
			0400	17OCT10	0300	20FEB11	-0300
			0400	16OCT11	0300	26FEB12	-0300
	BR 2A	Acre, Amazonas, Rondonia, Roraima					
		-0400					
	BR 4	Fernando de Noronha					
		-0200					
Brunei Darussalam	BN	+0800					
Bulgaria	BG	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Burkina Faso	BF	+0000					
Burundi	BI	+0200					
Cambodia	KH	+0700					
Cameroon	CM	+0100					
Canada	CA 1	Newfoundland Time Zone (excluding Labrador)					
		-0330	0530	14MAR10	0430	07NOV10	-0230
			0530	13MAR11	0430	06NOV11	-0230
			0530	11MAR12	0430	04NOV12	-0230
	CA 2	Atlantic Time Zone - areas observing DST (including Labrador)					
		-0400	0600	14MAR10	0500	07NOV10	-0300
			0600	13MAR11	0500	06NOV11	-0300
			0600	11MAR12	0500	04NOV12	-0300
	CA 2A	Atlantic Time Zone - areas not observing DST					
		-0400					
	CA 3	Eastern Time Zone - areas observing DST					
		-0500	0700	14MAR10	0600	07NOV10	-0400
			0700	13MAR11	0600	06NOV11	-0400
			0700	11MAR12	0600	04NOV12	-0400
	CA 3A	Eastern Time Zone - areas not observing DST					
		-0500					

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
	CA 4	Central Time Zone (excluding Saskatchewan)					
		-0600	0800	14MAR10	0700	07NOV10	-0500
			0800	13MAR11	0700	06NOV11	-0500
			0800	11MAR12	0700	04NOV12	-0500
	CA 4A	Central Time Zone - Saskatchewan					
		-0600					
	CA 5	Mountain Time Zone - areas observing DST					
		-0700	0900	14MAR10	0800	07NOV10	-0600
			0900	13MAR11	0800	06NOV11	-0600
			0900	11MAR12	0800	04NOV12	-0600
	CA 5A	Mountain Time Zone - areas not observing DST					
		-0700					
	CA 6	Pacific Time Zone					
		-0800	1000	14MAR10	0900	07NOV10	-0700
			1000	13MAR11	0900	06NOV11	-0700
			1000	11MAR12	0900	04NOV12	-0700
Cape Verde	CV	-0100					
Cayman Islands	KY	-0500					
Central African Republic	CF	+0100					
Chad	TD	+0100					
Chile	CL 1	Mainland					
		-0400	0400	11OCT09	0300	14MAR10	-0300
			0400	10OCT10	0300	13MAR11	-0300
			0400	09OCT11	0300	11MAR12	-0300
	CL 2	Easter Island					
		-0600	0400	11OCT09	0300	14MAR10	-0500
			0400	10OCT10	0300	13MAR11	-0500
			0400	09OCT11	0300	11MAR12	-0500
China, Peoples Republic of	CN	+0800					
Chinese Taipei	TW	+0800					
Christmas Island (Indian Ocean)	CX	+0700					
Cocos (Keeling) Islands	CC	+0630					
Colombia	CO	-0500					
Comoros	KM	+0300					
Congo	CG	+0100					
Congo, Democratic Republic of	CD 1	Kinshasa, Bandundu, Bas-Congo, Equateur					
		+0100					
	CD 2	Kasai Occidental, Kasai Oriental, Nord-Kivu, Sud-Kivu, Maniema, Orientale, Katanga					
		+0200					
Cook Islands	CK	-1000					
Costa Rica	CR	-0600					
Côte d'Ivoire	CI	+0000					

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
Croatia	HR	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Cuba	CU	-0500	0500	07MAR10	0500	31OCT10	-0400
			0500	06MAR11	0500	30OCT11	-0400
			0500	04MAR12	0500	28OCT12	-0400
Cyprus	CY	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Czech Republic	CZ	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Denmark	DK	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Djibouti	DJ	+0300					
Dominica	DM	-0400					
Dominican Republic	DO	-0400					
Ecuador	EC 1	Mainland -0500					
	EC 2	Galapagos Islands -0600					
Egypt	EG	+0200	2200	29APR10	2100	23SEP10	+0300
			2200	28APR11	2100	29SEP11	+0300
			2200	26APR12	2100	27SEP12	+0300
El Salvador	SV	-0600					
Equatorial Guinea	GQ	+0100					
Eritrea	ER	+0300					
Estonia	EE	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Ethiopia	ET	+0300					
Falkland Islands (Malvinas)	FK	-0400	0600	06SEP09	0500	18APR10	-0300
			0600	05SEP10	0500	17APR11	-0300
			0600	04SEP11	0500	15APR12	-0300
Faroe Islands	FO	+0000	0100	28MAR10	0100	31OCT10	+0100
			0100	27MAR11	0100	30OCT11	+0100
			0100	25MAR12	0100	28OCT12	+0100
Fiji	FJ	+1200	1400	28NOV09	1400	24APR10	+1300
Finland	FI	+0200	0100	28MAR10	0100	31OCT10	+1300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
France	FR	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
French Guiana	GF	-0300					
French Polynesia	PF 1	Marquesas Islands					
		-0930					
	PF 2	Society Archipelago (including Tahiti), Tubuai Islands, Tuamotu Archipelago (excluding Gambier Islands)					
		-1000					
	PF 3	Gambier Islands					
		-0900					
Gabon	GA	+0100					
Gambia	GM	+0000					
Georgia	GE	+0400					
Germany	DE	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Ghana	GH	+0000					
Gibraltar	GI	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Greece	GR	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Greenland	GL 1	Greenland (excluding Pituffik, Ittoqqortoormiit, Nerlerit Inaat)					
			-0300				
			0100	28MAR10	0100	31OCT10	-0200
			0100	27MAR11	0100	30OCT11	-0200
	GL 2	Pituffik	0100	25MAR12	0100	28OCT12	-0200
			-0400				
			0600	14MAR10	0500	07NOV10	-0300
	GL 3	Ittoqqortoormiit, Nerlerit Inaat	0600	13MAR11	0500	06NOV11	-0300
			0600	11MAR12	0500	04NOV12	-0300
			-0100				
			0100	28MAR10	0100	31OCT10	+0000
			0100	27MAR11	0100	30OCT11	+0000
			0100	25MAR12	0100	28OCT12	+0000
Grenada	GD	-0400					
Guadeloupe	GP	-0400					
Guam	GU	+1000					
Guatemala	GT	-0600					
Guinea	GN	+0000					
Guinea-Bissau	GW	+0000					
Guyana	GY	-0400					
Haiti	HT	-0500					
Honduras	HN	-0600					
Hong Kong (SAR), China	HK	+0800					
Hungary	HU	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
Iceland	IS	+0000					
India (including Andaman Islands)	IN	+0530					
Indonesia	ID 1	Western Time Zone (including Sumatera, Jawa, Kalimantan Barat, Kalimantan Tengah) +0700					
	ID 2	Central Time Zone (including Kalimantan Selatan, Kalimantan Timur, Sulawesi, Nusa Tenggara) +0800					
	ID 3	Eastern Time Zone (including Maluku, Papua) +0900					
Iran (Islamic Republic of)	IR	+0330	2030	20MAR10	1930	21SEP10	+0430
			2030	20MAR11	1930	21SEP11	+0430
			2030	20MAR12	1930	21SEP12	+0430
Iraq	IQ	+0300					
Ireland	IE	+0000	0100	28MAR10	0100	31OCT10	+0100
			0100	27MAR11	0100	30OCT11	+0100
			0100	25MAR12	0100	28OCT12	+0100
Israel	IL	+0200	0000	26MAR10	2300	11SEP10	+0300
			0000	01APR11	2300	01OCT11	+0300
			0000	30MAR12	2300	22SEP12	+0300
Italy	IT	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Jamaica	JM	-0500					
Japan	JP	+0900					
Jordan	JO	+0200	2200	25MAR10	2100	28OCT10	+0300
			2200	24MAR11	2100	27OCT11	+0300
			2200	28MAR12	2100	25OCT12	+0300
Kazakhstan	KZ 1	Aktau, Atyrau, Aktyubinsk, Uralsk +0500					
	KZ 2	Almaty, Astana, Karaganda, Kokshetau, Kostanay, Kyzl-Orda, Petropavlovsk, Semipalatinsk, Shymkent Ust-Kamenogorsk, Zhezkazgan +0600					
Kenya	KE	+0300					
Kiribati	KI 1	Gilbert Islands +1200					
	KI 2	Line Islands +1400					
	KI 3	Phoenix Islands +1300					
Korea, Democratic People's Republic of	KP	+0900					
Korea, Republic of	KR	+0900					
Kuwait	KW	+0300					
Kyrgyzstan	KG	+0600					
Lao People's Democratic Republic	LA	+0700					

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
Latvia	LV	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Lebanon	LB	+0200	2200	27MAR10	2100	30OCT10	+0300
			2200	26MAR11	2100	29OCT11	+0300
			2200	24MAR12	2100	27OCT12	+0300
Lesotho	LS	+0200					
Liberia	LR	+0000					
Libyan Arab Jamahiriya	LY	+0200					
Liechtenstein	LI	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Lithuania	LT	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Luxembourg	LU	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Macao (SAR, China)	MO	+0800					
Macedonia, The Former Yugoslav Republic of	MK	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Madagascar	MG	+0300					
Malawi	MW	+0200					
Malaysia	MY	+0800					
Maldives	MV	+0500					
Mali	ML	+0000					
Malta	MT	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Marshall Islands	MH	+1200					
Martinique	MQ	-0400					
Mauritania	MR	+0000					
Mauritius	MU	+0400					
Mayotte	YT	+0300					
Mexico	MX 1	Mexico (excluding Baja California Norte, Baja California Sur, Nayarit, Sinaloa, Sonora, Chihuahua)					
		-0600	0800	04APR10	0700	31OCT10	-0500
			0800	03APR11	0700	30OCT11	-0500
			0800	01APR12	0700	28OCT12	-0500
	MX 1A	Piedras Negras, Nuevo Laredo, Reynosa, Matamoros, Ciudad Acuña					
		-0600	0800	14MAR10	0700	07NOV10	-0500
			0800	13MAR11	0700	06NOV11	-0500
			0800	11MAR12	0700	04NOV12	-0500

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
	MX 2	Baja California Sur, Nayarit, Sinaloa, Chihuahua -0700	0900	04APR10	0800	31OCT10	-0600
			0900	03APR11	0800	30OCT11	-0600
			0900	01APR12	0800	28OCT12	-0600
	MX 2A	Sonora -0700					
	MX 2B	Ciudad Juarez -0700	0900	14MAR10	0800	07NOV10	-0600
			0900	13MAR11	0800	06NOV11	-0600
			0900	11MAR12	0800	04NOV12	-0600
	MX 3	Baja California Norte -0800	1000	04APR10	0900	31OCT10	-0700
			1000	03APR11	0900	30OCT11	-0700
			1000	01APR12	0900	28OCT12	-0700
	MX 3A	Tijuana, Mexicali -0800	1000	14MAR10	0900	07NOV10	-0700
			1000	13MAR11	0900	06NOV11	-0700
			1000	11MAR12	0900	04NOV12	-0700
Micronesia (Federated States of)	FM 1	Micronesia (excluding Kosrae, Pohnpei) +1000					
	FM 2	Kosrae, Pohnpei +1100					
Moldova, Republic of	MD	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Monaco	MC	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Mongolia	MN	+0800					
Montenegro	ME	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Montserrat	MS	-0400					
Morocco	MA	+0000					
Mozambique	MZ	+0200					
Myanmar	MM	+0630					
Namibia	NA	+0100	0100	06SEP09	2400	03APR10	+0200
			0100	05SEP10	2400	02APR11	+0200
			0100	04SEP11	2400	31MAR12	+0200
Nauru	NR	+1200					
Nepal	NP	+0545					
Netherlands	NL	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200

			--- DST Start ---		--- DST End ---				
Country Name	Time Zone	Standard Variation	Time	Date	Time	Date	DST Variation		
Netherlands Antilles (including Southern St. Martin)	AN	−0400							
New Caledonia	NC	+1100							
New Zealand	NZ 1	New Zealand (excluding Chatham Islands)							
			+1200	1400	26SEP09	1400	03APR10	+1300	
				1400	25SEP10	1400	02APR11	+1300	
		1400	24SEP11	1400	31MAR12	+1300			
	NZ 2	Chatham Islands							
			+1245	1400	26SEP09	1400	03APR10	+1345	
				1400	25SEP10	1400	02APR11	+1345	
				1400	24SEP11	1400	31MAR12	+1345	
Nicaragua	NI	−0600							
Niger	NE	+0100							
Nigeria	NG	+0100							
Niue	NU	−1100							
Norfolk Island	NF	+1130							
Northern Mariana Islands (includes Mariana Islands except Guam)	MP	+1000							
Norway (excluding Svalbard and Jan Mayen)	NO	+0100	0100	28MAR10	0100	31OCT10	+0200		
			0100	27MAR11	0100	30OCT11	+0200		
			0100	25MAR12	0100	28OCT12	+0200		
Oman	OM	+0400							
Pakistan	PK	+0500	1900	14APR09	1800	31OCT09	+0600		
Palau	PW	+0900							
Palestinian Territory, Occupied	PS	+0200	2300	25MAR10	2200	23SEP10	+0300		
			2300	24MAR11	2200	29SEP11	+0300		
			2300	22MAR12	2200	27SEP12	+0300		
Panama	PA	−0500							
Papua New Guinea	PG	+1000							
Paraguay	PY	−0400	0400	18OCT09	0300	14MAR10	−0300		
			0400	17OCT10	0300	13MAR11	−0300		
			0400	16OCT11	0300	11MAR12	−0300		
Peru	PE	−0500							
Philippines	PH	+0800							
Poland	PL	+0100	0100	28MAR10	0100	31OCT10	+0200		
			0100	27MAR11	0100	30OCT11	+0200		
			0100	25MAR12	0100	28OCT12	+0200		
Portugal	PT 1	Mainland, Madeira							
			+0000	0100	28MAR10	0100	31OCT10	+0100	
				0100	27MAR11	0100	30OCT11	+0100	
				0100	25MAR12	0100	28OCT12	+0100	

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
	PT 2	Azores -0100	0100	28MAR10	0100	31OCT10	+0000
			0100	27MAR11	0100	30OCT11	+0000
			0100	25MAR12	0100	28OCT12	+0000
Puerto Rico	PR	-0400					
Qatar	QA	+0300					
Reunion	RE	+0400					
Romania	RO	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Russian Federation	RU 1	Zone 1 (including Kaliningrad) +0200	0000	28MAR10	2400	30OCT10	+0300
			0000	27MAR11	2400	29OCT11	+0300
			0000	25MAR12	2400	27OCT12	+0300
	RU 2	Zone 2 (including Moscow, St. Petersburg, Astrakhan, Naryan Mar) +0300	2300	27MAR10	2300	30OCT10	+0400
			2300	26MAR11	2300	29OCT11	+0400
			2300	24MAR12	2300	27OCT12	+0400
	RU 3	Zone 3 (including Izhevsk, Samara) +0400	2200	27MAR10	2200	30OCT10	+0500
			2200	26MAR11	2200	29OCT11	+0500
			2200	24MAR12	2200	27OCT12	+0500
	RU 4	Zone 4 (including Perm, Nizhnevartovsk, Ekaterinburg) +0500	2100	27MAR10	2100	30OCT10	+0600
			2100	26MAR11	2100	29OCT11	+0600
			2100	24MAR12	2100	27OCT12	+0600
	RU 5	Zone 5 (including Omsk, Novosibirsk) +0600	2000	27MAR10	2000	30OCT10	+0700
			2000	26MAR11	2000	29OCT11	+0700
			2000	24MAR12	2000	27OCT12	+0700
	RU 6	Zone 6 (including Norilsk, Kyzyl) +0700	1900	27MAR10	1900	30OCT10	+0800
			1900	26MAR11	1900	29OCT11	+0800
			1900	24MAR12	1900	27OCT12	+0800
	RU 7	Zone 7 (including Bratsk, Ulan-Ude) +0800	1800	27MAR10	1800	30OCT10	+0900
			1800	26MAR11	1800	29OCT11	+0900
			1800	24MAR12	1800	27OCT12	+0900
	RU 8	Zone 8 (including Chita, Yakutsk) +0900	1700	27MAR10	1700	30OCT10	+1000
			1700	26MAR11	1700	29OCT11	+1000
			1700	24MAR12	1700	27OCT12	+1000
	RU 9	Zone 9 (including Khabarovsk, Vladivostok, Yuzhno-Sakhalinsk) +1000	1600	27MAR10	1600	30OCT10	+1100
			1600	26MAR11	1600	29OCT11	+1100
			1600	24MAR12	1600	27OCT12	+1100

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
	RU 10	Zone 10 (including Magadan) +1100	1500	27MAR10	1500	30OCT10	+1200
			1500	26MAR11	1500	29OCT11	+1200
			1500	24MAR12	1500	27OCT12	+1200
	RU 11	Zone 11 (including Petropavlovsk-Kamchatsky) +1200	1400	27MAR10	1400	30OCT10	+1300
			1400	26MAR11	1400	29OCT11	+1300
			1400	24MAR12	1400	27OCT12	+1300
Rwanda	RW	+0200					
Saint Barthelemy	BL	-0400					
Saint Helena	SH	+0000					
Saint Kitts and Nevis	KN	-0400					
Saint Lucia	LC	-0400					
Saint Martin	MF	-0400					
Saint Pierre and Miquelon	PM	-0300	0500	14MAR10	0400	07NOV10	-0200
			0500	13MAR11	0400	06NOV11	-0200
			0500	11MAR12	0400	04NOV12	-0200
Saint Vincent and The Grenadines	VC	-0400					
Samoa	WS	-1100	1100	26SEP10	1000	03APR11	-1000
San Marino	SM	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Sao Tome and Principe	ST	+0000					
Saudi Arabia	SA	+0300					
Senegal	SN	+0000					
Serbia	RS	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Seychelles	SC	+0400					
Sierra Leone	SL	+0000					
Singapore	SG	+0800					
Slovakia	SK	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Slovenia	SI	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Solomon Islands	SB	+1100					
Somalia	SO	+0300					
South Africa	ZA	+0200					
Spain	ES 1	Mainland, Balears, Melilla, Ceuta +0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
	ES 2	Canary Islands					
		+0000	0200	28MAR10	0200	31OCT10	+0100
			0200	27MAR11	0200	30OCT11	+0100
			0200	25MAR12	0200	28OCT12	+0100
Sri Lanka	LK	+0530					
Sudan	SD	+0300					
Suriname	SR	-0300					
Svalbard and Jan Mayen	SJ	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Swaziland	SZ	+0200					
Sweden	SE	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Switzerland	CH	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
			0100	25MAR12	0100	28OCT12	+0200
Syrian Arab Republic	SY	+0200	2200	01APR10	2100	28OCT10	+0300
			2200	31MAR11	2100	27OCT11	+0300
			2200	31MAR12	2100	26OCT12	+0300
Tajikistan	TJ	+0500					
Tanzania, United Republic of	TZ	+0300					
Thailand	TH	+0700					
Timor-Leste	TL	+0900					
Togo	TG	+0000					
Tonga	TO	+1300					
Trinidad and Tobago	TT	-0400					
Tunisia	TN	+0100	0100	28MAR10	0100	31OCT10	+0200
			0100	27MAR11	0100	30OCT11	+0200
Turkey	TR	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
Turkmenistan	TM	+0500					
Turks and Caicos Islands	TC	-0500	0700	14MAR10	0600	07NOV10	-0400
			0700	13MAR11	0600	06NOV11	-0400
			0700	11MAR12	0600	04NOV12	-0400
Tuvalu	TV	+1200					
Uganda	UG	+0300					
Ukraine	UA	+0200	0100	28MAR10	0100	31OCT10	+0300
			0100	27MAR11	0100	30OCT11	+0300
			0100	25MAR12	0100	28OCT12	+0300
United Arab Emirates (Abu Dhabi, Dubai, Sharjah, Ras al Khaymah, Umm Alquwain, Al Ain, Al-Fujairah)	AE	+0400					

			--- DST Start ---		--- DST End ---			
Country Name	Time Zone	Standard Variation	Time	Date	Time	Date	DST Variation	
United Kingdom	GB	+0000	0100	28MAR10	0100	31OCT10	+0100	
			0100	27MAR11	0100	30OCT11	+0100	
			0100	25MAR12	0100	28OCT12	+0100	
United States	US 1	Eastern Time Zone	-0500	0700	14MAR10	0600	07NOV10	-0400
			0700	13MAR11	0600	06NOV11	-0400	
			0700	11MAR12	0600	04NOV12	-0400	
	US 2	Central Time Zone	-0600	0800	14MAR10	0700	07NOV10	-0500
			0800	13MAR11	0700	06NOV11	-0500	
			0800	11MAR12	0700	04NOV12	-0500	
	US 3	Mountain Time Zone (excluding Arizona)	-0700	0900	14MAR10	0800	07NOV10	-0600
			0900	13MAR11	0800	06NOV11	-0600	
			0900	11MAR12	0800	04NOV12	-0600	
	US 3A	Mountain Time Zone - Arizona	-0700					
	US 4	Pacific Time Zone	-0800	1000	14MAR10	0900	07NOV10	-0700
			1000	13MAR11	0900	06NOV11	-0700	
			1000	11MAR12	0900	04NOV12	-0700	
	US 5	Alaska Time Zone	-0900	1100	14MAR10	1000	07NOV10	-0800
			1100	13MAR11	1000	06NOV11	-0800	
			1100	11MAR12	1000	04NOV12	-0800	
	US 6	Aleutian Time Zone	-1000	1200	14MAR10	1100	07NOV10	-0900
			1200	13MAR11	1100	06NOV11	-0900	
			1200	11MAR12	1100	04NOV12	-0900	
	US 6A	Hawaiian Time Zone	-1000					
	United States Minor Outlying Islands	UM 1	Johnston Atoll	-1000				
		UM 2	Midway Islands	-1100				
		UM 3	Wake Island	+1200				
	Uruguay	UY	-0300	0500	04OCT09	0400	14MAR10	-0200
0500				03OCT10	0400	13MAR11	-0200	
0500				02OCT11	0400	11MAR12	-0200	
Uzbekistan	UZ	+0500						
Vanuatu	VU	+1100						
Venezuela	VE	-0430						
Viet Nam	VN	+0700						
Virgin Islands (British)	VG	-0400						

Country Name	Time Zone	Standard Variation	--- DST Start ---		--- DST End ---		DST Variation
			Time	Date	Time	Date	
Virgin Islands (U.S.)	VI	-0400					
Wallis and Futuna Islands	WF	+1200					
Yemen	YE	+0300					
Zambia	ZM	+0200					
Zimbabwe	ZW	+0200					

Decoding

AD Andorra
 AE United Arab Emirates
 AF Afghanistan
 AG Antigua and Barbuda
 AI Anguilla
 AL Albania
 AM Armenia
 AN Netherlands Antilles (including
 Southern St. Martin)
 AO Angola
 AR Argentina
 AS American Samoa
 AT Austria
 AU Australia
 AW Aruba
 AX Åland Islands
 AZ Azerbaijan

BA Bosnia and Herzegovina
 BB Barbados
 BD Bangladesh
 BE Belgium
 BF Burkina Faso
 BG Bulgaria
 BH Bahrain
 BI Burundi
 BJ Benin
 BM Bermuda
 BN Brunei Darussalam
 BO Bolivia, Plurinational State of
 BR Brazil
 BS Bahamas
 BT Bhutan
 BW Botswana
 BY Belarus
 BZ Belize

CA Canada
 CC Cocos (Keeling) Islands
 CD Congo, Democratic Republic of
 CF Central African Republic

CG Congo
 CH Switzerland
 CI Côte d'Ivoire
 CK Cook Islands
 CL Chile
 CM Cameroon, Republic of
 CN China, People's Republic of
 CO Colombia
 CR Costa Rica
 CU Cuba
 CV Cape Verde
 CX Christmas Island (Indian Ocean)
 CY Cyprus
 CZ Czech Republic

DE Germany
 DJ Djibouti
 DK Denmark
 DM Dominica
 DO Dominican Republic
 DZ Algeria

EC Ecuador
 EE Estonia
 EG Egypt
 ER Eritrea
 ES Spain (including Canary Islands,
 Melilla)
 ET Ethiopia

FI Finland
 FJ Fiji
 FK Falkland Islands (Malvinas)
 FM Micronesia (Federated States of)
 FO Faroe Islands
 FR France

GA Gabon
 GB United Kingdom
 GD Grenada
 GE Georgia
 GF French Guiana

△

GH..... Ghana	KP Korea, Democratic People's Republic of
GI Gibraltar	KR Korea, Republic of
GL Greenland	KW Kuwait
GM Gambia	KY Cayman Islands
GN..... Guinea	KZ..... Kazakhstan
GP Guadeloupe (including St. Barthelemy and Northern St. Martin)	LA..... Lao People's Democratic Republic
GQ..... Equatorial Guinea	LB..... Lebanon
GR..... Greece	LC..... Saint Lucia
GT Guatemala	LI Liechtenstein
GU Guam	LK..... Sri Lanka
GW Guinea-Bissau	LR..... Liberia
GY Guyana	LS..... Lesotho
HK Hong Kong (SAR, China)	LT Lithuania
HN Honduras	LU..... Luxembourg
HR..... Croatia	LV Latvia
HT Haiti	LY..... Libyan Arab Jamahiriya
HU Hungary	MA..... Morocco
ID..... Indonesia	MC..... Monaco
IE..... Ireland	MD..... Moldova, Republic of
IL Israel	ME Montenegro
IN..... India (including Andaman Islands)	MG Madagascar
IQ Iraq	MH..... Marshall Islands
IR..... Iran (Islamic Republic of)	MK..... Macedonia, The Former Yugoslav Republic of
IS..... Iceland	ML Mali
IT Italy	MM Myanmar
JM Jamaica	MN..... Mongolia
JO..... Jordan	MO Macao (SAR, China)
JP Japan	MP Northern Mariana Islands (including Mariana Islands except Guam)
KE Kenya	MQ Martinique
KG Kyrgyzstan	MR..... Mauritania
KH Cambodia	MS..... Montserrat
KI..... Kiribati (including Christmas Island, Canton and Enderbury Islands)	MT Malta
KM..... Comoros	MU..... Mauritius
KN Saint Kitts and Nevis	MV Maldives
	MW..... Malawi
	MX..... Mexico

MY..... Malaysia	RU..... Russian Federation
MZ..... Mozambique	RW..... Rwanda
NA..... Namibia	SA..... Saudi Arabia
NC..... New Caledonia	SB..... Solomon Islands
NE..... Niger	SC..... Seychelles
NF..... Norfolk Island	SD..... Sudan
NG..... Nigeria	SE..... Sweden
NI..... Nicaragua	SG..... Singapore
NL..... Netherlands	SH..... Saint Helena
NO..... Norway	SI..... Slovenia
NP..... Nepal	SJ..... Svalbard and Jan Mayen
NR..... Nauru	SK..... Slovakia
NU..... Niue	SL..... Sierra Leone
NZ..... New Zealand (including Chatham Is.)	SM..... San Marino
OM..... Oman	SN..... Senegal
PA..... Panama	SO..... Somalia
PE..... Peru	SR..... Suriname
PF..... French Polynesia (including Marquezas Islands, Society Archipelago, Tubuai Islands, Tuamotu Archipelago, Tahiti and Gambier Islands)	ST..... Sao Tome and Principe
PG..... Papua New Guinea	SV..... El Salvador
PH..... Philippines	SY..... Syrian Arab Republic
PK..... Pakistan	SZ..... Swaziland
PL..... Poland	TC..... Turks and Caicos Islands
PM..... Saint Pierre and Miquelon	TD..... Chad
PR..... Puerto Rico	TG..... Togo
PS..... Palestinian Territory, Occupied	TH..... Thailand
PT..... Portugal (including Azores and Madeira)	TJ..... Tajikistan
PW..... Palau	TL..... Timor-Leste
PY..... Paraguay	TM..... Turkmenistan
QA..... Qatar	TN..... Tunisia
RE..... Reunion	TO..... Tonga
RO..... Romania	TR..... Turkey
RS..... Serbia	TT..... Trinidad and Tobago
	TV..... Tuvalu
	TW..... Chinese Taipei
	TZ..... Tanzania, United Republic of
	UA..... Ukraine
	UG..... Uganda
	UM..... United States Minor Outlying Islands (including Johnston Atoll, Midway Islands and Wake Island)

US United States (including Alaska
and Hawaii)

UY Uruguay

UZ Uzbekistan

VC Saint Vincent and The
Grenadines

△

VE Venezuela, Bolivarian Republic of

VG Virgin Islands (British)

VI Virgin Islands (U.S.)

VN Viet Nam

VU Vanuatu

WF Wallis and Futuna Islands

WS Samoa

YE Yemen

YT Mayotte

ZA South Africa

ZM Zambia

ZW Zimbabwe

ZZ Fictitious

APPENDIX G

TRAFFIC RESTRICTION CODES TABLE

The next pages represent a complete table of Traffic Restriction Codes and their associated appropriate texts. It gives a general definition of each code and detailed information on how the Airline Guides and Computer Reservations Systems will publish and display restricted segments in both passenger and cargo applications.

Traffic Restrictions apply on a segment basis. The codes in this table condense the expression of the conditions under which traffic may be enplaned at the board point and/or deplaned at the off point of the segment to which the restriction is applied. Direct flights should be published and displayed for all restricted segments except restrictions **A, I, K, N, O** and **Y**, and additionally restrictions **M, Q, T, V, W** and **X** in cargo/mail applications, as no local traffic is allowed.

Any **connection** which satisfies the applicable restriction should not have the appropriate text displayed.

When a Traffic Restriction condition is applicable to a connection there is no distinction between the airports within a Metropolitan Area. The Traffic Restriction condition is deemed to be applicable to all airports.

Example:

AA 123	FRA JFK	Traffic Restriction Q (<i>Intl Online Connection or Stopover Traffic</i>)
AA 456	EWR PHX	

JFK & EWR are part of NYC, but a connection between them should still be treated as online.

Traffic restrictions can be specified to apply only at the board point or the off point by using data elements 'Traffic Restriction Code Qualifier at Board Point' and 'Traffic Restriction Code Qualifier at Off Point' respectively, or can be expanded upon by using data element 'Traffic Restriction Code Information — Free Format'.

Traffic Restrictions which restrict carriage to Online Connecting Traffic mean that the Flight Designators of the flights involved in a connection must both use the same Airline Designator for the connection to be valid. The same rule applies when carriage is restricted to Stopover Traffic — meaning that a valid Stopover can only be Online.

Default: *In the absence of any information to the contrary, it is assumed that any Traffic Restriction stated applies to all forms of traffic (passenger, cargo, mail) at Board and/or Off Point.*

Traffic Restriction Code	Meaning and Description	Display of Restricted Direct Flight Segment	Construction of Transfer Connections Involving Restricted Flight Segment
A	NO LOCAL TRAFFIC No traffic may be enplaned at the board point for carriage to, and subsequent deplaning at the off point. See also Restriction I.	No display.	Not allowed.
B	LOCAL TRAFFIC ONLY No restriction applies, but the segment is not to be used as part of any published connection.	Normal display.	Not allowed.
C	LOCAL AND DOMESTIC CONNECTING TRAFFIC ONLY No restriction applies, but the segment is not to be used as connections. part of any published connection where the preceding connecting segment, or where the following connecting segment, is an international flight segment.	Normal display.	Construct only Domestic connections.
D	QUALIFIED INTERNATIONAL ONLINE CONNECTING OR STOPOVER TRAFFIC ONLY The 'D' restriction equals the 'Q' restriction in that it restricts the segment to international online connecting and international online stopover traffic only. Additionally, the trip will be invalid if the 'D', 'E' or 'G' restriction exists into and out of all online connect points for the carrier(s) filing the restriction. → For further guidance, see also Appendix H: Traffic Restriction Codes D/E/G.	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. INTL ONLINE CONNEX/STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Construct only International Online connections except if the 'D', 'E' or 'G' restriction exists into and out of all online connect points for the carrier(s) filing the restriction.
E	QUALIFIED ONLINE CONNECTING OR STOPOVER TRAFFIC ONLY The 'E' restriction equals the 'X' restriction in that it restricts the segment to online connecting and online stopover traffic only. Additionally, the trip will be invalid if the 'D', 'E' or 'G' restriction exists into and out of all online connect points for the carrier(s) filing the restriction. → For further guidance, see also Appendix H: Traffic Restriction Codes D/E/G.	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. ONLINE CONNEX/STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Construct only Online connections except if the 'D', 'E' or 'G' restriction exists into and out of all online connect points for the carrier(s) filing the restriction.
F	LOCAL AND ONLINE CONNECTING TRAFFIC ONLY. No restriction applies, but the segment is not to be used as part of any published interline connecting segment.	Normal display	Construct only Online connections
G	QUALIFIED ONLINE CONNECTING TRAFFIC ONLY. The 'G' restriction equals the 'Y' restriction in that it restricts the segment to online connecting traffic only. Additionally, the trip will be invalid if the 'D', 'E' or 'G' restrictions exist into and out of all online connect points for the carrier(s) filing the restriction. → For further guidance, see also Appendix H: Traffic Restriction Code D/E/G.	No display	Construct only Online connections except if the 'D', 'E' or 'G' restriction exists into and out of all online connect points for the carrier(s) filing the restriction.
H	SEGMENT NOT TO BE DISPLAYED No restriction applies, but the segment is not to be displayed or used as part of any published connection.	No display.	Not allowed.
I	TECHNICAL LANDING Due to non-commercial (technical) landing no traffic may be enplaned at the board point for carriage to, and subsequent deplaning at the off point. All segments, where the board point and/or off point is a technical stop, should be restricted using Code I.	No display.	Not allowed.
K	CONNECTING TRAFFIC ONLY Carriage is limited to connecting traffic only. The segment must have at least one connection.	No display.	Construction allowed.
M	INTERNATIONAL ONLINE STOPOVER TRAFFIC ONLY Carriage is limited to international online stopover traffic only; traffic may be carried if all conditions are satisfied. In respect of carriage of cargo and/or mail, this code is interpreted as Traffic Restriction Code A .	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. INTL ONLINE STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Not allowed.
N	INTERNATIONAL CONNECTING TRAFFIC ONLY Carriage is limited to international connecting traffic only. The segment must have at least one international connection. All connecting segments must be from/to a station in another country .	No display.	Construct only International connections.
O	INTERNATIONAL ONLINE CONNECTING TRAFFIC ONLY Carriage is limited to international online connecting traffic only. The segment must have at least one international online connection. All connecting segments must be from/to a station in another country with the same airline designator .	No display.	Construct only International Online connections.
Q	INTERNATIONAL ONLINE CONNECTING OR STOPOVER TRAFFIC ONLY Carriage is limited to international online connecting or international online stopover traffic only; traffic may be carried if either set of conditions is satisfied. In respect of carriage of cargo and/or mail, this code is interpreted as Traffic Restriction Code O .	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. INTL ONLINE CONNEX/STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Construct only International Online Connections.

△

Traffic Restriction Code	Meaning and Description	Display of Restricted Direct Flight Segment	Construction of Transfer Connections Involving Restricted Flight Segment
T	ONLINE STOPOVER TRAFFIC ONLY Carriage is limited to online stopover traffic only. The segment must have at least one online stopover. All stopover segments must be online. In respect of carriage of cargo and/or mail, this code is interpreted as Traffic Restriction Code A.	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. ONLINE STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Not allowed.
V	CONNECTING OR STOPOVER TRAFFIC ONLY Carriage is limited to connecting or stopover traffic only; traffic may be carried if either condition is satisfied. In respect of the carriage of cargo and/or mail, this code is interpreted as Traffic Restriction Code K.	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. CONEX/STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Construction allowed.
W	INTERNATIONAL CONNECTING OR STOPOVER TRAFFIC ONLY Carriage is limited to international connecting or international stopover traffic only; traffic may be carried if either set of conditions is satisfied. In respect of carriage of cargo and/or mail, this code is interpreted as Traffic Restriction Code N.	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. INTL CONEX/STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Construct only International connections.
X	ONLINE CONNECTING OR STOPOVER TRAFFIC ONLY Carriage is limited to online connecting or online stopover traffic only; traffic may be carried if either set of conditions is satisfied. In respect of carriage of cargo and/or mail, this code is interpreted as Traffic Restriction Code Y.	<i>Passenger applications:</i> Displayed, but must be accompanied by appropriate text, eg. ONLINE CONEX/STPVR TFC ONLY <i>Cargo/Mail applications:</i> No display.	Construct only Online connections.
Y	ONLINE CONNECTING TRAFFIC ONLY Carriage is limited to online connecting traffic only. The segment must have at least one online connection. All connecting segments must be online.	No display.	Construct only Online connections.
Z	Traffic restrictions do not apply equally to passenger/cargo/mail and/or Multiple traffic restrictions apply. <i>Refer to associated Data Element Identifiers 170 through 175.</i>	Not applicable.	Not applicable.

APPENDIX H

EXPLANATORY NOTES ON SSIM APPLICATIONS

General

The objective of the Standard Schedules Information Manual is to communicate information relating to a flight or service without any ambiguity.

Apart from the essential information, like Flight Designators, Day(s) and Period of Operation, Aircraft Type, routing and timings, additional information can be added for operational and reservations purposes.

Each item has been allocated a particular position in the schedule information, and is called a 'data element'.

Each data element and its relationship to others with a common subject have been defined in Chapter 2. For the implementation and the proper use of SSIM, it is important to be aware of such relationships.

The objective of this Appendix is to explain and guide the treatment of particular cases that require special attention or handling.

It is assumed, however, that the definition of each data element used in this Appendix is known or can be referenced in Chapter 2.

Contents

Ad Hoc Schedules Messages in the Operations Control Environment

- Schedule Information Processing

- Operational Situations

Aircraft Seating Description

- Aircraft Configuration/Version (ACV)

- Passenger Reservations Booking Designator (PRBD)

Clearances/Movement Advices for Flights Partly out of Scheduling Season

Commercial Agreements Between Two or More Airlines

- Wet/Dry Lease

- Joint Operation

- Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)

△

- Operating Airline Disclosure — Code Share (DEI 2)

△

- Code Share — Multiple Names

△

- Code Sharing: Code Sharing and Wet Lease Handling in Chapters 4, 5 and 7

- Examples for :

□

 - Chapters 4 and 5 Applications

 - Chapter 7 Application

Daylight Saving Time**Defaults****Duplicate Flight Legs****Electronic Ticketing Information**

- Carrier Defaults

- Electronic Ticketing for Segments

Fictitious Points**Legs/Segments**

- Segment Override Data Elements

- Segment Default Assumptions

 - Electronic Ticketing Information

 - Passenger Reservations Booking Designator

Minimum Connecting Time (MCT)

- Definition

- General

- Designation of MCT Coordinator In Each Airline

- Changes To MCTs

- Bilateral MCT Agreements

- Establishing MCT Exceptions

Partial Cancellation of Flights**Partnership Specification**

- Direct Flights

- Single Connections

- Double Connections

Time Mode

- UTC/LT Relationship

- UTC Flight Number Duplication at Origin or Individual Stations

- UTC Flight Number Duplication due to Daylight Saving Time

- Local Date Flight Number Duplication

- Summary

Traffic Restriction Code D, E and G

- Online Connection Scenario

- Interline Connection Scenario

Traffic Restriction Code Qualifiers 710-712**Train Stations at Multi-Terminal Airports****Withdrawal of Ad Hoc Schedule Changes**

- ASM Withdrawal Indicator

- Change Reason Code RTNS

AD HOC Schedules Messages in the Operations Control Environment

References in this section are to schedule updates using ASMs.

The implementation of Ad Hoc Schedules Messages (ASM) in on-the-day Operations Control Environment is increasing. The subsequent processing of these messages in both in-house and external applications such as reservations, cargo and departure control applications, have created a number of conflicts between the ideal scheduling philosophy of SSIM and real operational situations.

Proposals for the resolution of the most typical situations are included below.

It should be noted that, for a clear understanding by human beings of the operational decisions published by means of an ASM, the actions must be obvious and cannot be hidden behind any technical solutions made possible by SSIM rules.

Schedule Information Processing

Operations Control decision makers must be aware of the basic restrictions that are to be followed to enable other systems to process their scheduling information:

- no duplicate Flight Number/date from Origin Station in UTC;
- no duplicate Flight Number/date from Origin Station in local time;
- no duplicate departure of the same Flight Number at the same station on the same local date (except in case of diversion/forced return);
- no duplicate arrival of the same Flight Number at the same station on the same local date (except in case of diversion/forced return);

(all duplications refer to schedule time and **not** to actual or estimated times as reported by Movement Messages).

Operational Situations

Proposed solutions for typical operational situations:

- Cancellation of part of a flight by a CNL sub-message:
 - cancellation of the first leg where the second leg departs with a date variation (removal of the first leg would cause a change of Flight Identifier);
 - cancellation of a middle leg (removal of this leg would break the routing continuity of the flight).

The solution is a cancel action that leaves the leg in existence (commonly called FLIFO Cancel). The reinstatement of such a cancelled leg to operating status is possible by an RIN sub-message or by an RPL sub-message for the whole flight or by a RRT sub-message starting with the departure Station of the cancelled middle leg as the point of rerouting.

For coordination purposes, previously cancelled slots cannot be assumed to be available for reinstatement, but must be re-applied for.

- Diversion/rerouting of a flight:

The diversion of a flight with a pending operational decision as to its continuation (that could potentially break the routing continuity) has no equivalent scheduling action.

After the decision to terminate the flight or to continue the flight to its intended or next/final destination with a new schedule, the RRT sub-message should be used starting with the departure Station of the diverted leg as the point of rerouting.

The following special cases may require special solutions in a receiving application:

- diversion to current leg departure Station (return from airborne/forced return) i.e. routing AAA-BBB becomes AAA-AAA-BBB;

The solution could be to accept the second departure as a revised departure time from that Station ignoring the newly created leg AAA-AAA

- diversion/rerouting to a previous leg departure Station i.e. routing AAA-BBB-CCC-DDD becomes AAABBB-CCC-BBB-DDD.

Currently most reservations systems cannot handle this situation.

Aircraft Seating Description

This section describes the relationship between the **Aircraft Configuration/Version** and the **Passenger Reservations Booking Designator** and their associated information.

The seating layout of an aircraft may be categorised from either a technical/operational (physical layout) aspect or a sales-oriented (reservations) aspect.

As these need not be identical, two different data elements exist within SSIM to specify the **physical layout** description by means of the **Aircraft Configuration/Version (ACV)** and **reservations** description by means of the **Passenger Reservations Booking Designator (PRBD)**.

Aircraft Configuration/Version (ACV)

The ACV specifies the different physical seats on an aircraft irrespective of how they are sold on a flight. It is purely aircraft-related and does not change unless a physical re-arrangement of seats takes place.

The ACV is always leg-oriented, and uses SSIM Class of Service Codes for specification.

In general, the number of seats fitted in the aircraft as specified within the ACV is also the number of seats available for sale unless they are to be reduced by **'Blocked Seats'** in each Class of Service, e.g. crew-rest seats or stretcher.

If the saleable seating is less than the fitted configuration, Data Element Identifier 104 (Blocked Seats and/or Unit Load Devices) should be used to explain the difference.

The ACV and its associated data are mainly used in the technical areas, in operations, and for seat selection within check-in systems.

The ACV is also used to specify the cargo capacity on an aircraft, e.g. containers and/or pallets, or to refer to an aircraft version reference code assigned by the airline.

Passenger Reservations Booking Designator (PRBD)

The PRBD specifies for each leg how the saleable seats on the aircraft will be used, i.e. which seats will be sold to a certain passenger category.

The codes for the specification of these reservation categories may therefore differ from those used for the physical description of the ACV if this is required for selling/reservations purposes.

It is important to note that the PRBD may change from leg to leg **without** changing the ACV.

The following items of information are associated with the PRBD and therefore use the same booking class codes for specification:

- the data element **'Meal Service Note'** defines the appropriate meals served in each class, and,
- the data element **'Passenger Reservations Booking Modifier'** (PRBM) indicates applicable fare modifications, e.g. night class.

It is assumed that the information given by the PRBD, Meal Service Note, and the PRBM for each individual leg on a multi-leg flight also applies to all possible city pair combinations of these legs provided they are in consecutive order and that the information provided is identical.

In all other cases, the appropriate city pair information must be stated using the respective segment override data elements for clarification.


These are:

- 'Passenger Reservations Booking Designator Segment Override' (Data Element Identifier 101);
- 'Passenger Reservations Booking Modifier Segment Override' (Data Element Identifier 102);
and
- 'Meal Service Segment Override' (Data Element Identifier 111).

In cases where both ACV and PRBD are used, the Meal Service Note shall apply to the PRBD.

The example below shows the ACV and PRBD with their associated data elements on a flight AMS-LHR-JFK

Explanation



Clearances/Movement Advices for Flights Partly Out of Scheduling Season

Scheduling Seasons are predetermined, and, as such, all Coordinators and Schedules Facilitators handle slot timings in accordance within Season date limits applicable to their respective airports.

At the changeover between Seasons, some services commence their final trip(s) within the current season on the Friday and/or the Saturday and complete them on the first days of the next Season, i.e. either the Sunday and/or the Monday.

If the timings at any airport are not identical for both scheduling Seasons, it becomes necessary to submit a separate clearance/advice for this (these) itineraries in the new Season at the time SCR/SMA are submitted for the next IATA Schedules Conference.

Example (Times UTC):

		Scheduling Season		Sigle Date views of changeover flights		SCR/SMA for individual airports S01/W01				
		S01	W01							
		25MAR01	28OCT01							
		27OCT01	30MAR02	26OCT01	27OCT01					
		QF2	QF2	QF2	QF2					
		1234567	1234567	5	6					
LHR	D	2115	2045	S01	S01	LHR	S01	25MAR	27OCT	2115
							W01	28OCT	30MAR	2045
BAH	A	0240+1	0305+1	S01	W01	BAH	S01	26MAR	27OCT	0240/0355
BAH	D	0355+1	0420+1	S01	W01		W01	28OCT	28OCT	0240/0355
							W01	29OCT	30MAR	0305/0420
SIN	A	1245+1	1215+1	S01	W01	SIN	S01	26MAR	27OCT	1245/1405
SIN	D	1405+1	1410+1	S01	W01		W01	28OCT	28OCT	1245/1405
							W01	29OCT	30MAR	1215/1410
SYD	A	2125+1	2120+1	S01	W01	SYD	S01	26MAR	27OCT	2125/2300
SYD	D	2300+1	2250+1	S01	W01		W01	28OCT	28OCT	2115/2300
							W01	29OCT	30MAR	2120/2250
MEL	A	0020+2	0015+2	W01	W01	MEL	S01	27MAR	27OCT	0020
							W01	28OCT	29OCT	0020
							W01	30OCT	30MAR	0015

Commercial Agreements Between Two or More Airlines

This Section includes procedures to notify data recipients of the existence of the following agreements.

- Wet/Dry Lease
- Joint Operation
- Operating Airline Disclosure — Shared Airline or Wet Lease Designation (DEI 9)
- Operating Airline Disclosure — Code Share (DEI 2)



- △ Additional examples have been provided for:
- △ Describing Code Share & Wet Lease Situations
 - △ Using Multiple names when a combination of Code Share and Wet Lease situations exist

Wet/Dry Lease

A wet/dry lease operation is one where the aircraft is not part of the fleet of the Adminstrating Carrier and/or the crew is not employed by that carrier.

Use data elements Aircraft Owner, Cabin Crew Employer, Cockpit Crew Employer as appropriate.

Such agreements are usually made for operational reasons, to overcome problems such as aircraft capacity shortfalls and/or supplement crew numbers.

The aircraft/crew lessor or leasing carrier may be disclosed to potential passengers.

Where it is a legal requirement, it is mandatory to disclose a Wet Lease Airline.

The method used for disclosing a Wet Lease is the same as that used for Shared Airline Designation.

△ → Refer to 'Operating Airline Disclosure – Shared Airline or Wet Lease Designation (DEI 9)' below.

Wet/Dry Lease agreements must not be confused with those types of agreements defined below that are for marketing purposes.

△ → Refer to 'Operating Airline Disclosure – Shared Airline or Wet Lease Designation (DEI 9)' and 'Operating Airline Disclosure – Code Share (DEI 2)' below for how to handle cases of combined Wet Lease and Code Share.

Joint Operation

Joint Operation is where two or more carriers jointly operate a service using one aircraft on any one leg of a flight. There is one Adminstrating Carrier and one Reservations Control Carrier with one Flight Designator irrespective of the number of participating carriers.

Use data element Joint Operation Airline Designators to specify a joint operation of flights or legs of flights.

To specify a Joint Operation on Segments consisting of more than one leg (multi-leg segments) requires the use of Data Element Identifier 125 (Joint Operation Airline Designators Segment Override) in Chapter 4, 5 and 7.

Example:

Carrier XA operates a flight 901 over itinerary AAA-BBB-CCC-DDD.

The leg AAA-BBB is a joint operation with carrier XB, segment BBB-DDD is jointly operated with carrier XC.

The Flight Designator of the service will be XA901.

The Joint Operation Airline Designators for the leg AAA-BBB will be XA/XB (XA is the Reservations Control Carrier and is listed first).

Application	Example	Segment
Chapters 4,5	1/XA/XB	AAABBB
Chapter 7	XAXB BB BB	AAABBB

The Joint Operation Airline Designators for the segment BBB-DDD will be XA/XC specified by use of Data Element Identifier 125 (XA is the Reservations Control Carrier and is listed first).

Application	Example	Segment
Chapters 4,5	125/XA/XC	BBBDDD
Chapter 7	XAXB BB BB	BBBDDD

The Data Element Identifier 125 (Joint Operation Airline Designators Segment Override) can also be used to indicate the absence of a Joint Operation on a Segment by overriding the given leg information with a single Airline Designator.

Example:

Carrier XA operates a flight 901 over itinerary AAA-BBB-CCC.

The legs AAA-BBB and BBB-CCC are jointly operated with carrier XB but on the segment AAA-CCC no Joint Operation is defined.

The Joint Operation Airline Designators for the legs AAA-BBB and BBB-CCC will be XA/XB (XA is the Reservations Control Carrier and is listed first) with the implied XA/XB for the segment AAA-CCC overridden by the single Airline Designator XA specified by use of Data Element Identifier 125.

Application	Example	Segment
Chapters 4,5	1/XA/XB	AAABBB
	1/XA/XB	BBBCCC
	125/XA	AAACCC
Chapter 7	XAXBXXXX	AAABBB
	XAXBXXXX	BBBCCC
	XAXXXXXX	AAACCC

General □

In all cases of Operating Airline Disclosure where multiple agreements might be in place, Airlines need to verify exactly what details they need to disclose and the type of code share agreement operated.

It may be that the type of code share agreement could require different data elements to those data elements needed to disclose the operator of the service.

Questions that should be asked:

- What is the type of code share agreement I have in place
- Is this a Code Share or Wet Lease
- Who is my code share partner
- Is my partner using a designator
- Is there a need to disclose the operator of the service when the operator is now different to the administrating carrier.

Operating Airline Disclosure — Shared Airline or Wet Lease Designation △

Operating Airline Disclosure — Shared Airline or Wet Lease operations identify where one carrier operates flights or flight legs on behalf of another carrier using the Airline Designator of the Administrating Carrier.

Such agreements are prevalent where a smaller commuter airline provides feeder service to a carrier's hub, or gateway, and in franchise style operations. ⊗

- The Administrating carrier's Airline Designator is exclusively used to market the flights and also □ denotes that it is the Administrating Carrier and Reservations Control Carrier;
- The flights will not be supplied as flights of the Operating Carrier;
- It is intended that one flight entry under the Administrating Carrier designator will be displayed in receiving systems and GDS displays.

Note: Operating Airline Disclosure — Shared Airline or Wet Lease Designation data will not □ necessarily be applied to all legs of a flight. Hence recipients of this data must take notice a flight

may contain some legs operated under a Operating Airline Disclosure — Shared Airline or Wet Lease Designation agreement, and some that are not.

Use data element Operating Airline Disclosure — Shared Airline or Wet Lease Designation to specify the carrier actually operating the service.

Example:

Carrier BN (Corporate Express Airways) operates a service AAA-BBB on behalf of carrier MF under the terms of an Operating Airline Disclosure — Shared Airline or Wet Lease Designation agreement. Carrier MF is both the Adminstrating Carrier and the Reservations Control Carrier.

Application (Carrier MF)	Example	Aircraft Owner	Leg
Chapters 4,5	9/BN		AAA/BBB
Chapter 7	S	BNØ	AAA/BBB

If Corporate Express Airways does not have an IATA assigned Airline Designator, Data Element Identifier 127 must be used to identify the operator in Chapters 4, 5 and 7.

If the operator of the Operating Airline Disclosure — Shared Airline or Wet Lease Designation service wants to provide *additional* text to its incorporated/registered name for marketing purposes, it can be specified using Data Element Identifier 127 using plain text after the Airline Designator and separated by a slash (/) (Chapters 4, 5 and 7):

Application (Carrier MF)	Example	Data Element Identifier 127	Leg
Chapters 4,5	9/X	127//CORPORATE EXPRESS AIRWAYS or 127/BN/CORPORATE EXPRESS AIRWAYS FRANCHISE	AAA/BBB
Chapter 7	X	127AAABBB/CORPORATE EXPRESS AIRWAYS or 127/AAABBB/BN/CORPORATE EXPRESS AIRWAYS FRANCHISE	AAA/BBB

Note: Shared Airline Designation data will not necessarily apply to all legs of a flight. Hence, recipients of this data must take notice that segments of such a flight may contain some legs operated under a Shared Airline Designation agreement and others that are not.

Operating Airline Disclosure — Code Share

Operating Airline Disclosure — Code Share agreements allow seats/space to be sold by one or more other airlines with each airline using its own flight designator to provide a service

More than one Flight Designator will be used to display these services for a single operating flight. This will include at least one service under the Airline Designator of the Adminstrating Carrier, and at least one service under the Airline Designator of another 'non-operational' flight

Each participant will be a Reservations Control Carrier for the seats/space sold under its own Flight Designator and is responsible for the information passed to Reservations Systems and other recipients of such flight data

It is, therefore, possible that Flight Number, Aircraft Type Code (Aircraft Group code instead of Aircraft Type Code), Class of Service Codes and, in certain respects, arrival/departure times *may* vary carrier to carrier amongst participants.

Non-operational carriers must use the Operating Airline Disclosure — Code Share data element to specify the actual operating carrier.

Cross References DEI 10/50



It is very important that all participating carriers provide an explicit cross-reference. This is provided by use of Data Element Identifiers 10 & 50 Duplicate Leg Cross Reference:

DEI 10 Duplicate Leg Cross Reference — Duplicate Leg Identification;

DEI 50 Duplicate Leg Cross Reference — Operational Leg Identification.

Example 1:

Carrier DC Fly High Airways operates a flight DC 810 over itinerary AAA-BBB-CCC.

Carrier DC allows a number of seats on leg BBB-CCC to be sold by carrier MF who sells these seats under Flight Designator MF 2810.

The Operating Airline Disclosure — Code Share details on the leg BBB-CCC will show DC as the operating carrier in data sent to interested parties by MF (the non-operational carrier) for flight MF 2810.

Application (Carrier MF)	Example	Aircraft Owner	Leg
Chapters 4,5	2/DC	—	BBB/CCC
Chapter 7	L	DCØ	BBB/CCC

If Fly High Airways does not have an IATA assigned Airline Designator, Data Element Identifier 127 must be used to identify the operator in Chapters 4, 5 and 7.

If the operator of the Code Share service wants to provide *additional* text to its incorporated/registered name for marketing purposes, it can be specified using Data Element Identifier 127 using plain text after the Airline Designator and separated by a slash (/) (Chapters 4, 5 and 7).

Application (Carrier MF)	Example	Data Element Identifier 127	Leg
Chapters 4,5	2/X	127//FLY HIGH AIRWAYS or 127/DC/FLY HIGH AIRWAYS SHUTTLE	BBB/CCC
Chapter 7	Z	127BBBCCC/FLY HIGH AIRWAYS or 127BBBCCDC/FLY HIGH AIRWAYS SHUTTLE	BBB/CCC

DC as the Adminstrating Carrier must also specify Data Element Identifier 10 and MF must specify Data Element Identifier 50 for leg BBB-CCC in Chapters 4, 5 and 7.

Application (Carrier MF)	Data Element Identifier 50	Leg
Chapters 4,5	50/DC 810	BBB/CCC

Application (Carrier DC)	Data Element Identifier 50	Leg
Chapters 4,5	10/MF 2810	BBB/CCC
Chapter 7	MFØ 2810	BBB/CCC

→ For further advice on this use of Data Element Identifiers 10 and 50, refer to Appendix H: Duplicate Flight Legs, Example 2.

Example 2:

Carrier DC operates a flight DC 810 over itinerary AAA-BBB-CCC.

Carrier MF operates a flight MF 2810 over itinerary EEE-BBB-CCC where leg BBB-CCC is not physically operated by MF, being a leg on which it may sell seats on carrier DC flight DC 810.

The Operating Airline Disclosure — Code Share for the leg BBB-CCC and the application of Data Element Identifiers 10 and 50.

However, recipients of data from carrier MF relating to Flight Number MF 2810 must additionally take notice that segment EEE-CCC includes a leg (BBB-CCC) where the carrier has been allowed to sell seats by carrier DC and is thus non-operational by carrier MF.

Example 3:

Carrier BN Corporate Express Airways operates a service AAA-BBB on behalf of carrier DC under the terms of an Operational Airline Disclosure — Shared Airline or Wet Lease Designation agreement using Flight Designator DC 810.

Furthermore, carrier DC allows a number of seats on service AAA-BBB to be sold by carrier MF that sells these seats under Flight Designator MF 2810.

Carrier DC controls the sale of the remaining seats under Flight Designator DC 810.

Carrier DC should use data element Operating Airline Disclosure — Shared Airline or Wet Lease Designation to specify the carrier actually providing the service — Corporate Express Airways — in data sent to interested parties relating to their flight DC 810.

Application (Carrier DC)	Example	Aircraft Owner	Leg
Chapters 4,5	9/BN	—	AAA/BBB
Chapter 7	S	BNØ	AAA/BBB

If Corporate Airways Express does not have an IATA assigned Airline Designator, then Data Element Identifier 127 must be used to identify the operator in Chapters 4, 5 and 7.

Application (Carrier DC)	Example	Data Element Identifier 127	Leg
Chapters 4,5	9/X	127//CORPORATE EXPRESS AIRWAYS	AAA/BBB
Chapter 7	X	127AAABBB/CORPORATE EXPRESS AIRWAYS	AAA/BBB

Furthermore, Carrier MF should use data element Operating Airline Disclosure — Code Share for the leg AAA-BBB to show BN Corporate Airways Express as the operating carrier in data sent to interested parties relating to their flight MF 2810

Application (Carrier MF)	Example	Aircraft Owner	Leg
Chapters 4,5	2/BN	—	AAA/BBB
Chapter 7	L	BNØ	AAA/BBB

If Corporate Express Airways does not have an IATA assigned Airline Designator, then Data Element Identifier 127 must be used to identify the operator in Chapters 4, 5 and 7.

Application (Carrier MF)	Example	Data Element Identifier 127	Leg
Chapters 4,5	2/X	127//CORPORATE EXPRESS AIRWAYS	AAA/BBB
Chapter 7	Z	127AAABBB/CORPORATE EXPRESS AIRWAYS	AAA/BBB

DC as the Administrating Carrier, must also specify Data Element Identifier 10 for leg AAA-BBB in Chapters 4, 5 and 7.

Application (Carrier DC)	Data Element Identifier 10	Leg
Chapters 4,5	10/MF 2810	AAA/BBB
Chapter 7	MFØ 2810	AAA/BBB

MF must specify Data Element Identifier 50 for leg AAA-BBB.

Application (Carrier MF)	Data Element Identifier 50	Leg
Chapters 4,5	50/DC 810	AAA/BBB
Chapter 7	DCØ 810	AAA/BBB

Example 4:

Carrier DC fly High Airways operates a flight DC 810 over itinerary AAA-BBB-CCC.

Carrier DC allows a number of seats on leg BBB-CCC to be sold by carrier MF who sells these seats under Flight Designator MF 2810.

Carrier DC controls the sale of the remaining seats under Flight Designator DC 810.

Under a separate agreement, carrier MF allows a number of seats allocated to Flight Designator MF 2810 to be sold by carrier BN under Flight Designator BN 3810.

The Operating Airline Disclosure — Code Share for leg BBB-CCC will show DC as the operating carrier in data sent to interested parties by MF and BN (both non-operating carriers) relating to their flights MF 2810 and BN 3810 respectively.

Application (Carrier MF/BN)	Example when operating carrier code is used	Aircraft Owner	Leg
Chapters 4,5	2/DC	—	BBB/CCC
Chapter 7	L	DCØ	BBB/CCC

DC as the Adminstrating Carrier must also specify Data Element Identifier 10 and both MF and BN must specify Data Element Identifier 50 for leg BBB-CCC in Chapters 4, 5 and 7.

Application (Carrier MF/BN)	Data Element Identifier 50	Leg
Chapters 4,5	50/DC 810	BBB/CCC
Chapter 7	DCØ 810	BBB/CCC

Application (Carrier DC)	Data Element Identifier 10	Leg
Chapters 4,5	10/MF 2810/BN 3810	BBB/CCC
Chapter 7	MFØ 2810/BNØ 3810	BBB/CCC

Code Sharing — Multiple Names

Multiple Names may be required when using Data Element Identifier 127 in Chapters 4, 5 and 7.

When there is a requirement to disclose an Airline name **and** a corporate (or network) name, it is recommended that the form “**AIRLINE X DBA ABC EXPRESS**” be used where ‘DBA’ means ‘doing business as’.

This may occur in commuter or express style operations.

When Code Share and Wet Lease conditions exist on the same flight, and there is a requirement to disclose both Airlines, it is recommended that the form “**AIRLINE ABC FOR AIRLINE XYZ**” be used.

AIRLINE ABC is the Airline providing the aircraft and crew and is actually operating the flight (the Wet Lease Carrier) **AIRLINE XYZ** is the Airline which is the operating carrier (code share partner) in an Operating Airline Disclosure — Shared Airline or Wet Lease Designation agreement.

For example, if flight **OS 123** is actually operated by airline **DB** aircraft and cockpit crew on behalf of airline **VO** that has an Operating Airline Disclosure — Shared Airline or Wet Lease Designation agreement with **OS**. Then airline **OS** would, when distributing the schedule for flight **OS 123**, use the disclosure format **BRIT AIR FOR TYROLEAN AIRLINES**.

In this example, Brit Air is the full name for **DB**, and Tyrolean Airways is the full name for **VO**.

The same principle would apply if the Code Share arrangement was an Operating Airline Disclosure — Code Share rather than an Operating Airline Disclosure — Shared Airline or Wet Lease Designation.

When Operating Airline Disclosure — Shared Airline or Wet Lease Designation and Operating Airline Disclosure — Code Share conditions exist on the same flight, and there is a requirement to disclose both Airlines, it is recommended that the form “**AIRLINE ABC FOR AIRLINE XYZ**” be used.

AIRLINE ABC is the Airline providing the aircraft and crew and is actually operating the flight (the Operating Airline Disclosure — Shared Airline or Wet Lease Designation Carrier) **AIRLINE XYZ** is the Airline that is the operating carrier in an Operating Airline Disclosure — Code Share.

For example, if flight **OS 123** is actually operated by airline **DB** under an Operating Airline Disclosure — Shared Airline or Wet Lease Designation between airlines **OS** and **DB** and airline **VO** also markets the flight under their own Flight Designator as **VO 789**, then airline **VO** would, when distributing the schedule for flight **VO 789** use the disclosure format ‘BRIT AIR FOR AUSTRIAN AIRLINES’.

In this example, BRIT AIR is the full name for **DB**, and AUSTRIAN AIRLINES is the full name for **OS**.

When using a full company name, or multiple names, be aware that some computer systems have limitations on the number of characters they can store/display.

As such, specifications of more than 35 characters may be truncated.

Code Sharing — Code Sharing and Wet Lease Handling in Chapters 4, 5 and 7

The following section summarises the procedures to handle Code Sharing and Wet Lease operations in Chapters 4, 5 and 7.

When there is a legal requirement to disclose the Actual Operator of the flight, and the Actual Operator is different from the Administrating Carrier and the Aircraft Owner, use of one of the following procedures becomes mandatory.

Chapters 4 and 5 Applications

For disclosure of the following situations;

1. Operating Airline Disclosure — Code Share
use Data Element Identifier 2 for the Airline Designator of the Operating Carrier;
if a full name is required, specify “**X**” in Data Element Identifier 2 and use Data Element Identifier 127 to provide a free text statement of the disclosure required.
2. Operating Airline Disclosure — Shared Airline or Wet Lease
use Data Element Identifier 9 for the Airline Designator of the Operating Carrier;
if a full name is required, specify “**X**” in Data Element Identifier 9 and use Data Element Identifier 127 to provide a free text statement of the disclosure required.
3. Operating Airline Disclosure — Code Share **AND** Wet Lease
specify “**X**” in Data Element Identifier 2, and use Data Element Identifier 127 to provide a free text statement of the disclosure required.

4. Operating Airline Disclosure — Shared Airline **AND** Wet Lease
specify “**X**” in Data Element Identifier 9 and use Data Element Identifier 127 to provide a free text statement of the disclosure required.
5. Operating Airline Disclosure — Shared Airline Designation **AND** Operating Airline Disclosure — Code Share
specify “**X**” in Data Element Identifier 2 and use Data Element Identifier 127 to provide a free text statement of the disclosure required.

Chapter 7 Application

1. Operating Airline Disclosure — Code Share
specify “**L**” in byte 149 in record type 3 to point to Aircraft Owner in bytes 129–131 for the Airline Designator of the Operating Carrier;
or
specify “**Z**” in byte 149 to point to a following record type 4 with a Data Element Identifier 127 to provide a free text statement of the disclosure required.
2. Operating Airline Disclosure — Shared Airline or Wet Lease Designation
specify “**S**” in byte 149 in record type 3 to point to Aircraft Owner in bytes 129–131 for the Airline Designator of the Operating Carrier;
or
specify “**X**” in byte 149 to point to a following record type 4 with a Data Element Identifier 127 to provide a free text statement of the disclosure required.
3. Operating Airline Disclosure — Code Share **AND** Wet Lease Designation
specify “**Z**” in byte 149 in record type 3 to point to a following record type 4 with a Data Element Identifier 127 to provide a free text statement of the disclosure required.
4. Operating Airline Disclosure — Shared Airline **AND** Wet Lease
specify “**X**” in byte 149 in record type 3 to point to a following record type 4 with a Data Element Identifier 127 to provide a free text statement of the disclosure required.
5. Operating Airline Disclosure — Shared Airline designation **AND** Operating Airline Disclosure — Code Share
specify “**Z**” in byte 149 in record type 3 to point to a following record type 4 with a Data Element Identifier 127 to provide a free text statement of the disclosure required.

Daylight Saving Time

Chapters 4 and 5 format △

All date and leg schedule information is expressed in **either UTC or Local Time** depending on the Time Mode provided in the Message Heading.

When receiving schedule data through SSM/ASM messages, the recipient may have to assume his own system's UTC/Local Time Variation tables in order to establish the applicable reciprocal times and dates. □

Chapter 4 only □

If the schedule data provided extends across DST or LT, changes may become ambiguous to the receiver what conversion will be required, especially in the case of open-ended schedules. It is therefore recommended to use a definite end period to avoid any miscalculations or interpretations.

Chapter 7 format △

The Leg Departure Data and Leg Arrival Data **includes the UTC/Local Time Variation** for the stations involved. This provision enables the recipient of the data set to process the data using

either UTC or Local Time as the basis for updating his own systems irrespective of the Time Mode provided in Record Type 2, byte 2.

General Information

When a data set is produced, it is particularly important to ensure that any changes to the UTC/Local Time Variations are accurately reflected to avoid any miscalculation of local timings being made by the recipient of the data.

Such changes may be a result of the start and/or end of Daylight Saving Time, or a planned change of Standard Local Time, occurring during the validity of the data set as specified in the Period of Schedule Validity in Record Type 2.

For each Flight Itinerary, this is achieved by creating as many Itinerary Variations as necessary, with appropriate Period of Operation start and end dates for each change to the UTC/Local Time Variation occurring within the flight's overall Period of Operation.

When the data set is valid indefinitely (end date of Period of Schedule Validity is "00XXX00"), it is recommended that any Flight with indefinite validity, has sufficient Itinerary Variation created with a definite end date in the Period of Operation. This will then reflect accurate UTC/Local Time Variations, and avoid any miscalculations or interpretations.

These Itinerary Variations would be established for a minimum of one year and a maximum of three years from the start date specified in the Period of Schedule Validity.

Example 1:

Daylight Saving Time applies for JFK, LAX, SFO until 01Nov09, and again from 14MAR10.

Record Type 2:

Period of Schedule Validity: 01JUN09 00XXX00 Time Mode: U

Record Type 3:

IV01	01JUN0901NOV09	JFK	1300	-0400	LAX	1835	-0700
	01JUN0901NOV09	LAX	2000	-0700	SFO	2100	-0700
IV02	02NOV0913MAR10	JFK	1400	-0500	LAX	1935	-0800
	02NOV0913MAR10	LAX	2100	-0800	SFO	2200	-0800
IV03	14MAR1000XXX00	JFK	1300	-0400	LAX	1835	-0700
	14MAR1000XXX00	LAX	2000	-0700	SFO	2100	-0700

Example 2:

Daylight Saving Time applies for JFK, LAX, SFO until 01Nov09, and again from 14MAR10

Record Type 2:

Period of Schedule Validity: 01JUN09 00XXX00 Time Mode: L

Record Type 3:

IV01	01JUN0901NOV09	JFK	0900	-0400	LAX	1135	-0700
	01JUN0901NOV09	LAX	1300	-0700	SFO	1400	-0700
IV02	02NOV0913MAR10	JFK	0900	-0500	LAX	1135	-0800
	02NOV0913MAR10	LAX	1300	-0800	SFO	1400	-0800
IV03	14MAR1000XXX00	JFK	0900	-0400	LAX	1135	-0700
	14MAR1000XXX00	LAX	1300	-0700	SFO	1400	-0700

Default

There are two methods of establishing defaults within SSIM.

The first is by the rules defined in each Data Element entry in Chapter 2.

The second is by using separate Data Elements to allow the default to be specified.

The nature of the Data Element is likely to dictate which default method is used.

It could also be argued that all Conditional Data Elements have a default mechanism since they are not required (default) unless the specified conditions exist.

The following data elements have a default mechanism:

Data Element	Default
Aircraft Owner	Airline designator of the applicable record/flight designator
Cabin Crew Employer	Aircraft Owner
Cockpit Crew Employer	Aircraft Owner
Electronic Ticketing Information	EN, but, in Chapter 7 a Data Element can be used to specify a default
Frequency Rate	Weekly
In-Flight Service Information	Code 9 (Non-smoking)
Minimum Connecting Time	Where the countries of origin and destination of the leg are the same, the status is domestic.
International/Domestic Status	Where the countries of origin and destination of the leg are different, the status is international.
Passenger STA	The same as the Scheduled Time of Aircraft Arrival (Aircraft STA) △
Passenger STD	The same as the Scheduled Time of Aircraft Departure (Aircraft STD) △
Traffic Restriction Code	Applies to all Traffic types and at Board and/or Off Point unless qualified
Traffic Restriction Note	Applies to all Traffic types and at Board and/or Off Point unless qualified

→ Refer also to Appendix H: Legs/Segments — Segment Default Assumptions.

Duplicate Flight Legs

For commercial/technical reasons, it is sometimes necessary for the itinerary of two or more Flight Designators (not necessarily within the same carrier) to include one or more common legs operated by one aircraft.

It is necessary for the recipient of data to be able to distinguish the operational Flight Designator from the duplicate Flight Designator(s).

The distinction of **operational** versus **duplicate** Flight Designator is represented by the use of Data Element Identifier 10 (Duplicate Leg Cross Reference — Duplicate Leg Identification) and/or Data Element Identifier 50 (Duplicate Leg Cross Reference — Operational Leg Identification).

Unless the common (duplicated) leg(s) are saleable under each of the Flight Designators where they are shown, the appropriate Traffic Restriction Code applies to the leg(s) (and any segment(s)) of those Flight Designator(s) where the carriage of traffic is restricted.

The existence of Traffic Restriction Codes alone will not convey the operational versus duplicate Flight Designator relationship.

Example 1:


Assume the physical operation of an aircraft routing DFW-BHM-HSV-DFW.

Flight Designator AAA306 is scheduled DFW-BHM-HSV and Flight Designator AAA305 is scheduled BHM-HSV-DFW.

The operational Flight Designator for the leg BHM-HSV is AAA306.

Solid lines indicate aircraft movement.

Dashed lines indicate the flight schedule.



The Flight Designator **AAA305** BHM-HSV must have Data Element Identifier 50 stating that Flight Designator AAA306 is the Operational Leg.

The Flight Designator **AAA306** BHM-HSV shall have a Data Element Identifier 10 stating that Flight Designator AAA305 is a duplicate.

Example 2:


Assume the physical operation of an aircraft owned by airline ABC operating as Flight Designator ABC123 VIE-FRA and the physical operation of an aircraft owned by airline DEF operating as Flight Designator DEF456 FRA-JFK.

It is desired to show Flight Designator DEF456 VIE-FRA-JFK (where airline DEF has leased space from airline ABC on the VIE-FRA leg).

ABC has traffic rights VIE-FRA.

DEF has full traffic rights VIE-JFK and FRA-JFK and online stopover traffic rights VIE-FRA.

The operational Flight Designator for VIE-FRA is ABC123.



The Flight Designator DEF456 VIE-FRA must have a Data Element Identifier 50 stating that Flight Designator ABC123 is the operational leg.

Traffic Restriction Code 'T' applies to VIE-FRA.

Additionally, DEF456 must, by the use of Data Element Identifier 2 (Operating Airline △ Disclosure — Code Share), specify that the operating carrier for the VIE-FRA leg is airline ABC.

The Flight Designator ABC123 VIE-FRA shall have a Data Element Identifier 10 stating that Flight Designator DEF456 is a duplicate.

→ Refer also to Appendix H: Commercial Agreements between two or more Airlines — △ Operating Airline Disclosure — Code Share.


Example 3:

Composite Flight (see Chapter 1 — Definitions)

Assume that the physical operation of two separate flights operated by airline ABC route SLC-ATL using Flight Designator ABC454, and ATL-LGW using Flight Designator ABC12.

It is desired to show a through flight SLC-LGW using a Flight Designator that is different from both the Flight Designators used on the constituent legs which make up the through flight — for example, ABC6062.

Flight ABC6062 is known as a Composite Flights.



When information for Flight Designator ABC6062 is being transmitted, it must show both physical legs under Flight Designator ABC6062.

Each leg shall have a Data Element Identifier 50 stating the Flight Designator of the operational flight for that leg — ABC454 for the leg SLC-ATL, and ABC12 for the leg ATL-LGW.

Traffic Restrictions shall be applied to the individual legs/segments under Flight Designator ABC6062 to ensure that they are not displayable under more than one Flight Designator.

Flight Designators ABC454 and ABC12 shall have a Data Element Identifier 10, stating that Flight Designator ABC6062 is a duplicate.

The result of this should be that the following Flight Designators are displayed:

SLC-ATL	ABC454 (ABC6062 for this leg is suppressed/non-operational)
SLC-LGW	ABC6062
ATL-LGW	ABC12 (ABC6062 for this leg is suppressed/non-operational)

Note that the operational flights need not have the same Airline Designator as the Composite Flight.

Example 4:


Funnel Flight (see Chapter 1 — Definitions)

Assume that the physical operation of four separate flights is as follows:

ABC39	AMS-ATL
ABC109	MAD-ATL
ABC19	LGW-ATL
ABC451	ATL-SLC

It is desired to show through flights from AMS, MAD and LGW to SLC using Flight Designators ABC39, ABC109 and ABC19 respectively.

In doing this, the legs AMS-ATL, MAD-ATL and LGW-ATL will become constituent parts of Funnel Flights AMS-ATL-SLC (ABC39), MAD-ATL-SLC (ABC109) and LGW-ATL-SLC (ABC19).



When information for the leg ATL-SLC is being transmitted using Flight Designators ABC39, ABC109 and ABC19.

Data Element Identifier 50 shall be used to state that the Flight Designator of the operational flight for the leg ATL-SLC is ABC451. A Traffic Restriction shall be applied to the ATL-SLC leg to ensure that it is not displayed under more than one Flight Designator.

Flight Designators ABC451 for the ATL-SLC leg shall have a Data Element Identifier 10 to state that Flight Designators ABC39, ABC109 and ABC19 are duplicates.

The result of this should be that the following Flight Designators are displayed:

AMS-ATL	ABC39
AMS-SLC	ABC39
MAD-ATL	ABC109
MAD-SLC	ABC109
LGW-ATL	ABC19
LGW-SLC	ABC19
ATL-SLC	ABC451 (ABC39, ABC109 and ABC19 for this leg are suppressed/non-operational)

Note that a Funnel Flight may be built in either direction, from many legs into one segment (as in the example above), or from one leg into many segments.

Example 5:

Change of Equipment en Route (see Chapter 1 — Definitions)

On a multi-leg flight, a Flight Designator need not relate to the operation of one single aircraft.


Normally, a change of equipment en route is evident from the Aircraft Types used on each leg of the flight.

If, however, there is a change from one aircraft to another **of the same type**, the Data Element 'Plane Change without Aircraft Type Change' (Data Element Identifier 210) shall be used.

Referring to Example 3 above relating to a Composite Flight, assume that flight ABC6062 SLC-ATL-LGW uses Aircraft Type L10 on the SLC-ATL leg, and M11 on the ATL-LGW leg.


There is a change of equipment at ATL from L10 to M11.

Although passengers must physically change aircraft, their Flight Designator remains the same throughout the journey — ABC6062.



If, however, the Aircraft Type were M11 for both legs of the flight — SLC-ATL and ATL-LGW — but passengers must still physically change aircraft at ATL, it would be necessary to use Data Element Identifier 210 as follows:

ATLLGW 210



Note that the data element is used on the leg where the Board Point has the Plane Change, i.e. in this case ATL:

Also, stating the Data Element Identifier 210 is all that is required as this implies the condition that passengers have to change planes at ATL.

Electronic Ticketing Information

The concept of Electronic Ticketing, or 'Ticketless Travel', promises faster and simpler reservations and Airport Handling for air travel, as well as a reduction in distribution costs.

In order to facilitate this, and to make it available on an Interline basis, it is necessary to provide Industry standards for transmitting information:

- whether a flight leg is, or is not, a candidate for Electronic Ticketing — i.e. whether reservations can be accepted without a paper ticket being issued; and,
- whether both the origin and destination airports of the leg can handle customers who do not have paper tickets.

It is essential that Airlines, CRSs and Agents have this information available when a booking is made to be able to offer an Electronic Ticketing service to the customer, or be advised of the Carrier's ticketing acceptance of only Electronic Tickets.

The codes used in SSIM to specify this information are:

EN Not Electronic Ticketing Candidate

ET Electronic Ticketing Candidate

In Chapters 4, 5 and 7, these codes are used in conjunction with Data Element Identifier 505.

Carrier Defaults

To save the Carrier having to specify for every leg whether it is, or is not, a candidate for Electronic Ticketing, a means of allowing a Carrier to specify their default position is required.

This can be achieved in SSIM in three ways:

- (i) For Chapter 7, by specifying “**ET**” or “**EN**” in bytes 189 and 190 of Record Type 2.
- (ii) By bilateral agreement between the parties concerned.

It is not possible to specify a default for a Carrier using Chapters 4 or 5, because the SSM and ASM messages may not be a complete transmission of a Carrier's schedules, and there is no Carrier specific header to use.

It is therefore assumed that the Carrier will already have transmitted this information using Chapter 7 or that they have reached a bilateral agreement with the recipient as to their default.

Chapters 4 and 5 can be used to transmit specific Electronic Ticketing Information for the legs and/or segments specified using Data Element Identifier 505. (See Appendix H, ‘Electronic Ticketing Information’ and ‘Legs/Segments’.)

In the absence of any default information for a Carrier, the default assumed will be that that Carrier's flight legs are **not** eligible for Electronic Ticketing.

Electronic Ticketing for Segments

The Electronic Ticketing Information data element is specifically a LEG BASED data element.

The determination that a segment of a passenger's journey is a candidate for Electronic Ticketing has to be deduced from the sum of the information provided for all the legs contained within the journey.

For a flight travelling on an itinerary AAA-BBB-CCC, segment AAA-CCC can be an Electronic Ticketing Candidate only when both legs AAA-BBB and BBB-CCC are designated as Electronic Ticketing Candidates.

Examples:

- (i) Carrier's **default** is that its legs are Not Electronic Ticketing Candidates (**EN**). Itinerary is AAA-BBB-CCC, with **all legs eligible** for Electronic Ticketing. Carrier sends code ET for both legs AAA-BBB and BBB-CCC. AAA-BBB, BBB-CCC, AAA-CCC are all eligible for Electronic Ticketing.
- (ii) Carrier's **default** is that its legs are Not Electronic Ticketing Candidates (**EN**). Itinerary is DDD-EEE-FFF, with **only leg DDD-EEE eligible** for Electronic Ticketing. Carrier sends code ET for leg DDD-EEE. DDD-EEE is eligible for Electronic Ticketing. DDD-FFF and EEE-FFF are not eligible for Electronic Ticketing.
- (iii) Carrier's **default** is that its legs are Electronic Ticketing Candidates (**ET**). Itinerary is AAA-BBB-CCC, with **all legs eligible** for Electronic Ticketing. Carrier does not need to send any further Electronic Ticketing Information. AAA-BBB, BBB-CCC, AAA-CCC are all eligible for Electronic Ticketing.
- (iv) Carrier's **default** is that its legs are Electronic Ticketing Candidates (**ET**). Itinerary is DDD-EEE-FFF, with **only leg DDD-EEE eligible** for Electronic Ticketing. Carrier sends code EN for leg EEE-FFF. DDD-EEE is eligible for Electronic Ticketing. DDD-FFF and EEE-FFF are not eligible for Electronic Ticketing.

Fictitious Points

The definition of Flight Number states that a flight cannot originate more than once on the same day (see Chapter 2 — Flight Number).

This rule presents a problem when one flight itinerary encounters a date change and the adjacent day's flight itinerary does not have the same date change characteristics.

When this problem occurs, a non-operational leg must be used to prevent the problem of originating more than once on the same day.

It is therefore recommended that fictitious Stations be used to create the non-operational leg.

It is necessary to define this leg as **non-operational** by use of a fictitious point. When such a fictitious point (see SSIM Chapter 2 — Station) is used at the beginning or the end of a routing, the leg(s) containing such a point is deemed as non-operational.

It should be noted that segments with fictitious Stations are deemed never saleable.

If another Station is used for creation of a non-operational leg, Traffic Restriction Code “A” must be specified for all segments using this Station as Board/Off Point.

The following examples deal with problems in **local time** mode.

It is possible for the problem not to exist in **local time mode** but still exist in **UTC time mode**.

→ Refer to **Appendix H: Time Mode** for the use of Operational Suffix “Z” to correct the problem.

However, carriers not wishing to use the Operational Suffix “Z” may use the non-operational leg principle to overcome problems also in UTC time mode.

Example 1:

Both itineraries operate over a common leg but one itinerary originates one Station upline of the other.

			Problem		Solution	
			XYZ123	XYZ123	XYZ123	XYZ123
			1237	567	1237	456
ZRH	D		2350		2350	
QPX	D					2350
			<u>1234</u>		<u>1234</u>	<u>567</u>
LHR	A		0015		0015	0015
LHR	D		0100	0100	0100	0100
JFK	A		0350	0350	0350	0350

A problem occurs in this schedule because a day change occurs between ZRH and LHR and therefore two flights originate on the same day of the week (day 7).

This problem can be overcome by adding a fictitious point as Station of origin (QPX) with a UTC variation compatible to the point of origin of the other itinerary (ZRH).

Example 2:

A problem may occur in some computer systems that index flights on points other than the Station of origin (i.e. last departure Station in an itinerary).

This problem can be overcome by adding a fictitious point as final destination.

		Problem		Solution	
		XYZ123	XYZ123	XYZ123	XYZ123
		1237	456	1237	456
JFK	D	2145	2145	2145	2145
		<u>1234</u>	<u>567</u>	<u>1234</u>	<u>567</u>
LHR	A	1010	1010	1010	1010
LHR	D	1100		1100	1100
ZRH	A	1315		1315	
QPX	A				1315

The UTC variation of a fictitious point has to be compatible with the final destination of the other itinerary to obtain the same day variation characteristics.

Legs/Segments

In the examples used below, a flight routing AAA-BBB-CCC is used.

AAA-BBB and BBB-CCC are the legs that make up the multi-leg segment AAA-CCC.

As many data elements are specifically LEG BASED, it is necessary to clarify the data that can be assumed for a multi-leg segment.

In general, no assumptions can be made.

The underlying concept for leg based data elements is that the data being provided for a leg is only valid for that specific leg.

For example:

The aircraft travels physically by leg such that the Aircraft Configuration/Version (ACV) may differ by leg, or be the same for both legs (AAA-BBB and BBB-CCC).

There is no ACV for the segment AAA-CCC as such and if the ACV differed by leg, it would be meaningless.

The passenger however, travels by segments where there may be a Selling Class applicable to the segment AAA-CCC. The Selling Class may not be applicable to any or both of the legs that comprise the segment.

A multi-leg segment must normally be seen as the data being provided separately for each leg.

A further example of this might be In-Flight Service Information, where leg AAA-BBB is shown as code "9" (Nonsmoking) and leg BBB-CCC as code "8" (Smoking).

The passenger travelling AAA-CCC should expect the first leg of the flight to be 'Non smoking' and the second leg to be 'Smoking'.

If no In-Flight Service Information was provided for the leg BBB-CCC, no assumption can be made as to whether it is 'Smoking' or 'Non smoking'.

In both cases, the multi-leg segment data is simply the sum of the data for the two legs — AAA-BBB 'Non smoking', BBB-CCC 'Smoking' or no information.

Segment Override Data Elements

Some leg based data elements have complementary segment override data elements.

For example, a flight might have Meal Service Note code “S” for all classes on each leg (AAA-BBB and BBB-CCC).

The assumption here is that a passenger travelling AAA-CCC will get a Snack on each leg of the flight, i.e. two Snacks in total.

However, a Meal Service Segment Override data element might be used to state code “M” for the segment AAA-CCC.

In this case, the passenger travelling AAA-CCC will get one Meal instead of the two Snacks.

This principle applies whether the data is the same for each constituent leg, or whether it differs by leg.

The following leg based data elements have complementary segment override data elements:

Data Element (leg based)	Data Element (segment override)
Joint Operation Airline Designators	Joint Operation Airline Designators Segment Override
Meal Service Note	Meal Service Segment Override
Minimum Connecting Time International/ Domestic Status	Minimum Connecting Time International/Domestic Status Override
Passenger Reservations Booking Designator	Passenger Reservations Booking Designator Segment Override
Passenger Reservations Booking Modifier	Passenger Reservations Booking Modifier Segment Override
Passenger Terminal Identifier — Arrival	Passenger Terminal Identifier Segment Override — Arrival
Passenger Terminal Identifier — Departure	Passenger Terminal Identifier Segment Override — Departure

Segment Default Assumptions

The following data elements are leg based, but also have rules about assumptions that can be made about information for related multi-leg segments:

Electronic Ticketing Information

A multi-leg segment can be an Electronic Ticketing candidate only if all of its legs are set as Electronic Ticketing Candidates.

→ For further information, refer to Appendix H: ‘Electronic Ticketing Information’ and ‘Legs/Segments’.

Passenger Reservations Booking Designator

A default assumption can be made when the PRBD Segment Override data element has not been used.

For example, a flight having a PRBD of CDSBM on leg AAA-BBB, and SBM on leg BBB-CCC, may have no PRBD Segment Override data element stated for AAA-CCC.

In this case, it should be assumed that the PRBD stated for the leg which has the same Board Point as the multi-leg segment (in this case AAA-BBB) is used — CDSBM in this example.

It is strongly recommended, however, that the PRBD Segment Override be used in such cases, in order to ensure data is complete and unambiguous.

→ For further information, refer to Chapter 2, Passenger Reservations Booking Designator.

In all cases, it is the responsibility of the sender to ensure that information being transmitted is complete and unambiguous.

Minimum Connecting Time

Minimum Connecting Time are governed by the Passenger Services Conference (PSC)
RESOLUTION 765: CONNECTING TIME INTERVALS — PASSENGER AND CHECKED BAGGAGE

Definition

For the purpose of Resolution 765, In a *passenger* context, Minimum Connecting Time (MCT) interval is defined as the shortest time interval required in order to transfer a passenger and his luggage from one flight to a connecting flight, in a specific location or metropolitan area.

In a *cargo* context, the Minimum Connecting time (MCT) can be defined as the shortest time interval required in order to transfer cargo shipment from one flight to a connecting flight. Minimum Connecting Time (MCT) intervals are also referred to as 'official' or 'standard' MCTs.

Bilateral MCT agreements are known as 'MCT exceptions'.

Online connecting time intervals established by a carrier that differ from the industry MCTs are also known as MCT exceptions.

The administration of MCTs is governed by IATA PSC Resolution 765 which is as follows:

RESOLUTION 765

CONNECTING TIME INTERVALS — PASSENGER AND CHECKED BAGGAGE

RESOLVED that:

1. Members serving the airport(s) of each city shall establish a Local Minimum Connecting Time Group (LMCTG) for purposes of recommending new or changes to minimum intermodal connecting time intervals at such airport(s). The group shall consist of all scheduled airlines and railways serving the airport. The basic objective of agreed connecting time intervals is to protect both the delivering and receiving Member's interests and ensure that the passenger and his baggage can rely on making connections between airlines and railways serving the airport.

For the purposes of this Resolution,

MINIMUM CONNECTING TIME (MCT) INTERVAL means the shortest time interval required in order to transfer a passenger and his luggage from one flight to a connecting flight, in a specific location or metropolitan area.

Intermodal connections involving a railway service shall be only considered if such railway service has been assigned an airline flight number.

2. At cities served by IATA Members and by Members of the Air Transport Association of America (ATA) who are not IATA Members, such ATA Members shall be invited to participate as voting Members of the LMCTG.

At cities served by railways and airlines, where passengers transfer between each mode of transport, and where intermodal agreements exist between railways and airlines, such railway operators shall be invited to participate as voting Members of the LMCTG. The voting rights of railways shall relate only to action concerning connections between airlines and railways serving the airport or providing connections between the airport and the city location (train station).

3. At cities where an Airport Operators Committee (AOC) [IATA Airport Handling Manual Resolution 020] exists and where no LMCTG exists, such AOC can take on the duties assigned to the LMCTG in this resolution, provided the different stakeholders are duly represented at the AOC as they would in the LMCTG.

While occasionally Airport Authorities can act as facilitators in establishing local MCTs, the tasks described in this resolution are the unique responsibility of the LMCTG.

4. Each LMCTG shall be governed by the following rules:

4.1 the LMCTG shall elect a chairman;

4.2 in determining MCT intervals, the Group shall take into consideration the following factors, where applicable:

4.2.1 physical and operating characteristics of the particular airport, e.g. air traffic delays, ramp and baggage sorting area congestion, history of on-time performance, terminals, specific flight origin and/or destination region (such as Schengen countries), customs/immigration 'pre-clearance' situations, etc.;

4.2.2 time to unload baggage from delivering carrier's aircraft or designated railway service and transport to its sorting area;

4.2.3 time to sort and transport baggage to receiving carrier;

4.2.4 time for receiving carrier to assemble, sort, transport and load baggage on its aircraft or train;

4.2.5 time for all government/airline/railway imposed security measures (where applicable) to be completed as noted in Resolution 744, Attachment 'B';

4.2.6 time for passengers (and their baggage when such arrangements exist) to be processed by the receiving carrier;

4.2.7 the times established in 4.2.2, 4.2.3, 4.2.4 and 4.2.5 shall be published locally by the LMCTG so that carriers and railways are conscious of time constraints for each individual task, and are therefore aware of the time limits which they are expected to meet;

4.2.8 in establishing MCTs, members shall be guided by Resolution 744;

4.2.9 time for passenger and baggage to clear immigration and customs controls, etc.;

4.2.10 time for passenger to proceed to receiving carrier taking into consideration surface transportation time between terminals and/or airports when applicable;

4.2.11 minimum passenger check-in time for receiving carrier;

4.2.12 time for any other local factor(s).

4.3 after selecting the factors affecting the MCT, using the above as a guide, the Group will allocate a time to each factor and on this basis arrive at the MCT. As far as practicable, MCT intervals should be standardised for all categories of flights with the least possible number of exceptions. MCTs shall be established only in five minute increments, e.g. 30, 35, 40 minutes, etc.

4.4 action of the LMCTG (including election of a Chairman) shall be by simple majority vote of all Group members serving that airport (only one vote permitted per LMCTG member).

4.5 in case of disagreement within the group in respect of the MCTs between different terminals at the same airport, all of the receiving Members serving a particular terminal and present at the meeting, shall determine the required MCTs to their terminal.

5. Immediately after each LMCTG meeting at which new or changes to intermodal MCT intervals are recommended, the LMCTG members will communicate without any delays the revised MCT to their respective MCT coordinators (as listed in SSIM Attachment 3) Within ten (10) days the MCT Coordinators will advise their respective LMCTG member whether they agree or not to the recommended new or changes to the MCTs.

The LMCTG Chairman, once he has been informed that the new or changes to intermodal MCTs △ intervals have been accepted by the different MCT coordinators, will advise the IATA Management (Email: SSIM@iata.org).

6. Nothing in this Resolution shall preclude LMCTG Members from making bilateral agreements with other airlines or railways for shorter or longer intermodal MCT intervals in those cases where particular circumstances of their special arrangements/situations make this possible or necessary. Exceptional bilateral MCT exception filing practices are outlined in the IATA Standard Schedules Information Manual (SSIM). Each MCT coordinator is responsible for communicating and distributing those exceptional MCTs according to recognised industry practices. In case of disagreement between the two parties in respect of any such exceptional MCT values, the receiving Member's point of view shall govern, and be recognised by the industry as the exceptional MCT value.

7. All Members, railways and CRSs shall book and accept connecting reservations based on the established MCTs.

8. The MCTs for each airport shall be reviewed at least once a year by the LMCTG. If the revision leads to new/modified MCT intervals, procedure established in 5 shall be followed.

9. Upon receipt of the final report referred to in Paragraph 5, the IATA Schedules Service Department shall immediately notify, the CRSs, the data aggregators, and other industry stakeholders.

The effectiveness date of such changes as specified by the LMCTG concerned shall not be earlier than sixty (60) days after receipt by the IATA Schedules Service Department.

10. All communications concerning MCTs, between Members and IATA shall be made through the Member's designated MCT Coordinator in accordance with the IATA SSIM.

11. This Resolution shall not be applicable at cities served exclusively by ATA Members, even though some of the ATA Members may also be Members of IATA; provided that the necessary co-ordination shall be maintained between ATA and IATA for the publication of MCT intervals established by ATA Members.

General

As required by Resolution 765, MCTs must be observed by all ticketing and reservations outlets all over the world and also are used as input for automated reservations systems. It is therefore of the utmost importance to ensure that they are correctly established, updated and uniformly quoted at all times wherever they are published.

Designation of MCT Coordinator in Each Airline

In order to ensure proper coordination of MCTs, each airline is requested to designate a MCT coordinator. The coordinator's name, mailing address and teletype or cable address must be submitted to the IATA Coding Administrator, e-mail: airlinecoding@iata.org. Any change to this information should be sent to IATA promptly. The MCT Coordinator Contacts are listed under Attachment 3 of SSIM.

Changes to MCTs

Establishment of and changes to MCTs are governed by the provisions of IATA Resolution 765. For the purpose of applying Resolution 765, MCT Coordinators will be requested to advise their respective Local Minimum Connecting Time Group (LMCTG) member whether they agree or not to the recommended new or changed MCTs.

For the normal yearly review of MCTs and for any special review, Resolution 765 provides for notification to IATA Management (Email: SSIM@iata.org) not later than sixty (60) days prior to the intended effectiveness date of the agreed or established MCTs.

The Resolution requires that IATA communicates the new or amended MCTs and the effectiveness dates thereof. Such information will be sent to CRSs, data aggregators, and other industry stakeholders.

IATA does not publish MCTs, but acts only as a worldwide industry coordinator for all MCTs. MCTs are published by the data aggregators. The data aggregators and CRSs will not accept notification of new or revised MCTs directly from the airlines.

Bilateral MCT Agreements

Resolution 765 indicates that airlines are responsible for their own bilateral agreements with other airlines or railways for shorter or longer intermodal MCT intervals in those cases where particular circumstances of their special arrangements/situations make this possible or necessary.

The following additional rules have been established in order to ensure uniform administration of MCT exceptions.

MCT exceptions do not change any standard times set by the industry. A carrier must bring suggestions for changes to MCT standard times at an airport to the attention of the appropriate industry body.

Establishing MCT Exceptions

MCT exceptions can be lower or higher than the standard MCT at an airport.

An MCT exception can also 'suppress' (block) a connection from being made at the stated connect point for the specified status combination.

Examples of Current Rules that may be applied in an MCT exception database (and that are currently in place with the Data Aggregators):

Include airport code and relevant status:

- (a) Airport code where potential connection will occur

Example: SYD

Connect point where carrier has an MCT exception

- (b) Relevant status for the MCT exception

DD — Domestic to Domestic

DI — Domestic to International

ID — International to Domestic

II — International to International

Example: SYD ID

The ID status exception condition will apply to a flight that arrives SYD internationally (I) and connects to a flight leaving SYD domestically (D).

MCT exceptions can also be established according to factors such as inter-terminal, inter-airport, transborder, Schengen countries, specific flight number (ranges), aircraft types, etc.

MCT Involving Code Share partners

Bilateral MCT exception applied to code share operations shall be established using the Marketing carrier designator.

There is no automated Industry Rule or agreement or automated mechanism in place to transfer an MCT exception made for an operating flight; onto any code share partner marketing the operating flight under their own designator.

One reason an automated process would not be used, is that there would be no guarantee that a change made to one carrier's flights will work on another.

Code share MCT exception cannot denounce Operating carrier exception. If a code share MCT exception undercuts the Operating carrier MCT exception, then the carrier filing the exception shall be recognised as the delivering carrier.

Note:

- Carriers need to decide 'does my MCT exception affect my code share partner'
- Communicate to Code Share Partner
- Code Share Partner may need to submit the same exception

Current Practice for Submission of MCT's

The aim of an MCT exception database held by Data Aggregators is to hold Carrier Minimum Connecting Time (MCT) information that is different from the standard times set by industry bodies.

MCT exceptions agreed bilaterally between two airlines (and therefore not of a general nature, because they affect only the connections between those *two airlines*) should be notified directly by the airlines concerned to the data aggregators. However, the notification by one party requires the concurrence of the receiving carrier.

When the carrier sending in the proposed MCT exception is the receiving carrier*, the MCT exception can be added to the Data Aggregators database immediately.

When the carrier sending in the proposed MCT exception is not the receiving carrier*, the Data Aggregators must have approval from the receiving carrier before the MCT will be added.

MCT Hierarchy of Data Elements when submitting MCT exceptions

- Arrival Airport
- Status e.g. DD/DI/ID/II
- Departure Airport
- Departure Flight Number/Carrier designator must be present
- Departure Flight Number Range/Carrier designator must be present
- Departure Carrier
- Next Airport/City code is always shown as well
- Next State/Country code must be present
- Next Country
- Next Region (No other location code can be included when region is present)
- Departure Terminal
- Departure Aircraft Type or Equipment Type (W/N)
- Arrival Flight Number/Carrier designator must be present
- Arrival Flight Number Range/Carrier designator must be present
- Arrival Carrier
- Previous Airport/City code is always shown as well
- Previous State/Country code must be present
- Previous Country
- Previous Region (No other location code can be included when region is present)
- Arrival Terminal
- Arrival Aircraft Type or Equipment Type (W/N)
- Effective from date (DDMMYY or blank)
- Effective until date (DDMMYY or blank)

* The receiving carrier, at the connect point, is the carrier whose flight the passenger is connecting to.

Partial Cancellation of Flights

Chapter 5 allows the cancellation of single flight legs that are part of a multi leg flight by using ASM/CNL with a Flight Leg(s) Change Identifier.

As mentioned in Chapter 5, partial cancellations may lead to Flight Designator duplication problems.

Even the use of ASM/RPL cannot resolve such duplication problems completely as shown by the following example:

Example:

LH3444/14JUL
J 733.C123
HAM0645 FRA0750
FRA0830 MUC0925
MUC1010 BUD1125
QQQQQQ 503/9

Cancellation of the second leg FRA/MUC splits up the flight.

It leaves two flights with the same Flight Identifier Date remaining.

LH 3444/14JUL (part 1)

LH 3444/14JUL
J 733.C123 DABWH
HAM0645 FRA0750
HAMFRA 503/9

LH 3444/14JUL (part 2)

LH 3444/14JUL
J 319.C126
MUC1010 BUD1125
MUCBUD 503/9

or one flight without airport continuity:

LH 3444/14JUL
J 733.C123
HAM0645 FRA0750
(FRA0830 MUC0925 cancelled)
MUC1010 BUD1125
HAMFRA 503/9
MUCBUD 503/9

The problem of such duplications may also arise where the first leg is cancelled and the identifier date of the second leg does not equal the Flight Identifier Date from the original flight origin.

Such flights cannot be processed in accordance with ASM rules.

To enable automated data exchange during the operations control time frame, it would be helpful to transmit complete flight information with all associated legs by using ASM/RPL Messages and assigning cancel status “XXXX” to those legs concerned.

Such a method as described below here may only be used by bilateral agreement.

RPL
LH3444/14JUL
J 733.C123 DABWH
HAM0645 FRA0750
XXXX FRA0830 MUC0925
MUC1010 BUD1125
QQQQQQ 503/9

Processing flights in this way ensures that:

- Schedule information is complete with all associated data, e.g. references to marketing flights, traffic restrictions etc.,
- Complete set of segment information for the cancelled leg(s) can be accessed,
- Key information remains unchanged, automated processing is possible,
- Flight identifier duplications do not occur,
- Reinstatement of the entire flight is easily possible.

⊗

Partnership Specification

The following matrix is provided for guidance as to the application of Data Element Identifier 11 (Partnership Specification) in Computer Reservations Systems displays and publications.

Partnership Specification can be disclosed in a code bilaterally agreed between partnership carriers and distributing systems.

However, where space allows, it is preferred to disclose a partnership name for marketing recognition.

For screen display an indicator (for example ** as used in the table below) that multiple matches exist can be used to avoid displaying the same trip multiple times using each partnership match. This helps to avoid screen padding.

In the tables below, aaaa, bbbb and cccc are used to denote different airline partnerships, “Y” equates to ‘Display’ and “N” equates to ‘Do Not Display’.

Direct Flights

DEI 11s	DEI 11 which is used for match	Neutral Availability – Partnership/ Code/Name	Secondary Displays – Partnership/ Code/Name	Alliance Availability: Display Trip
Single DEI 11	aaaa	Y	Y	Y
Multiple DEI 11s (aaaa, bbbb, cccc)	**	**	Y all	Y For each

Single Connections

DEI 11s filed on each flight segment	DEI 11 which is used for match	Neutral Availability: Partnership/ Code/Name	Secondary Displays – Partnership/ Code/Name	Alliance Availability – Display Trip
Seg 1: aaaa Seg 2: aaaa	aaaa	Y	Y	Y
Seg 1: aaaa Seg 2: none	n/a	N	N	N
Seg 1: none Seg 2: aaaa	n/a	N	N	N
Seg 1: aaaa, bbbb Seg 2: bbbb	bbbb	Y	Y bbbb only	Y
Seg 1: aaaa, bbbb Seg 2: bbbb, aaaa	aaaa bbbb	**	Y aaaa/bbbb	Y
Seg 1: aaaa, bbbb, cccc Seg 2: aaaa, cccc	aaaa cccc	**	Y aaaa/ccccc	Y
Seg 1: aaaa, bbbb, cccc Seg 2: cccc, bbbb, aaaa	aaaa bbbb cccc	**	Y aaaa/bbbb/ccccc	Y
Seg 1: aaaa Seg 2: bbbb	n/a	N	N	N

Double Connections

DEI 11s filed on each flight segment	DEI 11 which is used for match	Neutral Availability – Partnership/ Code/Name	Secondary Displays – Partnership/ Code /Name	Alliance Availability: Display Trip
Seg 1: aaaa Seg 2: aaaa Seg 3: aaaa	aaaa	Y	Y aaaa	Y
Seg 1: aaaa Seg 2: none Seg 3: none	n/a	N	N	N
Seg 1: none Seg 2: aaaa Seg 3: none	n/a	N	N	N
Seg 1: aaaa, bbbb Seg 2: bbbb Seg 3: none	n/a	N	N	N
Seg 1: aaaa, bbbb Seg 2: bbbb, aaaa Seg 3: none	n/a	N	N	N
Seg 1: aaaa, bbbb, cccc Seg 2: aaaa, cccc Seg 3: aaaa	aaaa	Y aaaa	Y aaaa	Y Aaaa
Seg 1: aaaa Seg 2: aaaa, bbbb Seg 3: bbbb	n/a	N	N	N
Seg 1: aaaa, bbbb, cccc Seg 2: cccc, bbbb, aaaa Seg 3: cccc	cccc	Y cccc	Y cccc	Y Cccc
Seg 1: aaaa, bbbb, cccc Seg 2: cccc, bbbb, aaaa Seg 3: aaaa, bbbb, cccc	aaaa bbbb cccc	**	Y aaaa/bbbb/cccc	Y aaaa/bbbb/cccc
Seg 1: aaaa, bbbb, cccc Seg 2: cccc, bbbb, aaaa Seg 3: bbbb, cccc	bbbb cccc	**	Y bbbb/cccc	Y bbbb/cccc
Seg 1: aaaa Seg 2: aaaa Seg 3: none	n/a	N	N	N
Seg 1: aaaa Seg 2: none Seg 3: aaaa	n/a	N	N	N
Seg 1: aaaa Seg 2: bbbb Seg 3: cccc	n/a	N	N	N

Time Mode

The main purpose of the Manual is to define standard schedule data. Handling procedures on how the information is processed internally by the recipient are not defined.

Information transmitted by a sender can be open to ambiguous interpretation by the recipient if not working under the same set of assumptions as the sender.

As a result, the input information may be accepted and falsely interpreted and then likely to incur penalties.

The ambiguous information is often returned to the sender for clarification and thus incurring additional costs to both parties.

To lessen possible sources of ambiguity with time applications, it is recommended that UTC times and days be used for the exchange of schedule information.

Airlines may, however, bilaterally agree to exchange their data in local times and days.

This section attempts to describe some possible sources of ambiguity.

When the Scheduled Time of Aircraft Departure (STD) is stated in Local Time and the recipient converts to UTC, or vice versa, the Period of Operation may need to be adjusted to maintain the correct Days of Operation around season boundaries and across Daylight Saving Time changes. If this is not done correctly, a lost day of operation and/or a day duplication may occur.

Note throughout this section the application of the rule defining Flight Number in Chapter 2, and particularly note that this rule applies to ALL STATIONS IN THE ROUTING of a flight. This means that, for ANY given STATION on ANY DATE a Carrier may have:

- NO MORE THAN ONE departure of a Flight Number in UTC time mode;
- NO MORE THAN ONE arrival of a Flight Number in UTC time mode;
- NO MORE THAN ONE departure of a Flight Number in LOCAL time mode;
- NO MORE THAN ONE arrival of a Flight Number in LOCAL time mode.

UTC/LT Relationship

For SSMs, the relationship between the (effective) Period of Operation expressed in UTC, and the (effective) Period of Operation expressed in Local Time (LT), should not be changed for an operating flight.

(If a cancellation causes a break in a chain of services, it may then be acceptable that a fresh input should imply a different UTC/Local Time Period of Operation relationship to that existing before the cancellation.)

Similarly, for ASMs, the relationship of Flight Identifier Date expressed in UTC and in LT should not be changed. This also applies where an ASM modifies a flight previously submitted by an SSM.

Extra care has to be taken when a timing change by ASM changes the UTC day and results in two services with the same Flight Identifier on the same UTC day.

Since the local time day does not change, no problem exists for reservations systems.

A scheduler may be tempted to use local time to avoid the UTC day problem but this does not solve the problem. The correct manner would be to show the service with the Operational Suffix 'Z'.

The Operational Suffix 'Z' applies to the UTC version of schedules and may be suppressed in commercial publications and systems that use LT for display purposes.

Suffix 'Z' may be used in a data transmission regardless of whether the Time Mode used is UTC or LT.

If data is transmitted in LT and the receiving system needs to convert it to UTC, the lack of Suffix 'Z' may cause problems when UTC day/date duplications occur.

Example:

Flight held in airline XY computer:

XY123 01APR 26MAY 1234567 JFK 1830 FRA 0755+1 (Local)

XY123 01APR 26MAY 1234567 JFK 2230 FRA 0555+1 (UTC)

AirLine XY wants to operate the Tuesday frequency two hours later.

Wrong Procedure

XY sends SSM

LT

TIM

XY123

01APR 26MAY 2

JFK2030 FRA0955/1

The equivalent in UTC would be

XY123

02APR 27MAY 3

JFK0030 FRA0755

There will now be two flights

XY123 on day 3 in UTC

Correct Procedure

XY sends SSM

UTC

CNL

XY123

01APR 26MAY 2

//

NEW

XY123Z

02APR 27MAY 3

JFK0030 FRA0755

Each flight on UTC day 3

can now be uniquely identified:-

Flight XY123 Z dep 0030.

Flight XY123 dep 2230.

Note: The Operational Suffix 'Z' may be suppressed from display in the LT version of the schedule.

UTC Flight Number Duplication due to Daylight Saving Time

Airlines working on a Local Time basis should consider the problems that may be created for recipients working in UTC regarding Daylight Saving Time.

Example:

Flight XYZ123 operates SYD-AKL with a year-round local departure time 1030 from SYD.

Considering the application of Daylight Saving Time, the UTC schedule for the period 01JAN02-31DEC02 is:

XY123

01JAN02 29MAR02 1234567

...

SYD2330 AKL0230/1

— There is no flight on 30MAR02 in UTC Time Mode.

— From the DST shift onwards the flight will become an early morning (UTC) flight

XY123

31MAR02 26OCT02 1234567

...

SYD0030 AKL0330

— From the shift back to Standard Time the flight would again become a late evening (UTC) flight

XY123

26OCT02 31DEC02 1234567

...

SYD2330 AKL0230/1

However, in UTC Time Mode, there would be two flights departing on 26OCT02.

In order to overcome flight identification problems, a solution is provided by the separation of one of the two operations by the application of Operational Suffix 'Z'.

The 'Z' Operational Suffix may be suppressed from display in Local Time representations of the schedule, e.g. for reservations and publications purposes.

```
XY123Z
26OCT02 26OCT02 6
...
SYD2330 AKL0230/1
XY123
27OCT02 31DEC02 1234567
...
SYD2330 AKL0230/1
```

This may not be a complete solution since the level of sophistication of the computer system receiving the information may not be known. Receiving systems may have to allow for manual intervention to process messages such as those described above.

UTC Flight Number Duplication at Origin or Individual Stations

The basis of SSIM reference to a flight is the UTC and local date at the point of origin and Flight Numbers may therefore not be duplicated. This is also the case for arrivals and departures at each individual Station included in the itineraries of the same Flight Number.

However, the Reservations and Sales Systems are interested in segments that can be sold on a Local Time basis.

This means that each segment must be uniquely identifiable on a Local Time basis.

It frequently occurs that flights contain ambiguous information when considered on a UTC basis. This problem comes up more frequently on daily flights or flights operating on consecutive days:

Flight XY789 operates three times weekly SYD-MEL-HKG and four times weekly MEL-SYD-HKG with the same Flight Number for commercial reasons.

The local time schedule is:

LT		LT
XY789		XY789
01APR 26MAY 246		01APR 26MAY 1357
...	and	...
SYD1030 MEL1150		MEL0915 SYD1035
MEL1300 HKG2005		SYD1145 HKG1845

The UTC equivalent is:

UTC		UTC
XY789		XY789
01APR 26MAY 246		31MAR 25MAY 2467
...	and	...
SYD0030 MEL0150		MEL 2315 SYD0035/1
MEL 0300 HKG1205		SYD01451 HKG1045/1

There are two originating XY789 flights on days 246 in UTC Time Mode and two XY789 departures at MEL on days 246. There is no duplication in Local Time mode.

Whilst it would be preferable to use a different Flight Number, commercial considerations may not allow a flight number change.

In this case, the Operational Suffix 'Z' should be used on one of the flights to ensure that the flight can be handled in the receiving carrier's system on a UTC-basis.

The suffix 'Z' may be suppressed from displaying in the LT version of the schedule or in reservations systems.

- Days 246 XY789Z SYD 0030 ...
- Days 2467 XY789 MEL2315 ...

Problems can also arise at en-route Stations on daily flights with the same routing each day, either caused by Daylight Saving Time change or having different departure times on one or more days. Flight AB123 operates daily LHR-SIN-SYD.

The local time schedule is:

LT
AB123
01APR 26MAY 12457
...
LHR1200 SIN0805/1
SIN0930/1 SYD1850/1

and

LT
AB123
01APR 26MAY 36
...
LHR1130 SIN0735/1
SIN0900/1 SYD1820/1

The UTC schedule is:

UTC
AB123
01APR 26MAY 12457
...
LHR1100 SIN0005/1
SIN0130/1 SYD0850/1

and

UTC
AB123
01APR 26MAY 36
...
LHR1030 SIN2335
SIN0100/1 SYD0820/1

There are two AB123 flights arriving in SIN on days 36 in UTC Time Mode. There is no duplication in Local Time mode.

Again, whilst it would be preferable to use a different Flight Number on days 36, commercial considerations may not allow a flight number change.

The Operational Suffix 'Z' should again be used, on days 36, to ensure that the flight can be handled in the receiving carrier's system on a UTC-basis.

Local Date Duplication

The use of Operational Suffix 'Z' does not solve duplicate day problems in Local Time mode.

Therefore the following situations require the use of a different Flight Designator since the day duplication appears only in the local time schedule affecting commercial publication and reservations systems.

- Airline XY operates a daily service XY991 LAX-HNL-AKL, departing Los Angeles at 2000 LT year round and from Honolulu at 2330 LT (0930 UTC) from early April to late October (Summer) and 0030 LT (1030 UTC) from late October to early April (Winter) because of local time changes at LAX.

Every year, at the change-over from winter to summer, there will be a duplicate service on the change-over day with the last winter flight leaving at 0030 LT and the first summer service at 2330 LT.

The first summer service would have to use a different Flight Designator e.g. XY9911.

- Airline DL operated a daily service DL072 LAX-JFK-FRA-ATH.

During the scheduling season, the service was extended to originate at HNL and thus maintaining the daily service between LAX and ATH at all times.

The respective schedules were as follows:

LAST LAX ORIGINATOR DL072					FIRST HNL ORIGINATOR DL072			
UTC		LT			UTC		LT	
HNL					TUE	0845	MON	2245
LAX					TUE	1403	TUE	0703
LAX	MON	1530	MON	0830	TUE	1530	TUE	0830
JFK	MON	2100	MON	1700	TUE	2100	TUE	1700
JFK	MON	2215	MON	1815	TUE	2215	TUE	1815
FRA	TUE	0540	TUE	0740	WED	0540	WED	0740
FRA	TUE	0650	TUE	0850	WED	0650	WED	0850
ATH	TUE	1035	TUE	1335	WED	1035	WED	1335

While there was no problem with the UTC schedule, the local time schedule had the two flights originating on the same day and this is not acceptable in reservations systems.

After the schedule change, the new routing would require a new Flight Designator to overcome the problem.

Airline AB operates a daily service AB123 SYD-SIN-LHR. It departs SYD at 1600 Local Time (0600 UTC) on days 12457, and at 1700 Local Time (0700 UTC) on days 36.

The Local time schedule is:

LT		LT
AB123		AB123
01APR 26MAY 12457		01APR 26MAY 36
...	and	...
SYD1600 SIN2140		SYD1700 SIN2240
SIN2310 LHR0640/1		SIN0010/1 LHR 0740/1

The UTC schedule is:

UTC		UTC
AB123		AB123
01APR 26MAY 12457		01APR 26MAY 36
...	and	...
SYD0600 SIN1340		SYD0700 SIN1440
SIN1510 LHR0540/1		SIN1610 LHR0640/1

There is no problem with the UTC schedule, but the Local Time schedule has two flights departing from SIN on days 47 and this is not acceptable in reservations systems.

A new Flight Designator is required for the flights which depart SYD days 36 in order to overcome the problem.

Summary

When day duplications occur in regular schedules or on an ad-hoc basis, problems can be overcome by use of:

- A different Flight Designator if it occurs in local time mode only.

— Operational Suffix 'Z' if it occurs in UTC mode only.

It should also be noted that the use of leading zeros does not create a different Flight Number.


For example, Flight Numbers 123 and 0123 are the same.

Therefore, this cannot be used to resolve either the UTC or the local time day duplication problems.

Traffic Restriction Code D, E and G

Note: Although the scenarios shown below only portray the application of Traffic Restriction Code G, they are also valid for application of Traffic Restriction Codes D and E with the added requirements that the use of Traffic Restriction Code D is qualified to make International connections only. Additionally Traffic Restriction Codes D and E allow Stopovers at the connect point.

On-line Connection Scenario



The following examples of on-line routings/connections may be constructed:

YUL-FRA-OSL
YUL-FRA-CPH
YUL-FRA-CPH-ARN
YUL-FRA-MUC
YUL-FRA-TXL
YUL-FRA-ATH
and vice versa


Traffic Restrictions, however, prohibit the following interline connections from being constructed:

ARN-CPH-FRA
ARN-CPH-FRA-ATH
ARN-CPH-FRA-OSL

ARN-CPH-FRA-MUC
 ARN-CPH-FRA-TXL
 CPH-FRA-OSL
 CPH-FRA-MUC
 CPH-FRA-TXL
 CPH-FRA-ATH
 OSL-FRA-MUC
 OSL-FRA-ATH
 OSL-FRA-TXL
 MUC-FRA-ATH
 MUC-FRA-TXL
 TXL-FRA-ATH
 and vice versa.

In order to restrict these connections, Traffic Restriction 'G' is used as shown in the diagram above.

Interline Connection Scenario



The following examples of interline routings/connections may be constructed:

DTW-YUL-FRA
 DTW-YUL-FRA-CPH
 DTW-YUL-FRA-ATH
 and vice versa.

Traffic Restrictions, however, prohibit the following interline connections from being constructed:

DTW-YUL-FRA-ATH-CAI

YUL-FRA-ATH-CAI

CPH-FRA-ATH-CAI

FRA-ATH-CAI

and vice versa.

In order to restrict these connections, Traffic Restriction ‘G’ is used as shown in the diagram above.

Traffic Restriction Code Qualifiers 710-712

The following presents examples of applying the following data elements on Traffic Restrictions:

- DEI 710 — Traffic Restriction Qualifier at Board Point;
- DEI 711 — Traffic Restriction Qualifier at Off Point;
- DEI 712 — Traffic Restriction Qualifier at Board and Off Points.

Traffic Restrictions not including one of these Data Element Identifiers relate to the Board Point and/or the Off Point. DEI 710-712 make the Traffic Restriction specific to the Board Point (DEI 710), the Off Point (DEI 711) or both the Board and Off Points (DEI 712).

The examples show various combinations of Segments, Carriers, Traffic Restrictions and Traffic Restriction Qualifiers. The Traffic Restriction Qualifiers have been illustrated to reflect their DEI number. DEI 710 is shown to the **left** of the applicable Traffic Restriction, DEI 711 is shown on the **right** while DEI 712 is shown on both left and right to emphasize that the qualifier applies to **both** Board Point **and** Off Point.

Use of the DEI 710, 711 and 712 in the direct market:

Ref. No.	Carrier UA					Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off Point		
1	CPH		K		FRA	No	Required connection at CPH or FRA.
2	FRA	710	K		TXL	No	Required connection at FRA.
3	DUB		K	711	LHR	No	Required connection at LHR.
4	VIE	712	K	712	CPH	No	CPH No Required connection at VIE and CPH.

Use of the DEI 710, 711 and 712 to identify where the restriction applies to the segment:

Ref. No.	Carrier DL					Carrier DL				Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI	Traffic Restr.	DEI	Off Point		
5	DFW				CDG		Y		FCO	Yes	On-line connection exists at CDG (or FCO).
6	JFK				CDG	710	Y		MRS	Yes	On-line connection exists at CDG.
7	ATL				CDG		Y	711	NCE	No	Required on-line connection at NCE not included in trip.
8	ATL				CDG	712	Y	712	AMS	No	Required on-line connection at CDG and AMS (only CDG is on-line connection included in trip).

Use of Traffic Restriction G to prevent display of trips where all connections have the G restriction inbound and outbound:

Ref. No.	Carrier DL					Carrier DL					Display ?	Explantion
	Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off Point			
9	BFL		G	7 1 1	LAX	7 1 0	G		SAN	No	Traffic restriction G exists inbound and outbound on all on-line connections for DL.	
10	SAN		G	7 1 1	LAX		G		BFL	No	Traffic restriction G exists inbound and outbound on all on-line connections for DL.	
11	SAN		G		LAX		G		FAT	No	Traffic restriction G exists inbound and outbound on all on-line connections for DL.	

Ref. No.	Carrier UA					Carrier UA					Carrier UA				Display ?	Explanation
	Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off Point			
12	LAX		G	7 1 1	HNL		G	7 1 1	NAN	7 1 0	G		RAR	Yes	On-line connections exist at HNL and NAN. No G restriction outbound from HNL for UA.	

Ref. No.	Carrier AC					Carrier AC					Carrier AC					Display ?	Explanation
	Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off Point				
13	LAX		G	7 1 1	HNL		G		NAN	7 1 0	G		RAR	No	The G restriction exists inbound and outbound for all AC connections.		
14	LAX		Y	7 1 1	HNL		Y		NAN	7 1 0	Y		RAR	Yes	On-line connections exist at HNL and NAN.		

Example of DEI 710 with Traffic Restriction Q:

Ref. No.	Carrier DL					Carrier DL					Carrier DL				Display ?	Explanation
	Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off Point			
15	LAX				JFK				CDG	7 1 0	Q		MRS	Yes	International on-line connection/ stopover exists at CDG.	

Example of DEI 712 requiring the segment to be used only for transferring passengers at both board and off points:

Ref. No.	Carrier UA					Carrier UA					Carrier UA					Display ?	Explanation
	Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off/ Board Point	D E I	Traffic Restr.	D E I	Off Point				
16	VIE	7 1 2	G	7 1 2	CPH	7 1 2	G	7 1 2	BKK				NRT	No	On-line connection required at VIE.		
17	ORD		Y	7 1 1	VIE	7 1 2	G	7 1 2	CPH	7 1 0	G		ARN	Yes	On-line connection exists at VIE. and CPH. G restriction does not exist in and out of all connect points.		

Use of DEI 710 and 711 with Traffic Restriction G to allow the double connection to be displayed, but to restrict the single connection:

Ref. No.	Carrier DL			Carrier DL			Carrier DL			Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI	Traffic Restr.	DEI	Off/Board Point		
18	BFL		G	711	LAX	710	G		SAN	Yes	On-line connection at LAX. G restriction does not exist for all DL connections.

Ref. No.	Carrier DL			Carrier DL			Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI		
19	BFL		G	711	LAX	710	No	Traffic Restriction G exists inbound and outbound on all on-line connections for DL.

Use of the Traffic Restriction G (or Y) with DEI 711 to prevent interline connections at the off points:

Ref. No.	Carrier NZ			Carrier NZ			Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI		
20	YVR		G	711	LAX		Yes	On-line connection exists at LAX. No Traffic Restriction G outbound from LAX.

Ref. No.	Carrier NZ			Carrier QF			Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI		
21	YVR		G	711	LAX		No	On-line connection required at LAX.

Example to show that the G restriction disallows trips which contain the restriction into and out of all connections for the same carrier:

Ref. No.	Carrier BA			Carrier AY			Carrier AY			Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI	Traffic Restr.	DEI	Off/Board Point		
22	ABZ				GLA		G	711	LHR	No	All AY on-line connections have the G restriction into and out of the connection.
23	ABZ				GLA		G	711	LHR	Yes	On-line connection exists at LHR.

If a Y restriction were used in place of the G restriction in examples 22 and 23, the trips would be displayed:

Ref. No.	Carrier BA			Carrier AY			Carrier AY			Display ?	Explanation
	Board Point	DEI	Traffic Restr.	DEI	Off/Board Point	DEI	Traffic Restr.	DEI	Off/Board Point		
24	ABZ				GLA		Y	711	LHR	Yes	On-line connection exists at LHR.
25	ABZ				GLA		Y	711	LHR	Yes	On-line connection exists at LHR.

Train Stations At Multi-Terminal Airports

Some multi-terminal airports have more than one train station.

For example, LHR has one train station serving terminals 1, 2 and 3, and another serving terminal 4.

This means that the schedule for a train service that serves both the LHR train stations will have more than one scheduled arrival and/or departure at LHR on the same day.

This can not be achieved under the same Flight Number - see definition of Flight Number in Chapter 2.

For example, Flight Designator 2E123 on routing QQP-LHR(TN)-LHR(4)-QQP (where TN and 4 are the Passenger Terminal Indicators).

This is clearly in contravention of the definition of Flight Number whereby the 2E123 has two scheduled arrivals and two scheduled departures from LHR on the same day although occurring at different Terminals.

In reservations and publication systems, the recommended solution is to split the schedule into 2E123 QQP-LHR(TN)-QQP, and 2E124 QQP-LHR(4)-QQP.

The 2E123 would be treated as the operating flight, and the 2E124 would be treated as a Duplicate (non-operational) flight.

Data Element Identifiers 10 and 50 and Traffic Restriction Codes should be used as appropriate.

→ Refer to Appendix H : Duplicate Flight Legs.

Withdrawal of AD HOC Schedule Changes

One of the SSIM principles regarding schedule updates is the precedence that ad hoc updates (ASM — Chapter 5) take over schedule changes, using SSM (Chapter 4) or SSIM Schedule Data Set (Chapter 7) features.

There are two different initial steps to realize the ad hoc priority in EDP schedule systems by either a **one level** or a **two level** database.

In a two level data base solution, the master data (SSM and data sets) are kept in one level and the ad-hoc data (ASM) are kept in a logically different level.

This allows a combined view of the current schedule data, where ad hoc schedules take precedence over the master data. It also allows a view onto the pure master data as they are kept unchanged by ASM schedules.

In a one level data base all ASM updates change the existing schedule data and are flagged as ad hoc to retain priority over master updates (i.e. the master changes are made around the ad hoc dates).

There are two possibilities to withdraw ASM-type updates:

ASM Withdrawal Indicator (see also Chapter 2 ASM Withdrawal Indicator)

The ASM Withdrawal Indicator (XASM) is used within SSM messages to wipe out all existing ad hoc schedule information for the appropriate Flight Designator and the relevant Period/Day(s) of Operation, potentially replacing it with new schedule information.

XASM is only to be used in conjunction with Action Identifiers SKD/NEW/RPL/CNL.

Example:

```
SSM
UTC
25MAY00006E001/REF92/0234
RPL XASM
AF345
J 310 FCMBK.Y230
26AUG 200CT 123
CDG0850 MRS1005
```

Change Reason Code RTNS (see also Chapter 2 Change Reason)

The Change Reason Code RTNS is used within ASM messages to reinstate the 'original' (basic) schedule.

This procedure requires the reconstruction of the master data, therefore restricting the use of the RTNS facility to Action Identifiers NEW, RPL and CNL only in the case of a one level data base.

Irrespective of the precedence of ASM schedule data for the same flights, two level data bases maintaining the master data intact are able to process the RTNS facility in conjunction with all Action Identifiers.

Action Identifier NEW is required to reinstate a flight cancelled by ASM.

It must contain all the data to reconstruct a one day master period.

The ad hoc flag has to be eliminated.

Example:

```
ASM
UTC
26SEP00123E005/REF 245/92
NEW RTNS
LH123/250CT
J 733 C88
FRA0800 MUC0915
```

Action Identifier RPL is normally required to change the flight to its original or current master data and to open it for further master updates.

The ad hoc flag has to be eliminated.

Example:

```
ASM
LT
26SEP00123E005/REF 245/92
RPL RTNS
BA1265/11NOV
J 733 C88
FRA0800 LHR0930
```

Action Identifier CNL is **only** required to cancel an additional flight created by ASM and to open this flight for a potential creation by master input.

Example:

ASM

LT

23AUG00423C003/REF 045/92

CNL RTNS

LT120/12DEC

In every case, the ad hoc flag has to be eliminated in order to remove the precedence of the ad hoc schedule information over the master schedule information.

APPENDIX I

Region Codes

This Appendix lists the Countries and US States that constitute these Regions.

1. Schengen Agreement Countries (Region Code SCH)

Country	ISO Country Code
Aland Islands	AX
Austria	AT
Belgium	BE
Czech Republic	CZ
Denmark	DK
Estonia	EE
Finland	FI
France	FR
Germany	DE
Greece	GR
Hungary	HU
Iceland	IS
Italy	IT
Latvia	LV
Lithuania	LT
Luxembourg	LU
Malta	MT
Netherlands	NL
Norway	NO
Portugal	PT
Poland	PL
Slovakia	SK
Slovenia	SI
Spain and Canary Islands	ES
Sweden	SE
Switzerland	CH

2. IATA Traffic Conference Areas (TC)

2.1 IATA Region Codes and Names

Region Code	Name	TC
AFR	Africa	TC2
CAR	Caribbean	TC1
CEM	Central America	TC1
EUR	Europe	TC2
JAK	Japan/Korea	TC3
MDE	Middle East	TC2
NOA	North America	TC1
SAS	South Asian Subcontinent	TC3
SEA	South East Asia	TC3
SOA	South America	TC1
SWP	South West Pacific	TC3

2.2 Country Name and Region Code List (sorted by Country)

Country Name	ISO Country Code	TC	Region Code and Name
Afghanistan	AF	TC3	SAS - South Asian Subcontinent
Aland Islands	AX	TC2	EUR - Europe
Albania	AL	TC2	EUR - Europe
Algeria	DZ	TC2	EUR - Europe
American Samoa	AS	TC3	SWP - South West Pacific
Andorra	AD	TC2	EUR - Europe
Angola	AO	TC2	AFR - Africa
Anguilla	AI	TC1	CAR - Caribbean
Antarctica	AQ		(No IATA Area)
Antigua and Barbuda	AG	TC1	CAR - Caribbean
Argentina	AR	TC1	SOA - South America
Armenia	AM	TC2	EUR - Europe
Aruba	AW	TC1	CAR - Caribbean
Australia	AU	TC3	SWP - South West Pacific
Austria	AT	TC2	EUR - Europe
Azerbaijan	AZ	TC2	EUR - Europe
Bahamas	BS	TC1	CAR - Caribbean
Bahrain	BH	TC2	MDE - Middle East
Bangladesh	BD	TC3	SAS - South Asian Subcontinent
Barbados	BB	TC1	CAR - Caribbean
Belarus	BY	TC2	EUR - Europe
Belgium	BE	TC2	EUR - Europe
Belize	BZ	TC1	CEM - Central America
Benin	BJ	TC2	AFR - Africa
Bermuda	BM	TC1	CAR - Caribbean
Bhutan	BT	TC3	SAS - South Asian Subcontinent
Bolivia, Plurinational State of	BO	TC1	SOA - South America
Bosnia and Herzegovina	BA	TC2	EUR - Europe
Botswana	BW	TC2	AFR - Africa
Bouvet Island	BV	TC2	AFR - Africa
Brazil	BR	TC1	SOA - South America
British Indian Ocean Territory	IO	TC2	AFR - Africa
Brunei Darussalam	BN	TC3	SEA - South East Asia
Bulgaria	BG	TC2	EUR - Europe
Burkina Faso	BF	TC2	AFR - Africa
Burundi	BI	TC2	AFR - Africa

△

Country Name	ISO Country Code	TC	Region Code and Name
Cambodia	KH	TC3	SEA - South East Asia
Cameroon	CM	TC2	AFR - Africa
Canada	CA	TC1	NOA - North America
Cape Verde	CV	TC2	AFR - Africa
Cayman Islands	KY	TC1	CAR - Caribbean
Central African Republic	CF	TC2	AFR - Africa
Chad	TD	TC2	AFR - Africa
Chile	CL	TC1	SOA - South America
China, People's Republic of	CN	TC3	SEA - South East Asia
Chinese Taipei	TW	TC3	SEA - South East Asia
Christmas Island	CX	TC3	SEA - South East Asia
Cocos (Keeling) Islands	CC	TC3	SEA - South East Asia
Colombia	CO	TC1	SOA - South America
Comoros	KM	TC2	AFR - Africa
Congo	CG	TC2	AFR - Africa
Congo, Democratic Republic of	CD	TC2	AFR - Africa
Cook Islands	CK	TC3	SWP - South West Pacific
Costa Rica	CR	TC1	CEM - Central America
Côte d'Ivoire	CI	TC2	AFR - Africa
Croatia	HR	TC2	EUR - Europe
Cuba	CU	TC1	CAR - Caribbean
Cyprus	CY	TC2	EUR - Europe
Czech Republic	CZ	TC2	EUR - Europe
Denmark	DK	TC2	EUR - Europe
Djibouti	DJ	TC2	AFR - Africa
Dominica	DM	TC1	CAR - Caribbean
Dominican Republic	DO	TC1	CAR - Caribbean
Ecuador	EC	TC1	SOA - South America
Egypt	EG	TC2	MDE - Middle East
El Salvador	SV	TC1	CEM - Central America
Equatorial Guinea	GQ	TC2	AFR - Africa
Eritrea	ER	TC2	AFR - Africa
Estonia	EE	TC2	EUR - Europe
Ethiopia	ET	TC2	AFR - Africa
Falkland Islands	FK	TC1	SOA - South America
Faroe Islands	FO	TC2	EUR - Europe
Fiji	FJ	TC3	SWP - South West Pacific

Country Name	ISO Country Code	TC	Region Code and Name
Finland	FI	TC2	EUR - Europe
France	FR	TC2	EUR - Europe
French Guiana	GF	TC1	SOA - South America
French Polynesia	PF	TC3	SWP - South West Pacific
French Southern Territories	TF	TC2	AFR - Africa
Gabon	GA	TC2	AFR - Africa
Gambia	GM	TC2	AFR - Africa
Georgia	GE	TC2	EUR - Europe
Germany	DE	TC2	EUR - Europe
Ghana	GH	TC2	AFR - Africa
Gibraltar	GI	TC2	EUR - Europe
Greece	GR	TC2	EUR - Europe
Greenland	GL	TC1	NOA - North America
Grenada	GD	TC1	CAR - Caribbean
Guadeloupe	GP	TC1	CAR - Caribbean
Guam	GU	TC3	SEA - South East Asia
Guatemala	GT	TC1	CEM - Central America
Guinea	GN	TC2	AFR - Africa
Guinea-Bissau	GW	TC2	AFR - Africa
Guyana	GY	TC1	SOA - South America
Haiti	HT	TC1	CAR - Caribbean
Heard and McDonald Islands	HM	TC2	AFR - Africa
Honduras	HN	TC1	CEM - Central America
Hong Kong (SAR), China	HK	TC3	SEA - South East Asia
Hungary	HU	TC2	EUR - Europe
Iceland	IS	TC2	EUR - Europe
India	IN	TC3	SAS - South Asian Subcontinent
Indonesia	ID	TC3	SEA - South East Asia
Iran, Islamic Republic of	IR	TC2	MDE - Middle East
Iraq	IQ	TC2	MDE - Middle East
Ireland	IE	TC2	EUR - Europe
Israel	IL	TC2	MDE - Middle East
Italy	IT	TC2	EUR - Europe
Jamaica	JM	TC1	CAR - Caribbean
Japan	JP	TC3	Japan/Korea
Jordan	JO	TC2	MDE - Middle East

△

Country Name	ISO Country Code	TC	Region Code and Name
Kazakhstan	KZ	TC3	SEA - South East Asia
Kenya	KE	TC2	AFR - Africa
Kiribati	KI	TC3	SWP - South West Pacific
Korea, Democratic People's Rep. of	KP	TC3	JAK - Japan/Korea
Korea, Republic of	KR	TC3	JAK - Japan/Korea
Kuwait	KW	TC2	MDE - Middle East
Kyrgyzstan	KG	TC3	SEA - South East Asia
Lao People's Democratic Republic	LA	TC3	SEA - South East Asia
Latvia	LV	TC2	EUR - Europe
Lebanon	LB	TC2	MDE - Middle East
Lesotho	LS	TC2	AFR - Africa
Liberia	LR	TC2	AFR - Africa
Libya (Libyan Arab Jamahiriya)	LY	TC2	AFR - Africa
Liechtenstein	LI	TC2	EUR - Europe
Lithuania	LT	TC2	EUR - Europe
Luxembourg	LU	TC2	EUR - Europe
Macao (SAR), China	MO	TC3	SEA-South East Asia
Macedonia (FYROM)	MK	TC2	EUR - Europe
Madagascar	MG	TC2	AFR - Africa
Malawi	MW	TC2	AFR - Africa
Malaysia	MY	TC3	SEA-South East Asia
Maldives	MV	TC3	SAS - South Asian Subcontinent
Mali	ML	TC2	AFR - Africa
Malta	MT	TC2	EUR - Europe
Marshall Islands	MH	TC3	SEA-South East Asia
Martinique	MQ	TC1	CAR - Caribbean
Mauritania	MR	TC2	AFR - Africa
Mauritius	MU	TC2	AFR - Africa
Mayotte	YT	TC2	AFR - Africa
Mexico	MX	TC1	NOA - North America
Micronesia	FM	TC3	SEA-South East Asia
Moldova, Republic of	MD	TC2	EUR - Europe
Monaco	MC	TC2	EUR - Europe
Mongolia	MN	TC3	SEA-South East Asia
Montenegro	ME	TC2	EUR - Europe
Montserrat	MS	TC1	CAR - Caribbean
Morocco	MA	TC2	EUR - Europe

Country Name	ISO Country Code	TC	Region Code and Name
Mozambique	MZ	TC2	AFR - Africa
Myanmar	MM	TC3	SEA-South East Asia
Namibia	NA	TC2	AFR - Africa
Nauru	NR	TC3	SWP - South West Pacific
Nepal	NP	TC3	SAS - South Asian Subcontinent
Netherlands	NL	TC2	EUR - Europe
Netherlands Antilles	AN	TC1	CAR - Caribbean
New Caledonia	NC	TC3	SWP - South West Pacific
New Zealand	NZ	TC3	SWP - South West Pacific
Nicaragua	NI	TC1	CEM - Central America
Niger	NE	TC2	AFR - Africa
Nigeria	NG	TC2	AFR - Africa
Niue	NU	TC3	SWP - South West Pacific
Norfolk Island	NF	TC3	SWP - South West Pacific
Northern Mariana Islands	MP	TC3	SEA - South East Asia
Norway	NO	TC2	EUR - Europe
Oman	OM	TC2	MDE - Middle East
Pakistan	PK	TC3	SAS - South Asian Subcontinent
Palestinian Territory Occupied	PS	TC2	MDE - Middle East
Palau	PW	TC3	SEA - South East Asia
Panama	PA	TC1	SOA - South America
Papua New Guinea	PG	TC3	SWP - South West Pacific
Paraguay	PY	TC1	SOA - South America
Peru	PE	TC1	SOA - South America
Philippines	PH	TC3	SEA - South East Asia
Pitcairn Island	PN	TC3	SWP - South West Pacific
Poland	PL	TC2	EUR - Europe
Portugal	PT	TC2	EUR - Europe
Puerto Rico	PR	TC1	CAR - Caribbean
Qatar	QA	TC2	MDE - Middle East
Reunion	RE	TC2	AFR - Africa
Romania	RO	TC2	EUR - Europe

Country Name	ISO Country Code	TC	Region Code and Name
Russian Federation (East of the Urals) ¹	XU	TC3	SEA - South East Asia
Russian Federation (West of the Urals) ¹	RU	TC2	EUR - Europe
Rwanda	RW	TC2	AFR - Africa
Saint Helena	SH	TC2	AFR - Africa
Saint Kitts and Nevis	KN	TC1	CAR - Caribbean
Saint Lucia	LC	TC1	CAR - Caribbean
Saint Pierre and Miquelon	PM	TC1	NOA - North America
Saint Vincent and the Grenadines	VC	TC1	CAR - Caribbean
Samoa	WS	TC3	SWP - South West Pacific
San Marino	SM	TC2	EUR - Europe
Sao Tome and Principe	ST	TC2	AFR - Africa
Saudi Arabia	SA	TC2	MDE - Middle East
Senegal	SN	TC2	AFR - Africa
Serbia	RS	TC2	EUR - Europe
Seychelles	SC	TC2	AFR - Africa
Sierra Leone	SL	TC2	AFR - Africa
Singapore	SG	TC3	SEA - South East Asia
Slovakia	SK	TC2	EUR - Europe
Slovenia	SI	TC2	EUR - Europe
Solomon Islands	SB	TC3	SWP - South West Pacific
Somalia	SO	TC2	AFR - Africa
South Africa	ZA	TC2	AFR - Africa
South Georgia and the South Sandwich Island	GS	TC1	SOA - South America
Spain and Canary Islands	ES	TC2	EUR - Europe
Sri Lanka	LK	TC3	SAS - South Asian Subcontinent
Sudan	SD	TC2	AFR - Africa
Suriname	SR	TC1	SOA - South America
Svalbard & Jan Mayen Island	SJ	TC2	EUR - Europe
Swaziland	SZ	TC2	AFR - Africa
Sweden	SE	TC2	EUR - Europe
Switzerland	CH	TC2	EUR - Europe
Syrian Arab Republic	SY	TC2	MDE - Middle East
Tajikistan	TJ	TC3	SEA - South East Asia
Tanzania, United Rep. of	TZ	TC2	AFR - Africa
Thailand	TH	TC3	SEA - South East Asia
Timor-Leste	TL	TC3	SEA - South East Asia

Country Name	ISO Country Code	TC	Region Code and Name
Togo	TG	TC2	AFR - Africa
Tokelau	TK	TC3	SWP - South West Pacific
Tonga	TO	TC3	SWP - South West Pacific
Trinidad and Tobago	TT	TC1	CAR - Caribbean
Tunisia	TN	TC2	EUR - Europe
Turkey	TR	TC2	EUR - Europe
Turkmenistan	TM	TC3	SEA - South East Asia
Turks and Caicos Islands	TC	TC1	CAR - Caribbean
Tuvalu	TV	TC3	SWP - South West Pacific
Uganda	UG	TC2	AFR - Africa
Ukraine	UA	TC2	EUR - Europe
United Arab Emirates	AE	TC2	MDE - Middle East
United Kingdom	GB	TC2	EUR - Europe
United States of America	US	TC1	NOA - North America
Uruguay	UY	TC1	SOA - South America
US Minor Outlying Islands	UM	TC1	NOA - North America
Uzbekistan	UZ	TC3	SEA - South East Asia
Vanuatu	VU	TC3	SWP - South West Pacific
Vatican City State	VA	TC2	EUR - Europe
Venezuela, Bolivarian Republic of	VE	TC1	SOA - South America
Viet Nam	VN	TC3	SEA - South East Asia
Virgin Islands, British	VG	TC1	CAR - Caribbean
Virgin Islands, U.S.	VI	TC1	CAR - Caribbean
Wallis and Futuna Islands	WF	TC3	SWP - South West Pacific
Western Sahara	EH	TC2	EUR - Europe
Yemen, Republic of	YE	TC2	MDE - Middle East
Zaire (see Congo, Democratic Republic)		TC2	AFR - Africa
Zambia	ZM	TC2	AFR - Africa
Zimbabwe	ZW	TC2	AFR - Africa

¹ For all other purposes, Country Code RU is used exclusively to identify the Russian Federation.

2.3 IATA Traffic Conference Area and Region Code List (sorted by Region Code)

Country Name	ISO Country Code	TC	Region Code and Name
Antarctica	AQ		(No IATA Area)
Anguilla	AI	TC1	CAR - Caribbean
Antigua and Barbuda	AG	TC1	CAR - Caribbean
Aruba	AW	TC1	CAR - Caribbean
Bahamas	BS	TC1	CAR - Caribbean
Barbados	BB	TC1	CAR - Caribbean
Bermuda	BM	TC1	CAR - Caribbean
Cayman Islands	KY	TC1	CAR - Caribbean
Cuba	CU	TC1	CAR - Caribbean
Dominica	DM	TC1	CAR - Caribbean
Dominican Republic	DO	TC1	CAR - Caribbean
Grenada	GD	TC1	CAR - Caribbean
Guadeloupe	GP	TC1	CAR - Caribbean
Haiti	HT	TC1	CAR - Caribbean
Jamaica	JM	TC1	CAR - Caribbean
Martinique	MQ	TC1	CAR - Caribbean
Montserrat	MS	TC1	CAR - Caribbean
Netherlands Antilles	AN	TC1	CAR - Caribbean
Puerto Rico	PR	TC1	CAR - Caribbean
Saint Kitts and Nevis	KN	TC1	CAR - Caribbean
Saint Lucia	LC	TC1	CAR - Caribbean
Saint Vincent and the Grenadines	VC	TC1	CAR - Caribbean
Trinidad and Tobago	TT	TC1	CAR - Caribbean
Turks and Caicos Islands	TC	TC1	CAR - Caribbean
Virgin Islands, British	VG	TC1	CAR - Caribbean
Virgin Islands, U.S.	VI	TC1	CAR - Caribbean
Belize	BZ	TC1	CEM - Central America
Costa Rica	CR	TC1	CEM - Central America
El Salvador	SV	TC1	CEM - Central America
Guatemala	GT	TC1	CEM - Central America
Honduras	HN	TC1	CEM - Central America
Nicaragua	NI	TC1	CEM - Central America
Canada	CA	TC1	NOA - North America
Greenland	GL	TC1	NOA - North America
Mexico	MX	TC1	NOA - North America

Country Name	ISO Country Code	TC	Region Code and Name	
Saint Pierre and Miquelon	PM	TC1	NOA - North America	
United States of America	US	TC1	NOA - North America	
US Minor Outlying Islands	UM	TC1	NOA - North America	
Argentina	AR	TC1	SOA - South America	
Bolivia, Plurinational State of	BO	TC1	SOA - South America	△
Brazil	BR	TC1	SOA - South America	
Chile	CL	TC1	SOA - South America	
Colombia	CO	TC1	SOA - South America	
Ecuador	EC	TC1	SOA - South America	
Falkland Islands	FK	TC1	SOA - South America	
French Guiana	GF	TC1	SOA - South America	
Guyana	GY	TC1	SOA - South America	
Panama	PA	TC1	SOA - South America	
Paraguay	PY	TC1	SOA - South America	
Peru	PE	TC1	SOA - South America	
South Georgia and the South Sandwich Island	GS	TC1	SOA - South America	
Suriname	SR	TC1	SOA - South America	
Uruguay	UY	TC1	SOA - South America	
Venezuela, Bolivarian Republic of	VE	TC1	SOA - South America	△
Angola	AO	TC2	AFR - Africa	
Benin	BJ	TC2	AFR - Africa	
Botswana	BW	TC2	AFR - Africa	
Bouvet Island	BV	TC2	AFR - Africa	
British Indian Ocean Territory	IO	TC2	AFR - Africa	
Burkina Faso	BF	TC2	AFR - Africa	
Burundi	BI	TC2	AFR - Africa	
Cameroon	CM	TC2	AFR - Africa	
Cape Verde	CV	TC2	AFR - Africa	
Central African Republic	CF	TC2	AFR - Africa	
Chad	TD	TC2	AFR - Africa	
Comoros	KM	TC2	AFR - Africa	
Congo	CG	TC2	AFR - Africa	
Congo, Democratic Republic of	CD	TC2	AFR - Africa	
Côte d'Ivoire	CI	TC2	AFR - Africa	
Djibouti	DJ	TC2	AFR - Africa	
Equatorial Guinea	GQ	TC2	AFR - Africa	
Eritrea	ER	TC2	AFR - Africa	
Ethiopia	ET	TC2	AFR - Africa	

Country Name	ISO Country Code	TC	Region Code and Name
French Southern Territories	TF	TC2	AFR - Africa
Gabon	GA	TC2	AFR - Africa
Gambia	GM	TC2	AFR - Africa
Ghana	GH	TC2	AFR - Africa
Guinea	GN	TC2	AFR - Africa
Guinea-Bissau	GW	TC2	AFR - Africa
Heard and McDonald Islands	HM	TC2	AFR - Africa
Kenya	KE	TC2	AFR - Africa
Lesotho	LS	TC2	AFR - Africa
Liberia	LR	TC2	AFR - Africa
Libya (Libyan Arab Jamahiriya)	LY	TC2	AFR - Africa
Madagascar	MG	TC2	AFR - Africa
Malawi	MW	TC2	AFR - Africa
Mali	ML	TC2	AFR - Africa
Mauritania	MR	TC2	AFR - Africa
Mauritius	MU	TC2	AFR - Africa
Mayotte	YT	TC2	AFR - Africa
Mozambique	MZ	TC2	AFR - Africa
Namibia	NA	TC2	AFR - Africa
Niger	NE	TC2	AFR - Africa
Nigeria	NG	TC2	AFR - Africa
Reunion	RE	TC2	AFR - Africa
Rwanda	RW	TC2	AFR - Africa
Saint Helena	SH	TC2	AFR - Africa
Sao Tome and Principe	ST	TC2	AFR - Africa
Senegal	SN	TC2	AFR - Africa
Seychelles	SC	TC2	AFR - Africa
Sierra Leone	SL	TC2	AFR - Africa
Somalia	SO	TC2	AFR - Africa
South Africa	ZA	TC2	AFR - Africa
Swaziland	SZ	TC2	AFR - Africa
Tanzania, United Rep. of	TZ	TC2	AFR - Africa
Togo	TG	TC2	AFR - Africa
Uganda	UG	TC2	AFR - Africa
Zaire (see Congo, Democratic Republic)		TC2	AFR - Africa
Zambia	ZM	TC2	AFR - Africa
Zimbabwe	ZW	TC2	AFR - Africa
Åland Islands	AX	TC2	EUR - Europe
Albania	AL	TC2	EUR - Europe

Country Name	ISO Country Code	TC	Region Code and Name
Algeria	DZ	TC2	EUR - Europe
Andorra	AD	TC2	EUR - Europe
Armenia	AM	TC2	EUR - Europe
Austria	AT	TC2	EUR - Europe
Azerbaijan	AZ	TC2	EUR - Europe
Belarus	BY	TC2	EUR - Europe
Belgium	BE	TC2	EUR - Europe
Bosnia and Herzegovina	BA	TC2	EUR - Europe
Bulgaria	BG	TC2	EUR - Europe
Croatia	HR	TC2	EUR - Europe
Cyprus	CY	TC2	EUR - Europe
Czech Republic	CZ	TC2	EUR - Europe
Denmark	DK	TC2	EUR - Europe
Estonia	EE	TC2	EUR - Europe
Faroe Islands	FO	TC2	EUR - Europe
Finland	FI	TC2	EUR - Europe
France	FR	TC2	EUR - Europe
Georgia	GE	TC2	EUR - Europe
Germany	DE	TC2	EUR - Europe
Gibraltar	GI	TC2	EUR - Europe
Greece	GR	TC2	EUR - Europe
Hungary	HU	TC2	EUR - Europe
Iceland	IS	TC2	EUR - Europe
Ireland	IE	TC2	EUR - Europe
Italy	IT	TC2	EUR - Europe
Latvia	LV	TC2	EUR - Europe
Liechtenstein	LI	TC2	EUR - Europe
Lithuania	LT	TC2	EUR - Europe
Luxembourg	LU	TC2	EUR - Europe
Macedonia (FYROM)	MK	TC2	EUR - Europe
Malta	MT	TC2	EUR - Europe
Moldova, Republic of	MD	TC2	EUR - Europe
Monaco	MC	TC2	EUR - Europe
Montenegro	ME	TC2	EUR - Europe
Morocco	MA	TC2	EUR - Europe
Netherlands	NL	TC2	EUR - Europe
Norway	NO	TC2	EUR - Europe
Poland	PL	TC2	EUR - Europe
Portugal	PT	TC2	EUR - Europe
Romania	RO	TC2	EUR - Europe

Country Name	ISO Country Code	TC	Region Code and Name
Russian Federation (West of the Urals)	RU	TC2	EUR - Europe
San Marino	SM	TC2	EUR - Europe
Serbia	RS	TC2	EUR - Europe
Slovakia	SK	TC2	EUR - Europe
Slovenia	SI	TC2	EUR - Europe
Spain and Canary Islands	ES	TC2	EUR - Europe
Svalbard & Jan Mayen Island	SJ	TC2	EUR - Europe
Sweden	SE	TC2	EUR - Europe
Switzerland	CH	TC2	EUR - Europe
Tunisia	TN	TC2	EUR - Europe
Turkey	TR	TC2	EUR - Europe
Ukraine	UA	TC2	EUR - Europe
United Kingdom	GB	TC2	EUR - Europe
Vatican City State	VA	TC2	EUR - Europe
Western Sahara	EH	TC2	EUR - Europe
Bahrain	BH	TC2	MDE - Middle East
Egypt	EG	TC2	MDE - Middle East
Iran, Islamic Republic of	IR	TC2	MDE - Middle East
Iraq	IQ	TC2	MDE - Middle East
Israel	IL	TC2	MDE - Middle East
Jordan	JO	TC2	MDE - Middle East
Kuwait	KW	TC2	MDE - Middle East
Lebanon	LB	TC2	MDE - Middle East
Oman	OM	TC2	MDE - Middle East
Palestinian Territory Occupied	PS	TC2	MDE - Middle East
Qatar	QA	TC2	MDE - Middle East
Saudi Arabia	SA	TC2	MDE - Middle East
Sudan	SD	TC2	MDE - Middle East
Syrian Arab Republic	SY	TC2	MDE - Middle East
United Arab Emirates	AE	TC2	MDE - Middle East
Yemen, Republic of	YE	TC2	MDE - Middle East
Korea, Democratic People's Rep. of	KP	TC3	JAK - Japan/Korea
Korea, Republic of	KR	TC3	JAK - Japan/Korea
Japan	JP	TC3	JAK - Japan/Korea
Afghanistan	AF	TC3	SAS - South Asian Subcontinent
Bangladesh	BD	TC3	SAS - South Asian Subcontinent

△

Country Name	ISO Country Code	TC	Region Code and Name
Bhutan	BT	TC3	SAS - South Asian Subcontinent
India	IN	TC3	SAS - South Asian Subcontinent
Maldives	MV	TC3	SAS - South Asian Subcontinent
Nepal	NP	TC3	SAS - South Asian Subcontinent
Pakistan	PK	TC3	SAS - South Asian Subcontinent
Sri Lanka	LK	TC3	SAS - South Asian Subcontinent
Brunei Darussalam	BN	TC3	SEA - South East Asia
Cambodia	KH	TC3	SEA - South East Asia
China, People's Republic of	CN	TC3	SEA - South East Asia
Christmas Island	CX	TC3	SEA - South East Asia
Cocos (Keeling) Islands	CC	TC3	SEA - South East Asia
Guam	GU	TC3	SEA - South East Asia
Hong Kong (SAR, China)	HK	TC3	SEA - South East Asia
Indonesia	ID	TC3	SEA - South East Asia
Kazakhstan	KZ	TC3	SEA - South East Asia
Kyrgyzstan	KG	TC3	SEA - South East Asia
Lao People's Democratic Republic	LA	TC3	SEA - South East Asia
Macao (SAR, China)	MO	TC3	SEA - South East Asia
Malaysia	MY	TC3	SEA - South East Asia
Marshall Islands	MH	TC3	SEA - South East Asia
Micronesia	FM	TC3	SEA - South East Asia
Mongolia	MN	TC3	SEA - South East Asia
Myanmar	MM	TC3	SEA - South East Asia
Northern Mariana Islands	MP	TC3	SEA - South East Asia
Palau	PW	TC3	SEA - South East Asia
Philippines	PH	TC3	SEA - South East Asia
Russian Federation (East of the Urals) ¹	XU	TC3	SEA - South East Asia
Singapore	SG	TC3	SEA - South East Asia
Taiwan	TW	TC3	SEA - South East Asia
Tajikistan	TJ	TC3	SEA - South East Asia
Thailand	TH	TC3	SEA - South East Asia
Timor-Leste	TL	TC3	SEA - South East Asia
Turkmenistan	TM	TC3	SEA - South East Asia
Uzbekistan	UZ	TC3	SEA - South East Asia
Viet Nam	VN	TC3	SEA - South East Asia

Country Name	ISO Country Code	TC	Region Code and Name
American Samoa	AS	TC3	SWP - South West Pacific
Australia	AU	TC3	SWP - South West Pacific
Cook Islands	CK	TC3	SWP - South West Pacific
Fiji	FJ	TC3	SWP - South West Pacific
French Polynesia	PF	TC3	SWP - South West Pacific
Kiribati	KI	TC3	SWP - South West Pacific
Nauru	NR	TC3	SWP - South West Pacific
New Caledonia	NC	TC3	SWP - South West Pacific
New Zealand	NZ	TC3	SWP - South West Pacific
Niue	NU	TC3	SWP - South West Pacific
Norfolk Island	NF	TC3	SWP - South West Pacific
Papua New Guinea	PG	TC3	SWP - South West Pacific
Pitcairn Island	PN	TC3	SWP - South West Pacific
Samoa	WS	TC3	SWP - South West Pacific
Solomon Islands	SB	TC3	SWP - South West Pacific
Tokelau	TK	TC3	SWP - South West Pacific
Tonga	TO	TC3	SWP - South West Pacific
Tuvalu	TV	TC3	SWP - South West Pacific
Vanuatu	VU	TC3	SWP - South West Pacific
Wallis and Futuna Islands	WF	TC3	SWP - South West Pacific

¹ For all other purposes, Country Code RU is used exclusively to identify the Russian Federation.

APPENDIX J

INFORMATION CODES FOR USE IN THE AIRPORT COORDINATION PROCESS

Additional Information Codes

AA	Cleared time — Arrival
AD	Cleared time — Departure
CA	Coordinator Reason — Arrival
CD	Coordinator Reason — Departure
FA	Flexibility Range — Arrival
FD	Flexibility Range — Departure
ID	Airport Slot ID (Only applicable to GCR message – see Appendix K)
MT	Minimum Ground Time
NA	Reference number arrival
ND	Reference number departure
RA	Requested Timings — Arrival
RD	Requested Timings — Departure
RE	Aircraft Registration
SA	Arrival (followed by free text information)
SD	Departure (followed by free text information)
TA	Passenger Terminal Identifier — Arrival
TD	Passenger Terminal Identifier — Departure

Coordinator Reason Codes (SAL/SAQ/SCR)

AA	Apron capacity
AB	ATC restriction
CF	Curfew
GA	Gate capacity
GRD	Adjustment due to minimum ground time requirement
HA	High security flight restriction
NA	Night allocation
NB	Noise ban
NE	New entrant status under the provisions of the EU Regulation 95/93 Art 2 b ii as amended by Regulation (EC) No 793/2004, or as covered in local legislation that will have precedence

OK	Cleared as requested (SAL/SCR only)
PA	Post SC coordination for ad hoc
QT	Quota limitations
R6A	Runway limit
R6D	Runway departure limit
RA	Runway congestion (general code)
Rnnn	Runway congestion — nnn denotes the minute limitation expressed in minutes (i.e. R020 20 minutes; R120 120 minutes)
SE	Security
TA	Terminal congestion (general code)
Tnnn	Terminal congestion — nnn denotes the minute limitation expressed in minutes (i.e. T020 20 minutes; T120 120 minutes)
UA	Unable to allocate slot for miscellaneous reason
WA	Outstanding Request — No slot available due to multiple reasons, flight held in Outstanding Request Database

Coordinator Reason Codes (SHL)

N80	Failure to use slots on at least 80% of occasions
NP	No recognizable period
MU	Misuse of slots
NE	New entrant status under the provisions of the EU Regulation 95/93 Art 2 b ii as amended by Regulation (EC) No 793/2004, or as covered in local legislation that will have precedence

APPENDIX K

GENERAL AVIATION SLOT CLEARANCE REQUEST

General

The requirement for General Aviation to obtain slots at Coordinated Airports and the lack, in the main, of these aircraft operators having their own Flight Designator has led to a hybrid of systems being used for General Aviation Slot clearances.

The following information aims to provide a generic message type for the request for, amendment of and deletion of slots by General Aviation operators and the relevant Coordinators.

The message is called the GCR - General (Aviation) Clearance Request.

GCR Message Principles

Mandatory Principles

The following list of principles applies to the GCR message:

- The GCR message does not have a season indicator in the header.
- The GCR message only uses ICAO codes for aircraft and airports.
- The GCR message does not contain a frequency rate indicator.
- The GCR message creators reference use REG or FLT to indicate use of registration or a flight number.
- The GCR message is only to be used after the relevant SHD (Slot Handback Deadlines) – see the IATA Website, <http://www.iata.org/sked>, for a free copy of the Worldwide Scheduling Guide which list these dates.
- The GCR message uses the following action codes described in Chapter 6 of SSIM:

GCR Message	
Airline	Coordinator
C Schedule to be changed	H Holding
D Delete schedule	K Confirmation
N New schedule	U Refusal
R Revised schedule	W Unable to reconcile flight information
	X Cancellation

- The GCR message for domestic (same country) flights where slots are required at both departure airport and arrival airport will contain the slot request for both these airports within one message.
- For GCR communication using E-mail the GCR message should be in plain text placed directly in the E-mail body. No attachments or special characters should be used.

Optional Principles

The following list of principles will apply to the GCR message. However these may be amended as per the notes below as long as this has been agreed in advance by the operator and relevant coordinator on a bilateral basis or due to the implementation of a Local Airport Rule.

- The GCR message is in UTC (Local Time may be permitted on bilateral agreement using /LT in Creators Reference Line)
- The GCR message is in single day format only (Periods of operation may be allowed on bilateral agreement)
- The GCR will not contain an overmidnight indicator (This may be incorporated in the message when periods are allowed on a bilateral basis)
- The GCR has no turnaround information (This may be permitted on a bilateral basis usually when stand/apron coordination is required)
- The GCR message may use all relevant tags listed in SSIM Appendix J.
- The GCR message may contain an email address in the creators reference to facilitate automatic response from the Coordinators system.

Message Use/Flows

New slot request

Operator:

The Aircraft Operator will decide on whether to use a Flight Designator plus Flight Number or the Aircraft Registration. The Operator will also need to determine if there is a requirement to clear both departure and arrival slots on the same message. This occurs in the case where the flight is operating within the same country (domestic flight) and both departure and arrival airports are Coordinated Airports. (See first examples below)

Examples of:

Message type for operation under Registration and International Flight:

```
GCR
/REG/flights@swissga.com
EDDF
N HBIEV 08JUN 010G159 0900LSZH D
SI Special Information End of message
```

Message type for operation under Flight Designator plus Flight Number and international flight:

```
GCR
/FLT
EDDF
N NJE123 08JUN 010G159 0900LSZH D
SI Special Information End of message
```

Message type for operation under Registration and domestic flight to two Coordinated Airports:

GCR
/REG
EDDF
N HBIEV 08JUN 010G159 0900EDDM D
EDDM
NHBIEV 08JUN 010G159 EDDF1000 D
SI Special Information End of message

Message type for operation under Flight Designator plus Flight Number and domestic flight to two Coordinated Airports;

GCR
/FLT
EDDF
N NJE123 08JUN 010G159 0900EDDM D
EDDM
NNJE123 08JUN 010G159 EDDF1000 D
SI Special Information End of message

Coordinator

The coordinator will respond in one of the following ways:

Confirm the slot time using action code K:

GCR
/FLT
EDDF
K NJE123 08JUN 010G159 0900LSZH D
SI Special Information End of message

Unable to offer requested time but is able to confirm the nearest available slot using action code U/K combination:

GCR
/FLT
EDDF
U NJE123 08JUN 010G159 0900LSZH D
K NJE123 08JUN 010G159 0930LSZH D
SI Special Information End of message

Unable to confirm any slot time for the flight:

GCR
/FLT
EDDF
U NJE123 08JUN 010G159 0900LSZH D
SI Special Information End of message

Delete an allocated slot

Operator

To delete an allocated slot, the Operator will use the same format message as used to obtain the slot using action D and ensuring the details match the slot held.

For International flight:

```
GCR
/REG
EDDF
D HBIEV 08JUN 010G159 0900LSZH D
SI Special Information End of message
```

For Domestic Flight:

```
GCR
/REG
EDDF
D HBIEV 08JUN 010G159 0900EDDM D
EDDM
DHBIEV 08JUN 010G159 EDDF1000 D
SI Special Information End of message
```

Coordinator

The coordinator will confirm the deletion of the slot using action code X:

```
GCR
/REG
EDDF
X HBIEV 08JUN 010G159 0900LSZH D
SI Special Information End of message
```

Should the Coordinator be unable to match the cancellation message with any slot held in the coordination database, the Coordinator will respond with action W against the GCR messages details supplied by the operator:

```
GCR
/REG
EDDF
W HBIEV 08JUN 010G159 0900LSZH D
SI Special Information End of message
```

Should the Coordinator be unable to match the cancellation message with any slot held in the coordination database, but does find a close match to the details, the Coordinator will reply with a W/H action code combination indicating the GCR messages details unable to be matched and the slot details found:

```
GCR
/REG
EDDF
W HBIEV 08JUN 010G159 0900LSZH D
H HBIEV 08JUN 010G159 0920LSZH D
SI Special Information End of message
```

Change an allocated slot

Operator

To change an allocated slot, the Operator will use the same format message as used to obtain the slot using action C and R where the C line is the existing slot clearance and the R line is the new slot details requiring clearance.

For International flight:

```
GCR
/REG
EDDF
C HBIEV 08JUN 010G159 0900LSZH D
R HBIEV 08JUN 010G159 0930LSZH D
SI Special Information End of message
```

For Domestic flight:

```
GCR
/REG
EDDF
C HBIEV 08JUN 010G159 0900EDDM D
R HBIEV 08JUN 010G159 0930EDDM D
EDDM
CHBIEV 08JUN 010G159 EDDF1000 D
RHBIEV 08JUN 010G159 EDDF1030 D
SI Special Information End of message
```

Coordinator

The Coordinator will confirm the change of the slot using actions code X and K where the X line denotes the old slot being removed from the coordination database and K the new slot data being confirmed:

```
GCR
/REG
EDDF
X HBIEV 08JUN 010G159 0900LSZH D
K HBIEV 08JUN 010G159 0930LSZH D
SI Special Information End of message
```

Should the Coordinator be unable to confirm the new slot details, but is able to confirm the nearest available slot, the Coordinator will use an action code X/U/K combination where the X line denotes the old slot being removed from the coordination database, the U line the new request which is not possible and K the new slot data being confirmed:

```
GCR
/REG
EDDF
X HBIEV 08JUN 010G159 0900LSZH D
U HBIEV 08JUN 010G159 0930LSZH D
K HBIEV 08JUN 010G159 0915LSZH D
SI Special Information End of message
```

Should the coordinator be unable to confirm the new slot details, the Coordinator will use an action code H/U combination where the H line denotes the old slot being *retained* in the coordination database and the U line the new request which is not possible:

```
GCR
/REG
EDDF
H HBIEV 08JUN 010G159 0900LSZH D
U HBIEV 08JUN 010G159 0930LSZH D
SI Special Information End of message
```

The coordinator will respond with GCR messages with W or W/H combinations should they be unable to reconcile the Operator's C line with the slots held in the coordination database.

Examples of Bilaterally agreed Message formats:

Turnaround format message using local time designator

The following example demonstrates the use of the Local Time indicator and a flight in turnaround format using registration.

```
GCR
//LT/REG
CYYZ
C HBIEV 08JUN 010G159 KPIT0700 0900CYVR DD
R HBIEV 08JUN 010G159 KPIT0730 0930CYVR DD
```

The coordinators response may include Reason Code tags from Appendix J of SSIM:

```
GCR
//LT/REG
CYYZ
X HBIEV 08JUN 010G159 KPIT0700 0900CYVR DD
U HBIEV 08JUN 010G159 KPIT0730 0930CYVR DD
K HBIEV 08JUN 010G159 KPIT0745 0930CYVR DD
/ RA.0730 CA.R15/
```

Turnaround format message using Flight Numbers

The following example demonstrates the use of flight numbers in turnaround format:

```
GCR
/FLT
EBBR
CNJE123 NJE678 08JUN 010G159 EGKK0700 0900GMMX DD
RNJE123 NJE678 08JUN 010G159 EGKK0730 0930GMMX DD
```

The coordinators response may include Reason Code tags from Appendix J of SSIM:

```
GCR
/FLT
EBBR
XNJE123 NJE678 08JUN 010G159 EGKK0700 0900GMMX DD
UNJE123 NJE678 08JUN 010G159 EGKK0730 0930GMMX DD
KNJE123 NJE678 08JUN 010G159 EGKK0745 0930GMMX DD
/ RA.0730 CA.R15/
```

Airport Slot ID TAG example

Certain coordinators will use the Airport Slot ID tag from Appendix J for their General Aviation Slot clearances. When used by the coordinator the Operator must repeat the Airport Slot ID tag and number on all subsequent GCR messages as it becomes a mandatory field.

Operator request for a domestic flight:

```
GCR
/REG
EDDF
N HBEIV 08JUN 010G159 0900EDDS D
EDDS
NHBIEV 08JUN 010G159 EDDF0945 D
SI Special Information End of message
```

Coordinators response with Flight-ID Tags:

```
GCR
/REG
EDDF
K HBEIV 08JUN 010G159 0900EDDS D/ ID.2004070001/
EDDS
KHBIEV 08JUN 010G159 EDDF0945 D/ ID.2004070001/
SI Special Information End of message
```

Operator subsequently deletes slots repeating the Airport Slot ID tag in the message:

```
GCR
/REG
EDDF
D HBEIV 08JUN 010G159 0900EDDS D/ ID.2004070001/
EDDS
DHBIEV 08JUN 010G159 EDDF0945 D/ ID.2004070001/
SI Special Information End of message
```

Translation of ICAO aircraft and airports into IATA format for standard Chapter Six messages

There will be instances when Airlines or other business partners request information about the slots held by individual coordinators using standard SSIM Chapter 6 message formats such as SIR and WIR. In these cases, the slot information held in the coordinators database using ICAO codes, specifically aircraft and airports, will need to be translated into IATA formats to meet the SSIM Chapter 6 message format requirements.

Currently all ICAO aircraft and airports do not have a one for one equivalent under IATA's coding practise so generic codes will be used for the translation purposes where necessary.

The Generic Code for Carrier Code is – **GN**

The Generic Code for General Aviation Aircraft is – **GAA**

The Generic Code for Airports is – **XUD**

When using the Generic Carrier code, the Coordinator's system will create a flight number for the General Aviation flights sequentially starting from 001. This numbering will only be created within the particular SIR/WIR message. Flights therefore may have different numbers in subsequent messages.

An example of an SIR using the above codes is shown below:

```
SIR
/
S07
10JUL
MUC
H8U0912 8U0913 17SEP17SEP 1000000 155320 TIPTIP1000 1110TIPTIP JJ
H GN001 17SEP17SEP 1000000 001GAA 1005XUDXUD D
HBA8036 17SEP17SEP 1000000 110735 JERJER1010 J
HGN002 17SEP17SEP 1000000 001GAA XUDXUD 1010 D
HGN003 GN004 17SEP17SEP 1000000 010GAA XUDXUD0555 1000XUDXUD DD / CA.R60 CD.R60 RA.0615
RD.0935/
```


APPENDIX X

IATA PADIS XML STANDARDS

Industry XML standards (XML Schemas) support different business processes as described in the SSIM manual and WSG guidelines and are developed by IATA PADIS XMLWG.

Guidelines for the PADIS XMLWG are found under IATA Resolution 783.

This development is an ongoing process in the IATA PADIS XMLWG and coordinated with the SISC, SPWG and JSAG for approval.

References to IATA PADIS XML standards are found under URL: www.iata.org/workgroups/padis. △

Publications of the completed XML schemas are available from the PADIS XML and TypeX Releases extranet accessed from the link on the PADIS extranet site: https://extranet2.iata.org/sites/padis_xml_typex_releases/xml/default.aspx □

This website contains the documentation and XML schemas developed and these XML schemas may be downloaded from this website.

XML schemas have been developed to support following business process:

- Initial slot allocation;
Historic sent from Slot coordinator to airlines (process prior to the Schedules Conference)
- Slot Regulation process (process during and after the Schedules Conference)
- Slot Utilization information;
Information requested by airline or sent from a slot coordinator on the airline's slot utilization (80/20 rules in WSG).

The Business Requirement Documents are found on the SISC webpage accessed via link: www.iata.org/workgroups/sisc. △



ATTACHMENT 1

SISC PARTICIPANTS

I. Airline Members

Attachment 1 contains a listing of Airline Members and Non-Airline Observers attending the Schedules Information Standards Committee. IATA Member Airlines and its main SISC Representative are marked with an asterisk. The list is divided into two sections:

- I Airline Members
- II Non-Airline Observers

If you have any amendment to your contact details below, please send an e-mail to ssim@iata.org.

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIR CANADA 2 Queen St East, Suite 1001 P.O. Box 18 Toronto ON M5C 3G7 Canada	David Slobod Manager, Distribution Systems Development	TTY: — Tel: +1 (416) 352 3913 Fax: +1 (416) 352 3949 E-mail: david.slobod@aircanada.ca
AIR CANADA Centre Air Canada 1257 C.P. 14000 Dorval, Quebec H4Y 1H4 Canada	Volker Wackernagel Manager, Slots and Intermediate Scheduling	TTY: YULSPAC Tel: +1 (514) 422 6336 Fax: +1 (514) 422 5049 E-mail: volker.wackernagel@aircanada.ca
Additional TTY and/or E-mail authorised to send SCRs: slots@aircanada.ca		
AIR FRANCE* 45, rue de Paris - PH PB F-95747 Roissy CDG Cedex France	Elisabeth Hebrard Scheduling Diffusion Data Base Maintenance	TTY: PARPIAF Tel: +33 (1) 01 41 56 62 10 Fax: +33 (1) 01 41 56 83 69 E-mail: elhebrard@airfrance.fr
ALITALIA* Piazza Almerico da Schio 3 00054 Aeroporto Leonardo da Vinci Fiumicino Rome Italy	Olimpia Denise Scafidi Head of Schedule and Slot Management	TTY: ROMEHAZ Tel: +39 (06) 65632493 Fax: +39 (06) 656327701 E-mail: Scafidi.Olimpia.Denise@alitalia.it
Additional TTY and/or E-mail authorised to send SCRs: romehaz@alitalia.it		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ALL NIPPON AIRWAYS* Shiodome City Center 1-5-2 Higashi-Shimbashi, Minato-ku TOKYO 105-7133, JAPAN	Masahiro Tsuda Network Planning,	TTY: — Tel: +81 (3) 6735-1378 Fax: +81 (3) 6735-1285 E-mail: m.tsuda@ana.co.jp
AMERICAN AIRLINES* AA Capacity Planning 4333 Amon Carter Blvd. USA	Barbara McClatchy Manager, Schedule Publications & Competitive Analysis	TTY: — Tel: +1 (817) 967 2067 Fax: — E-mail: Barbara.McClatchy@ aa.com
AUSTRIAN* Office Park 2 P.O. Box 100 A-1300 Vienna-Airport Austria	Alexander Pour Head of Mid Term Scheduling & Publication	TTY: VIERCOS Tel: +43 (5) 1766 12492 Fax: +43 (5) 1766 512492 E-mail: alexander.pour@ austrian.com
CONTINENTAL AIRLINES* 1600 Smith Street HQSSK Houston, TX 77002 USA	Steve D. Brown Manager Schedule Distribution	TTY: HDQSPCO Tel: +1 (713) 324 6132 Fax: +1 (713) 324 6311 E-mail: steve.brown@coair.com
CONTINENTAL AIRLINES 1600 Smith HQSSK Houston, TX 77002 USA	Ray Harrell Director International Schedules and Slot Coordination	TTY: HDQRHCO Tel: +1 (713) 324 6643 Fax: +1 (713) 324 2660 E-mail: ray.harrell@coair.com
DEUTSCHE LUFTHANSA AG* Lufthansa Aviation Center Dept. FRA ID/D-S D-60546 Frankfurt/Main Germany	Horst Nikl Manager - Network Planning, Schedule Management	TTY: — Tel: +49 (69) 696-56722 Fax: +49 (69) 696-33267 E-mail: horst.nikl@dlh.de
DEUTSCHE LUFTHANSA AG Lufthansa Aviation Center Dept. FRA ER/S-K D-60546 Frankfurt/Main Germany	Simone Mulleman Senior Manager, Slot Management	TTY: — Tel: +49 (69) 69654611 Fax: +49 (69) 6969854611 E-mail: simone.mulleman@ dlh.de

Postal address	Representative Name and Title	TTY Tel Fax E-mail
DEUTSCHE LUFTHANSA AG Dept. FRA ID/D-S Lufthansa Aviation Center 60546 Frankfurt/Main Germany	Kiomi Spriestersbach Network Data & Tools - Schedule Management (Chairman)	TTY: — Tel: +49 (69) 696 95552 Fax: +49 (69) 696 33267 E-mail: kiomi.spriestersbach@dlh.de
FEDEX EXPRESS* 3680 Hacks Cross Road Building H, First Floor Memphis Tennessee 38125 United States	David Branch Global Linehaul Specialist	TTY: MEMASFX Tel: +1 (901) 434 8668 Fax: +1 (901) 434 9426 E-mail: dbbranch@fedex.com
FINNAIR OYJ* NT/97 FIN-01053 Finnair Finland	Anja Alho Manager Schedules Information	TTY: HELNTAY Tel: +358 (9) 8188 308 Fax: +358 (9) 8188 736 E-mail: anja.alho@finnair.com
IATA 800 Place Victoria P.O. Box 113 Montreal, Quebec Canada H4Z 1M1	Isabella Ioannoni Manager, Passenger Standards [Secretary]	TTY: — Tel: +1 (514) 874 0202 ext. 3440 Fax: +1 (514) 874 1779 E-mail: ioannonii@iata.org
IBERIA* Martinez Villergas 52, 4th Floor Madrid - 28027 Spain	Marta Arozarena Schedules & Slot Department (Vice Chairman)	TTY: MADSPIB Tel: +34 (91) 587 7124 Fax: +34 (91) 5877444 E-mail: marozarena@iberia.es
JAPAN AIRLINES INTERNATIONAL* 2-4-11 Higashi Shinagawa Shinagawa-ku Tokyo 140-8637 Japan	Kana Tsurufuji	TTY: — Tel: +81 (3) 5460 3855 Fax: +81 (3) 5460 5998 E-mail: kana.tsurufuji@jal.com
KLM ROYAL DUTCH AIRLINES Network Capacity & Schedule Planning (AMS/LR) Amsterdamseweg 55 1182 GP Amstelveen The Netherlands	Richard A. van der Linden Support & Infrastructure Manager	TTY: HDQLRKL Tel: +31 (20) 6491566 Fax: +31 (20) 6488082 E-mail: richard-van-der.linden@klm.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
KOREAN AIR LINES* 1370, Gonghang-dong Gangseo-gu, Seoul 157-712 Korea	Seongae Kim Deputy General Manager, Route Support & Coordination Team SELCSG	TTY: — Tel: +82 (2) 2656 7489 Fax: +82 (2) 2656 7715 E-mail: kimsa@koreanair.com
LOT POLISH AIRLINES* 17 Stycznia 39 Sched Dept/HSR 00906 Warsaw Poland	Slawomir Rosinski Scheduling Manager	TTY: WAWSPLO Tel: +48 (22) 6068307 Fax: +48 (22) 6069815 E-mail: s.rosinski@lot.pl
Additional TTY and/or E-mail authorised to send SCRs: schedules@lot.pl		
MIDDLE EAST AIRLINES* MEA Building Airport road P.O. Box 11-206 Beirut Lebanon	Bechara Antonios Head of Scheduling & Charters	TTY: — Tel: +961 629 260 Fax: +961 622 009 E-mail: antoniosb@mea.com.lb
Additional TTY and/or E-mail authorised to send SCRs: BEYSPME		
OLYMPIC AIRWAYS SERVICES S.A.* 29th Hatzievangelou Str. Hellinikon Athens Greece	Lilly Papadimitropoulou Expert Systems, Information Technology	TTY: — Tel: +30 (210) 9666480 Fax: +30 (210) 9666556 E-mail: epapadimitropoulou@olympic-airways.gr
QANTAS AIRWAYS LTD QCA/7 203 Coward Street Mascot NSW 2020 Australia	Jacqui Skewes Manager International Schedule Development	TTY: SYDQPQF Tel: +612 96915858 Fax: — E-mail: jacquiskewes@qantas.com.au
SCANDINAVIAN AIRLINES SYSTEM (SAS)* Hedegaardsvej 88 2300 Copenhagen Denmark	Lilla Phillips Application Manager Schedule Display	TTY: — Tel: +45 3232 2556 Fax: +45 3232 4042 E-mail: Lilla.Phillips@sas.dk

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SOUTH AFRICAN AIRWAYS Room 121A, Airways Park OR Tambo International Airport Private Bag X13 Johannesburg 1627 South Africa	Saleem Bhemat Specialist Scheduling and Distribution	TTY: JNBSPSA Tel: +27 (11) 978 1715 Fax: +27 (11) 978 1694 E-mail: saleembhemat@ flysaa.com
SOUTH AFRICAN AIRWAYS* Airways Park, Jones Road Room 121A, Private Bag X13 OR Tambo International Airport 1627 South Africa	Adre Venter Senior Manager - Scheduling and Distribution	TTY: JNBSPSA Tel: +27 (11) 978 1124 Fax: +27 (11) 978 1694 E-mail: adreventer@flysaa.com
Additional TTY and/or E-mail authorised to send SCRs: JNBRASA		
SWISS INTERNATIONAL AIRLINES LTD.* ZRH LX NRD SINR P.O. Box 8058 Zurich Switzerland	Renato A. Sinelli General Manager	TTY: ZRHRULX Tel: +41 44 564 87 48 Fax: +41 58 584 26 86 E-mail: Renato.Sinelli@ swiss.com
TAM LINHAS AEREAS Av Jurandir 856 Hangar VII CEP 04072 000 Sao Paulo Brazil	Luiz F. Castro	TTY: — Tel: +55 (11) 5582 8042 Fax: +55 (11) 5582 9643 E-mail: castro.luiz@tam.com.br
Additional TTY and/or E-mail authorised to send SCRs: SAOSPJJ		
TAM LINHAS AEREAS* Av Jurandir 856 Hangar VII CEP 04072 000 Sao Paulo Brazil	Mauro Vieira Schedule Planning Assistant	TTY: — Tel: +55 (11) 5582 8042 Fax: +55 (11) 5582 9643 E-mail: mauro.vieira@ tam.com.br
Additional TTY and/or E-mail authorised to send SCRs: SAOSPJJ		
THOMSON AIRWAYS* Wigmore House Wigmore Place Luton LU2 9TN United Kingdom	Terry Lee Licensing Manager	TTY: LTNOZBY Tel: +44 (1582) 644217 Fax: +44 (1582) 644235 E-mail: terry.lee@ thomson.co.uk

Postal address	Representative Name and Title	TTY Tel Fax E-mail
THOMSON AIRWAYS Wigmore House Wigmore Place Luton LU2 9TN United Kingdom	Tom Screen Aviation Planning Manager	TTY: LTNSPBY Tel: +44 (1582) 648701 Fax: — E-mail: tom.screen@thomson.co.uk
TNT AIRWAYS S.A.* Liege Airport Building 101 4460 Grace Hollogne Belgium	Russell Joste Scheduling Manager	TTY: LGGSP3V Tel: +32 (4) 239 3511 Fax: +32 (4) 239 3539 E-mail: russell.joste@tnt.com
TUNISAIR HANDLING* 18 Rue des Entrepreneurs La Chargaia II 2035 Tunis Tunisia	Kais Besbes Chef de Service Programmation	TTY: TUNKEXH Tel: +216 98201861 Fax: +216 71942188 E-mail: kais.besbes@tunisair.com.tn

II. Non-Airline Observers

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIRPORT COORDINATION - UNITED KINGDOM Capital Place 120 Bath Road Hayes, Middlesex UB3 5AN United Kingdom	Tony Simons IS Manager	TTY: LONACXH Tel: +44 (20) 8564 0662 Fax: +44 (20) 8564 0691 E-mail: tony.simons@acl-uk.org
AIRPORT COORDINATION - AUSTRALIA P.O. Box 3047 Sydney International Airport NSW 2020 Australia	Ernst J. Krolke Chief Executive	TTY: HDQACXH Tel: +61 (2) 9313 5469 Fax: +61 (2) 9313 4210 E-mail: ejkrolke@ coordaus.com.au
AIRPORT COORDINATION - AUSTRIA Office Park I Top B 08/04 A-1300 Wien-Flughafen Austria	Andreas Sager Head of Coordination	TTY: VIECPXH Tel: +43 (1) 7007 23610 Fax: +43 (1) 7007 23615 E-mail: a.sager@ slots-austria.com
AIRPORT COORDINATION - CZECH REPUBLIC Airport Prague P.O. Box 67 Prague 6 16008 Czech Republic	Petr Bilek Coordinator	TTY: PRGSP7X Tel: +420 (2) 2011 4991 Fax: +420 (2) 2011 5301 E-mail: petr.bilek@prg.aero
AIRPORT COORDINATION - FRANCE ORLYTECH Bat 527 3, Allée Maryse BASTIE 91325 WISSOUS CEDEX France	Eric Herbane Chief Executive	TTY: HDQCOXH Tel: +33 (1) 4975 8810 Fax: +33 (1) 4975 8820 E-mail: eric.herbane@cohor.org
Additional TTY and/or E-mail authorised to send SCRs: hdqcoxh@cohor.org		
AIRPORT COORDINATION - FRANCE Orly Tech Bat 527 3, Allee Maryse Bastie 91325 Wissous Cedex France	Steve Wolage	TTY: HOQCOXH Tel: +33 (1) 49758810 Fax: +33 (1) 49758820 E-mail: steve.wolage@cohor.org

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIRPORT COORDINATION - GERMANY T-Systems Enterprise Services GmbH Pascalstraße 8 52076 Aachen Germany	Dietmar Weishaupt Project Manager	TTY: — Tel: +49 (2408) 943-1170 Fax: +49 (2408) 943-1430 E-mail: dietmar.weishaupt@t-systems.com
AIRPORT COORDINATION - SPAIN AENA Edificio La Plovera Peonias 2, 2 Planta E-28023 Madrid Spain	Antonio Navarrete Head of Slot Coordination Department	TTY: — Tel: +34 (91) 3211499 Fax: +34 (91) 3211348 E-mail: anavarrete@aena.es
AIRPORT COORDINATION CANADA LTD. 210-5955 Airport Road Mississauga, Ontario L4V 1R9 Canada	Munro Smith President & Director Slot Coordination	TTY: YYZSCAC Tel: +1 (905) 673 6380 Fax: +1 (905) 673 9892 E-mail: MunroSmith@accl.aero
Additional TTY and/or E-mail authorised to send SCRs: cyyzslots@accl.aero		
BSC - BRUSSELS SLOT COORDINATION BSC Brussels Airport P.O. Box 27 B-1930 Zaventem 4 Belgium	Didier Hocq (BSC) General Manager	TTY: BRUACXH Tel: +32 (2) 753 5791 Fax: +32 (2) 753 5790 E-mail: didier.hocq@brucoord.org
Additional TTY and/or E-mail authorised to send SCRs: BRUACXH@brucoord.org		
INNOVATA 4908 Golden Parkway Suite 100 Buford, GA 30518 USA	Robin Aborn Manager, Data Acquisition & Production	TTY: ATLDSDX Tel: +1 (770) 614 4900 ext 239 Fax: +1 (770) 614 4902 E-mail: raborn@innovata-llc.com
INNOVATA 4908 Golden Parkway Suite 100 Buford, GA 30518 USA	Paul Chrestensen President and CEO	TTY: — Tel: +1 (770) 614 4933 Fax: — E-mail: pchrestensen@innovata-llc.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ITA SOFTWARE INC. 141 Portland St. Suite 700 Cambridge, MA 02139 United States	Eric Atotubo Travel Industry Specialist	TTY: — Tel: +1 (847) 991 0296 Fax: +1 (847) 991 0360 E-mail: erica@itasoftware.com
LUFTHANSA SYSTEMS AG FRA AS/N, Am Prime Parc 1 D-65479 Raunheim Germany	Axel Floerke Product Manager, Schedule Management Systems	TTY: — Tel: +49 (69) 696 95580 Fax: +49 (69) 696 92062 E-mail: axel.floerke@ lhsystems.com
OAG WORLDWIDE Church Street Dunstable, Bedfordshire LU5 4HB United Kingdom	Jacky Young Manager, Data Content Manager, [SSIM Officer]	TTY: LTNABCR Tel: +44 (0) 1582 695224 Fax: +44 (0) 1582 845613 E-mail: JAYoung@ubmaviation
SABRE AIRLINE SOLUTIONS 3150 Sabre Drive Southlake, TX 76262 USA	Prasanna Gowdar Solution Manager – Planning and Scheduling	TTY: — Tel: +1 (682) 605-4434 Fax: +1 (682) 605-3050 E-mail: Prasanna.Gowdar@ sabre.com
SABRE AIRLINE SOLUTIONS 3150 Sabre Drive Southlake, TX 76092 USA	Yusuf Mauladad Senior Principal	TTY: — Tel: +1 (682) 605 4394 Fax: — E-mail: yusuf.mauladad@ sabre.com
SABRE HOLDINGS 3150 Sabre Dr. Southlake, TX 76092 USA	Becky Gillispie Principal, Schedule Change Development	TTY: — Tel: +1 (682) 605 2077 Fax: +1 (682) 605 8050 E-mail: becky.gillispie@ sabre-holdings.com
SABRE HOLDINGS 3150 Sabre Dr. Southlake, TX 76092 USA	Mary Leach Director - Product Development, Schedules	TTY: — Tel: +1 (682) 605 2081 Fax: +1 (682) 605 8054 E-mail: Mary.Leach@ sabre-holdings.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SITA 3100 Cumberland Blvd. Atlanta, Ga. 30339 USA	John Meeks Business Consultant	TTY: — Tel: +1 (770) 850 4571 Fax: — E-mail: john.meeks@ sita.aero
SLOT COORDINATION - SWITZERLAND P.O. Box 350 CH-8058 Zurich Airport Switzerland	Roland Hunziker Manager IT	TTY: ZRHACXH Tel: +41 (43) 816 77 66 Fax: +41 (43) 816 77 67 E-mail: roland.hunziker@ slotcoord.ch
TRAVELPORT 300 Galleria Parkway NW Atlanta, GA 30175 United States	Pamela Burns-Thomas	TTY: — Tel: +1 (770) 563 7205 Fax: — E-mail: pam.burns-thomas@ travelport.com

ATTACHMENT 2

PARTICIPANTS IN IATA SCHEDULES CONFERENCES

Attachment 2 contains a listing of Airlines, Coordinators and Schedules Facilitators and Non Airline Contacts attending Schedules Conferences. IATA members are marked with an asterisk. The list is divided into three sections:

- I Airlines
- II Airport Coordinators and Schedules Facilitators
- III Non Airline Contacts

If you have any amendment to your contact details below, please send an e-mail to sked@iata.org.

I. Airlines

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ADRIA AIRWAYS* Kuzmiceva 7 1000 Ljubljana Slovenia	Luka Rojsek General Manager Network & Sales Support	TTY: — Tel: +386 41981752 Fax: +386 12301325 E-mail: luka.rojsek@adria.si
Additional TTY and/or E-mail authorised to send SCRs: comm.plan@adria.si		
AEGEAN AIRLINES* 31 Viltanioti str GR - 14564 Kifissia Greece	Anastasios Raftopoulos Manager Network Planning	TTY: ATHSPA3 Tel: +30 (210) 626 1766 Fax: +30 (210) 626 1901 E-mail: raftota@aegeanair.com
Additional TTY and/or E-mail authorised to send SCRs: a3planning@aegeanair.com		
AER LINGUS* Head Office PA06-08 Dublin Airport Dublin Ireland	Finbar Whelan Manager Schedules Coordination	TTY: DUBSPEI Tel: +353 (1) 886 2057 Fax: +353 (1) 886 3887 E-mail: finbar.whelan@aerlingus.com
Additional TTY and/or E-mail authorised to send SCRs: DUBOSEI		
AEROFLOT* 10 Arbat Moscow 119002 Russian Federation	Andrey Opolev Schedules Planning Manager	TTY: MOWSPSU Tel: +7 495 753 8626 Fax: +7 499 500 6950 E-mail: aaopolev@aeroflot.ru

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AEROLINEAS ARGENTINAS* Rivadavia 578 - 5 piso C1002 AAQ, Buenos Aires Argentina	Oscar Eduardo Gimenez Scheduling Manager Assistant	TTY: BUESPAR Tel: +54 (1) 4320 2068 Fax: +54 (1) 4320 2217 E-mail: ogimenez@ aerolineas.com.ar
AEROLOGIC GMBH Industriestr 56 04435 Schkeuditz Germany	Matthias Kaup Director Network Management	TTY: — Tel: +49 (34) 204 443 140 Fax: +49 (34) 204 443 199 E-mail: matthias.kaup@ aerologic.aero
AEROMEXICO* Paseo de la Reforma 5th Floor, Col. Cuauhtemoc Mexico DF 06500 Mexico	Esperanza Monterde Long Term Planning Schedule Director	TTY: MEXSPAM Tel: +52 (55) 9132-4215 Fax: +52 (55) 9132-4561 E-mail: emonterde@ aeromexico.com.mx
Additional TTY and/or E-mail authorised to send SCRs: MEXWRAM		
AEROSVIT AIRLINES* 58A T. Shevchenko Bld 01032 Kyiv Ukraine	Elena Jura Head of Slot Coordination Department	TTY: IEVCDVV Tel: +380 0678007696 Fax: +380 442705202 E-mail: ejura@aerosvit.com
AFRIQYAH AIRWAYS* Waha Building Omar Almokhtar St. P.O. Box 83428 Tripoli Libya	Ashruf Ben Aoun Planning & Network Manager	TTY: — Tel: +218 (21) 4449734 x504 Fax: +218 (21) 3341181 E-mail: abenaoun@ afriqiyah.aero
Additional TTY and/or E-mail authorised to send SCRs: abenaoun@gmail.com		
AIGLE AZUR* 4 Avenue Marcel Paul 93297 Tremblay en France Cedex France	Remi Scotti Schedule Planner	TTY: CDGPGZI Tel: +33 (1) 41 51 00 36 Fax: +33 (1) 41 51 00 10 E-mail: r.scotti@aigle-azur.fr

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIR ASIA BERHAD LCC Terminal, Jalan Klia S3 Southern Support Zone Kuala Lumpur International Airport 64000 Sepang, Selangor Darul Ehsan Malaysia	Hazrul Masri Senior Scheduler	TTY: — Tel: — Fax: — E-mail: hazrulmasri@ airasia.com
AIR ASIA X LCC Terminal, Jalan KLIA S3 Southern Support Zone KLIA, 64000 Sepang Selangor Malaysia	Venggatarao Niadu Suriethemmudu Schedule Planning Executive	TTY: — Tel: +6 (03) 8660 4488 Fax: +6 (03) 8660 4489 E-mail: venggataraoniadu@ airasia.com
AIR ASTANA CJSC* 4A, Akhmetov Str. Air Astana Centre 1 050039, Almaty Kazakhstan	Rafael Taizhanov Manager, Commercial Planning	TTY: ALASPKC Tel: +7 (727) 2584136 x1106 Fax: +7 (727) 2598702 E-mail: rafael.taizhanov@ airastana.com
AIR BALTIC* Riga International Airport Riga LV-1053 Latvia	Edgars Silins VP Network Planning	TTY: RIXSPBT Tel: +371 (67) 207 409 Fax: +371 (67) 207 369 E-mail: ess@airbaltic.lv
AIR BOTSWANA P.O. Box 92 Gaborone Botswana	Michael Mafoko Planning Analyst	TTY: — Tel: +267 (39) 52812 Fax: +267 (39) 74802 E-mail: MMAFOKO@ AirBotswana.co.bw
Additional TTY and/or E-mail authorised to send SCRs: mafoko@hotmail.com		
AIR CANADA* Centre Air Canada 1257 C.P. 14000 Saint-Laurent, Quebec H4Y 1H4 Canada	Volker Wackernagel Manager, Slots and Intermediate Scheduling	TTY: YULSPAC Tel: +1 (514) 422 6336 Fax: +1 (514) 422 5049 E-mail: volker.wackernagel@ aircanada.ca
Additional TTY and/or E-mail authorised to send SCRs: slots@aircanada.ca		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIR CHINA* Beijing Capital Airport Air China Headquarter, West 4FI, No. 30, Tianzhu Road, Tianzhu Airport Economist Dev. Beijing 101312 People's Republic of China	Lei Yin Manager	TTY: — Tel: — Fax: — E-mail: yinlei@ mail.airchina.com.cn
AIR CHINA CARGO* No. 46 Xiaoyun Road Chaoyang District Beijing 100027 People's Republic of China Additional TTY and/or E-mail authorised to send SCRs: mktfrt@mail.airchina.com.cn	Shan Nan Schedule Request Manager	TTY: — Tel: +86 (10) 84485098 Fax: +86 (10) 64605758 E-mail: nanshan@ mail.airchina.com.cn
AIR COMET Costa Brava 10 28034 Madrid Spain Additional TTY and/or E-mail authorised to send SCRs: planningcommercial@aircomet.com	Belen Baeza Iglesias Traffic Rights & Slots	TTY: MADCCA7 Tel: +34 (91) 722 7200 ext 1322 Fax: +34 (91) 722 7232 E-mail: bbaeza@aircomet.com
AIR EUROPA* Centro Empresarial Globalia P.O. Box 132 07620 Llucmajor, Mallorca Balears Spain Additional TTY and/or E-mail authorised to send SCRs: pmictux@air-europa.com	Marta Birba Schedules Coordination Manager	TTY: PMICTUX Tel: +34 (971) 178 187 Fax: +34 (971) 187 141 E-mail: mbirba@air-europa.com
AIR FRANCE* 45 Rue de Paris F-95747 Roissy CDG Cedex France Additional TTY and/or E-mail authorised to send SCRs: PARPCAF, HDQOOAF	Francois Southarewsky Director Scheduling	TTY: PARSPAF Tel: +33 (41) 56 8312 Fax: +33 (41) 56 8369 E-mail: frsoutharewsky@ airfrance.fr
AIR MAURITIUS LTD* New Terminal Building SSR International Airport Plaine-Magnien Mauritius	Aduth Ramdennee Ground Services Manager	TTY: MRUSPMK Tel: +230 603 3093 Fax: +230 202 3238 E-mail: aramdene@ airmauritius.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIR MEDITERRANEE 25 Rue du Luxembourg 31410 Le Favga France	Alain Frebault Scheduling Manager	TTY: — Tel: +33 (534) 482021 Fax: +33 (534) 482020 E-mail: alain.frebault@ air-mediterranee.fr
AIR NAMIBIA P.O. Box 731 Banhof Street Transnamib Building Namibia	Bluemy Hamutenya Route Analyst	TTY: — Tel: +264 (61) 299 6156 Fax: +264 (61) 299 6178 E-mail: Bluemy.Hamutenya@ airnamibia.aero
AIR NEW ZEALAND* Private Bag 92007 Auckland New Zealand	Paul Murray Manager Network Planning & Scheduling Longhaul	TTY: AKLSPNZ Tel: +64 (9) 336 3328 Fax: +64 (9) 336 3675 E-mail: paul.murray1@ airnz.co.nz
AIR NOSTRUM* Avda. Comarques del País Valencià, 2 46930 Quart de Poblet Valencia Spain Additional TTY and/or E-mail authorised to send SCRs: smora@airnostrum.es	Luis Aulet Marrero Planning and Programme Manager	TTY: VLCSMYW Tel: +34 (96) 196 0200 Fax: +34 (96) 196 0287 E-mail: laulet@airnostrum.es
AIR ONE* Viale Alessandro Marchetti 111Piazza Almerico da Schio 3 111Piazza Almerico da Schio 3 Fiumicino 00054 Rome Italy Additional TTY and/or E-mail authorised to send SCRs: rome haz@alitalia.it	Denise Scafidi Head of Schedule and Slot Management	TTY: ROMEHAZ Tel: +39 (06) 65632493 Fax: +39 (06) 65632630 E-mail: scafidi.olimpia.denise@ alitalia.it
AIR SEYCHELLES* P.O. Box 386 Victoria Mahe Seychelles	Patrick Elizabeth Manager Commercial Planning	TTY: SEZCPHM Tel: +248 381 009 Fax: +248 324 194 E-mail: pelizabeth@ airseychelles.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AIR TAHITI NUI* BP 1673 98713 Papeete Tahiti French Polynesia	Barry F. Zorn Senior Vice President Strategy & Planning	TTY: PPTSCTN Tel: +689 46 02 47 Fax: +689 46 02 15 E-mail: bzorn@airtahitinui.pf
Additional TTY and/or E-mail authorised to send SCRs: PPTSPTN, info@airtahitinui.pf		
AIR TRANSAT* 5959 blvd de la Cote-Vertu Montreal Quebec H4S 2E6 Canada	Martin Bourassa Supervisor Flight Scheduling	TTY: — Tel: +1 (514) 906 0330 ext 3094 Fax: +1 (514) 906 5128 E-mail: mbourassa@ airtransat.com
AIR VIA BULGARIAN AIRWAYS Business Centre of Transport 54 G. M. Dimitrov Blvd 1125 Sofia Bulgaria	Stoyan Loutchev Schedule Manager	TTY: SOFTOVL Tel: +359 (2) 971 2869/3625 Fax: +359 (2) 973 3454 E-mail: s_loutchev@air-via.com
Additional TTY and/or E-mail authorised to send SCRs: SOFOCVL, airvia@akvanet.com		
AIR ZIMBABWE* P.O. Box AP 1 Harare International Airport Harare Zimbabwe	Forbes Zaranyika Manager - Network Planning, Industry & Government Affairs	TTY: HRESPUM Tel: +263 (4) 575 042 Fax: +263 (4) 575 460 E-mail: fzaranyika@ airzimbabwe.aero
Additional TTY and/or E-mail authorised to send SCRs: HREDVUM		
AIRBRIDGE CARGO AIRLINES 16/1, Malaya Pirogovskaya Str. 119435 Moscow Russian Federation	Alexander Roshchupkin Network Planning & Scheduling Manager	TTY: — Tel: +7 (495) 7862613 Fax: +7 (495) 7556581 E-mail: alex.roshchupkin@ airbridgecargo.com
Additional TTY and/or E-mail authorised to send SCRs: ops-abc@airbridgecargo.com		
ALITALIA* Viale Alessandro Marchetti 111Piazza Almerico da Schio 3 00054 Aeroporto Leonardo da Vinci Fiumicino Rome Italy	Denise Scafidi Head of Schedule and Slot Management	TTY: ROMEHAZ Tel: +39 (06) 6563 2493 Fax: +39 (06) 6563 2630 E-mail: scafidi.olimpia.denise@ alitalia.it
Additional TTY and/or E-mail authorised to send SCRs: romehaz@alitalia.it		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ALL NIPPON AIRWAYS* 1-5-2 Higashi-Shimbashi Minato-ku Tokyo 105-7133 Japan Additional TTY and/or E-mail authorised to send SCRs: regulations@ana.co.jp	Takayuki Asai Shiodome City Center	TTY: — Tel: +81 (3) 67351374 Fax: +81 (3) 67351285 E-mail: t.asai@ana.co.jp
AMERICAN AIRLINES INC.* 4333 Amon Carter Blvd MD5639 Ft. Worth, TX 76155 United States	Jim Watt Manager Capacity Planning	TTY: HDQSPAA Tel: +1 (817) 967 1233 Fax: +1 (817) 967 0763 E-mail: jim.watt@aa.com
ARKIA ISRAELI AIRLINES LTD.* Dov Airport P.O. Box 39301 Tel Aviv, 61392 Israel	Dan Grinberg Traffic and Flights Coordinator Mgr	TTY: TLVSBIZ Tel: +972 (3) 6902209 Fax: +972 (3) 6999397 E-mail: danig@arkia.co.il
ASTRAEUS LTD Astraeus House Faraday Court, Faraday Road Crawley, RH10 9PU United Kingdom	Matt Jenkins Commercial Manager	TTY: — Tel: +44 (1293) 819845 Fax: +44 (1293) 819832 E-mail: matt.jenkins@flystar.com
ATLAS AIR* 2000 Westchester Ave Purchase, NY 10577 United States	Dale Glasco Manager of Government Affairs	TTY: MIADG5Y Tel: +1 786 265 3237 Fax: +1 305 595 5563 E-mail: dglasco@atlasair.com
ATLAS BLUE Siege Atlas Blue Aeroport Marrakech Menara Terminal B BP 440 Marrakech Medina Morocco Additional TTY and/or E-mail authorised to send SCRs: alaaroussi@royalairmaroc.com	Abderrazak Laaroussi Schedule Manager	TTY: RAKSPAT Tel: +212 (24) 424245 Fax: +212 (24) 424201 E-mail: alaaroussi@atlas-blue.com
ATLASJET AIRLINES INC.* Eski Halkali Yolu Yesilyurt Mah Alacati Evleri Yani No: 5/B 34153 Florya Istanbul Turkey Additional TTY and/or E-mail authorised to send SCRs: schedule@atlasjet.com	Esra Halvasi Iscan Commercial Director	TTY: ISTOWKK Tel: +90 (212) 663 2000 ext 125 Fax: +90 (212) 573 2640 E-mail: esra@atlasjet.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AUSTRIAN* Office Park 2 P.O. Box 100 A-1300 Vienna-Airport Austria Additional TTY and/or E-mail authorised to send SCRs: VIESHOS, shortterm.scheduling@austrian.com	Wolfgang Schweiger Head of Short Term Network Scheduling	TTY: VIESPOS Tel: +43 5 1766 12470 Fax: +43 5 1766 512470 E-mail: wolfgang.schweiger@austrian.com
BELLVIEW AIRLINES LIMITED* Bellview Plaza 66B Operi Road Ikeja, Lagos Nigeria	Ekoigiawe Nwahiri Head, Schedule & Passenger Distribution Unit	TTY: — Tel: +234 (1) 2707938 Fax: +234 (1) 2707934 E-mail: uduak.itiat@flybellviewair.com
BIMAN BANGLADESH AIRLINES* Room 301, Admin Building, Biman Zia International Airport Kurmitola Dhaka 1229 Bangladesh Additional TTY and/or E-mail authorised to send SCRs: DACOQBG	Mhd. Abdul Mamdud Khan General Manager Flight Operations (Central Control)	TTY: DACOCBG Tel: +880 (2) 89145481 Fax: +880 (2) 8916202 E-mail: gmcc@bdbiman.com
BINTER CANARIAS* Aeropuerto de Gran Canaria Apto. 50 35230 Telde Gran Canaria Spain Additional TTY and/or E-mail authorised to send SCRs: desarrollorhh@bintercanarias.es	Jonay Lobo Torres Commercial Planning & Yield Manager	TTY: — Tel: +34 (928) 57 89 68 Fax: +34 (928) 57 96 03 / 04 E-mail: jlobo@bintercanarias.com
BLUE PANORAMA AIRLINES SpA* Viale delle Arti 123, - Pal D Fiumicino 00054 Italy	George Michalopoulos Commercial Director of Low Cost Brand	TTY: — Tel: +39 (06) 60214525 Fax: +39 (06) 60214870 E-mail: georgemichalopoulos@blu-express.com
BLUE WINGS AG* THEODOR - Heuss - Ring 4 Bocholt, 46397 Germany Additional TTY and/or E-mail authorised to send SCRs: mail@bluewings.info	Janet Loeffler Director Ground Operations	TTY: — Tel: +49 (211) 4216 8052 Fax: +49 (211) 4216 8069 E-mail: janet.loeffler@bluewings.info

Postal address	Representative Name and Title	TTY Tel Fax E-mail
BLUE1 OY* Rahtitie 3 P.O. Box 168 FIN-01531 Vantaa Finland	Satu Pallonen Manager, Network Planning and Scheduling	TTY: HELYEKF Tel: +358 40 779 8755 Fax: +358 20 585 6039 E-mail: satu.pallonen@blue1.fi
Additional TTY and/or E-mail authorised to send SCRs: helyekf@blue1.fi		
bmibaby Tiny Town, Building 76 Beverly Road Castle Donington Derby, DE74 2SA United Kingdom	Simon Moore Network Planning Executive	TTY: — Tel: +41 (1332) 854405 Fax: +41 (1332) 854979 E-mail: simon.moore@ bmibaby.com
Additional TTY and/or E-mail authorised to send SCRs: hdqnpww@bmibaby.com		
BRITISH AIRWAYS* Waterside HFB2 P.O. Box 365 Hammondsworth, Middlesex UB7 0GB United Kingdom	Steve Ronald General Manager Airport Planning & Slots	TTY: — Tel: +44 7789 611416 Fax: +44 208 738 9956 E-mail: steve.ronald@ba.com
BRUSSELS AIRLINES* B House Brussels Airport Airport Building 26 box 1.c. Ringbaan, 1831 Diegem Belgium	Marilyn Lebegge Scheduling Manager	TTY: BRUSJSN Tel: +32 (2) 7238137 Fax: +32 (2) 7238499 E-mail: marilyn.lebegge@ brusselsairlines.com
Additional TTY and/or E-mail authorised to send SCRs: scheduling@brusselsairlines.com		
BULGARIA AIR 1 Brussels Blvd. Sofia Airport 1540 Sofia Bulgaria	Mariya Nikolova Stoyanova Manager Marketing & Sales	TTY: SOFSPFB Tel: +359 (2) 9373261 Fax: +359 (2) 9373288 E-mail: sched@air.bg
CARGOLUX AIRLINES* Luxembourg Airport L-2990 Luxembourg Luxembourg	Andre Hilker Head of Network Management	TTY: LUXSOCV Tel: +352 421 13102 Fax: +352 421 13581 E-mail: andre.hilker@ cargolux.com
Additional TTY and/or E-mail authorised to send SCRs: networkmanagment@cargolux.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
CARIBBEAN AIRLINES* Trinidad and Tobago	Arlene Birbal	TTY: — Tel: — Fax: — E-mail: ariene.birbal@caribbean-airlines.com
CATHAY PACIFIC AIRWAYS LTD* 9/F South Tower, Cathay Pacific City 8 Scenic Road Hong Kong International Airport, Lantau Hong Kong (SAR), China	Raymond Fung general manager airline planning	TTY: — Tel: +852 2747 5504 Fax: — E-mail: raymond_fung@cathaypacific.com
CEBU PACIFIC AIR Airline Operations Center Domestic Airport Road Pasay City, 1301 Philippines	Ceres Noble Director (Flight Scheduling) Network Management	TTY: — Tel: +63 (2) 851 9187 Fax: +63 (2) 851 2871 E-mail: ceres.noble@cebupacificair.com
CHINA AIRLINES LTD* 7F, No 131, Section 3, Nanking E Road Taipei Taiwan Chinese Taipei	Jessice Chang General Manager Schedule Planning Department	TTY: TPEBDCI Tel: +886 (2) 2514 5645 Fax: +886 (2) 2514 5644 E-mail: jessice.chang@china-airlines.com
CHINA CARGO AIRLINES LTD.* No. 92 Konggang 2 Road Hongqiao International Airport ShangHai 200336 People's Republic of China Additional TTY and/or E-mail authorised to send SCRs: zhaohaiyong@cc-air.com	Xian Ming Luo Deputy Manager of Network and Revenue Dept	TTY: — Tel: +86 (21) 22336607 Fax: +86 (21) 62893270 E-mail: luoxianming@cc-air.com
CHINA EASTERN AIRLINES* No. 2550 Hongqiao International Airport Shanghai People's Republic of China Additional TTY and/or E-mail authorised to send SCRs: ces_zha@yahoo.com	Yong Zha Deputy General Manager of Network & Revenue Management Dept.	TTY: SHAUFMU Tel: +86 (21) 51131555 Fax: +86 (21) 62683663 E-mail: yongzha@ce-air.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
CHINA SOUTHERN AIRLINES* Southern Airlines, No. 278 Airport Road Guangzhou People's Republic of China	Chen Guanghui Vice President of Capacity & Network Department	TTY: CANTFCZ Tel: +86 (20) 86138353 Fax: +86 (20) 86130127 E-mail: chengh@cs-air.com
CIMBER AIR* Lufthavnsvej 2 Sonderborg Airport DK- 6400 Sonderborg Denmark	Jan Werling Schedule Planner	TTY: SGDADQI Tel: +45 (74) 422277 Fax: +45 (74) 426511 E-mail: jan.werling@cimber.dk
Additional TTY and/or E-mail authorised to send SCRs: marketing@cimber.dk		
CITY AIRLINE AB Box 2060, SE 438 12, Landvetter Sweden	Patrik Skoglund Manager Planning Timetable	TTY: — Tel: +46 (31) 600 385 Fax: +46 (31) 721 95 40 E-mail: patrik.skoglund@ cityairline.com
CITYJET* Swords Buisness Campus Balheary Road Swords Co. Dublin Ireland	Laura Finegan Schedule Coordinator	TTY: DUBSPWX Tel: +353 (1) 870 0174 Fax: +353 (1) 870 0175 E-mail: laura.finegan@ cityjet.com
Additional TTY and/or E-mail authorised to send SCRs: info@cityjet.com		
CONDOR FLUGDIENST GMBH* FRA HX/F Thomas-Cook-Platz 1 61440 Oberursel Germany	Matthias Discher Head of Scheduling	TTY: — Tel: +49 (6171) 65 3181 Fax: +49 (6171) 65 2674 E-mail: Matthias.discher@ condor.com
Additional TTY and/or E-mail authorised to send SCRs: flugplanung@condor.com		
CONTINENTAL AIRLINES, INC.* 1600 Smith Street Schedule Planning Department HQSSK Houston TX 77002 United States	Ray Harrell Director, Intl. Schedules & Slot Coordination	TTY: HDQRHCO Tel: +1 (713) 324 6643 Fax: +1 (713) 324 6311 E-mail: ray.harrell@coair.com
Additional TTY and/or E-mail authorised to send SCRs: HDQSPCO@coair.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
CONTINENTAL MICRONESIA* 1600 Smith St. HQSSK Houston TX 77002 United States	Keith Ohira Director Pacific Schedules	TTY: HDQRHCO Tel: +1 (713) 324 6606 Fax: +1 (713) 324 6311 E-mail: kohira@coair.com
CORENDON AIRLINES Guzeloluk Mah 1879 sok. No: 148 Antalya Turkey	Mine Aslan Chief Sales & Marketing Officer	TTY: — Tel: +90 (242) 324 6995 Fax: +90 (242) 324 3240 E-mail: maslan@ corendon-airlines.com
Additional TTY and/or E-mail authorised to send SCRs: commercial@corendon-airlines.com		
CORSAIR* 2 Avenue Charles Lindbergh F-94636 Rungis Cedex France	Laurence Vallas Schimpff Schedule Manager	TTY: ORYSLSS Tel: +33 (1) 49794922 Fax: +33 (1) 49794928 E-mail: l.vallas@corsairfly.com
Additional TTY and/or E-mail authorised to send SCRs: ORYSFSS		
CROATIA AIRLINES* Bani 75B 10000 Zagreb Croatia	Silvio Posavec Schedule Planning Manager	TTY: ZAGLROU Tel: +385 (1) 616 0023 Fax: +385 (1) 616 0152 E-mail: silvio.posavec@ croatiaairlines.hr
Additional TTY and/or E-mail authorised to send SCRs: ZAGMCOU, sched@croatiaairlines.hr		
CUBANA DE AVIACION* Ave Van Troi José Martí Airport Terminal 1 Vice Presidencia Operaciones Ciudad Habana, C19219 Cuba	Rodolfo Raul Mezquita Mesa Schedule Planning Manager	TTY: HAVSPCU Tel: +53 (7) 266 4745 Fax: +53 (7) 266 4745 E-mail: iti@ ope.cubana.avianet.cu
CYPRUS AIRWAYS LTD* 21 Alkeou Street Engomi 2404 Nicosia Cyprus	Errikos Kontos Head of Schedules Planning	TTY: NICSPCY Tel: +357 (22) 396 130 Fax: +357 (22) 666 243 E-mail: ekontos@cyprusair.com
Additional TTY and/or E-mail authorised to send SCRs: cyairways6@cytanet.com.cy		
CZECH AIRLINES* Ruzyně Airport Prague 6 Czech Republic	Jiri Zezula Network Development Executive Director	TTY: PRGSPOK Tel: +420 (2) 2010 4444 Fax: +420 (2) 2431 4265 E-mail: jiri.zezula@csa.cz

Postal address	Representative Name and Title	TTY Tel Fax E-mail
DELTA AIR LINES, INC.* Dept 663 P.O. Box 20706 Atlanta GA 30320-6001 United States	Nadia Adams Manager, Slot Coordination	TTY: ATLRTDL Tel: +1 (404) 715 4307 Fax: +1 (404) 715 6018 E-mail: nadia.adams@delta.com
Additional TTY and/or E-mail authorised to send SCRs: OCCS2DL, ATLRTDL@delta.com		
DEUTSCHE LUFTHANSA A.G.* Lufthansa Basis 60546 Frankfurt Germany	Stefan Klingelhofer Director Regulatory Affairs & Strategy	TTY: — Tel: +49 (69) 696 58224 Fax: +49 (69) 696 92885 E-mail: stefan.klingelhofer@ dlh.de
Additional TTY and/or E-mail authorised to send SCRs: FRAL2LH@services.dlh.de, FRAOALH, FRAZGLH, FRA3FLH, FRAL2LH, DTMSPEW, DTMDOEW, FRAOOLH, breos1fdl@lft.dlh.de		
EASYJET Easyland London Luton Airport Luton Bedfordshire, LU2 9LS United Kingdom	Richard Matthews Slot & Schedule Manager	TTY: LTNOMCR Tel: +44 (1582) 52 52 68 Fax: +44 (1582) 44 33 55 E-mail: richard.matthews@ easyjet.com
EL AL ISRAEL AIRLINES* P.O. Box 41 Ben Gurion Int'l, Airport Tel Aviv 70100 Israel	Micha Owsinski Seasonal Schedule Planning	TTY: TLVSPLY Tel: +972 (3) 971 6752 Fax: +972 (3) 971 6896 E-mail: michao@elal.co.il
ELYSAIR SAS Waterside (HFB2), P.O. Box 365 Harmondsworth Middlesex UB7 0GB United Kingdom	Steve Ronald General Manager Airport Capacity	TTY: LHRBLBA Tel: +44 778 9611416 Fax: +44 208 7389955 E-mail: steve.ronald@ba.com
Additional TTY and/or E-mail authorised to send SCRs: schedules.planning@ba.com		
EMIRATES* P.O. Box 686 EGHQ Dubai United Arab Emirates	Azhar Kapadwanjwala Vice President Schedule Planning & Network Optimisation	TTY: DXBSPEK Tel: +971 (4) 203 3206 Fax: +971 (4) 295 5208 E-mail: azhark@emirates.com
Additional TTY and/or E-mail authorised to send SCRs: ekslots@emirates.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ESTONIAN AIR* 13 Lennujaama St. 11101 Tallinn Estonia	Priit Veiermann Director, International Relations	TTY: TLLSPOV Tel: +372 6401 222 Fax: +372 6016 092 E-mail: priit@estonian-air.ee
Additional TTY and/or E-mail authorised to send SCRs: TLLFPOV, ov@estonian-air.ee		
ETHIOPIAN AIRLINES* P.O. Box 1755 Addis Ababa Ethiopia	Tadesse Tilahun Tessema Manager Schedules & Passenger Charter/Lease	TTY: ADDSPET Tel: +251 (115) 178420 Fax: +251 (115) 611474 E-mail: Tadesset@ethiopianairlines.com
ETIHAD AIRWAYS* P.O. Box 35566 New Airport Road Abu Dhabi United Arab Emirates	Maria Giretto Manager Schedules Planning	TTY: AUHSPEY Tel: +971 (2) 511 1322 Fax: +971 (2) 511 1397 E-mail: mgiretto@etihad.ae
EUROFLY S.P.A. Via Ettore Bugatti 15 Milano 20142 Italy	Gianluca Guerrini Schedule Network Planning Manager	TTY: MILSPSX Tel: +39 (02) 8268 8805 Fax: +39 (02) 8268 8062 E-mail: gianluca.guerrini@eurofly.it
EUROPE AIRPOST 22 Avenue des Nations BP 49015 Villepinte 95911 Roissy CDG Cedex France	Marie Dall Olmo Sales Administration & Program Manager	TTY: — Tel: +33 (148) 17 75 78 Fax: +33 (148) 17 75 45 E-mail: mdallolmo@europeairpost.fr
EUROPEAN AIR TRANSPORT* Building 4-5 Brussels National Airport B-1930 Zaventem Belgium	Stan Wilski Manager Charter & Contract Services	TTY: BRUOOQY Tel: +32 (2) 718 1431 Fax: +32 (2) 718 1555 E-mail: stan.wilski@dhl.com
Additional TTY and/or E-mail authorised to send SCRs: BRUWWER, BRUSPER		
FEDEX EXPRESS* 3680 Hacks Cross Road Building H, First Floor Memphis Tennessee 38125 United States	David Branch Global Linehaul Specialist	TTY: MEMASFX Tel: +1 (901) 434 8668 Fax: +1 (901) 434 9426 E-mail: dbbranch@fedex.com
Additional TTY and/or E-mail authorised to send SCRs: TYOTHFX		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
FINNAIR OYJ* NAA/97 01053 Finnair Finland	Rainer Blomqvist Analyst	TTY: HELNLAY Tel: +358 (9) 818 8316 Fax: +358 (9) 818 8739 E-mail: rainer.blomqvist@finnair.com
Additional TTY and/or E-mail authorised to send SCRs: HELNVAY, HELUOAY		
FLYBABOO P.O. Box 291 Geneva Airport CH-1215 Geneva 15 Switzerland	Nicolas Vareilles Head of Route Planning & Scheduling	TTY: — Tel: +41 (22) 717 8594 Fax: +41 (22) 717 8535 E-mail: nvareilles@flybaboo.com
flybe* Jack Walker House Exeter International Airport Exeter Devon EX5 2HL United Kingdom	Steve Lilley Network Planning Development Manager	TTY: EXTFPBE Tel: +44 (1392) 266712 Fax: +44 (1392) 266772 E-mail: steve.lilley@flybe.com
FLYGLOBESPAN Colinton House 10 West Mill Road Edinburgh EH13 ONX Scotland	Richard Craig Slot Coordinator	TTY: — Tel: +44 (13) 441 1552 ext 624 Fax: +44 (13) 441 9205 E-mail: r.craig@globespan.com
Additional TTY and/or E-mail authorised to send SCRs: scheduling@globespan.com		
FREEBIRD AIRLINES* Yesilkoy Cad No. 9 A Blok Daire 2-4 34153 Florya Istanbul Turkey	Murat Senturk OCC Manager	TTY: ISTFOXH Tel: +90 (212) 663 7777 ext 132 Fax: +90 (212) 663 2353 E-mail: murat@freebirdairlines.com
Additional TTY and/or E-mail authorised to send SCRs: info@freebirdairlines.com		
GARUDA INDONESIA* Garuda Management Building 1st Floor Soekarno Hatta International Airport P.O. Box 1303 Bush 19130 Cengkareng Indonesia	Tenten Wardhaya SA Schedule Planning	TTY: JKTSPGA Tel: +62 (21) 25601122 Fax: +62 (21) 25601130 E-mail: tenten.w@garuda-indonesia.com
Additional TTY and/or E-mail authorised to send SCRs: scheduleplanning@garuda-indonesia.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
GERMANWINGS GMBH Flugplatz 21 44319 Dortmund Germany	Thomas Storck Vice President Network Planning	TTY: — Tel: +49 (231) 92457355 Fax: +49 (231) 92457375 E-mail: thomas.storck@ eurowings.com
GOL TRANSPORTES AEREOS Rua Gomes de Carvalho, 1629 Vila Olímpia Sao Paulo 04547-006 Brazil	Claudio Neves Borges Network/Schedule Manager	TTY: — Tel: +55 (11) 50830480 Fax: +55 (11) 50982646 E-mail: cnborges@ golnaweb.com.br
Additional TTY and/or E-mail authorised to send SCRs: claudianborges@yahoo.com.br		
GULF AIR* P.O. Box 138 Manama Bahrain	Ahmed Yusuf Naser Qambar Manager Schedules	TTY: BAHSPGF Tel: +973 (17) 338536 Fax: +973 (17) 320933 E-mail: Ahmed.Qamber@ gulfair.com
Additional TTY and/or E-mail authorised to send SCRs: BAHCSGF, BAHSPGF@gulfair.com		
HAMBURG INTERNATIONAL AIRLINES Paradiesstrasse 206 b D-12526 Berlin Germany	Kerstin Rudolph Scheduling Manager	TTY: — Tel: +49 (30) 319881915 Fax: +49 (30) 319881916 E-mail: kerstin.rudolph@ hamburg-international.de
HAPAG-LLOYD* HAPAG-LLOYD Fluggesellschaft mbH Flughafenstr.10 D-30855 Langenhagen Germany	Ansgar Kruse Head of Scheduling & Slot Coordination	TTY: HAJSPHF Tel: +49 (511) 9727 248 Fax: +49 (511) 9727 196 E-mail: ansgar.kruse@tuifly.com
HAPAG-LLOYD EXPRESS P.O. Box 420240 30662 Hannover Germany	Ansgar Kruse Head of Schedules Planning & Slot Coordination	TTY: HAJSPHF Tel: +49 (511) 9727 248 Fax: +49 (511) 9727 196 E-mail: ansgar.kruse@tuifly.com
HAWAIIAN AIRLINES* P.O. Box 30008 Honolulu HI 96820 0008 Hawaii	Robert Lamansky Director Schedule Planning	TTY: — Tel: +1 (808) 838 6081 Fax: +1 (808) 838 6792 E-mail: robert.lamansky@ hawaiianair.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
HONG KONG EXPRESS* 7th Floor One Citygate, 20 Tat Tung Road Tung Chung Lantan Hong Kong (SAR), China	William Chan Deputy General Manager, Distribution & Planning	TTY: HKGVPUO Tel: +852 (315) 11826 Fax: +852 (315) 11801 E-mail: william.chan@ hongkongexpress.com
IBERIA* Martinez Villergas 52 4th Floor 28027 Madrid Spain	Jose Carlos Barranco Vice President - Schedules and Planning	TTY: MADSPIB Tel: +34 915877447 Fax: +34 915877444 E-mail: marozarena@iberia.es
Additional TTY and/or E-mail authorised to send SCRs: MADWZIB		
ICELANDAIR* Icelandair Head Office Reykjavik Airport 101 Reykjavik Iceland	Hannes Arnason Manager Scheduling	TTY: REKSPFI Tel: +354 354 5050 349 Fax: +354 354 5050 766 E-mail: hannesA@icelandair.is
Additional TTY and/or E-mail authorised to send SCRs: scheduling@icelandair.is		
INDIAN AIRLINES* Air India Building, 17th floor Nariman Point Mumbai, Pin-400001 India	Harjeet Surindernath Sawhney Manager Scheduling	TTY: BOMSPIC Tel: +91 (22) 22796242 Fax: +91 (22) 22855001 E-mail: hssawhney@airindia.in
ISRAIR AIRLINES* Ben Gurion Airport P.O. Box 239 Tel Aviv 70100 Israel	Maya Bauer Planning and Scheduling Manager	TTY: TLVSH6H Tel: +972 (3) 9751444 / 27 Fax: +972 (3) 9751402 E-mail: mayab@israir.co.il
JADE CARGO INTERNATIONAL CO. LTD. Room 610, 6/F, Flight Operation Building Shenzhen Airlines Base Bao'an International Airport Shenzhen 518128, Guangdong People's Republic of China	Meng Zhang Specialist Commercial & Corporate Affairs	TTY: — Tel: +86 (755) 2991 0322 Fax: +86 (755) 2991 0352 E-mail: zhang.meng@ jadecargo.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
JAPAN AIRLINES INTERNATIONAL* Japan Airlines International 2-chome Shinagawa Shinagawa-ku Tokyo 140-8605 Japan	Shigeyuki Kamei Vice President Industry Affairs,	TTY: TYOCSJL Tel: +81 (3) 5460 3731 Fax: +81 (3) 5460 5864 E-mail: shigeyuki.kamei@jal.com
JAT AIRWAYS* Bulevar Umetnosti, 16A 11070 Belgrad Serbia	Djordje Najdanovic Head Planning & Scheduling	TTY: BEGSHJU Tel: +381 (11) 2133 475 Fax: +381 (11) 2142 448 E-mail: najdanovicd@jat.com
Additional TTY and/or E-mail authorised to send SCRs: cp_scheduling@jat.com		
JET AIRWAYS (INDIA) LTD.* S.M. Centre Andheri-Kurla Road Andheri-East Mumbai - 400 059 India	Anthony D'Sa Senior General Manager Network Planning	TTY: — Tel: +91 (022) 2850 1633 Fax: +91 (022) 2859 0134 E-mail: adesa@jetairways.com
JET LITE (INDIA) LTD* S.M. Center Andheri- Kurla Road Andheri East Mumbai 400059 India	Anthony D'Sa Sr. GM Planning	TTY: — Tel: +91 (22) 2850 1633 Fax: +91 (22) 2859 0134 E-mail: adesa@jetairways.com
JET TIME A.S. Skojtevej 27-31 DK - 2770 Kastrup Denmark	Ole Bruun Horup Traffic Planning Manager	TTY: — Tel: +45 (32) 46 7300 Fax: +45 (32) 46 7301 E-mail: oh@jet-time.dk
Additional TTY and/or E-mail authorised to send SCRs: info@jet-time.dk		
JET2.COM LTD. Low Fare Finder House Leeds/Bradford Airport Leeds LS19 7TU United Kingdom	Philip Ward Passenger Sales Director	TTY: — Tel: +44 (113) 238 7444 Fax: +44 (113) 238 7445 E-mail: pward@jet2.com
Additional TTY and/or E-mail authorised to send SCRs: planning@jet2.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
JET4YOU 4 Lotissement La Coline Sidi Maarouf 20 270 Casablanca Morocco	Abdelkrim Sahmaoui Slots and Regulation Manager	TTY: CMNKK8J Tel: +2 (12) 663 79 79 46 Fax: +2 (12) 522 58 42 28 E-mail: asahmaoui@jet4you.com
JETAIRFLY 8400 Oostende Lijnbaanstraat 3 8400 Oostende Belgium	Rita Ghys Gistelsesteenweg 1	TTY: BRUSPTB Tel: +32 (59) 565662 Fax: +32 (59) 566029 E-mail: rita_ghys@jetair.be
JIN AIR Intl' Passenger Task Force Team 3F, 653-25, Deungchon-Dong Gangseo-Gu Seoul Korea, Republic of	Sam Song Choi General Manager	TTY: — Tel: +82 (2) 36605861 Fax: +82 (2) 36605999 E-mail: sschoi@jinair.com
KD AVIA 36 blvd 3 Kutuzovsky Prospekt Moscow Russia	Alexander Gureev Deputy Director of Operations	TTY: KGDCDKD Tel: +7 (495) 981 51 47 Fax: +7 (495) 981 51 48 E-mail: gureev@kdavia.aero
Additional TTY and/or E-mail authorised to send SCRs: KGDODKD, schedule@kdavia.aero		
KIBRIS TURKISH AIRLINES Buyukdere Cad. 56/B Meciciylkoy Istanbul Turkey	Ekrem Barlas Schedule Planning Manager	TTY: ISTCPYK Tel: +90 (392) 2283 438 Fax: +90 (392) 2281 462 E-mail: ekrem.barlas@kthy.aero
KLM - ROYAL DUTCH AIRLINES* P.O. Box 7700 1117 ZL Schiphol Netherlands	Kim Van Wittenhorst Manager Schedule, Slot & Fleet Planning Europe	TTY: HDQLRKL Tel: +31 (20) 64 82548 Fax: +31 (20) 64 88082 E-mail: kim-van.wittenhorst@klm.com
Additional TTY and/or E-mail authorised to send SCRs: AMSLRKL, OCCLMKL, SPLLUKL, OCCLUKL, HDQLRKL@EWMS.KLM.COM		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
KOREAN AIR* Gong-Hang Dong Gangseo-gu 157-712 Seoul Republic of Korea	Seungsik Hong Deputy General Manager	TTY: SELSPKE Tel: +82 (2) 2656 5865 Fax: +82 (2) 2656 7715 E-mail: sshong@koreanair.com
KUWAIT Directorate General of Civil Aviation Kuwait International Airport P.O. Box 17 Safat 13001 Kuwait	Sultan Al-Shewaiee Superintendent Air Transport	TTY: KWIAPYA Tel: +965 (24) 768772 Fax: +965 (24) 34658 E-mail: at-ops@ kuwait-airport.com.kw
KUWAIT AIRWAYS* Kuwait Airways CA/SP P.O. Box 394 Safat Safat 13004 Kuwait	Khalid Al-Ajmi Senior Expert Schedules Planning	TTY: KWISPKU Tel: +965 24717773 Fax: +965 2472 7558 E-mail: ajmi@ kuwaitairways.com
Additional TTY and/or E-mail authorised to send SCRs: kwispku@kuwaitairways.com		
LIBYAN AIRLINES* Libyan Airlines- Marketing Department Omar Mokhtar Street P.O. Box 2555 Tripoli- Lybian Arab Jamahiriya Libya	Abdulkhikim Lakluk Planning Manager	TTY: — Tel: +218 (21) 3614282 Fax: +218 (21) 3614282 E-mail: a.lakluk@ln.aero
LIVINGSTON SpA Via Giovanni XX111, 206 21010 Cardano al Campo VA Italy	Alessandra Mantovani Network & International Affairs Manager	TTY: MILCSL4 Tel: +390 (331) 267476 Fax: +390 (331) 267444 E-mail: mantovani@lauda.it
Additional TTY and/or E-mail authorised to send SCRs: MILSPL4, info@lauda.it		
LOT - POLISH AIRLINES* 39, 17 Stycznia Str. Warsaw 00-906 Poland	Slawomir Rosinski Scheduling Manager	TTY: WAWSPLO Tel: +48 (22) 606 8307 Fax: +48 (22) 606 9815 E-mail: s.rosinski@lot.pl
Additional TTY and/or E-mail authorised to send SCRs: schedules@lot.pl		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
LOT - POLISH AIRLINES* Poland	Krzysztof Krzyzowski	TTY: — Tel: — Fax: — E-mail: k.krzyzowski@lot.pl
LUXAIR* Network Management Luxembourg Airport L-2987 Luxembourg Luxembourg	Pascal Reiland Manager Schedule Planning	TTY: LUXSPLG Tel: +352 2456 4225 Fax: +352 2456 4755 E-mail: pascal.reiland@luxairgroup.lu
Additional TTY and/or E-mail authorised to send SCRs: traffic.manager@luxairgroup.lu		
MAHAN AIRLINES* Mahan Air Tower, Azadegan St. Karaj Highway Tehran 1481655761 P.O. Box 14515-411 Iran	Parastoo Pirouzi Flight Planning Director	TTY: — Tel: +49 (22) 48041441-2 Fax: +49 (22) 48041732 E-mail: p.pirouzi@mahanairlines.com
MALAYSIA AIRLINES* MAS Complex B - 2nd Floor Admin 3B Building Sultan Abdul Aziz Shah Airport 47200 Subang Malaysia	Nik Abdul Hafiz Nik Abdul Halim Operations Planning Manager	TTY: KULSPMH Tel: +603 7840 2017 Fax: +603 7846 2605 E-mail: niko@malaysiaairlines.com
Additional TTY and/or E-mail authorised to send SCRs: slot-malaysia@acm.org.my		
MALMO AVIATION* Jagershillgatan 18 P.O. Box 37 SE-201 Malmo Sweden	Jonna Strand Schedule Manager	TTY: — Tel: ++46 46 40 660 2804 Fax: ++46 46 40 660 2849 E-mail: jonna.strand@malmoaviation.se
MAP MANAGEMENT AND PLANNING GMBH Handelskai 265 A-1020 Vienna Austria	Klaus Wenninger Head of Ground Operation	TTY: — Tel: +43 01706157012 Fax: +43 01706157020 E-mail: klaus.wenninger@mapjet.eu
MARTINAIR HOLLAND N.V. Netherlands	Hans Van Kan	TTY: — Tel: — Fax: — E-mail: hans.van.kan@nl.martinair.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
MERIDIANA S.P.A.* Meridiana S.p.A. Aeroporto Olbia Costa Smeralda 07026 Olbia, SS Italy	Luigi Vallero Network Planning Manager	TTY: — Tel: +39 (0789) 52834 Fax: +39 (0789) 52802 E-mail: luigi.vallero@meridiana.com
MEXICANA Av. Xola 535 piso 28, Col. Del Valle, 03100 México, D.F. Mexico	Laura Novoa Scheduling Director	TTY: — Tel: +52 (55) 54483032 Fax: +52 (55) 54481054 E-mail: laura.novoa@mexicana.com.mx
MIAT MONGOLIAN AIRLINES* Buyant - Ukhuaa 45 Khan-Vul District Ulaanbaatar Mongolia	Mendsaikhan Tudev Director Marketing	TTY: ULNDDOM Tel: +976 (11) 284100 Fax: +976 (11) 379919 E-mail: mendsaikhan@miat.com
Additional TTY and/or E-mail authorised to send SCRs: marketing@miat.com		
MIDDLE EAST AIRLINES* MEA Building Airport road P.O. Box 11-206 Beirut Lebanon	Bechara Antonios Head of Scheduling & Charters	TTY: BEYSPME Tel: +961 (1) 622 009 Fax: +961 (1) 629 260 E-mail: antoniosb@mea.com.lb
MNG AIRLINES Ataturk Havalimani B Kapisi Teknik Hangar Yani MNG Binasi 34149 Yesilkoy, Istanbul Turkey	Atila Arikan Scheduling and Planning Manager	TTY: ISTMBXH Tel: +90 (212) 465 4413 Fax: +90 (212) 465 4496 E-mail: atilla.arikan@mngairlines.com
Additional TTY and/or E-mail authorised to send SCRs: scheduling@mngairlines.com		
MONARCH AIRLINES London Luton Airport Luton, Bedfordshire LU2 9NU United Kingdom	Stefan H. Kupsc Head of Scheduling	TTY: LTNOKZB Tel: +44 (1582) 398 032 Fax: +44 (1582) 453 431 E-mail: stef.kupsc@flymonarch.com
Additional TTY and/or E-mail authorised to send SCRs: LTNSPZB, LTNCBZB, LTNCMZB, LTNCSZB, LTNCPZB, slot.coord@flymonarch.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
MONTENEGRO AIRLINES* Podgorica Airport Montenegro Buda Tomovica F7 Podgorica Montenegro Montenegro	Vlastimir Ristic Ground Operations Director	TTY: — Tel: +38220445121 Fax: +38220445161 E-mail: vlastimir.ristic@mgx.me
MYAIR.COM Via Brescia 4 36040 Torri Di Quartesolo Vicenza Italy	Valeria Finozzi Slot Coordinator	TTY: — Tel: +39 (0444) 267758 Fax: +39 (0444) 267700 E-mail: valeria.finozzi@myair.com
NEOS SpA Via Della Chiesa 68 21019 Somma Lombardo (VA) Italy	Raffaella Faccin Scheduling Department	TTY: — Tel: ++39 (0331) 232831 Fax: ++39 (0331) 230320 E-mail: Raffaella.faccin@neosair.it
NEPAL AIRLINES CORPORATION P.O. Box 401, Kantipath Kathmandu Nepal	Keshar Man Dangol Manager Schedule	TTY: KTMMMDRA Tel: +977 (1) 4220757 ext 2139 Fax: +977 (1) 4225348 E-mail: keshar_dangol@hotmail.com
Additional TTY and/or E-mail authorised to send SCRs: schedule@nac.co.np		
NEW AXIS AIRWAYS Le grand bleu Bat C 29 Bd Gay Lussac 13014 Marseille France	Emmanuel Neaud Schedules Manager	TTY: — Tel: +33 486 676708 Fax: +33 486 676715 E-mail: eneaud@axis-airways.com
NIPPON CARGO AIRLINES* Narita Int'l Airport Narita Chiba 282-0021 Japan	Hideyuki Koda Senior Management	TTY: — Tel: +81 (476) 33 8680 Fax: +81 (476) 33 8320 E-mail: hideyuki.koda@nca.aero
NORTHWEST AIRLINES INC.* Dept 661 1030 Delta Blvd Atlanta, GA 30320 United States	Jennifer J. Sayre Director, International Schedules and Airport Access	TTY: HDQZONW Tel: +1 612 578 4122 Fax: +1 404 715 6018 E-mail: jennifer.sayre@nwa.com
Additional TTY and/or E-mail authorised to send SCRs: slots@nwa.com		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
NORWEGIAN AIR SHUTTLE ASA Oksenoyveien 10A P.O. Box 115 N-1330 Fornebu Norway	Richard A. Deryckere Manager Network Relations and Coordination	TTY: OSLSPDY Tel: +47 6759 3005 Fax: +47 6759 3150 E-mail: rad@norwegian.no
NOUVELAIR TUNISIE Zone Touristique 5065 Monastir Tunisia	Nizar Lajimi Schedules and Planning Manager	TTY: — Tel: +216 (73) 520600 Fax: +216 (73) 520666 E-mail: programmation@ nouvelair.com.tn
OMAN AIR* Oman Air Post Box #58 Muscat Intl Airport Muscat OMAN	Markku Nokkala Chief Network & Planning Officer	TTY: mCTSPWY Tel: +968 24518323 Fax: +968 24521073 E-mail: markku@omanair.aero
ONUR AIR* Senlik Mah Catal Sak No: 3 34153 Florya Istanbul Turkey	Kemal Kismir Commercial & Planning Manager	TTY: ISTTO8Q Tel: +90 (212) 663 6068 Fax: +90 (212) 663 3180 E-mail: kkismir@onurair.com.tr
Additional TTY and/or E-mail authorised to send SCRs: sales@onurair.com.tr		
PAKISTAN INTERNATIONAL AIRLINES* Room 114, CRC Building, PIA Head Office Karachi Airport Pakistan	Anjum Amin Mirza Oftg. General Manager Schedules & Network Planning	TTY: KHISPPK Tel: +92 (21) 9044855 Fax: +92 (21) 9044784 E-mail: khisppk@piac.aero
PEGASUS AIRLINES* Basin Expres Yolu No: 2 Halkali Istanbl 34660 Turkey	Turgut Atay Scheduling Manager	TTY: — Tel: +90 (212) 697 77 77 ext 614 Fax: +90 (212) 470 1000 E-mail: turgut.atay@flypgs.com
PORTER AIRLINES Toronto City Center Airport Toronto, Ontario M5V 1A2 Canada	Ralph Gilpin-Payne Mgr. System Operations Control	TTY: ANPOCPD Tel: +1 (416) 619 8528 Fax: +1 (416) 203 9106 E-mail: ralph.gilpin-payne@ flyporter.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
PRIMERA AIR (JETX) Hlidasmari 12 201 Kopavogur Iceland	Hrannar Ingimarsson Fleet Planner	TTY: — Tel: +45 527 6000 Fax: +45 527 6001 E-mail: hrannar@ primeraair.com
Additional TTY and/or E-mail authorised to send SCRs: fleetplanning@primesaaair.com		
QANTAS AIRWAYS LTD* QCA/7 203 Coward Street Mascot NSW 2020 Australia	Craig McAlister Schedule Planning Adviser	TTY: SYDQPQF Tel: +612 96914861 Fax: +612 96915858 E-mail: cmcalister@ qantas.com.au
Additional TTY and/or E-mail authorised to send SCRs: schedule@qantas.com.au		
QATAR AIRWAYS* Qatar Airways Tower P.O. Box 22550 Doha Qatar	Joachim Lobo Manager Route Scheduling & Charters	TTY: DOHSPQR Tel: +974 449 6260 Fax: +974 462 6440 E-mail: jlobo@ qatarairways.com.qa
Additional TTY and/or E-mail authorised to send SCRs: qrschdplng@qatarairways.com.qa		
REGIONAL, COMPAGNIE AERIENNE EUROPEENNE Aéroport Nantes Atlantique 44340 Bouguenais France	Sophie Clemence Network Planning Manager	TTY: NTESPYS Tel: +33 (2) 40 13 52 18 Fax: +33 (2) 40 13 53 13 E-mail: sclemence@ regional.com
Additional TTY and/or E-mail authorised to send SCRs: progdevéco@regional.com		
ROSSIYA - RUSSIAN AIRLINES* 18/4 Pilotov Str St. Petersburg 196210 Russian Federation	Vladimir Matveev Schedule Manager	TTY: LEDSPFV Tel: +7 (812) 324 34 64 Fax: +7 (812) 704 34 13 E-mail: v.matveev@ rossiya-airlines.com
Additional TTY and/or E-mail authorised to send SCRs: LEDFPFV, schedule@ rossiya-airlines.com		
ROYAL AIR MAROC* Airpoet CASA-ANFA Casablanca Morocco	Khalid Janati Idrissi Scheduling Manager	TTY: CASSPAT Tel: +212 (22) 912463 Fax: +212 (22) 912999 E-mail: kjanati@ royalairmaroc.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ROYAL JORDANIAN* P.O. Box 302 Amman Jordan	Ghanem Abu Krayem Manager Scheduling	TTY: AMMSPRJ Tel: +962 (5) 686235 Fax: +962 (5) 686235 E-mail: ghanem.abukrayem@ rj.com
RYANAIR LTD Corporate Head Office Dublin Airport Co. Dublin Ireland	Niall O'Connor Head of Schedule	TTY: — Tel: +353 (1) 812 1249 Fax: — E-mail: oconnorn@ ryanair.com
SAS NORGE SAS Dept. CPHON P.O. Box 150 2770 KASTRUP Denmark Additional TTY and/or E-mail authorised to send SCRs: cphon.slot@sas.dk	John Nielsen Manager, Network planning	TTY: — Tel: +45 (3232) 4354 Fax: +45 (3232) 6767 E-mail: j.nielsen@sas.dk
SATA AIR ACORES* Avenida Infante d.Henrique 55-2nd Ponta Delgada 9504-525 Azores Portugal	Filipe Raposo Head of Scheduling	TTY: PDLCCSP Tel: +351 (296) 209767 Fax: +351 (296) 672093 E-mail: filipe.raposo@sata.pt
SAUDI ARABIAN AIRLINES* P.O. Box 167 Jeddah 21231 Saudi Arabia	Arshad M. Longi Section Manager Schedule Support	TTY: JEDSPSV Tel: +966 (2) 686 3906 Fax: +966 (2) 686 3113 E-mail: amlongi@ saudiairlines.com.sa
SCANDINAVIAN AIRLINES SYSTEM* SAS Dept CPHON P.O. Box 150 2270 KASTRUP Denmark Additional TTY and/or E-mail authorised to send SCRs: CPHON.SLOT@sas.dk	John Nielsen Manager, Network Planning	TTY: CPHONSK Tel: +45 (3232) 4354 Fax: +45 (3232) 6767 E-mail: j.nielsen@sas.dk

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SHANGHAI AIRLINES* 18F No. 212 Jiangning Road Shanghai 200041 People's Republic of China	Tang Hao Da Manager Flight Schedule Division	TTY: — Tel: +86 (21) 6255 888 ext 6851 Fax: +86 (21) 6255 6293 E-mail: tanghd@shanghai-air.com
SHENZHEN AIRLINES* Shenzhen Airlines, Bao'an District Shenzhen 518128 Guangdong Province People's Republic of China	Xiong Zhaohua Vice Manager of Schedule & Network Department	TTY: — Tel: +86 (755) 27771999 ext 8269 Fax: +86 (755) 27777257 E-mail: xiongzaohua@shenzhenair.com
SICHUAN AIRLINES* Sichuan Airlines Building, Sector A, 3rd Floor Shuangliu International Airport Chengdu , Sichuan 610202 People's Republic of China	Du Wen Guang Manager, Marketing Dept.	TTY: — Tel: +86 (028) 85393342 Fax: +86 (028) 85393377 E-mail: diaodu@scal.com.cn
Additional TTY and/or E-mail authorised to send SCRs: plan@sichuan-airlines.com		
SILKAIR* SATS Air Freight Terminal 5 5th Storey Corr L 30 Airline Rd Singapore 819830 Singapore	Shareen Song Planning Manager	TTY: SINMPMI Tel: +65 (6) 540 6474 Fax: +65 (6) 542 6086 E-mail: shareen_song@singaporeair.com.sg
SINGAPORE Changi Slots Committee 08-F Airline House 25 Airline Road 819829 Singapore	Wei Qi Tan Network Planning Analyst	TTY: SINSPSQ Tel: +65 6514 5614 Fax: +65 6490 0720 E-mail: weiqi_tan@singaporeair.com.sg
SINGAPORE AIRLINES LTD* Changi Slots Committee 08-C2 Airline House 25 Airline Road 819829 Singapore	Wei Qi Tan Network Planning Analyst	TTY: SINSPSQ Tel: +65 6514 5614 Fax: +65 6490 0720 E-mail: weiqi_tan@singaporeair.com.sg

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SKY AIRLINES Guzeloba Mah Ay-1 Sok No. 1 Kaya Plaza A-D Blok Kat: 3 Antalya Turkey	Sevilay Tatlici Commercial Manager	TTY: AYTSPCR Tel: +90 (242) 310 8800 Fax: +90 (242) 310 8808 E-mail: sevilay.tatlici@skyairlines.net
SKY EUROPE AIRLINES A.S Ivanska cesta 30/b P.O. Box 24 82001 Bratislava 21 Slovak Republic	Dasa Gasparovicova Network Planning Manager	TTY: BTSOGNE Tel: +421 (2) 48501285 Fax: +421 (2) 48501000 E-mail: dasa.gasparovicova@skyeurope.com
SKY WORK AIRLINES Terminal North 3123 Belp Switzerland	Jose Masot Head Coordinator	TTY: — Tel: +41 319610000 Fax: — E-mail: jmasot@flightconsulting.com
SKYSERVICE AIRLINES INC. 31 Fasken Drive Etobicoke, Ontario M9W 1K6 Canada	Denise Grant Manager, Aircraft Scheduling	TTY: — Tel: +1 (416) 679 5715 Fax: +1 (416) 679 5918 E-mail: Denise_Grant@SkyService.com
SOUTH AFRICAN AIRWAYS* Room 121A, Airways Park Johannesburg International Airport Johannesburg 1627 South Africa	Adre Venter Senior Manager Scheduling & Distribution	TTY: JNBSPSA Tel: +27 (11) 978 1124 Fax: +27 (11) 978 1694 E-mail: adreventer@flysaa.com
Additional TTY and/or E-mail authorised to send SCRs: JNBRLSA, saascheduling@flysaa.com		
SPANAIR* Edificio Spanair Aeropuerto-Apdo.50086 07611 Palme de Mallorca Spain	Daniel Delgado Head of Slot Coordination Dept.	TTY: — Tel: +34 (971) 745208 Fax: +34 (971) 52262808 E-mail: daniield@spanair.es
Additional TTY and/or E-mail authorised to send SCRs: slots@spanair.es		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SPIRIT AIRLINES INC. Spirit Airlines, Inc 2800 Executive Way Miramar Florida, 33025 United States	Mark Kopczak Senior Director, Network Planning	TTY: — Tel: +1 (954) 447.7858 Fax: +1 (954) 447.7853 E-mail: mark.kopczak@spiritair.com
SUN D'OR INTERNATIONAL AIRLINES Ben Gurion Airport P.O. Box 161 70100 LOD- ISRAEL Israel	Bezalel Karvat President	TTY: TLVEBLY Tel: +972 (3) 9714567 Fax: +972 (3) 9721371 E-mail: bezalelk@elal.co.il
SUN-AIR Cumulusvej 10 7190 Billund Denmark	Trine Dige Route Manager	TTY: BLLADEZ Tel: +45 76989023 Fax: +45 75338618 E-mail: Trine.dige@sunair.dk
SUNEXPRESS Am Gruenen Weg 1-3 65451 Kelsterbach Germany	Andrea Hessler Scheduling Manager	TTY: — Tel: +49 (6107) 9397284 Fax: +49 (6107) 9397294 E-mail: ahr@condor.de
SUNWING AIRLINES INC 27 Fasken Drive Toronto, M9W 1 K6 Canada	Clinton Corriea Manager, Aircraft Scheduling & Govt. Affairs	TTY: YYZSSWG Tel: +1 (416) 620-4955 ext 240 Fax: +1 (416) 620-4433 E-mail: ccorriea@flysunwing.com
SWIFT AIR FLIGHT CONSULTING SL Mozart 32, 2B Madrid 28008 Spain	Jose Masot Schedule Planning	TTY: MADFCVZ Tel: +34 (91) 8043274 Fax: +34 (91) 8043516 E-mail: jmasot@flightconsulting.com
Additional TTY and/or E-mail authorised to send SCRs: info@flightconsulting.com		
SWISS* P.O. Box CH-8058 Zurich Flughafen Switzerland	Peter Dellenbach Senior Manager Schedule Planning	TTY: ZRHSPLX Tel: +41 1 564 87 42 Fax: +41 58 584 2688 E-mail: peter.dellenbach@swiss.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SYRIAN ARAB AIRLINES* P.O. Box 417 Damascus ALHIJAZ - SQR Syrian Arab Republic	Amir Suleiman Scheduling Manager	TTY: DAMSPRB Tel: +963 (11) 2372142; 0966764400 Fax: +963 (11) 2372598 E-mail: amir.su@mail.sy
TACV - CABO VERDE AIRLINES* Av. Amilcar Cabral C.P. 1 Praia Cabo Verde - Africa Occidental Cape Verde	Antonio Pedro Monteiro Schedules Manager	TTY: RAICAVR Tel: +238 608 200/244 Fax: +238 261 8323 E-mail: psapinho@tacv.aero
TAM LINHAS AEREAS* Av Jurandir 856 Lote 4 7 Andar Sao Paulo CEP 04072-000 Jd. Cecy Brazil	Mauro Vieira Schedule Planning Assistant	TTY: SAOSPJJ Tel: +55 (11) 5582 8042 Fax: +55 (11) 5582 9643 E-mail: mauro.vieira@tam.com.br
Additional TTY and/or E-mail authorised to send SCRs: planeja@tam.com.br		
TAP AIR PORTUGAL* Portela Airport Building AR 27 -, 4 DTO Portugal	Alexandre Coutinho Head of Schedules and Distribution Dept.	TTY: LISCJTP Tel: +351 (21) 841 5078 Fax: +351 (21) 841 5525 E-mail: acoutinho@tap.pt
TAROM* 224f Calea Bucurestilor Henri Comda Airport, Intl. Departures Terminal 2nd floor, Otopeni, 075 100 Romania	Laura Nitu Head of Network Planning Dept.	TTY: BUHSPRO Tel: +40 (21) 2014728 Fax: +40 (21) 2014728 E-mail: laura.nitu@tarom.ro
Additional TTY and/or E-mail authorised to send SCRs: schedules@tarom.ro		
THAI AIR ASIA CO., LTD OSC Building 99 Moo 5, Kingkaew Road Rachateva, Bangplee, Samutprakarn 10540 Thailand	Sarit Tantraporn Executive, Schedulint/Airports and Public Policy	TTY: — Tel: +66 (2) 315 9800 Fax: +66 (2) 315 9801 E-mail: saritt@airasia.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
THAI AIRWAYS INTERNATIONAL* 89 Vibhavadi - Rangsit Road Bangkok 10900 Thailand	Nongnuj Ratanavichai Director Traffic Planning	TTY: — Tel: +66 (2) 545 2857 Fax: +66 (2) 656 3896 E-mail: nongnuj.r@ thaiairways.com
THOMAS COOK AIRLINES BELGIUM N.V. Tramstraat 65 Zwijnaarde Vlaanderen 9052 Belgium	Sabine Dhaenekint Scheduling Dept.	TTY: — Tel: +32 (9) 241 1640 Fax: +32 (9) 241 1645 E-mail: sabine.dhaenekint@ thomascook.be
THOMAS COOK AIRLINES SCANDINAVIA Copenhagen Airport South DK-2791 Dragoer Denmark	Pia Sorensen Traffic Planner	TTY: — Tel: +45 32 477249 Fax: +45 45 45 7211 E-mail: Pia.Sorensen@ thomascook.dk
THOMAS COOK AIRLINES UK LTD. 2nd Hangar, Runger Lane Manchester Airport M90 5FL United Kingdom Additional TTY and/or E-mail authorised to send SCRs: scheduling@thomascook.com	Louise Oliva Slot Portfolio and Planning Manager	TTY: MANSSMT Tel: +44 (161) 498 4724 Fax: +44 (161) 498 4732 E-mail: louise.oliva@ thomascook.com
THOMSON AIRWAYS Wigmore House Wigmore Place, Wigmore Lane Luton, LU2 9TN United Kingdom	Karen Switzer Head of Aviation	TTY: — Tel: +44 (1582) 645663 Fax: +44 (1582) 644235 E-mail: karen.switzer@ thomson.co.uk
TIGER AIRWAYS Changi Post Office P.O. Box 82 918143 Singapore	Alexander McCabe Schedule Analyst	TTY: — Tel: +65 6855 2300 Fax: +65 6822 2310 E-mail: alexmccabe@ tigerairways.com
TNT AIRWAYS S.A.* Liege Airport Building 101 B-4460 Grace-Hollogne Belgium Additional TTY and/or E-mail authorised to send SCRs: LGGSP3V@tnt.com	Russell Joste Manager - Flight Operations Scheduline	TTY: LGGSP3V Tel: +32 (4) 239 3511 Fax: +32 (4) 239 3549 E-mail: russell.joste@tnt.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
TRANSAERO AIRLINES* Bld. 1, 47, Bolshaya Polyanka Str. Moscow, 119180 Russian Federation	Elgar Khalilov Head of Scheduling Department	TTY: MOWSPUN Tel: +7 (495) 543 9813 Fax: +7 (495) 937 8461 E-mail: elgar.khalilov@ transaero.ru
Additional TTY and/or E-mail authorised to send SCRs: schedule@transaero.ru		
TRANSASIA AIRWAYS* Chinese Taipei	Ryan Chang Deputy Supervisor	TTY: — Tel: — Fax: — E-mail: ryan@email.tna.com.tw
TRANSAVIA AIRLINES P.O. Box 7777 NL-1118ZM Schiphol Airport Netherlands	Henk Vos Director of Scheduling & Commerical Planning	TTY: SPLCCHV Tel: +31 (20) 604 6283 Fax: +31 (20) 604 6507 E-mail: henk.vos@ transavia.com
TRANSAVIA AIRLINES P.O. Box 7777 1118 ZM Schiphol Netherlands	Willem Koster Head Commercial Planning and Scheduling	TTY: — Tel: — Fax: — E-mail: koster@transavia.com
TRANSAVIA DENMARK ApS P.O. Box 7777 1118 ZM Schiphol Netherlands	Willem Koster Head Commercial Planning and Scheduling	TTY: — Tel: — Fax: — E-mail: koster@transavia.com
TRANSAVIA FRANCE Zone Orlytech 18 avenue Louis Bleriot 91593 Wissous Cedex France	Gregory Jamet Manager Planning Scheduling & Revenue Management	TTY: — Tel: +33 (1) 56307013 Fax: +33 (1) 56307005 E-mail: gregory.jamet@ fr.transavia.com
TRAVEL SERVICE A.S. K Letisti 1068/30 160 08 Prague 6 Czech Republic	Pavel Zmek Head Coordinator	TTY: — Tel: +420 22011 6046 Fax: +420 22011 5511 E-mail: pavel.zmek@ travelservice.aero

Postal address	Representative Name and Title	TTY Tel Fax E-mail
TUI AIRLINES NEDERLAND B.V. Beech Avenue 43,1119 RA Schiphol-Rijk P.O. Box 75607 Netherlands	Walther Piso Slot and Fleet Suport Manager	TTY: — Tel: +31 (20) 6557357 Fax: +31 (20) 6557396 E-mail: walther.piso@arkefly.nl
TUNISAIR* Tunisia	Ayari Faycal Schedule Manager	TTY: — Tel: — Fax: — E-mail: faycal.ayari@ tunisair.com.tn
UKRAINE INTERNATIONAL AIRLINES* 201-203 Kharkivske Road Kiev 021021 Ukraine Additional TTY and/or E-mail authorised to send SCRs: schedule.dept@ps.kiev.ua	Svetlana Popova Schedule Manager	TTY: IEVPSPS Tel: +380 (44) 581 5389 Fax: +380 (44) 581 5160 E-mail: popova.svetlana@ ps.kiev.ua
UKRAINE INTERNATIONAL AIRLINES* 201-203 Kharkivske Road Kyiv 02121 Ukraine Additional TTY and/or E-mail authorised to send SCRs: Schedule.dept@flyUIA.com	Inesa Volochai Schedule Manager	TTY: — Tel: +2308488 Fax: +5615160 E-mail: volochai.inessa@ flyUIA.com
UNITED AIR LINES* HDQRL 77 West Wacker Drive Chicago, IL 60601 United States Additional TTY and/or E-mail authorised to send SCRs: slots@united.com	Michele Boyce Senior Manager, Airport Affairs	TTY: HDQRLUA Tel: +1 (312) 997 8675; 307-0260 Fax: +1 (312) 997 8675 E-mail: Michele.Boyce@ united.com
UPS AIRLINES* 1400 North Hurstbourne Parkway Louisville, Kentucky 40223 4015 United States Additional TTY and/or E-mail authorised to send SCRs: HDQDR5X@ups.com	Bonnie Michael International Global Network Planning Manager	TTY: HDQDR5X Tel: +1 (502) 3293135 Fax: +1 (502) 3293199 E-mail: bemichael@ups.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
US AIRWAYS* 111 W. Rio Salado Pkwy Tempe, Arizona 85281 United States	Christopher Bailey International Planning & IATA Slots	TTY: PHXSPUS Tel: +1 (480) 693 2805 Fax: +1 (480) 693 8953 E-mail: christopher.bailey@ usairways.com
Additional TTY and/or E-mail authorised to send SCRs: IntlSlots@USAirways.com		
UZBEKISTAN AIRWAYS 41, Amir Temur Avenue Tashkent, GSP 100060 Uzbekistan	Tatyana Silacheva Head of Schedule Department	TTY: TASSPHY Tel: +998 (71) 140 4616 Fax: +998 (71) 140 4716 E-mail: tatyana.silacheva@ uzairways.com
Additional TTY and/or E-mail authorised to send SCRs: schedule@airways.uz		
VIETNAM AIRLINES* 200 Nguyen Son Str. Gia Lam Airport Hanoi 10000 Vietnam	Nguyen Quang Trung Deputy General Manager, Route Planning	TTY: — Tel: +84 (4) 872 1652 Fax: +84 (4) 872 1007 E-mail: trungnq.mkpl@ vietnamair.com.vn
Additional TTY and/or E-mail authorised to send SCRs: sked.mkpl@vietnamair.com.vn		
VIKING AIRLINES 7th Floor, Norfolk House South Terminal, Gatwick Airport West Sussex RH6 0NN Great Britain	Dave Anderson Planning Manager	TTY: — Tel: +44 (1293) 762917 Fax: — E-mail: dave.anderson@ meridian-aviation.co.uk
VIP WINGS H.R. Stefanik Airport 823 71 Bratislava Slovakia	Arpad Agocs Commercial Director	TTY: — Tel: +421 (2) 43 63 27 24/26 Fax: +421 (2) 43 63 27 25 E-mail: a.agocs@vipwings.sk
VIRGIN ATLANTIC AIRWAYS* The Office Manor Royal Crawley West Sussex, RH10 9NU United Kingdom	Gill Huxford Programme Planning Manager	TTY: LGWSPVS Tel: +44 (1293) 448214 Fax: +44 (1293) 444479 E-mail: gill.huxford@ fly.virgin.com
Additional TTY and/or E-mail authorised to send SCRs: commercial.planning@fly.virgin.com		
VIRGIN BLUE AIRLINES PTY LTD P.O Box 1034 Spring Hill Brisbane QLD Australia	David Chudleigh Schedules Planning Manager	TTY: — Tel: +61 (7) 329 53180 Fax: +61 (7) 383 94024 E-mail: david.chudleigh@ virginblue.com.au

Postal address	Representative Name and Title	TTY Tel Fax E-mail
VUELING AIRLINES Pla de l'Estany, 5 Mas Blau El Prat de Llobregat, 08820 Barcelona Spain	Fernando Zarza Traffic Rights & Schedule Coordination Manager	TTY: BCNSCVY Tel: +34 669 49 79 24 Fax: +34 933 78 78 79 E-mail: Fernando.Zarza@vueling.com
WIND JET S.P.A. Centro Direzionale Baglio della Sementa S.P. 69 / II° - Passo Martino 95121 Catania Italy	Elda Bianca Linda Chiaese Manganaro Slot Manager	TTY: CTAWGIV Tel: +39 (095) 739 671 33 Fax: +39 (095) 739 672 29 E-mail: elda.chiaese@volawindjet.it
Additional TTY and/or E-mail authorised to send SCRs: slot@volawindjet.it		
WIZZ AIR HUNGARY 59 Lorinci Ut Building C2 H-2220 Vecses Hungary	Marta Kis Scheduling Manager	TTY: — Tel: +36 (1) 777 9379 Fax: +36 (1) 777 9444 E-mail: marta.kis@wizzair.com
Additional TTY and/or E-mail authorised to send SCRs: slot.airport@wizzair.com		
XL AIRWAYS FRANCE Bat Mars- Continental Square II 3 Place Berline - BP 13760 95727 Roissy Charles de Gaulle Cedex France	Christophe Limpens Fleet Manager	TTY: — Tel: +33 (1) 70031583 Fax: +33 (1) 70031668 E-mail: climpens@xlairways.fr
Additional TTY and/or E-mail authorised to send SCRs: programme@xlairways.fr		
XL AIRWAYS GERMANY Hessenring 13 D-64546 Moerfelden-Walldorf Germany	Thomas Simandl Schedule Planning Manager	TTY: FRAXLXH Tel: +49 (6105) 9789 184 Fax: +49 (6105) 9789 499 E-mail: Thomas.Simandl@xlairways.de
YEMENIA AIRWAYS* Republic of Yemen Sanaa P.O. Box 1183 Republic of Yemen	Abdulla Hanash Scheduling Director	TTY: — Tel: +967 (1) 232379 Fax: +967 (1) 231470 E-mail: abdulla.hanash@yemenia.com

II. Airport Coordinators and Schedules Facilitators

Postal address	Representative Name and Title	TTY Tel Fax E-mail
AUSTRALIA Airport Coordination Australia P.O. Box 3047 Mascot 2020 NSW Australia Additional TTY and/or E-mail authorised to send SCRs: slots@coordaus.com.au	Ernst J. Krolke Chief Executive	TTY: HDQACXH Tel: +61 (2) 9313 5469 Fax: +61 (2) 9313 4210 E-mail: ejkrolke@coordaus.com.au
AUSTRIA Schedule Coordination Austria GmbH Office Building 610 A-1300 Vienna Airport Austria Additional TTY and/or E-mail authorised to send SCRs: info@slots-austria.com	Wolfgang Gallistl Managing Director	TTY: VIECPXH Tel: +43 (1) 7007 23600 Fax: +43 (1) 7007 23615 E-mail: office@slots-austria.com
BELGIUM Brussels Slot Coordination vzw (BSC) Brussels Airport P.O. Box 27 B-1930 Zaventem 4 Belgium Additional TTY and/or E-mail authorised to send SCRs: BRUACXH@brucoord.org	Didier Hocq General Manager	TTY: BRUACXH Tel: +32 (2) 753 5791 Fax: +32 (2) 753 5790 E-mail: Didier.hocq@brucoord.org
BRAZIL Agencia Nacional de Aviacao Civil - ANNAC Av. Presidente Vargas no. 850 - 8 Andar Rio de Janeiro - DF CEP 20071-001 Brazil Additional TTY and/or E-mail authorised to send SCRs: slot@anac.gov.br	Clarice Rodrigues PMO Manager	TTY: — Tel: +55 21 3501 5703 Fax: +55 61 3366 9423 E-mail: clarice.rodrigues@anac.gov.br
BULGARIA Sofia Airport 1540 bul.Christofor Columb 1Sofia Airport Sofia Bulgaria Additional TTY and/or E-mail authorised to send SCRs: slot-ops@sofia-airport.bg	Rostislav Batchvarov Head of Slot Operation Center Sofia Airport	TTY: SOFKOXH Tel: +359 (2) 9372151 Fax: +359 (2) 9459048 E-mail: batchvarovr@sofia-airport.bg

Postal address	Representative Name and Title	TTY Tel Fax E-mail
CAMBODIA State Secretariat of Civil Aviation Cambodia N 26 Norodom Blvd. Phnom Penh Cambodia	Sivorn Keo Director of Flight Operations & Safety Dept.	TTY: PNHCAYA Tel: +855 12 810 330 Fax: +855 23 22 42 59 E-mail: sivornk@yahoo.com
Additional TTY and/or E-mail authorised to send SCRs: slot@cambodia-airports.aero		
CANADA-YUL Pierre Elliott Trudeau Airport 975, boul. Romeo-Vachon Bureau 317 Dorval, Quebec H4Y 1H1 Canada	Charles Aubé Schedule Facilitator	TTY: — Tel: +1 (514) 633-2959 Fax: +1 (514) 633-3068 E-mail: Charles.Aube@admtl.com
Additional TTY and/or E-mail authorised to send SCRs: horairedevol@admtl.com		
CANADA-YVR Air Canada Operational Center, 3rd Floor 6001 Grant McConachie Way Richmond, BC V7B 1K3 Canada	Lak Sangha Coordinator - YVR	TTY: YVRGLAC Tel: +1 (604) 295 4292 Fax: +1 (604) 295 4293 E-mail: lak.sangha@aircanada.ca
CANADA-YYC The Calgary Airport Authority 2000 Airport Road N.E. Calgary, Alberta T2E6W5 Canada	Linda Mitchell Schedules Facilitator	TTY: — Tel: +1 (403) 717 2237 Fax: +1 (403) 735 1284 E-mail: lindami@yyc.com
Additional TTY and/or E-mail authorised to send SCRs: yycflightschedule@yyc.com		
CANADA-YYZ Airport Coordination Canada Ltd. 210-5955 Airport Road Mississauga, Ontario L4V 1R9 Canada	Munro Smith President and Director, Slot Coordination.	TTY: YYZSCAC Tel: +1 (905) 673 6380 Fax: +1 (905) 673 9892 E-mail: MunroSmith@accl.aero
Additional TTY and/or E-mail authorised to send SCRs: cyyzslots@accl.aero		
CHINA ATM Bureau of CAAC 12# East Sanhuan Road Middle Chaoyang District Beijing 100022 People's Republic of China	Gang Lin Engineer	TTY: BJSCCKA Tel: +86 (10) 87786588 Fax: +86 (10) 87786580 E-mail: linmuqing1@sohu.com
Additional TTY and/or E-mail authorised to send SCRs: lingang@atmb.net.cn		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
CHINESE TAIPEI Airport Coordination Taipei 6F 188 Mingchuan East Road, Sec. 3 Taipei 105 Chinese Taipei Additional TTY and/or E-mail authorised to send SCRs: service@aptcoord.org.tw	Flora Yeh Coordinator	TTY: TPEACXH Tel: +886 (2) 27190972 Fax: +886 (2) 27184348 E-mail: actmail.taa@msa.hinet.net
CROATIA Split Airport Croatia	Goran Boric	TTY: — Tel: — Fax: — E-mail: goran.boric@split-airport.hr
CYPRUS Cyprus Schedules Facilitation C/O Department of Civil Aviation 27 Pindarou Str. Nicosia 1429 Cyprus	Doros Theodorou Air Transport & airports Officer/Schedules Facilitator	TTY: NICSAXH Tel: +357 (22) 404132 Fax: +357 (22) 766552 E-mail: dtheodorou@dca.mcw.gov.cy
CZECH REPUBLIC Slot Coordination Czech Republic Airport Prague Ruzyně P.O. Box 67 160 08 Prague 6 Czech Republic Additional TTY and/or E-mail authorised to send SCRs: slot.coord@csl.cz	Michal Simacek Head Coordinator	TTY: PRGSP7X Tel: +420 (2) 2011 3204 Fax: +420 (2) 2011 5301 E-mail: michal.simacek@prg.aero
DENMARK ACD - Airport Coordination Denmark & Iceland Vilhelm Lauritzen Alle 1 DK-2770 Kastrup Denmark Additional TTY and/or E-mail authorised to send SCRs: scr@airportcoordination.com	Frank Holton Managing Director & Chief Coordinator, Airport Coordination	TTY: CPHACXH Tel: +45 (32) 31 4280 Fax: — E-mail: holton@airportcoordination.com
FINLAND Helsinki - Vantaa Slot Coordination Association PL 77, Lentäjätie 1 E 01531 Vantaa Finland Additional TTY and/or E-mail authorised to send SCRs: scr@airportcoordination.com	Tiina Nokkala Head of Slot Coordination	TTY: HELACXH Tel: +358 (9) 818 2830 Fax: +358 (9) 818 2831 E-mail: Tiina.Nokkala@slotcoord.com

Postal address	Representative Name and Title	TTY Tel Fax E-mail
FRANCE COHOR ORLYTECH Bat 527 3, Allée Maryse BASTIE 91325 WISSOUS CEDEX France	Eric Herbane Managing Director	TTY: HDQCOXH Tel: +33 (1) 497 58810 Fax: +33 (1) 497 58820 E-mail: eric.herbane@cohor.org
Additional TTY and/or E-mail authorised to send SCRs: hdqcoxh@cohor.org		
GERMANY FRG Coordination HBK 37, Frankfurt Airport FAC 2, Room 5335, Terminal 2 D-60549 Frankfurt Germany	Claus Ulrich Managing Director (of the Airport Coordination Germany)	TTY: FRAZTXH Tel: +49 (69) 690 52321 Fax: +49 (69) 690 59603 E-mail: ulrich@fhkd.org
Additional TTY and/or E-mail authorised to send SCRs: FRAZTXH@fhkd.org		
GHANA Kotoka International Airport KA Private Mail Bag 36 Accra Ghana	Emmanuel Ofori Assistant Airports Manager (Scheduling and Airline Services)	TTY: — Tel: +233 (21) 776171 x 1379 Fax: +233 (21) 760386 E-mail: emmanuel.ofori@ghanaairports.com.gh
Additional TTY and/or E-mail authorised to send SCRs: nii_ofori@hotmail.com		
GREECE Hellenic Slot Coordination Authority B11 Building P.O. Box 80113 PC 19019 SPATA Greece	Zafeiris Tambakidis Chairman	TTY: — Tel: — Fax: — E-mail: zt-hsca@athensairport.gr
HONG KONG SAR HKG Schedule Coordination Rm 6T-015, Passenger Terminal Buidling Hong Kong International Airport Lantau, Hong Kong Hong Kong (SAR), China	Franco Ngan Senior Operations Officer	TTY: — Tel: +852 2182 1218 Fax: +852 2182 1209 E-mail: ffcngan@cad.gov.hk
Additional TTY and/or E-mail authorised to send SCRs: hkgslot@cad.gov.hk		
HUNGARY Hungarocontrol Zrt. P.O. Box 80 H-1675 Budapest Hungary	Lÿszl Szeness Head of Airport Coordination	TTY: BUDLR7X Tel: +36 (1) 293 4050 Fax: +36 (1) 293 4049 E-mail: budcoord@hungarocontrol.hu

Postal address	Representative Name and Title	TTY Tel Fax E-mail
ICELAND ACD - Airport Coordination Denmark & Iceland Wilhelm Lauritzens Alle 1 DK-2770 Kastrup Denmark	Frank Holton Managing Director & Chief Coordinator	TTY: KEFACXH Tel: +45 3231 4280 Fax: — E-mail: holton@airportcoordination.com
Additional TTY and/or E-mail authorised to send SCRs: scr@airportcoordination.com		
INDIA - BLR Administration Block Bengaluru International Airport Devanahalli Bangalore - 560300 India	Sachin Sadashiv Deo Head Planning & Statistics	TTY: — Tel: +91 (80) 66782125 Fax: +91 (80) 66783377 E-mail: sachin@bialairport.com
Additional TTY and/or E-mail authorised to send SCRs: slotcoordination@bialairport.com		
INDIA - BOM Mumbai International Airport PVT Ltd. Domestic Terminal 1B, First Floor, CSI Airport, Santacruz East Mumbai 400 099 India	Cheng Leong Ong Head (Operations Planning & MIS)	TTY: — Tel: +91 9833502841 Fax: +91 2226156320 E-mail: Chengleong.ong@gvk.com
Additional TTY and/or E-mail authorised to send SCRs: slots@csia.in		
INDIA - DEL Delhi International Airport PVT Ltd. IGI Airport New Udaan Bhawan ATC Complex New Delhi 110037 India	Yudhishter Aggarwal Associate VP Ops/Slot Coordination	TTY: — Tel: +91 (11) 4719 7282 Fax: +91 (11) 4719 7035 E-mail: y.aggarwal@gmrgroup.in
Additional TTY and/or E-mail authorised to send SCRs: intslots.igia@gmrgroup.in		
INDIA - HYD GMR Hyderabad International Airport LTD. Shamshabad- 500 409 Ranga Reddy District, A.P. India	Rajinder Zalpuri Chief Operating Officer	TTY: — Tel: +91 (40) 6660 6200 Fax: +91 (40) 6660 6205 E-mail: r.zalpuri@gmrgroup.in
Additional TTY and/or E-mail authorised to send SCRs: slotcoord.hyderabad@gmrgroup.in		

Postal address	Representative Name and Title	TTY Tel Fax E-mail
INDONESIA* Garuda Indonesia Airlines 1st Floor Garuda City Center Soekarno Hatta International Airport Cengkareng Indonesia	Wieta Virgiantiny Schedule Analyst	TTY: — Tel: — Fax: — E-mail: scheduleplanning@garuda-indonesia.com
ISRAEL Israel Airports Authority Ben-Gurion Airport P.O. Box 7 70100 TEL AVIV Israel	Judith Fichman Schedule Planning Manager/Slot Coordinator TLV	TTY: TLVACXH Tel: +972 (3) 9756212 Fax: +972 (3) 9756226 E-mail: judithf@iaa.gov.il
ITALY Assoclearance Piazza di Priscilla 4 00199 Roma Italy	Luigi Lutta Supervisor	TTY: ROMSPXH Tel: +39 (06) 8622 04 24 Fax: +39 (06) 8622 04 29 E-mail: llutta@assocclearance.it
Additional TTY and/or E-mail authorised to send SCRs: assocclearance@assocclearance.it		
JAPAN - NRT/KIX NRT/KIX Schedule Coordination, Japan Aeronautic Association (JAA) Aviation Building, 4th Floor, 1-18-1 Shimbashi Minato-ku, Tokyo 105-0004 Japan	Hiroki Takeda Head Coordinator	TTY: — Tel: +81 (3) 3502 2721 Fax: +81 (3) 3502 2720 E-mail: takeda@schedule-coordination.jp
KOREA KASO Room 2069 Incheon Intl. Airport 2851, Unseo-Dong, Joong-Gu, Incheon-City, 400-340 Republic of Korea	Kee Young Nam Head Coordinator	TTY: SELACXH Tel: +82 (32) 7402156 Fax: +82 (32) 7413982 E-mail: kaso-korea@hanmail.net
KUWAIT Directorate General of Civil Aviation Kuwait International Airport P.O. Box 17 Safat 13001 Kuwait	Sultan Al-Shewaiee Superintendent Air Transport	TTY: KWIAPYA Tel: +965 (24) 768772 Fax: +965 (24) 34658 E-mail: at-ops@kuwait-airport.com.kw

Postal address	Representative Name and Title	TTY Tel Fax E-mail
MALAYSIA Airport Coordination Malaysia MAS Complex B - 2nd Floor Admin 3B Building Sultan Abdul Aziz Shah Airport 47200 Subang Malaysia	Nik Abdul Hafiz Nik Abdul Halim Operations Planning Manager	TTY: KULSPMH Tel: +60 (3) 7840 2017 Fax: +60 (3) 7846 2605 E-mail: niko@malaysiaairlines.com
Additional TTY and/or E-mail authorised to send SCRs: slot-malaysia@acm.org.my		
MALTA Malta International Airport Aviation Avenue - Gudja Malta	Joseph Schiavone Head Coordinator	TTY: MLASLXH Tel: +356 2369 6021 Fax: +356 21 249564 E-mail: joseph.schiavone@maltairport.com
Additional TTY and/or E-mail authorised to send SCRs: scm@maltairport.com		
NETHERLANDS Airport Coordination Netherlands Triport 1 Evert-Van De Beekstr 23 1118 CL Schiphol Netherlands	Michiel van der Zee Managing Director	TTY: SPLACXH Tel: +31 (20) 405 9730 Fax: +31 (20) 405 9731 E-mail: info@slotcoordination.nl
NEW ZEALAND New Zealand Coordination Private Bag 92007 Auckland 1142 New Zealand	Bruce Cargill NZ Schedule Coordinator	TTY: AKLSPNZ Tel: +64 (9) 336 2284 Fax: +64 (9) 336 3675 E-mail: bruce.cargill@airnz.co.nz
NORWAY Airport Coordination Norway Flyporten 2060 Gardermoen Norway	Fred Andreas Wister Head Coordinator/CEO	TTY: OSLACXH Tel: +47 (64) 819050 Fax: +47 (64) 819051 E-mail: fred.andreas.wister@osl.no
Additional TTY and/or E-mail authorised to send SCRs: scr@airportcoordination.com		
PAKISTAN Civil Aviation Authority of Pakistan Headquarters PCAA Terminal 1 Karachi Airport Karachi Pakistan	Khawar Ghayas General Manager Air Transport National Regulation	TTY: — Tel: +92 (21) 9242033 Fax: +92 (21) 9242032 E-mail: khawar.ghayas@caapakistan.com.pk

Postal address	Representative Name and Title	TTY Tel Fax E-mail
PORTUGAL ANA, Aeroportos de Portugal SA Alameda das Comunidades Portuguesas 1700-007 Lisbon Portugal Additional TTY and/or E-mail authorised to send SCRs: liscsxh@ana.pt	Isabel Cysneiros Head of Coordination	TTY: LISCSXH Tel: +351 (21) 8445219 Fax: +351 (21) 8445222 E-mail: idcysneiros@ana.pt
PRISTINA INTERNATIONAL AIRPORT Pristina International Airport Vrelle/Lipjan 10070 Pristina, Kosovo Additional TTY and/or E-mail authorised to send SCRs: slot.coordinator@airportpristina.com	Driton Hyseni Slot Coordinator	TTY: — Tel: +381 (38) 59 58 293 Fax: +381 (38) 59 58 189 E-mail: driton.hyseni@airportpristina.com
RUSSIA-SVO Sheremetyevo International Airport 141400 Moscow Region Khimki town Russian Federation	Andrey Popov Chief Coordinator	TTY: SVOHP7X Tel: +7 (495) 5783312 Fax: +7 (495) 2343115 E-mail: coordination@sheremetyevo-airport.ru
RUSSIA-VNUKOVO Vnukovo Airport Moscow 12, 1st Reisovaya Str. Moscow 119027 Russian Federation	Oleg Dmitriev Head of Schedule Control Department	TTY: VKOACXH Tel: +7 (495) 436 2641 Fax: +7 (495) 436 2468 E-mail: odmitriev@vnukovo.ru
SINGAPORE Changi Slots Committee 08-F Airline House 25 Airline Road 819829 Singapore	Wei Qi Tan Network Planning Analyst	TTY: SINSPSQ Tel: +65 6514 5614 Fax: +65 6490 0720 E-mail: weiqi_tan@singaporeair.com.sg
SLOVAKIA Airport Bratislava Letisko M.R. Stefanika, Airport Bratislava, a.s. (BTS) SK-82311 Bratislava 216 Slovakia	Peter Psenica Operations Manager & Schedules Facilitator	TTY: BTSSC7X Tel: +421 (2) 3303 3310 Fax: +421 (2) 3303 3301 E-mail: peter.psenica@airportbratislava.sk

Postal address	Representative Name and Title	TTY Tel Fax E-mail
SOUTH AFRICA Air Traffic Navigation Services Private Bag X1 Bonaero Park Johannesburg 2000/1622 South Africa Additional TTY and/or E-mail authorised to send SCRs: camu@atns.co.za	Stuart William Ratcliffe ATNS, Manager: CAMU	TTY: — Tel: +27 (11) 928 6433 Fax: +27 (11) 928 6420 E-mail: stuartr@atns.co.za
SPAIN AENA c/Peonias No. 12 28042 Madrid Spain Additional TTY and/or E-mail authorised to send SCRs: slot.coord@aena.es	Ignacio Monasterio Coordination & Planning Manager	TTY: MADCHYA Tel: +34 (91) 321 1374 Fax: +34 (91) 321 1348 E-mail: imonasterio@aena.es
SWEDEN Airport Coordination, Sweden P.O. Box 202 S-19047 Stockholm-Arlanda Sweden Additional TTY and/or E-mail authorised to send SCRs: scr@airportcoordination.com	Anders Nordfalk Coordinator	TTY: ARNACXH Tel: +46 (8) 797 8266 Fax: +46 (8) 797 8265 E-mail: anders@arnslot.se
SWITZERLAND Slot Coordination, Switzerland P.O. Box 350 CH-8058 Zurich-Airport Switzerland Additional TTY and/or E-mail authorised to send SCRs: info@slotcoord.ch	Erich Rindlisbacher Head of Coordination	TTY: ZRHACXH Tel: +41 (43) 816 77 66 Fax: +41 (43) 816 77 67 E-mail: erich.rindlisbacher@slotcoord.ch
THAILAND Thai Airways International 89 Vibhavadi - Rangsit Road Bangkok 10900 Thailand Additional TTY and/or E-mail authorised to send SCRs: HDQYOTG, airportcoordination@slotthai.com	Nongnuj Ratanavichai Director Traffic Planning	TTY: HDQYYTG Tel: +66 (2) 545 2857 Fax: +66 (2) 545 3896 E-mail: nongnuj.r@thaairways.com
TUNISIA Tunisair Handling 18 Rue des Entrepreneurs La Charguia II 2035 Tunis Tunisia Additional TTY and/or E-mail authorised to send SCRs: tunisia-sked@tunisairhandling.com.tn	Kais Besbes Airport Slot Manager	TTY: TUNKEXH Tel: +216 98201861 Fax: +216 71942188 E-mail: kais.besbes@tunisairhandling.com.tn

Postal address	Representative Name and Title	TTY Tel Fax E-mail
TURKEY Directorate General of Civil Aviation Turkey Bosna Hersek Cad. 90. Sok. No: 5 06510 Emek Ankara Turkey Additional TTY and/or E-mail authorised to send SCRs: slot@shgm.gov.tr	Anil Kocer	TTY: — Tel: — Fax: — E-mail: akocer@shgm.gov.tr
UNITED ARAB EMIRATES - AUH Abu Dhabi International Airport c/o Airport Coordination Australia P.O. Box 3047 Mascot 2020 Australia Additional TTY and/or E-mail authorised to send SCRs: slots@coordaus.com.au	Ernst J. Krolke Chief Executive	TTY: HDQACXH Tel: +61 (2) 9313 5469 Fax: +61 (2) 9313 4210 E-mail: ejkrolke@coordaus.com.au
UNITED KINGDOM Airport Coordination Ltd Capital Place 120 Bath Road Hayes, Middlesex UB3 5AN United Kingdom Additional TTY and/or E-mail authorised to send SCRs: LONACXH@acl-uk.org	Peter Morrisroe Managing Director	TTY: LONACXH Tel: +44 (20) 8564 0602 Fax: +44 (20) 8564 0691 E-mail: peter.morrisroe@acl-uk.org
USA - CIAG Chicago International Airlines Group P.O. Box 661125 O'Hare Intl. Airport Chicago, IL 60666 United States	Jack W. Ranttila Executive Director	TTY: CHICTCR Tel: +1 (773) 894 2525 Fax: +1 (773) 894 2549 E-mail: jackranttila@cicatec.com
USA - EWR Newark Liberty International Airport 113 Carmel Drive Egg Harbor Township New Jersey, 08234 United States Additional TTY and/or E-mail authorised to send SCRs: ewrcoordination@comcast.net	Kaare H. Hansen Head Coordinator	TTY: — Tel: +1 (609) 7888777 Fax: +1 (609) 7988777 E-mail: kaarehh@comcast.net

Postal address	Representative Name and Title	TTY Tel Fax E-mail
USA - JFK The Port Authority of NY & NJ 225 Park Ave. South - 9th Flr. New York, N.Y. 10003 United States	Bradley Rubinstein Manager Industry & Regulatory Relations	TTY: — Tel: +1 (212) 435 3741 Fax: +1 (212) 435 3833 E-mail: brubinst@panynj.gov
USA - SFO San Francisco International Airport P.O. Box 250400 San Francisco, CA 94125-0400 United States	Jeff Seid Executive Director SFOTEC	TTY: SFOJSCR Tel: +1 (650) 444 2947 Fax: +1 (650) 821 0408 E-mail: jeffseid@aol.com
USA - USAG/FAA US Airports Group/FAA 800 Independence Avenue Washington DC 20591 United States	James Tegtmeier Associate Chief Council for the Air Traffic Organization	TTY: — Tel: ++1 (202) 267-8323 Fax: ++1 (202) 267-7971 E-mail: james.tegtmeier@faa.gov
Additional TTY and/or E-mail authorised to send SCRs: 7-awa-slotadmin@faa.gov		
VIETNAM Air Transport Department, CAAV 119 Nguyen Son Gialam Airport Long Blen, Hanoi Vietnam	Truong Nguyen Manh Official	TTY: — Tel: +84 (4) 38272281 Fax: +84 (4) 38272290 E-mail: nguyentruong@caa.gov.vn

III. Non Airline Contacts

Postal address	Representative Name and Title	TTY Tel Fax E-mail
EUACA/WWACG c/o Brussels Slot Coordination (BSC) Old Terminal P.O. Box 119 1930 Zaventum 4 Belgium Additional TTY and/or E-mail authorised to send SCRs: wwacg@aol.com	Pam Morrisroe Secretary	TTY: — Tel: +44 (1344) 626899 Fax: +44 (1344) 626613 E-mail: euaca@aol.com
IATA 33 Route de l'Aéroport, P.O. Box 416 CH-1215 Geneva 15 Airport Switzerland	Ruba Abdul Aziz Assistant Manager, Passenger Events	TTY: — Tel: +41 (22) 770 2715 Fax: — E-mail: AbdulR@iata.org
IATA 800 Place Victoria P.O. Box 113 Montreal, Quebec H4Z 1M1 Canada	Michel Arcand Manager, Scheduling Services Support	TTY: — Tel: +1 (514) 874 0202 Fax: +1 (514) 390 6773 E-mail: arcandm@iata.org
IATA 33 Route de l'Aéroport, P.O. Box 416 CH-1215 Geneva 15 Airport Switzerland	Michael Gill Senior Legal Counsel	TTY: — Tel: — Fax: — E-mail: gillm@iata.org
IATA 800 Place Victoria P.O. Box 113 Montreal Quebec Canada	Michael Huntington Sales Manager, Conferences and Exhibitions	TTY: — Tel: — Fax: — E-mail: huntingtonm@iata.org
IATA 800 Place Victoria P.O. Box 113 Montreal, Quebec H4Z 1M1 Canada	Isabella Ioannoni Manager, Passenger Standards	TTY: — Tel: +1 (514) 874 0202 Fax: +1 (514) 390 6773 E-mail: ioannonii@iata.org

Postal address	Representative Name and Title	TTY Tel Fax E-mail
IATA 33 Route de l'Aéroport, P.O. Box 416 CH-1215 Geneva 15 Airport Switzerland	Mike Irons Manager, Reservations & Ticketing Standards	TTY: — Tel: — Fax: — E-mail: ironsm@iata.org
IATA 800 Place Victoria P.O. Box 113 Montreal Quebec H4Z 1M1 Canada	Leslie Lugo Senior Legal Counsel	TTY: — Tel: +1 (514) 874 0202 Fax: — E-mail: lugol@iata.org
IATA 33 Route de l'Aéroport, P.O. Box 416 CH-1215 Geneva 15 Airport Switzerland	Lynn McNabb Administrative Assistant	TTY: — Tel: +44 (22) 770 2716 Fax: +44 (22) 770 2926 E-mail: mcnabbl@iata.org
IATA 33 Route de l'Aéroport, P.O. Box 416 CH-1215 Geneva 15 Airport Switzerland	Cassandra Raitsidis Assistant, Scheduling	TTY: — Tel: +41 (22) 770 2774 Fax: +41 (22) 770 2926 E-mail: raitsidisc@iata.org
IATA 800 Place Victoria P.O. Box 113 Montreal Quebec, H4Z 1M1 Canada	Jeffrey Ross Code Administration Assistant	TTY: — Tel: +1 (514) 3906774 Fax: — E-mail: rossj@iata.org
IATA 33 Route de l'Aéroport, P.O. Box 416 CH-1215 Geneva 15 Airport Switzerland	Peter Stanton Head of Scheduling & Baggage Services	TTY: — Tel: +41 (22) 770 2738 Fax: +41 (22) 770 2926 E-mail: stantonp@iata.org

ATTACHMENT 3

MCT COORDINATOR CONTACTS

Amendments to contact details below
should be sent to airlinecoding@iata.org

Legend:

* IATA Member or IATA Associate
Member Airline

Mr. Dusan Lourgntec
Station Manager
ADRIA AIRWAYS – THE AIRLINE OF SLOVENIA*
Kuzmiceva 7
Ljubljana
Slovenia SI-1000
Teletype: LJUAPJP

Mr. P. Reynolds
Manager, Airport Systems
AER LINGUS LIMITED*
Dublin Airport
Dublin
Ireland
Teletype: DUBKXEI
E-mail: fred.howard@aerlingus.com

AERO REPUBLICA S.A.*
Av. Eldorado-Entrada No. 1
Terminal Aereo Simon Bolivar
Bogota
Colombia
Teletype: BOGRCP5
E-mail: www.aerorepublica.com.co

Mr. Opolev
Schedules Manager
AEROFLOT RUSSIAN AIRLINES*
37 Leningradsky Prospekt
Moscow
Russian Federation 125167
Teletype: MOWSPSU

Ms. Christian Deveni
Schedule Change Manager
AEROLINEAS ARGENTINAS*
Bouchard 547
9th Floor
Buenos Aires Buenos Aires
Argentina 1106
Teletype: BUERSAR
E-mail: cdenevi@aerolineas.com.ar

Mr. Edgar Pesqueira
Schedules Manager
AEROMEXICO AEROVIAS DE MEXICO S.A. DE C.V.*
Paseo de la Reforma 445
Col. Cuauhtemoc
Mexico City D.F.
Mexico 06500
Teletype: MEXAUAM
E-mail: epesqueira@aeromexico.com.mx

Mr. Bouselha
Directeur des transports
AIR ALGERIE*
1 Place Maurice Audin
Algiers
Algeria 16100
Teletype: ALGRPAH

Mr. Edgars Silins
VP Network Planning
AIR BALTIC CORPORATION SIA*
Riga Intl Airport
Riga
Latvia LV-1053
Teletype: RIXSPBT
E-mail: ess@airbaltic.lv

Mr. S. Pansire
Traffic Manager
AIR BOTSWANA CORPORATION
P.O. Box 92
Gaborone
Botswana
Teletype: GBKZBP

Mr. Didier Tappero
Executive Vice President
AIR CALEDONIE INTERNATIONAL*
B.P. 3736
8, rue Frederic Surleau
Noumea
New Caledonia 98846
Teletype: NOUIZSB
E-mail: exploitation@aircalin.nc

Mr. N. Manger
Director, Scheduling
AIR CANADA*
Postal Station Saint Laurent
P.O. Box 14000
Montreal Quebec
Canada H4Y 1H4
Teletype: YULSPAC
E-mail: lucie.maurodoyle@aircanada.ca

Bruno Bernelin
MCT coordinator
AIR FRANCE*
45 rue de Paris
Roissy CDG Cedex
France 95747
Teletype: HDQPUAF
E-mail: brbernelin@airfrance.fr

Mrs. Catherine Tchuwa
Schedule Planning Superintendent
AIR MALAWI LIMITED
4 Robins Road
P.O. Box 84
Blantyre
Malawi
Teletype: BLZSPQM
E-mail: cd@airmalawi.com

Mr. S. Tonna
Manager Schedules Planning
AIR MALTA P.L.C.*
Head Office
TRDQ L-AVJAZZJONI
Luqa
Malta
Teletype: MLASPKM

Schedules Manager
AIR MAURITIUS*
P.O. Box 441
Port Louis
Mauritius
Teletype: MRUSPMK
E-mail: contact@airmauritius.com

Ms A Rijarua
Supersivor Flight Control
AIR NAMIBIA*
TransNamib Building
Bahnhof Street, P.O. Box 731
Windhoek
Namibia 9000
Teletype: WDHRZSW
E-mail: arijarua@airnamibia.com.na

Mr. I Cox
Schedule Database Coordinator
AIR NEW ZEALAND LIMITED*
Private Bag 92007, Level 19
Quay Tower, 29 Customs St. West
Auckland
New Zealand
Teletype: AKLCKNZ
E-mail: ian.cox@airnz.co.nz

Mr. Iamo Ralai
Scheduling Manager
AIR NIUGINI PTY LIMITED DBA AIR NIUGINI*
P.O. Box 7186
ANG House, Jacksons Airport
Boroko
Papua New Guinea
Teletype: POMSPPX
E-mail: iralai@airniugini.com.pg

Ms. Sonia Mora Aliaga
Scheduling and Traffic Rights Manager
AIR NOSTRUM L.A.M.S.A.*
Av. Comarques Pars Valencia - 2
Zona Servicio Aeropuerto De Valencia
Quart de Poblet Valencia
Spain and Canary Islands 46930
Teletype: VLCSMYW
E-mail: smora@airnostrum.es

Mr. D. Chandra
General Manager Network Development
AIR PACIFIC LTD.*
Private Mail Bag
Nadi Airport
Fiji
Teletype: NANSPFJ
E-mail: dinesh@airpacific.com.fj

Ingrid Kelly
AIR RAROTONGA
P.O. Box 79
Rarotonga
Cook Islands
Teletype: HDQRMGZ
E-mail: ingrid@airraro.co.ck

Space Controllers **AIR TAHITI***
Aéroport de Tahiti-FAA'A
P.O. Box 314
Papeete Tahiti
French Polynesia 98713
Teletype: PPTRCVT
E-mail: space@airtahiti.pf

Ms Vaitiare Chane
CRS Specialist
AIR TAHITI NUI*
Rue Paul Gauguin
B.P. 1673, Immeuble Dexter
Papeete Tahiti
French Polynesia 98713
Teletype: PPTDCTN
E-mail: vchane@airtahitinui.pf

Mr. John Ssita
Scheduling Planning Officer
AIR TANZANIA COMPANY LTD.
P.O. Box 543
Tancot House City Drive
Dar Es Salaam
Tanzania, United Republic of
Teletype: DARSPTC
E-mail: johnssita@airtanzania.com

Mr. Andrea Billotti
Inventory and Distribution Manager
AIR VALLEE S.P.A.
Localita Aeroporto
St. Christophe (Ao)
St. Christophe Aosta
Italy 11020
Teletype: AOTKKDO
E-mail: a.billotti@aircallee.com

Mr. Joseph Laloyer
Gen. Mgr Sales & Mrktg
**AIR VANUATU (OPERATIONS)
LIMITED***
Air Vanuatu House
Rue de Paris, P.O. Box 148
Port Vila
Vanuatu
Teletype: VLICZNF
E-mail: marketing@airvanuatu.com.vu

Mr. Forbes Zaranyika
Planning Manager
AIR ZIMBABWE (PVT) LTD.*
P.O. Box Ap1
Harare Airport
Harare
Zimbabwe
Teletype: HRESPUM
E-mail: fzaranyika@airzim.co.zw

Ms. Jody Manager, Schedule Distribution
ALASKA AIRLINES INC.*
P.O. Box 68900
19300 Pacific Highway South
Seattle Washington
USA 98188
Teletype: SEAVZAS
E-mail: jody.stevenson@alaskaair.com

Mr. Yohsuke Mabuchi
Manager, Operations & Airport Services
ALL NIPPON AIRWAYS CO. LTD.*
3-3-2 Haneda Airport
Ota-ku, Tokyo
Japan 144-0042
Teletype: TYOYNNH
E-mail: yo.mabuchi@ana.co.jp

Barbara McClatchy
Manager Schedule Publications
AMERICAN AIRLINES INC.*
4333 Amon Carter Blvd
Mail Drop 5544
Dallas Texas
USA 76155
Teletype: HDQSPAA
E-mail: barbara.mcclatchy@aa.com

Mr. A.A. Hamid
Sales Manager
ARIANA AFGHAN AIRLINES
Afghan Air Authority Building
Ansari Watt, P.O. Box 76
Kabul
Afghanistan
Teletype: KBLODFG

Mr. Christian Steyer
Head of Schedule Publication
**AUSTRIAN AIRLINES,
ÖSTERREICHISCHE LUFTVERKEHRS
AG, DBA AUSTRIAN***
Office Park 2
P.O. Box 100
Vienna
Austria A-1300
Teletype: VIERCOS
E-mail: christian.steyer@austrian.com

Mr. Henry Major
Revenue Manager
BAHAMASAIR HOLDINGS, LIMITED
P.O. Box N-4881
Nassau
Bahamas
Teletype: NASJGUP
E-mail: hmajor@bahamasair.com

Mr. Prote Setsuwan
Vice President - Marketing
BANGKOK AIRWAYS CO. LTD.*
99 Mu 14, Vibhavadirangsit Road
Chom Phon, Chatuchak
Bangkok
Thailand 10900
Teletype: BKKMSPG
E-mail: prote@bangkokair.com

Ms. P. Hackett
BRITISH AIRWAYS P.L.C.*
P.O. Box 365
Waterside
Harmondsworth West Drayton
United Kingdom UB7 0GB
Teletype: LONRSBA

Mr. Andy Gee
Manager, Current Scheduling
**BRITISH MIDLAND AIRWAYS LTD.
DBA BMI***
Donington Hall
Castle Donington
Derby
United Kingdom DE74 2SB
Teletype: EMARCB
E-mail: andy.gee@flybmi.com

Mrs. Carine Van Saene
Manager Schedule Dist.
BRUSSELS AIRLINES N.V.*
Corporate Village
Da Vincilaan 9, Box 4.1
Zaventem
Belgium B-1930
Teletype: BRUPSSN
E-mail: carine.vansaene@brusselsairlines.com

BULGARIA AIR*
1 Brussels Blvd.
Sofia Airport
Sofia
Bulgaria 1540
Teletype: SOFRFCB
E-mail: office@air.bg

Ms. S. Ross-Hitch
Manager, Marketing Services & Systems
CALM AIR INTERNATIONAL LTD.
90 Thompson Drive
Thompson Manitoba
Canada R8N 1Y8
Teletype: YTHMOXH
E-mail: sross-hitch@calmair.com

Mr. Dayanand Birju
Director Network Management
CARIBBEAN AIRLINES LIMITED*
Piarco Airport
P.O. Box 604, Admin. Building
Port Of Spain
Trinidad and Tobago
Teletype: POSSPBW
E-mail: dayanand.birju@caribbean-airlines.com

Mr. Leslie Lu
Operations Manager
CATHAY PACIFIC AIRWAYS LTD.*
8 Scenic Road
Hong Kong Int'l Airport
Lantau
Hong Kong (SAR), China
Teletype: HDQFZCX
E-mail: leslie_lu@cathaypacific.com

Mrs. Marjorie Henriques
MGR. Tariffs
CAYMAN AIRWAYS LIMITED
P.O. Box 1101 GT
Grand Cayman
Cayman Islands
Teletype: MIARSKX
E-mail:
marjoriehenriques@caymanairways.net

Ms. Jenny Tam-Viola
Manager. Tariffs & industry affairs
CEBU PACIFIC AIR
No. 30 EDSA Corner Pioneer Street
Mandaluyong City
Philippines 1550
Teletype: MNLQT5J
E-mail: jenny.tam@cebupacificair.com

Mr. Ben W.F. Huang
CHINA AIRLINES*
7F, 131, Sec 3, Nanking East Rd
Taipei
Chinese Taipei 104
Teletype: TPEBDCI
E-mail: ben.huang@china-airlines.com

Mr. G. Zhengrong
Flight Plan Office
CHINA EASTERN AIRLINES*
No. 2550 Hong Qiao Road
Shanghai
People's Republic of China 200335
Teletype: SHAUFMU

Mr. Damian Manly
CITYJET*
Swords Business Campus
Balheary Road
Dublin
Ireland
Teletype: DUBSPWX
E-mail: damina.manly@cityjet.com

Mr. F. Cojuc
Schedulung Manager
**COMPANIA MEXICANA DE AVIACION
S.A. DE C.V.***
Col. Del Valle
P.O. Box 12-813
Xola 535, Piso 30
Mexico City D.F.
Mexico 03100
Teletype: MEXTLMX

Mr. Sameas
Res. Dept Head
**COMPANIA PANAMENA DE AVIACION,
S.A. (COPA)***
Avenida Justo Arosemena y, Calle 39
Edificio Copa Airlines, P.O. Box 1572
Panama City
Panama 1
Teletype: PTYRZCM

Mr. Tom Mickelson
Schedule Administration
CONTINENTAL AIRLINES, INC.*
1600 Smith Street
Houston Texas
USA 77002
Teletype: LAXGOCO

Mr. K. Ohira
Manager Sched Planning
CONTINENTAL MICRONESIA, INC.*
Ab Won Pat International Airport
P.O. Box 8778 G
Tamuning
Guam 96931
Teletype: GUMSPCS

Mr. R. Ramos
Reservations Manager
CUBANA DE AVIACION S.A.*
Calle 23 No. 64, Vedado, C.P. 10400
La Habana
Cuba 10400
Teletype: HAVRZCU

Mr. E. Kontos
Head of Schedules Planning
CYPRUS AIRWAYS LIMITED*
121 Prodromou Street
Nicosia
Cyprus 1514
Teletype: NICSPCY
E-mail: ekontos@cyprusiar.com.cy

Mr. Jaroslav Filip
Scheduling Manager
CZECH AIRLINES A.S., CSA*
Kolejni 2
Praha 6
Czech Republic 160 00
Teletype: PRGSPOK

Ms. Irina Ioachim
General Manager, Schedule Systems
DELTA AIR LINES INC.*
Dept. 663
P.O. Box 20706
Atlanta Georgia
USA 30320-6001
Teletype: ATLRTDL
E-mail: irina.ioachim@delta.com

Mr. H. Freudenberger
DEUTSCHE BAHN AG
Stephensonstr 1
Frankfurt
Germany 60326
Teletype: FRASS2A

Dr. Jan-Wilhelm Breithaupt
Director
DEUTSCHE LUFTHANSA AG*
Lufthansa Base
Frankfurt/Main
Germany 60546
Teletype: FRAOJLH
E-mail: jan-wilhelm.breithaupt@dlh.de

Mrs. Nahed Hassan
EGYPTAIR*
Cairo International Airport
Cairo
Egypt
Teletype: MUCRMIA
E-mail: industry_aff@egyptair.com

Ms. Avigail Erlich
Scheduling Manager
EL AL ISRAEL AIRLINES LTD.*
P.O. Box 41
Ben Gurion International Apt.
Tel Aviv
Israel 70100
Teletype: TLVCRLY
E-mail: avigaile@elal.co.il

Mr. Murtuza Razvi
Manager Schedule Planning
EMIRATES*
P.O. Box 686
Dubai
United Arab Emirates
Teletype: DXBSPEK
E-mail: murtazarazvi@emirates.com

Mr. P. Veiermann
ESTONIAN AIR*
13 Lennujaama Street
Tallinn
Estonia 11101
Teletype: TLLSYOV

Mr. Destaw Birlce
Manager Route Management
ETHIOPIAN AIRLINES ENTERPRISE*
P.O. Box 1755
Addis Ababa
Ethiopia
Teletype: ADDSPET
E-mail: destawb@ethiopianairlines.com

EUROCYPRIA AIRLINES LTD.
Artemis Building
97 Artemidos Avenue
Larnaca
Cyprus 6308
Teletype: LCAOCUI
E-mail: sales@eurocypria.com

Mr. U. Repschinsky
EUROWINGS AG*
Flugplatz 21
Dortmund
Germany D-44319
Teletype: DTMCDEW
E-mail: stiller@eurowings.de

Mr. Victor Lee
Manager
EVA AIRWAYS CORPORATION*
EVA Air Building
376 Hsin-nan Rd, Sec 1, Luchu
Tao-Yuan Hsien
Chinese Taipei 338
Teletype: TPERSBR
E-mail: victorlee@evaair.com

Ms. A. Alho
Manager, Schedules Information
FINNAIR OYJ*
P.O. Box 15
Vantaa
Finland FIN-01531
Teletype: HELNTAY
E-mail: anja.alho@finnair.com

Mr. Ahmed Yousif Qambar
Head of Commercial Planning
GULF AIR COMPANY G.S.C.*
P.O. Box 138
Manama
Bahrain
Teletype: BAHSPGF
E-mail: ahmed.qamber@gulfair.com

Ms K. Roach
Traffic & CRS Co-ordinator
FIRST AIR
Carp Airport
3257 Carp Road
Carp Ontario
Canada K0A 1L0
Teletype: YOWSP7F
E-mail: kroach@firstair.ca

Mr. Ari A. Mannis
V.P. rev. Mgmt & Schedule Planning
HAWAIIAN AIRLINES, INC.*
3375 Koapaka Street, Suite G-350
Honolulu Hawaii
USA 96819
Teletype: HNLSCHA

Schedule Change Operations
GALILEO INTERNATIONAL
9700 W. Higgins Road
Rosemont Illinois
USA 60018
Teletype: DENSC1V
E-mail: rsmith@galileo.com

HELIJET INTERNATIONAL INC.
5911 Airport Road South
Vancouver International Airport
Richmond British Columbia
Canada V7B 1B5
Teletype: HDQOWJB
E-mail: rickhill@helijet.com

Schedule Change Operations
GALILEO INTERNATIONAL LLC
9700 W. Higgins Road
Rosemont Illinois
USA 60018
Teletype: DENSC1V
E-mail: laura.brady@galileo.com

HI HAMBURG INTERNATIONAL
Obenhauptstrasse 3
Hamburg
Germany 22335
Teletype: HAMHH4R
E-mail: hans.schulze@hamburg-international.de

Mr. S. Pradjanata
Head, Economic Bureau
GARUDA INDONESIA*
P.O. Box 1303, Soekamo-Hatta Airport
Cengkareng, Banten
Bush
Indonesia 19130
Teletype: JKTCZGA

Ms Stanley Kan
General Manager Ground Serv. Dept
HONG KONG AIRLINES LIMITED
Level 2, CNAC House, 12 Tung Fai Road
Lantau, Hong Kong International Airport
Hong Kong
Hong Kong (SAR), China
Teletype: HKGF0CR
E-mail: stephenchan@hkairlines.com

Ms. Monica Steenerson
Director Interline
**GRAND CANYON AIRLINES, INC. DBA
SCENIC AIRLINES**
2705 Airport Drive
Las Vegas Nevada
USA 89032
Teletype: LASRRYR
E-mail: msteenerson@scenic.com

Ms Michelle Gage
Schedules Coordinator
**HYANNIS AIR SERVICE, INC. D/B/A
CAPE AIR**
660 Barnstable Road
Hyannis Massachusetts
USA 02601
Teletype: HDQSI9K
E-mail: mgage@flycapeair.com

Ms. Kjartan Jonson
Director Network Management
ICELANDAIR*
Reykjavik Airport
Reykjavik
Iceland 101
Teletype: REKSPKI
E-mail: kjaertanj@icelandair.is

Mr. Mohammadreza Nosratzadegan
Sr. Manager, Schedule Planning
**IRAN AIR THE AIRLINE OF ISLAMIC
REPUBLIC OF IRAN***
Mehrabad Airport
Tehran
Iran 11369
Teletype: THRSPIR
E-mail: nosratzadegan@iranair.com

Mr. Kazuo Otani
Manager
**JAPAN AIRLINES INTERNATIONAL
CO., LTD.***
4-11, Higashi-Shinagawa 2-Chome
Higashi-Shinagawa
Tokyo
Japan 1408637
Teletype: TYOUPJL

Mr. Djordje Najdanovic
Head of Planning & Scheduling Dept.
JAT AIRWAYS*
Bulevar Umetriosti 16
Belgrade
Serbia 11070
Teletype: BEGSHJU
E-mail: cp_scheduling@jat.com

Mr. G. Satardekar
Manager Reservation
JET AIRWAYS (INDIA) LIMITED*
S.M. Center, Andheri-Kurla Road
Andheri East
Mumbai Maharashtra
India 400059
Teletype: BOMRZ9W
E-mail: gsatardekar@jetairways.com

Schedules Manager
K.D. AIR CORPORATION
Site 225, Comp. 11
R.R. No. 2
Port Alberni British Columbia
Canada V9Y 7L6
Teletype: XQURRB3
E-mail: info@kdair.com

Mr. Phil Mwakitawa
Manager Schedules Planning
KENYA AIRWAYS*
P.O. Box 19002
Nairobi
Kenya
Teletype: NBOCPKQ

Mr. R. G. Van Dommelen
Schedules Publications
KLM ROYAL DUTCH AIRLINES*
P.O. Box 7700
Schiphol Airport
Amsterdam
Netherlands 1117
Teletype: AMSMHKL
E-mail: amsmhkl@klm.com

Ms Yurim Nam
Asst Mgr Reservation Team
KOREAN AIR LINES CO. LTD.*
1370, Gong Hang-Dong
Kang Seo-Gu
Seoul
Korea, Republic of 139723
Teletype: SELRKKE
E-mail: yrn timer@koreanair.com

Mr. S. Al Rashoud
Manager. Ground Handling Agreements
KUWAIT AIRWAYS*
Kuwait International Airport
P.O. Box 528
Safat
Kuwait 13006
Teletype: KWICTKU
E-mail: alameeri@kuwait-airways.net

Mr. Antonio Singo
Scheduling Manager
**LAM – LINHAS AEREAS DE
MOCAMBIQUE***
P.O. Box 2060
Mavalane Airport
Maputo
Mozambique 2060
Teletype: MPMSPTM
E-mail: asingo@lam.co.mz

Mr. R. Valladares
Schedule Planning
LAN AIRLINES S.A.*
Estado 10, Piso 18
Casilla 147-D
Santiago
Chile
Teletype: SCLPILA

Mr. P. Mardones
LAN CHILE CARGO S.A.*
Americo Vespucio 901-Renca
Santiago
Chile
Teletype: SCLRZUC

Mrs. Manolack
Space Control Manager
LAO AIRLINES
02 Pangkham Road
P.O. Box 6441
Vientiane
Lao People's Democratic Republic
Teletype: VTERPQV
E-mail: manolack.space@laoairlines.com

Mr. A. Gruber
Head of Scheduling
LAUDA AIR LUFTFAHRT AG*
P.O. Box 56, Vienna Arpt
Lauda Air Building
Vienna
Austria A-1300
Teletype: VIESPNG

Mr. Daniel Oliver
Director, Marketing & Sales
LIAT (1974) LTD.
P.O. Box 819
V.C. Bird Int'l Airport
Antigua
Antigua and Barbuda
Teletype: ANUARLI
E-mail: oliverd@liatairline.com

Mr. S. Camacho
Mgr. Planning/Pricing/Control
**LINEAS AEREAS COSTARRICENSES
S.A. (LACSA)***
P.O. Box 1531 - 1000
San Jose
Costa Rica 10109
Teletype: SJORZLR
E-mail: lrdir@sol.racsa.co.cr

Mr. Grzegorz Jarczewski
Manager, Scheduling department
LOT – POLISH AIRLINES*
39, 17 Stycznia Str.
Warsaw
Poland 00-906
Teletype: NANSPL0
E-mail: g.jarczewski@lot.pl

Mr. Pascal Reiland
Manager Schedule Planning
LUXAIR*
Luxembourg Airport
Luxembourg
Luxembourg L-2987
Teletype: LUXSPLG
E-mail: pascal.reiland@luxairgroup.lu

Mr. Darman Darwis
Customer Services Mgr. Line Stations &
Development
**MALAYSIA AIRLINE SYSTEM
BERHAD***
Jalan Sultan Ismail
33rd Floor, MAS Building
Kuala Lumpur Wilyahah Persekutuan
Malaysia 50250
Teletype: KULKUMH

Ms. I. Schutz
Operation Directorate
MALEV HUNGARIAN AIRLINES LIMITED*
Ferihegy Airport, C. 202
Budapest
Hungary H-1185
Teletype: BUDSCMA
E-mail: baradziej.karolyne@malev.hu

Mr. T.P. Lin
Senior Manager
MANDARIN AIRLINES LTD.
13th Floor
134 Minsheng E. Road, Sec. 3
Taipei
Chinese Taipei 104
Teletype: TPEQTAE

Scheduling Manager Traffic Dept
MIAT – MONGOLIAN AIRLINES*
Buyant- Ukhua Airport
Ulaanbaatar
Mongolia 210734
Teletype: ULNTTOM
E-mail: miatdpc@magicnet.mn

Mr. B. Antonios
Assistant Manager Scheduling
MIDDLE EAST AIRLINES AIRLIBAN*
P.O. Box 206
Beirut International Airport
Beirut
Lebanon
Teletype: BEYSPME

MOLDAVIAN AIRLINES
Chisinau Airport
Chisinau
Moldova, Republic of MD2026
Teletype: KIVRR2M
E-mail: sales@mdv.md

Mr. Vivek Sharma
Sr. Manager-Traffic Svces.
NACIL, DBA AIR INDIA*
Hansalaya Building 5th Floor
15 Barakhamba Road
New Delhi
India 110001
Teletype: BOMCBAI
E-mail: tshq@airindia.in

Mr. G.B. Mathema
Manager, Schedule & Forecast
NEPAL AIRLINES CORPORATION
RNAC Building Kanti Path
Kathmandu
Nepal 44600
Teletype: KTMMERA
E-mail: schedule@nac.com.np

Mr. Karyl Cogswell
Manager, Schedule Distribution
NORTHWEST AIRLINES, INC.*
5101 Northwest Drive
International Airport
St Paul Minnesota
USA 55111-3034
Teletype: HDQRXNW
E-mail: karyl.cogswell@nwa.com

Mrs. Tracy Howard
MCT Co-ordinator
OAG WORLDWIDE
Church Street
Dunstable Bedfordshire
United Kingdom LU5 4HB
Teletype: LTNABCR

Mrs. EL. Papadiwitriv
Mgr. Res System Support
OLYMPIC AIR*
Athens Int'l Airport
Building 97, 5th km Spata-Loutsa Ave.
Spata
Greece 19019
Teletype: ATHRUOA
E-mail: avail.support@olympic-airways.gr

Mr. G. Varghese
Agency Coordinator
OMAN AIR (SAOG)*
P.O. Box 58, Code 111
Seeb International Airport
Muscat
Oman
Teletype: MCTCXWY
E-mail: nabil@oas.com.om

Mr. Gabriel Kimbrell
President
PACIFIC WINGS, L.L.C.
5950 Berkshire Ln. Ste. 800
Dallas Texas
USA 75225
Teletype: HDQRRLLW
E-mail: gabe@pacificwings.com

Mr. Anjum Amin Mirza
GM Scheduling and routes Planning
**PAKISTAN INTERNATIONAL
AIRLINES***
PIA Building
Quaid-E-Azam International Airport
Karachi
Pakistan 75200
Teletype: KHISPPK
E-mail: khisppk@pic.aero

Mr. Manit Dulyarat
PB AIR COMPANY LIMITED
1001 Samsen Road
Bangkok
Thailand 10300
Teletype: BKKKK9Q
E-mail: 9qbkk@pbair.com

Schedules Manager
PENAIR
6100 Boeing Avenue
Anchorage Alaska
USA 99502
Teletype: HDQSKKS
E-mail: suzettek@penair.com

Ms. Myrna R. dela Cruz
Manager-Airport Planning & Standards
PHILIPPINE AIRLINES, INC.*
7th Floor, PAL Center Building
Legaspi Street, Legaspi Village
Makati City
Philippines 1229
Teletype: MNLKTPR
E-mail: myrna_delacruz@pal.com.ph

Mr. J. Lopes
Schedules, Planning and Analysis
Director
**PORTUGALIA – COMPANHIA
PORTUGUESA DE TRANSPORTES
AEREOS SA***
Aeroporto de Lisboa - Rua C
Edificio 70
Lisbon
Portugal 1749-078
Teletype: LISSPNI
E-mail: schedules@pga.pt

Mr. L. Emmitt
PROVINCIAL AIRLINES
P.O. Box 29030
Hangar No. 4
St Johns
Canada A1A 5B5
Teletype: EMACCAG
E-mail: cash@provair.com

PT. INDONESIA AIRASIA
Graha Aktiva 3-F
J1 H.R. Rasuna Said Blok X1 Kav. 3
Jakarta
Indonesia 191101
Teletype: JKTOPQZ
E-mail: contact@awairairlines.com

Mr. D. Fleming
Manager Yield Support
QANTAS AIRWAYS LTD.*
Qantas Centre, Building A
203 Coward Street - Mascot
Sydney New South Wales
Australia 2020
Teletype: SYDYMZF

Manager Scheduling
QATAR AIRWAYS (Q.C.S.C)*
Qatar Airways Towers
P.O. Box 22550, Airport Road
Doha
Qatar
Teletype: DOHSPQR
E-mail: jlobo@qatarairways.com.qa

REGIONAL COMPAGNIE AERIENNE EUROPEENNE

Aéroport Nantes Atlantique
Bouguenais cedex
France 44345
Teletype: NTECSYS
E-mail: jmthuault@regional.com

Mr. Gregory Aretakis
VP Planning & Revenue Mgmt
**REPUBLIC AIRLINES, INC. DBA
MIDWEST AIRLINES**
6744 S. Howell Avenue
HQ-23
Oak Creek Wisconsin
USA 53154
Teletype: MKESSYX
E-mail: gregory.aretakis@
midwestexpress.com

Mr. M. Kasri
Scheduling Coordinator
ROYAL AIR MAROC*
Aéroport De Casa-anfa
Casablanca
Morocco
Teletype: CMNHRAT
E-mail: ???@royalairmaroc.com

Mr. HJ Zaini Hj Abdul Rahman
Station Manager
ROYAL BRUNEI AIRLINES SDN. BHD.*
P.O. Box 737
RBA Plaza
Bandar Seri Begawan
Brunei Darussalam BS8671
Teletype: BWNKZBI
E-mail: cszainia@rba.com.bn

Mr. Ghanem Abukrayem
Head of Scheduling Section
**ROYAL JORDANIAN (ALIA – THE
ROYAL JORDANIAN AIRLINE)***
P.O. Box 302
Housing Bank Commercial Center
Amman
Jordan 11118
Teletype: AMMSPRJ
E-mail: ghanem.abukrayem@rj.com

Mr. Humberto Amaral
Ops. & Sched. Mgr.
SATA – AIR ACORES*
Av. Infante Henrique 55-2
Ponta Delgada Acores
Portugal 9500
Teletype: PDLRWSP

Mr. O. Y. Abushal
General Manager Airport Services
Programs
SAUDI ARABIAN AIRLINES*
P.O. Box 620
Jeddah
Saudi Arabia 21231
Teletype: JEDKJSV

Mr. Susanne Karlsson
SAS Schedules and Distribution Services
**SCANDINAVIAN AIRLINES SYSTEM
(SAS)***
88 Hedegaardsvej
Copenhagen
Denmark DK 2300
Teletype: CPHRUSK
E-mail: susanne.karlsson@sas.dk

Mr. Santi Lao
General Manager
**SIEM REAP AIRWAYS
INTERNATIONAL**
No. 65, Street. 214 Sangkat Beuong
Rang
Khan Don Penh
Phnom Penh
Cambodia
Teletype: PNHRRFT
E-mail: santi@siemreapairways.com

Mr. Tan Wei Qi
Network Planning Analyst
SINGAPORE AIRLINES LIMITED*
P.O. Box 501
Airmail Transit Centre
Singapore
Singapore 918101
Teletype: SINSPSQ
E-mail: weiqi_tan@singaporeair.com.sg

S. Dabine
Helpdesk/RM
SOCIETE NOUVELLE AIR IVOIRE
01BP 7782
Abijan
Cote d'Ivoire
Teletype: ABJTYVU
E-mail: clo@airivoire.com

Mr. Napoleon Padabela
Sales & Interline Manager
SOLOMON AIRLINES
P.O. Box 23
Honiara Guadalcanal
Solomon Islands
Teletype: HIRSZIE
E-mail: wnee@solair.com.sb

Mr. Sumdu Upatissa
Schedules Planning Manager
SRILANKAN AIRLINES LIMITED*
Level 22, East Tower WTC Building
Echelon Square, Colombo 1
Colombo
Sri Lanka 00100
Teletype: CMBSPUL
E-mail: sumdu.u@srilankan.aero

Mr. M.A. El Rabaa
Sales Superintendent
SUDAN AIRWAYS CO. LTD.*
P.O. Box 253
SDC Bldg. St. 15 New Extension
Khartoum
Sudan
Teletype: KRTSPSD

Mr. C. Cairo
VP Commercial Affairs
SURINAM AIRWAYS LTD.*
Mr. J. Lachmonstraat no 136
P.O. Box 2029
Paramaribo
Suriname
Teletype: PBMDYPY
E-mail: c.cairo@slm.firm.sr

Mr. Renato A. Sinelli
General Manager
**SWISS INTERNATIONAL AIR LINES
LTD DBA SWISS***
ZRHCRX/NRD-SINR
Zurich
Switzerland CH 8058
Teletype: ZRHSPLX
E-mail: renato.sinelli@swiss.com

Mr. Mohammad Jomma
Schedules Manager
SYRIAN ARAB AIRLINES*
P.O. Box 417
Damascus
Syrian Arab Republic
Teletype: DAMSPRB

Mr. A.P. Silva
Schedules Planning Manager
**TAAG – LINHAS AEREAS DE ANGOLA
(ANGOLA AIRLINES)***
Rua Missao 123, P.O. Box 79
Luanda
Angola
Teletype: LADSPDT

Mr. W.J. Handal
V.P. and General Manager
**TACA INTERNATIONAL AIRLINES,
S.A.***
Edificio Caribe, 2 Piso
San Salvador
El Salvador
Teletype: SALTDTA

Passenger & Baggage Handling Proc.
TAP – AIR PORTUGAL*
Apartado 50194
1704-801
Lisbon Codex
Portugal 1704-801
Teletype: LISEETP

Mrs. Laura Nitu
Head Of Network Planning
TAROM – TRANSPORTURILE AERIENE ROMANE S.A.*
Bucuresti, Soseaua, Bucuresti-Ploiesti
KM 16.5, P.O. Box 1-21
Bucharest
Romania 75910
Teletype: BUHSPRO
E-mail: laura.nitu@tarom.ro

TCI SKYKING LIMITED
P.O. Box 398
Providenciales
Turks and Caicos Islands
Teletype: PLSRZRU
E-mail: cmissck@skyking.tc

Mrs R. Pamon-Montri
Managing Director, Customer Services
Dept.
THAI AIRWAYS INTERNATIONAL PUBLIC COMPANY LTD.*
P.O. Box 1075
89 Vibhavadi Rangsit Road
Bangkok
Thailand 10900
Teletype: BKKDKTG
E-mail: tasnai.s@thaiairways.co.th

Ms Veronica Cortez
Scheduling Administrator
TRANS AMERICAN AIRLINES, S.A. TACA PERU*
Av. Comandante Espinar
331 Miraflores
Lima
Peru 18
Teletype: SALRATA
E-mail: vcortez@taca.com

Mr. Wade Cutkump
Manager Scheduling
TRANS STATES AIRLINES, INC.
1149 Natural Bridge Rd
Bridgeton Missouri
USA 63044
Teletype: VIHHQAA
E-mail: wcutkump@transstates.net

Mr. Michael Shchadinskiy
Head of Reservation Control
TRANSAERO AIRLINES*
47, Bolshaya Polyanka Str., Bld. 1
Moscow Perm Region
Russian Federation 119180
Teletype: HDQRMUN
E-mail: mps@transaero.ru

Mr. H. Pfrommer
TRANSAVIA AIRLINES
Westelijke Randweg 3
Luchthaven Schiphol
Amsterdam
Netherlands 1118
Teletype: AMSRCHV
E-mail: pfrommer@transavia.com

Mrs. Georgina De Mello
VP Commercial
TRANSPORTES AEREOS DE CABO VERDE*
Av. Amilcar Cabral
P.O. Box 1
Praia
Cape Verde
Teletype: RAICAVR
E-mail: georgina.demello@tacv.aero

Jimmie Bergquist
President
TRANSWEDE AIRWAYS AB
Landvetter
P.O. Box 2011
Landvetter
Sweden 43811__
Teletype: MMXSPTF
E-mail: jimmie.bergquist@transwede.com

Mr. Maazoul H.
Manager Reservation Control
TUNISAIR*
Boulevard 7 November
Carthage
Tunis
Tunisia 2035
Teletype: TUNRMTU

Mr. Mert Yuzsever
Scheduling Manager
TURKISH AIRLINES INC.*
Genel Mudurlugu
Ataturk Havalimani
Istanbul
Turkey 34 830
Teletype: ISTSPTK

Mr. Ed Domaracki
Sr. Staff Planner. Schedule Publication
UNITED AIRLINES, INC.*
World Headquarters
P.O. Box 66100
Chicago Illinois
USA 60666
Teletype: WHQASUA
E-mail: edmund.domaracki@united.com

Mr. Alexei Fomin
Head Of Int'l Relations and Sales
URAL AIRLINES
6 Sputnikov St.
Ekaterinburg
Russian Federation 620910
Teletype: SVXIUU6
E-mail: fomin@uralairlines.ru

Mr. Dave Scott
Director, Current Schedules
US AIRWAYS, INC.*
CH-PLN
111 W Rio Salado Pkwy
Tampa Arizona
USA 85281
Teletype: PHXSPUS
E-mail: dave.scott@usairways.com

Joe Thompson
GM Airline Planning
VIRGIN ATLANTIC AIRWAYS LIMITED*
Crawley Business Quarter
Manor Royal
Crawley West Sussex
United Kingdom
Teletype: LGWRZVS
E-mail: joe.thompson@flyvirgin.com

Mr. T. Bzerkreim
WIDEROE'S FLYVESELSKAP A.S.*
P.O. Box 131, 6 Vollsveien
Lysaker
Norway N-1325
Teletype: OSLREWF

Schedules Manager
XIAMEN AIRLINES*
22 Dailiao Road
Xiamen
People's Republic of China 361006
Teletype: XMNRTMF
E-mail: ps_flt@xiamenair.com.cn

Mr. Nadheer Al-Abssi
Schedule Change Supervisor
YEMENIA – YEMEN AIRWAYS*
Yemenia Head Office Building, Airport Rd
P.O. Box 1183
Sana'a
Yemen, Republic of
Teletype: SAHRVIY
E-mail: skdl_crc@iy.com.ye



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

to order : International Air Transport Association



www.iataonline.com



custserv@iata.org



+1 800 71 66 32 60



+1 (514) 874 9659