

**Predicting Residential Property Values in Metro Cebu Using Machine Learning with
GIS-Derived Spatial Features**

Presented to the

Faculty of the Data Science Program

Department of Mathematics

School of Sciences, Engineering, And Technology

University of Asia and the Pacific

In Partial Fulfillment of the

Requirements for the Degree of

Bachelor of Science in Data Science

By

Chris Dominic Estreba

May 2026

Approval Sheet

The capstone entitled **Predicting Residential Property Values in Metro Cebu Using Machine Learning with GIS-Derived Spatial Features**, prepared and submitted by **Chris Dominic Estreba** in partial fulfillment of the requirements of the degree of **Bachelor of Science in Data Science**, is approved.

Ms. Kimberly May M. Vallesteros

Faculty in-charge

School of Sciences and Engineering

University of Asia and the Pacific

PANEL

Mr. Randy Marasigan

Capstone Adviser

Ms. Kimberly May M. Vallesteros

Panelist

Mr. Elmer Peramo

Panelist

Abstract

This study developed a residential property valuation framework for Metro Cebu using machine learning and GIS-derived spatial features. The work addressed the gap between administrative benchmarks, lender-driven appraisals, and market-facing price signals by assembling a dataset of open-market residential listings collected from three online property portals. The study covered six local government units: Cebu City, Mandaue City, Lapu-Lapu City, Talisay City, Minglanilla, and Consolacion.

The methodology combined structural, administrative, and geospatial variables. Property records were geocoded, matched with barangay-level BIR zonal values, and enriched with accessibility and neighborhood-context features, including proximity to major economic nodes, amenity access, and a neighborhood price lag. Because property types are priced on very different per-square-meter logics, separate models were fitted for condominiums, houses, and vacant lots. Within each stratum, hedonic regression, Random Forest, and XGBoost were compared under leak-free grouped cross-validation. The tree-based models outperformed the hedonic baseline and performed comparably with each other, and Random Forest was deployed in all three strata for its robustness on small samples.

The deployed models reached a typical error of about 19, 23, and 38 percent (median absolute percentage error) for condominiums, houses, and vacant lots, with location features carrying most of the predictive signal; accuracy was lower and more variable for vacant lots. Outputs were interpreted through SHAP-based explainability and delivered through a web-based decision-support application centered on a predicted residential price surface. The contribution is a locally grounded valuation tool that combines property-level machine learning, spatial feature engineering, and transparent explanation, and is more responsive to urban change than static administrative benchmarks alone.

Acknowledgment

This page is reserved for the acknowledgment.

Contents

Approval Sheet	i
Abstract	ii
Acknowledgment	iii
Table of Contents	iv
List of Tables	ix
List of Figures	x
List of Maps	xi
List of Pictures	xii
List of Appendices	xiii
List of Abbreviations and Acronyms	xiv
Introduction	1
Background of the Study	1
What is Real Estate?	1
Real Estate in Cebu	1
The Problem: How is Price Decided in Cebu?	2
Why Metro Cebu, and Why Now?	3
Ideal Scenario	4
Statement of the Problem	4
Research Questions	5
Significance of the Study	5
Scope and Limitations	6

Scope	6
Limitations	8
Model Selection Rationale	9
Why Not Other Models?	9
Review of Related Literature	10
Purpose	10
Core Concepts and Philippine Context	11
Valuation Foundations	11
Philippine Indices and Administrative Benchmarks	11
Cebu-Specific Empirical Work	11
The Core Problem: Data Scarcity in Emerging Markets	12
Modeling Approaches: Traditional vs. Machine Learning	13
Hedonic Regression	13
Philippine Machine Learning Studies	13
International Evidence: The Tanzania Benchmark	14
Southeast Asian Applications	14
Comparative Reviews	15
Geospatial Feature Engineering in Property Valuation	15
Geocoding and Location Precision	15
Proximity Analysis and Accessibility	16
Accessibility Indexing and OpenStreetMap Support	16
Spatial Autocorrelation and Neighbor Price Effects	17
Implications for Metro Cebu	18
Integrating Value Drivers: Indexing vs. Raw Features	18
Macroeconomic Determinants	19
Compliance and Explainability: IVS 2025	19
Synthesis and Research Gap	20

Bridge to Methodology	21
Methodology	21
Research Design	21
Data Sources	23
Open-Market Listings	24
Administrative and Macroeconomic Data	25
Geospatial Data Sources	25
Target Variable	26
Validation Layer: Human-in-the-Loop	26
Data Pipeline	26
Feature Engineering	29
Geospatial Feature Engineering	30
Pre-processing	32
Modeling Strategy	32
Stratified Models and Per-Stratum Feature Selection	32
Hedonic Equation	34
Evaluation Protocol: Leak-Free Cross-Validation	35
Hyperparameter Tuning	35
Evaluation and Explainability	36
Performance Metrics	36
Benchmark Studies Used for Later Comparison	37
SHAP Explainability	37
Deliverables	38
Web Decision-Support Application	38
Data Understanding	39
Initial Data Collection	39

Data Description (Schema)	39
Initial Data Exploration	40
Data Quality Assessment	45
Data Preparation	47
Scope of Preparation Work	47
Cleaning and Filtering	47
Stratum Split	48
Missing Data Treatment	48
Market Segment Treatment	50
Feature Engineering	50
Encoding and Final Modeling-Ready Matrices	51
Modeling	52
Model Selection Rationale	52
Stratified Fitting and Leak-Free Validation	52
Per-Stratum Feature Sets	53
OLS Hedonic Baseline	54
Random Forest	54
XGBoost	55
Hyperparameter Tuning	55
MCRAI Composite Weight Derivation	56
SHAP Setup	57
Evaluation	57
Evaluation Approach	58
Final Model Comparison	58
Best Model Selection	59
Do the Geospatial Features Help? (Ablation)	60

SHAP Feature Attribution	61
Residual Analysis	65
Benchmark Comparison	65
Results and Discussion	66
Overview of Findings	67
Polycentric Structure in the SHAP Attributions	67
Property-Type Segmentation and the Mactan Submarket	68
MCRAI Findings and the Spatial Sorting Interpretation	69
Comparison to Prior Cebu and Manila Hedonic Literature	70
Model Trade-offs	71
Limitations	72
Conclusions	72
Summary of the Study	72
Answers to the Research Questions	73
Methodological Contribution	75
Practical Contribution	75
Limitations	76
Closing Statement	77
Recommendations	77
Recommendations for Valuation Practice	77
Recommendations for Policy	78
Recommendations for Future Research	79
Recommendations for Deployment	81
Closing Note	82

List of Tables

2	Models Considered but Not Retained in the Study Design	10
3	Dar es Salaam Benchmark Results Reported by Nyanda et al. (2024)	14
4	Open-Market Modeling Strata	23
5	Summary of Data Sources Used in the Thesis Workflow	24
6	Feature Categories Used in the Thesis Workflow	29
7	MCRAI Categories and Search Radii	31
8	Pre-processing Steps Applied to the Modeling Subset	33
9	Performance Metrics Used in Model Evaluation	36
10	Benchmark Studies Used to Contextualize Later Evaluation Results	37
11	Open-Market ABT Composition by Source	40
12	Analytics Base Table Schema by Feature Group	41
13	Property-Type Composition and Median price_per_sqm (Open-Market ABT)	42
14	Overall Zero Rates for Metro Cebu Residential Accessibility Index Fields .	44
15	Major Missingness Patterns in the Open-Market ABT	45
16	Open-Market ABT Split into Modeling Strata	49
17	Final Modeling-Ready Matrices by Stratum	51
18	Stratified Modeling Setup	53
19	Deployed Random Forest Settings by Stratum	55
20	MCRAI Composite Weights (Positive-Coefficient Categories)	57
21	Leak-Free Cross-Validated Comparison by Stratum (Median Absolute Per- centage Error)	59
22	Ablation by Feature Tier (MdAPE, Leak-Free Cross-Validation)	60
A1	Sample Structure of Cleaned Open-Market Listing Records	91
A2	Final Feature Matrix Schema Used for the Modeling Workflow	92
B1	Geographic Distribution of the Final Open-Market ABT by LGU and Prop- erty Type	93

List of Figures

1	Metro Cebu Study Area. The six LGUs in the study scope are shown alongside the eight polycentric CBD nodes used for network-distance feature engineering: Cebu Business Park, Mandaue CBD, Mactan CBD, South Road Properties, Talisay Tabunok, Consolacion, Naga City (anchor only), and Mactan-Cebu International Airport.	7
2	Data pipeline from multi-portal open-market ingestion to the modeling-ready Analytics Base Table and the three modeling strata.	27
3	Distribution of price_per_sqm by property type (outliers hidden). Condominiums commanded the highest unit prices; vacant lots had the lowest, reflecting their land-only composition without built area.	42
4	Distribution of price_per_sqm by LGU for the open-market subset (outliers hidden). Cebu City, Mandaue, and Lapu-Lapu showed the highest median unit prices; Talisay, Minglanilla, and Consolacion formed a lower-price band.	43
5	Top fields by missingness rate in the frozen open-market ABT. Lot area dominated because it was structurally absent in open-market listings rather than randomly missing.	46
6	SHAP Beeswarm Summary for the Deployed Condominium Random Forest	62
7	SHAP Beeswarm Summary for the Deployed House Random Forest	63
8	SHAP Beeswarm Summary for the Deployed Vacant-Lot Random Forest . .	64

List of Maps

No maps have been listed yet.

List of Pictures

No pictures have been listed yet.

List of Appendices

Appendix A

Supporting Materials

List of Abbreviations and Acronyms

ABT	Analytics Base Table
APA	American Psychological Association
BIR	Bureau of Internal Revenue
BSP	Bangko Sentral ng Pilipinas
CBD	Central Business District
CBRT	Cebu Bus Rapid Transit
CRISP-DM	Cross-Industry Standard Process for Data Mining
GIS	Geographic Information System
IVS	International Valuation Standards
LGU	Local Government Unit
MCRAI	Metro Cebu Residential Accessibility Index
OLS	Ordinary Least Squares
OSM	OpenStreetMap
POI	Point of Interest
ROPA	Real and Other Properties Acquired
RPPI	Residential Real Estate Price Index
SHAP	SHapley Additive exPlanations

Introduction

Background of the Study

What is Real Estate?

Real estate sits at the intersection of shelter, commerce, and investment. Under Article 415 of the Philippine Civil Code, immovable property includes land, buildings, and permanent attachments. Unlike many other assets, real estate is both something people use and something people must price, finance, sell, tax, and sometimes defend as collateral.

In practice, a property price is rarely decided by one actor alone. A seller needs a reasonable listing range. A buyer needs to know whether an asking price is defensible. Brokers and agents bring local market knowledge and comparable evidence into negotiations. Banks assess collateral risk. Appraisers estimate value under professional standards. Local government units set administrative benchmarks such as zonal values for taxation. These actors do not all ask the same question, but they all depend on evidence that can make a price range understandable.

Real Estate in Cebu

Cebu has become one of the Philippines' most dynamic regional economies, recording 7.3% growth in 2024 (Philippine Statistics Authority – Central Visayas, 2025). Much of this growth has come from the IT-BPM sector, the expansion of call center activity, and the post-pandemic recovery of tourism, hospitality, and retail. These shifts have fed directly into demand for residential and mixed-use property.

Across Metro Cebu, particularly Cebu City, Mandaue, Lapu-Lapu, Talisay, Minglanilla, and Consolacion, that demand has made the property market notably active. Residential property prices in the area rose by 11.5% in 2025, the highest rate outside the National Capital Region (Bangko Sentral ng Pilipinas, 2025).

That pressure is also being reinforced by infrastructure projects that are changing accessibility across the urban area. The Cebu Bus Rapid Transit (CBRT), the Metro Cebu Expressway, and the continued development of the South Road Properties are likely to

affect land values by altering connectivity, travel times, and the attractiveness of nearby locations. For a valuation study, these spatial shifts matter because they change not only where demand is strongest, but also how quickly older reference points can become less informative.

The Problem: How is Price Decided in Cebu?

Despite this growth, a seller or buyer in Metro Cebu still does not have a simple public source that says what a specific residential property is likely to command in the current market. Instead, pricing is usually assembled from several partial reference points. Each one is useful, but each one answers a different question.

First, broker and agent opinions remain important because they reflect local knowledge of subdivisions, barangays, comparable properties, buyer inquiries, and negotiation conditions. The limitation is not the absence of expertise. The limitation is that this evidence is not always standardized, transparent, or reproducible across practitioners, especially in markets where transaction data are thin or difficult to access. Studies of developing-country valuation problems similarly point to limited and unreliable market information as a major source of valuation difficulty, rather than simply individual professional failure (Ajibola, 2010; Cheloti & Mooya, 2021).

Second, bank appraisals provide formal valuation evidence, but their purpose is tied to lending and collateral risk. A value produced for loan security is useful, but it does not necessarily answer the seller's question of what listing range the current market may tolerate. Third, BIR zonal values and local assessment schedules provide official administrative references, but they are designed primarily for taxation and public assessment. BIR zonal values are not live transaction prices (Bureau of Internal Revenue, n.d.), and Philippine evidence shows that local assessment schedules are not always updated regularly (Otsuka et al., 2023). Fourth, online listings are current and property-level, but they are asking prices rather than verified sale prices, so they contain seller strategy, negotiation buffers, and platform-level noise.

The result is not that existing references are useless. Rather, the problem is that they are difficult to compare because they serve different purposes, follow different assumptions, and update at different speeds. For buyers and sellers, this makes price ranges harder to interpret. For brokers and appraisers, it limits the availability of a common evidence base for explaining judgments. For banks, it complicates collateral assessment. For local governments, it weakens the connection between administrative benchmarks and market-facing price evidence. Metro Cebu therefore has active valuation activity, but still lacks a transparent, spatially detailed reference layer for interpreting property-level residential price evidence.

Why Metro Cebu, and Why Now?

Three converging factors make it timely to build a data-driven decision-support layer for Metro Cebu:

1. **Prices are moving faster than slow references can follow:** When market-facing prices move quickly, administrative benchmarks and older comparable evidence become harder to use without adjustment.
2. **Infrastructure is redrawing the value map:** Projects like the CBRT and the Expressway are restructuring barangay accessibility and desirability. Spatial changes matter because two properties with similar structural features can occupy very different market positions depending on access to employment centers, roads, amenities, and surrounding price levels.
3. **Market-facing and geospatial data can now be organized more systematically:** Online platforms such as Lamudi, open geospatial data, and geocoding tools enable the construction of a property-level dataset without requiring private deed-of-sale records. This does not make the data equivalent to verified transactions, but it does allow market-facing asking-price evidence to be mapped, modeled, and compared more transparently.

Ideal Scenario

The core problem is not that Cebu lacks valuation activity, professional judgment, or local market knowledge. The problem is that these judgments are often made against fragmented references. An ideal decision-support layer would organize observable property attributes, location, nearby amenities, benchmark values, and surrounding market-facing prices in one transparent framework. Such a layer would not replace brokers, banks, appraisers, or government benchmarks. Instead, it would help users see where a property sits relative to observable market evidence and why a model places weight on certain value drivers.

This study therefore does not claim to produce a final appraised market value. It develops a transparent, geospatial decision-support model for interpreting market-facing residential asking-price evidence in Metro Cebu. Delivered through a web application, the model is intended as an additional reference layer that supports professional review and transparent comparison, consistent with valuation-standard concerns around data, inputs, and model explainability (International Valuation Standards Council, 2025).

Statement of the Problem

Decision Problem: How can real estate stakeholders in Metro Cebu compare residential property price evidence more transparently, when broker judgment, bank valuation, government benchmarks, and online listings each serve a different purpose?

Research Problem: These references are difficult to compare at the property level, and no Cebu-specific study identified in the reviewed literature combines property-level asking-price data with geospatial features, such as network distance, MCRAI scoring, and spatial autocorrelation, while also providing a spatial decision-support layer for valuation practice.

Research Questions

1. What value drivers significantly influence residential property prices in Metro Cebu?
 2. Among **Hedonic Regression**, **Random Forest**, and **XGBoost**, which model is most suitable for deployment when balancing out-of-sample accuracy, robustness on small per-stratum samples, and interpretability?
 3. Do **geospatial features**—proximity to economic nodes, MCRAI accessibility measures, and spatial autocorrelation—improve valuation accuracy over a structural-only model, and how does that contribution differ across property types?
 4. How large is the valuation gap between model-implied market-facing residential price estimates and traditional BIR Zonal Values across Metro Cebu?
-

Significance of the Study

Addressing this fragmented evidence problem benefits multiple stakeholders:

1. **Real Estate Brokers and Appraisers:** Provides an additional evidence layer for comparing local market knowledge against structured property, location, and benchmark data. SHAP-based explainability and a web interface can help make the model's reasoning easier to inspect during professional review.
2. **Property Sellers, Buyers, and Investors:** Provides a transparent reference for interpreting whether an asking price appears high, low, or typical relative to observable market-facing evidence. It does not determine the final selling price, but it can make the starting point for discussion more evidence-based.
3. **Banks and Lending Institutions:** Provides supplemental spatial and market-facing evidence that can be compared with collateral-oriented valuation outputs, especially where location and surrounding market conditions materially affect price.

4. **Local Government Units (LGUs):** Maps the divergence between market-facing asking-price evidence and administrative benchmarks, which can help identify where benchmark schedules may require closer review.

This study is significant within the Philippine context because it develops a Cebu-specific, property-level valuation workflow that integrates GIS-based feature engineering with explainable machine learning. While prior Philippine machine learning studies focus on Metro Manila or broader indicator-based approaches, no work identified in the reviewed literature applies geocoded network-distance features, MCRAI scoring, and spatial autocorrelation to property-level residential asking-price data for Metro Cebu. By delivering results through a web application, the study extends predictive analytics into applied decision support for a fragmented local market.

Scope and Limitations

Scope

This study focuses on the residential real estate market within Metro Cebu. While the National Economic and Development Authority (NEDA) defines Metro Cebu as encompassing 13 LGUs, this study operationally scopes “Metro Cebu” to its central urban core: **Cebu City, Mandaue, Lapu-Lapu, Talisay, Minglanilla, and Consolacion**. This constraint supports high data density and robust geospatial analysis, as these six LGUs represent the most active transaction zones and the highest concentration of infrastructure development. Figure 1 shows the spatial extent of this scope and the locations of the eight polycentric CBD nodes used in the model.

The study drew on open-market residential listings from several online property portals, BIR zonal values, geospatial APIs, and road network data. Each source is described in detail in Chapter 3, Section 3.2.

Study Area: Metro Cebu Core Conurbation

**Figure 1**

Metro Cebu Study Area. The six LGUs in the study scope are shown alongside the eight polycentric CBD nodes used for network-distance feature engineering: Cebu Business Park, Mandaue CBD, Mactan CBD, South Road Properties, Talisay Tabunok, Consolacion, Naga City (anchor only), and Mactan-Cebu International Airport.

The study evaluated three predictive models: **Hedonic Regression (OLS)**, **Random Forest**, and **XGBoost** (see Section 1.6 for rationale). To respect the very different price-per-square-meter logics of different property types, the models were fitted separately for condominiums, houses, and vacant lots. Geospatial features were engineered through geocoding, road-network distance, MCRAI scoring, and spatial lag computation. The fitted models were trained on open-market residential listings so that the deployed output stayed aligned with market-facing asking-price evidence.

The study produced an applied deliverable: a web application combining an open-market residential price surface with property-level prediction and explanation.

Limitations

1. **Open-Market Listing Bias:** The deployed model was fitted on open-market listings rather than verified deed-of-sale transactions. This kept the prediction target aligned with market-facing pricing, but it also meant that seller strategy and asking-price noise remained in the data.
2. **Unobserved Heterogeneity:** The model cannot capture qualitative features omitted from listings, such as interior finish quality or views, typically assessed during physical inspections.
3. **Geospatial Approximation:** Addresses are geocoded via Google Maps API, which may introduce minor spatial errors compared to exact lot-parcel shapefiles. Additionally, OSM coverage in peripheral barangays may be less robust than in the urban core.
4. **Temporal Scope:** The analysis provides a cross-sectional snapshot as of late 2025; it does not capture long-term cyclical real estate trends.
5. **Geographic Coverage:** The six selected LGUs represent the urban conurbation but exclude the broader municipalities of Cebu Province.

Model Selection Rationale

This study employs three complementary models that span the interpretability–accuracy spectrum. These model families are common in comparable real estate prediction studies and provide a practical basis for comparing an interpretable hedonic baseline with non-linear tree-based alternatives (Pai & Wang, 2020; Yacim & Boshoff, 2018).

- **Hedonic Regression (OLS)** serves as the interpretable baseline rooted in hedonic pricing theory (Rosen, 1974). OLS produces explicit coefficients for each value driver, making it useful for transparent comparison even when it is not the strongest predictive model. The baseline is extended with a spatial lag term to account for autocorrelation among neighboring properties.
- **Random Forest** (Breiman, 2001) addresses the linearity assumption of OLS by capturing non-linear interactions between value drivers—particularly relevant for Metro Cebu housing data, where structural and locational effects are unlikely to remain linear. Its bagging mechanism also provides robustness against outliers.
- **XGBoost** (T. Chen & Guestrin, 2016) was included as a strong candidate for predictive accuracy: gradient boosting consistently performs well on structured tabular data (Grinsztajn et al., 2022) and integrates natively with SHAP (Lundberg & Lee, 2017) to provide property-level explainability, which supports transparent professional review under valuation-standard concerns. Chapter 7 compares these models using accuracy, robustness, and deployment suitability rather than treating a single error metric as the only basis for selection.

Why Not Other Models?

Several alternatives were evaluated but ultimately set aside:

Table 2*Models Considered but Not Retained in the Study Design*

Model	Rationale for Exclusion
Deep Neural Networks	Require >10,000 labeled samples; the dataset size is insufficient, and global interpretability is sacrificed.
Support Vector Regression	Computationally expensive to tune; poor native interpretability; generally weaker than boosting on tabular data.
LASSO / Ridge	Constrained by linearity assumptions; effectively subsumed by the OLS baseline for this study.

Review of Related Literature

Purpose

This chapter reviews the existing body of knowledge on data-driven property valuation, drawing from both Philippine and international literature. It establishes the theoretical foundations underpinning this study, surveys empirical evidence on machine learning approaches to real estate pricing, and identifies a critical research gap: the absence of a Cebu-specific, property-level, ML-augmented valuation model.

The review moves from valuation concepts and the Philippine setting to the practical constraints that shape valuation work in emerging markets. It then turns to modeling approaches, the use of geospatial features in property valuation, macroeconomic influences, and the compliance issues that matter if these models are to be used in practice. The chapter closes by identifying the specific gap that this study addresses in the Metro Cebu context.

Core Concepts and Philippine Context

Valuation Foundations

Market value is the most probable price under fair, open-market conditions on the valuation date. Market price is the amount actually paid in a specific transaction; the two can differ in practice (Philippine Valuation Standards Council, 2018). Hedonic Pricing Theory, introduced by Rosen (1974), provides the foundational framework for this study. It posits that the price of a differentiated good—such as a house—can be decomposed into a function of its constituent attributes: $P = f(\text{Structural, Locational, Environmental})$. This theory underpins the hedonic regression model used as our interpretive baseline.

Philippine Indices and Administrative Benchmarks

The Bureau of Internal Revenue (BIR) issues zonal values primarily for tax purposes, such as capital gains tax (CGT) and documentary stamp tax (DST). These values are administratively set and are not live market prices (Bureau of Internal Revenue, n.d.). Critically, the Tax Policy Study of 2023 (TPS 2023) found that only approximately 60% of Local Government Units (LGUs) have updated their assessment schedules, meaning zonal values in many areas—including parts of Cebu—are materially outdated.

For market-level context, the Bangko Sentral ng Pilipinas (BSP) publishes the Residential Real Estate Price Index (RREPI), which reported a 7.5% nationwide increase in housing prices in Q2 2025. Metro Cebu posted 11.5%—one of the highest growth rates outside the National Capital Region—reflecting sustained demand driven by IT-BPM, tourism, and infrastructure development (Bangko Sentral ng Pilipinas, 2025).

Cebu-Specific Empirical Work

Agosto (2020) conducted the only Cebu-specific empirical study on land value determinants, surveying 51 real estate practitioners. The study identified transport accessibility as the primary driver of land values, followed by neighborhood quality and

environmental conditions. However, the study was survey-based and did not utilize property-level geocoded data or machine learning methods. That leaves a gap between what Cebu practitioners identify as important and what has actually been tested using property-level data and predictive models.

The Core Problem: Data Scarcity in Emerging Markets

International literature consistently identifies data scarcity—not valuer misconduct—as the primary obstacle to accurate property valuation in developing countries.

- **Kenya:** Cheloti and Mooya (2021) conducted a census survey of 427 registered valuers in Nairobi. “Limited information” was ranked as the primary valuation problem (Mean Rank 2.91), while valuer misconduct ranked last (2.32). They concluded that limited and unreliable information, rather than incompetence, causes valuation problems.
- **Nigeria (Lagos):** Ajibola (2010) surveyed 300 valuers and found that 92.7% cited insufficient market evidence as the primary challenge. Valuation inaccuracy ranged from +24.8% to +51.5%, far exceeding the global norm of $\pm 10\%$.
- **Sub-Saharan Africa:** Becsky-Nagy and Sachicola (2025) conducted a systematic review of property valuation across Sub-Saharan Africa, with a complementary macroeconomic correlation analysis finding a strong negative correlation between urbanization and domestic credit to the private sector ($r = -0.935$). This suggested that financial infrastructure failed to keep pace with rapid urban growth—a pattern relevant to Metro Cebu’s expansion.

Taken together, these studies suggest that valuation error in emerging markets is often rooted less in professional failure than in thin, inconsistent, or inaccessible market

data. That framing matters for this study because it shifts attention from individual appraisal practice to the quality, structure, and availability of the information on which valuation depends.

Modeling Approaches: Traditional vs. Machine Learning

Hedonic Regression

Classical hedonic regression models decompose property price into a function of structural and locational attributes, typically in a log-linear form (Malpezzi, 2003; Rosen, 1974). Spatial econometrics extends this framework by incorporating neighborhood effects and spatial autocorrelation (Anselin, 1988). For the Philippines, Dann et al. (2020) applied hedonic and spatial models to Metro Manila data (2000–2010) and found that structural variables, environmental quality, and spatial spillovers all significantly explain price variation.

Philippine Machine Learning Studies

More recent Philippine work incorporates machine learning:

- **Viray (2023)** compared Multiple Linear Regression with Random Forest for predicting property prices in Central Pangasinan, combining BIR zonal values, BSP RPPI, and construction cost indices. The tree-based model achieved a lower prediction error.
- **Ramolete et al. (2023)** demonstrated that incorporating government indicators improves ML valuation accuracy, achieving a MAPE of 10–21% with larger, cleaner datasets.
- **Perdio et al. (2023)** tested linear models against gradient boosting on Manila listings, finding gradient boosting superior after feature selection.

International Evidence: The Tanzania Benchmark

The most directly relevant international study is Nyanda et al. (2024), who tested eight ML algorithms on approximately 954 residential properties in Dar es Salaam—a sample size close to that of the individual property strata in this study (condominiums 1,300, houses 1,223, and vacant lots 849).

Table 3

Dar es Salaam Benchmark Results Reported by Nyanda et al. (2024)

Model	MAPE
Neural Network	108.6% (failed due to overfitting on small data)
Random Forest	52.7%
XGBoost	48.0%

Given a sample size close to that of this study, the Tanzania study is useful less as a fixed benchmark than as a caution about model choice under limited data conditions. In that setting, tree-based models performed more reliably than deep learning architectures, which were more prone to overfitting. For a dataset of roughly 1,000 observations, the evidence points toward Random Forest and XGBoost as more defensible starting points than neural networks.

Southeast Asian Applications

Work from Southeast Asia points in a similar direction. In Indonesia, Wibowo et al. (2023) found that adding macroeconomic and spatial variables, including coordinates and amenity proximity, improved residential price prediction in Surabaya. In Malaysia, Ja’afar and Mohamad (2021) showed that Random Forest best captured the value contribution of heritage characteristics for pre-war shophouses in Penang, outperforming

more conventional regression approaches. While these studies come from different property contexts, they suggest that in fast-changing urban markets, spatial information is not just supplementary detail but part of the valuation signal itself.

Comparative Reviews

Review studies suggest that this is not an isolated pattern. Grinsztajn et al. (2022) found that tree-based ensembles such as Random Forest and XGBoost remain highly competitive with, and often outperform, deep learning on structured tabular data. Moreno-Foronda et al. (2025) and Sharma et al. (2024) likewise report strong performance from XGBoost in house price prediction tasks. SHAP-based explainability (Lundberg & Lee, 2017), meanwhile, can narrow the interpretability gap between less transparent ML models and more conventional hedonic approaches.

Geospatial Feature Engineering in Property Valuation

For residential property, location is not a secondary attribute. It shapes accessibility, neighborhood quality, exposure to surrounding land uses, and connection to the wider urban system. Tobler's First Law of Geography, that near things tend to be more related than distant ones (Tobler, 1970), provides a clear basis for treating spatial relationships as part of the valuation problem rather than as background context.

Geocoding and Location Precision

Geocoding matters in this study because the dataset begins with imperfect addresses rather than parcel-level coordinates. Converting those addresses into latitude and longitude makes the later proximity, amenity, and neighborhood calculations possible. Services such as the Google Maps Geocoding API are widely used for this purpose because they can handle incomplete or inconsistently formatted addresses while still producing coordinates precise enough for urban spatial analysis (Google LLC, 2025). In the present study, Google Maps served as the primary geocoder for property records, while

the OpenStreetMap road graph supported later routing and network-distance calculations.

For open-source alternatives, **OpenStreetMap (OSM)** via the Nominatim geocoder provides community-maintained geospatial data at no cost. While OSM coverage varies by region, urban areas in the Philippines—particularly Metro Cebu—have benefited from coverage by the local OpenStreetMap community and humanitarian mapping initiatives (Humanitarian OpenStreetMap Team, 2024). This study employs Google Maps API as the primary geocoding engine for address-to-coordinate conversion, while OpenStreetMap supports the road-network layer used in accessibility computation.

Proximity Analysis and Accessibility

Distance-based features—proximity to commercial centers, transportation hubs, schools, and employment nodes—are robust value drivers in hedonic pricing literature (Malpezzi, 2003; Rosen, 1974). While straight-line distance remains a common baseline in urban studies (Sinnott, 1984), current valuation workflows increasingly rely on road-network distance because it better reflects actual accessibility. This thesis follows that later approach, using network distance as the standard measure with Haversine distance only as a fallback when routing is unavailable.

Agosto (2020) confirmed that transport accessibility is the primary driver of land values in Cebu, followed by neighborhood quality. For Metro Cebu, proximity to polycentric economic nodes—including Cebu Business Park, Mandaue, Mactan, South Road Properties, Tabunok, Consolacion, Naga City, and the airport area—provides measurable value signals that are more defensible than a monocentric CBD assumption.

Accessibility Indexing and OpenStreetMap Support

Beyond direct point-to-point distances, the density and diversity of nearby amenities provides a richer description of neighborhood quality. The Python library `osmnx` enables programmatic access to OSM data for both network analysis and amenity retrieval, and has been used in property valuation research to generate proximity features from road networks and point-of-interest counts (Boeing, 2017, 2019).

In the Philippine setting, the use of OpenStreetMap cannot simply be assumed. Alvarez et al. (2021), through Project OHANA, provide more locally relevant support for its use by showing that OSM data can sustain nationwide amenity accessibility analysis in the country. Their work does not eliminate data quality concerns, but it does suggest that OSM is sufficiently robust to support spatial analysis of the kind required in this study. In the final thesis workflow, that support role is paired with external point-of-interest inventories rather than treated as the sole amenity source.

Spatial Autocorrelation and Neighbor Price Effects

A critical consideration in property valuation is **spatial autocorrelation**: properties located near each other tend to have similar prices, violating the independence assumption of standard regression (Anselin, 1988). This phenomenon is well-documented: housing prices exhibit positive spatial dependence because neighboring properties share the same schools, transportation access, environmental quality, and market conditions.

Two approaches address spatial effects in modeling:

1. **Spatial Lag Model (SLM)**: Includes a spatially weighted average of neighboring property prices as an independent variable, directly capturing the effect of nearby market conditions on a property's value.
2. **Moran's I Statistic**: A diagnostic measure of global spatial autocorrelation (Moran, 1950). A statistically significant positive Moran's I in the residuals of a non-spatial model indicates that spatial effects are present and should be incorporated.

This study incorporates a **spatial lag variable**—the mean price of properties within a defined radius—as a feature in the ML models. This operationalizes Tobler's law within the predictive framework without imposing the parametric constraints of formal spatial econometric models.

Implications for Metro Cebu

This matters in Metro Cebu because value shifts are unlikely to be evenly distributed across the urban area. Infrastructure projects such as the CBRT and Metro Cebu Expressway, uneven amenity access, and strong variation across neighborhoods all create spatial differences that a purely structural model would miss. In that sense, geospatial feature engineering is not an optional enhancement but a way of making the valuation model more responsive to how the city is actually changing.

Integrating Value Drivers: Indexing vs. Raw Features

A critical challenge in geospatial ML models is how to operationalize distance metrics. Agosto (2020) identified transport accessibility and neighborhood quality as the primary value drivers in Cebu based on practitioner surveys. To integrate these findings into a machine learning pipeline, raw geospatial distances (e.g., Euclidean distance to the nearest hospital, school, or mall) are often insufficient on their own, as they can suffer from multicollinearity—a scenario where multiple distance variables are highly correlated with one another, complicating the model’s feature importance weights.

Recent work suggests that raw distance variables are often too fragmented to stand on their own. Rey-Blanco et al. (2024), for example, show that accessibility indices built from point-of-interest data can improve housing price prediction in both hedonic regression and Random Forest models. Grouping individual distances and counts into broader measures such as transit accessibility or commercial density can preserve the locational signal while reducing overlap across variables. For this study, that approach provides a practical way to translate Agosto’s (2020) qualitative value drivers into features that can be used consistently in the model.

Macroeconomic Determinants

While structural and locational attributes shape the price of an individual property, broader macroeconomic conditions influence the direction of the market as a whole.

Nworah et al. (2023), in their study of real estate investment performance in Lagos from 2005 to 2022, found that exchange rate movements and inflation were both significantly associated with real estate outcomes.

- **Exchange Rate vs. Real Estate:** $r = -0.925$ (the strongest predictor).
- **Inflation vs. Real Estate:** $r = -0.508$ (significant but weaker).

In the Philippine case, that relationship is plausibly tied to remittance flows as well. In 2024, OFW remittances reached USD 38.3 billion nationally, and when the peso weakens, remitted income converts into more pesos. For households in Cebu, that can strengthen purchasing power and feed housing demand, which helps make sense of the 11.5% property price growth reported for Metro Cebu. The point is not that exchange rates alone explain local price movement, but that broader macro conditions can shape the direction and intensity of demand.

A macro control such as the **BSP RPPI quarterly index** is therefore relevant in principle, following Udomsap and Abid (2020), who confirmed that interest rates and macroeconomic conditions are significant determinants of housing prices.

Compliance and Explainability: IVS 2025

The International Valuation Standards (2025), effective January 31, 2025, introduced two critical new chapters relevant to data-driven valuation:

- **IVS 104 (Data and Inputs):** Mandates that data used in valuations must be Accurate, Complete, Timely, and Transparent. Sources must be traceable from their origin (“provenance requirement”).

- **IVS 105 (Valuation Models):** Explicitly states that “*No model without the valuer applying professional judgement can produce an IVS-compliant valuation.*”

Automated Valuation Models (AVMs) must be tested, transparent, and paired with professional review.

For this study, the IVS revisions matter in two practical ways.

1. **SHAP Values for Transparency:** This study employs SHAP (SHapley Additive exPlanations) to provide both global feature importance (“Which value drivers affect Metro Cebu prices most?”) and local explanations (“This Mactan condominium is higher-valued because of stronger accessibility and locational advantages, but lower floor area pulls the estimate down.”). This satisfies IVS 104’s transparency requirement.
2. **Human-in-the-Loop Validation:** Licensed real estate brokers from the CPRE network are engaged to review model outputs, satisfying IVS 105’s professional judgement mandate. This makes the model a *decision-support tool*, not a replacement for the appraiser.

Synthesis and Research Gap

Taken together, the literature points to four recurring themes. First, valuation work in emerging markets is persistently constrained by data scarcity and uneven market information. Second, for small to mid-sized tabular datasets, tree-based machine learning models tend to perform more reliably than deep learning approaches. Third, spatial features such as proximity, accessibility measures, and neighborhood effects add information that conventional structural variables alone do not capture. Fourth, any model intended for valuation practice still has to remain transparent enough to support professional review under IVS 2025.

What remains missing is a Cebu-specific study that brings those strands together using property-level data. Prior Philippine ML studies focus on Metro Manila (Dann et al., 2020; Perdio et al., 2023), Central Pangasinan (Viray, 2023), or broader indicator-based approaches rather than property-level modeling (Ramolete et al., 2023). The only Cebu-specific study identified here, Agosto (2020), is valuable in showing what practitioners regard as important, but it is survey-based and does not test those factors using observed property data.

This thesis addresses that gap by developing a Metro Cebu valuation model that combines open-market listings from multiple online portals, tree-based machine learning, geospatial feature engineering, SHAP-based explainability, and professional review. The aim is not to replace appraisal judgement, but to produce a more transparent and spatially grounded decision-support tool for the local market.

Bridge to Methodology

Chapter 3 builds on this review by showing how those ideas are translated into data sources, engineered features, model comparisons, and evaluation procedures for Metro Cebu. In other words, the next chapter moves from what the literature suggests to how those insights are operationalized in this study.

Methodology

Research Design

This study used a quantitative, non-experimental design to model residential property values in Metro Cebu. The analysis was predictive in that it estimated prices from observed property characteristics, and prescriptive in that the results were later organized for spatial decision support. The training target was the price per square meter

of each property (*price_per_sqm*), log-transformed as *log_price* for model fitting. A per-square-meter target was used because it places condominiums, houses, and bare lots on a comparable unit basis and reduces the distortion that raw total price introduces when property sizes differ widely. Predicted unit prices were multiplied by floor or lot area to recover a total price in Philippine Peso for reporting. The independent variables included structural, geospatial, and administrative features. Macroeconomic indicators were reviewed during study design but were not retained in the final fitted specification.

Rather than fitting one model across all property types, the study estimated three separate models, one for each property stratum: condominiums, houses, and vacant lots. This stratified design responded directly to a problem identified during the earlier defense: a single model trained on mixed property types must reconcile price-per-square-meter levels that differ several times over—vertical condominium space, built houses, and bare land are priced on different logics—which inflates error and blurs interpretation. The hedonic literature supports this choice, finding that housing markets are segmented by the sorting of heterogeneous households and that stratified models fit better than pooled ones (Dröes et al., 2019; Usman et al., 2020). Splitting the data by property type let each model learn the value structure of its own market segment. The strata sizes are shown in Table 4.

Within each stratum, three supervised learning approaches were compared in order to balance interpretability and predictive performance, while also testing whether GIS-derived and administrative variables improved the model beyond structural features alone:

1. **Ordinary Least Squares (OLS) / Hedonic Regression:** An interpretable baseline grounded in Hedonic Pricing Theory (Rosen, 1974). Coefficients carried direct economic meaning (e.g., “each additional bedroom adds PHP X to value”). OLS was retained as a diagnostic comparator rather than the deployed model.
2. **Random Forest Regressor:** A tree-based ensemble that captured non-linear relationships and feature interactions without requiring explicit specification

Table 4*Open-Market Modeling Strata*

Stratum	Rows	Scope note
Condominium	1,300	Vertical residential units
Houses	1,223	Single Detached, House and Lot, Townhouse
Vacant Lot	849	Bare land, area 80–2,000 sqm, price $\geq \frac{1}{2}$ BIR zonal
Total	3,616	Open-market listings only

(Breiman, 2001). The Random Forest was the deployed model in all three strata.

3. **XGBoost Regressor:** A gradient boosting algorithm optimized for predictive accuracy on structured tabular data (T. Chen & Guestrin, 2016). It was evaluated under the same protocol as a second tree-based candidate (Nyanda et al., 2024).

Data Sources

Because direct deed-of-sale transaction records are not publicly accessible in the Philippines, the study used open-market online listings as the closest available proxy for current residential prices. Listings represent asking prices rather than settled transactions, but at scale they capture pricing patterns that are often missing from sparse official records (Sousa et al., 2024). To widen coverage and reduce dependence on any single platform's inventory, listings were collected from several property portals rather than one site.

Table 5 summarizes the data sources and their roles.

Table 5*Summary of Data Sources Used in the Thesis Workflow*

Source	Role	Volume	Nature
Open-Market Listings	Training label source	Lamudi, FilipinoHomes, DotProperty (3,616 rows)	Asking / market-facing
BIR Zonal Values	Administrative benchmark	Per barangay	Static / regulatory
Google Maps APIs	Geocoding and POI retrieval	Per property	Geospatial / dynamic
OpenStreetMap Road Network	Routing and network topology	Per property / destination pair	Geospatial / open data

Open-Market Listings

To represent current asking prices in the residential market, the study collected listings from public online property portals. These listings became the training scope for the deployed price-surface model, and they were gathered in two phases.

The first phase scraped Lamudi, the largest portal in the study, in two scraper generations. An initial collector used the *requests* library with HTML parsing for bulk retrieval. After Lamudi deployed a JavaScript challenge and CAPTCHA wall that blocked the bulk collector, a second browser-based scraper built on Playwright was added to recover the remaining listings. Together these yielded 1,578 listings from the bulk phase and 270 from the anti-bot browser batch.

The second phase widened coverage to two additional portals: FilipinoHomes,

accessed through its backend JSON interface, which returned precise embedded coordinates for 1,203 listings; and DotProperty, which contributed 565 listings geocoded from their barangay-level address text. A fourth portal, OnePropertee, was scraped but dropped from the final dataset after its records were found to contaminate the model: its per-square-meter prices were frequently mis-extracted and its listings were geocoded to city centroids, which together produced large, systematic over-predictions on its rows. After merging, de-duplication, and the integrity filters described in Section 3.3, the open-market Analytics Base Table held 3,616 rows. A sample of the cleaned listing structure is documented in Appendix A.

Administrative and Macroeconomic Data

- **BIR Zonal Values:** Official zonal values per barangay, used as administrative benchmark features and as the basis for the derived valuation-gap diagnostic (Bureau of Internal Revenue, n.d.).
- **RPPI Review:** The BSP residential price index was reviewed during study design as a possible macro-control, but it was not retained in the final fitted specification (Bangko Sentral ng Pilipinas, 2025). The deployed model is cross-sectional and listing-level, so quarterly RPPI movements were not joined as an active model feature in the final ABT.

Geospatial Data Sources

- **Google Maps Geocoding API:** Converted property addresses into latitude/longitude coordinates and supported reverse geocoding of barangay names for the BIR join (Google LLC, 2025).
- **Google Maps Places API:** Supplied the raw point-of-interest inventories that were later curated into the MCRAI amenity categories.
- **OpenStreetMap Road Network:** Provided the street graph used for network-distance computation through the *osmnx* workflow (Boeing, 2017, 2019).

In the final implementation, OSM was used for routing and network topology rather than as the primary POI source.

Target Variable

The predictive task of the thesis is the estimation of open-market residential price. The target variable was *price_per_sqm*, fitted on the log scale as *log_price*; predictions were back-transformed and multiplied by area to recover total price for reporting and for the OLS baseline comparison.

The complete feature matrix schema is documented in Appendix A.

Validation Layer: Human-in-the-Loop

Licensed real estate brokers from the CPRE network were included as a validation layer, not to replace statistical evaluation, but to check whether the model outputs remained plausible within local market practice. Their role was limited to two tasks:

1. **Sanity Check:** Reviewing SHAP-derived value driver rankings against practitioner knowledge.
2. **Outlier Review:** Examining cases with high prediction error to distinguish likely data issues from genuine market anomalies.

Data Pipeline

The data preparation process proceeded through the stages summarized in Figure 2 and described below, implemented in Python.

1. **Ingestion:** Open-market listings were collected from Lamudi (bulk *requests* scraper plus a Playwright browser scraper), FilipinoHomes (backend JSON interface), and DotProperty (portal listings).




Figure 2

Data pipeline from multi-portal open-market ingestion to the modeling-ready Analytics Base Table and the three modeling strata.

2. **Filtering:** The dataset was restricted to residential properties within Metro Cebu—Cebu City, Mandaue City, Lapu-Lapu City, Talisay City, Minglanilla, and Consolacion—using point-in-polygon checks against the six LGU boundaries.
3. **Parsing, Cleaning, and De-duplication:** Price and area fields were normalized across portals (currency symbols and commas stripped; rows without explicit numerical prices dropped). Distressed and mortgage-assumption listings (for example, “for assume” or “pasalo” postings, which quote loan balances rather than market value) were removed. Duplicate listings were collapsed on coordinate, price, and area, and a spatial cap limited the number of listings per location cell. A per-stratum price-per-square-meter sanity band removed area-entry errors and extreme mispricing.
4. **Geocoding (Address to Coordinates):** Property addresses were batch-geocoded through the Google Maps Geocoding API to obtain latitude and longitude. The service was selected for project-level address resolution in Metro Cebu, where listings often reference barangays, landmarks, or compound descriptors rather than

standardized street-number formats. Results were cached locally to avoid redundant API calls. FilipinoHomes listings carried precise embedded coordinates and bypassed text geocoding.

5. **BIR Zonal Value Extraction and Barangay Join:** Official BIR zonal value schedules were sourced from the Revenue District Office files covering the six-LGU study area. A custom parser extracted street-level values by residential classification code and aggregated them to the barangay level as the median per classification. Each property was assigned a barangay through reverse geocoding, which served as the join key to the BIR summary table, yielding *bir_zonal_rr_median* coverage across the open-market ABT.
6. **GIS Augmentation:** From geocoded coordinates, the geospatial feature set described in Section 3.4.1 was computed: road-network distances to eight polycentric and regional anchor nodes; category-specific MCRAI component scores derived from curated amenity inventories; the *mcrai_composite*; and a spatial lag variable capturing the mean price of neighboring same-type properties within 500 m. Network shortest paths were computed on the OSM road graph, with Haversine fallback only when a point could not be snapped cleanly to the network.
7. **Final ABT Assembly and Stratum Split:** All engineered features were merged into a single Analytics Base Table and saved as a flat CSV. The modeling-ready subset was produced by dropping rows with null *price_per_sqm* or *spatial_lag_price*, applying integrity flags, and then splitting into the condominium, house, and vacant-lot strata for separate model fitting.

Tools: Python (Pandas, NumPy, Scikit-learn, XGBoost, Statsmodels, Requests, Playwright, OSMnx), and the Google Maps Geocoding and Places APIs.

Feature Engineering

Table 6

Feature Categories Used in the Thesis Workflow

Category	Features	Source
Structural	Lot Area, Floor Area, Bedrooms, Bathrooms, Property Type, imputation flags	Listing portals
Locational	City, Barangay, Latitude/Longitude	Google Maps API
Geospatial	Network distance to Cebu Business Park, Mandaue CBD, Mactan CBD, SRP, Talisay, Tabunok, Consolacion, Naga City, and Airport	Geocoding + OSM road network
MCRAI	Eight component scores (education, grocery, health, hospitals, recreation, security, tourism, retail density) plus <i>mcrai_composite</i>	Places API POI inventory + network routing
Spatial Lag	Mean price of neighboring same-type properties within 500 m	Computed from data
Administrative	BIR zonal-value features per barangay	BIR schedules
Metadata	Source and market-segment fields retained in ABT but excluded from the fitted feature matrix	Engineered

Engineered variables: *price_per_sqm*, *valuation_gap* (a diagnostic field, not a model feature), and derived log-price terms for the modeling target and baseline regression. The listing *source* field was kept in the ABT for auditing but excluded from the feature matrix, because it is not available at prediction time for a new property.

Geospatial Feature Engineering

Geospatial feature construction was the part of the method that most directly connected the valuation model to the urban structure of Metro Cebu. Rather than treating location as a background descriptor, this stage translated network accessibility, amenity access, and neighborhood context into variables that could enter the model explicitly.

1. **Geocoding and Administrative Join:** Property addresses were geocoded through the Google Maps Geocoding API to obtain coordinates, then reverse-geocoded to recover barangay names for the BIR zonal-value join described in Section 3.3. Results were cached locally to preserve API quota and ensure repeatable downstream feature construction.
2. **Network Distance Features:** For each property, shortest-path road distances were computed to eight polycentric and regional anchor nodes: Cebu Business Park, Mandaue CBD, Mactan CBD, South Road Properties, Talisay Tabunok, Consolacion, Naga City, and Mactan-Cebu International Airport. This node set followed the thesis' polycentric framing of Metro Cebu and retained both internal subcenters and major external anchors that shape residential accessibility gradients (Giuliano & Small, 1991). These road-network distances also carry the transport-accessibility signal in the model, which is why transport was not retained as a separate amenity category. Distances were computed on an OpenStreetMap street graph using the OSMnx workflow (Boeing, 2017, 2019). When a property or destination could not be snapped cleanly to the network, a Haversine fallback was used so that valid observations were not dropped from the ABT.
3. **Metro Cebu Residential Accessibility Index (MCRAI):** Amenity access was operationalized through the Metro Cebu Residential Accessibility Index (MCRAI), a custom gravity-style accessibility framework adapted to local valuation practice. Category-specific point inventories were assembled from Google Maps Places

queries and cleaned into eight categories: education, grocery, health, hospitals, recreation, security, tourism, and retail density. Following Hansen-style accessibility logic, nearer opportunities contribute more strongly than farther opportunities (Hansen, 1959). For property i and category c , the category score was computed as:

$$MCRAI_{ic} = \sum_{j \in c} \frac{1}{\max(d_{ij}, 0.5)^\beta}, \quad \beta = 2,$$

where d_{ij} is the road-network distance in kilometers from property i to amenity j , floored at 0.5 km to prevent singular values for immediately adjacent points. Each category was evaluated only within its designated search radius r_c , reflecting the fact that some amenities operate at neighborhood scale while others serve wider urban catchments.

Table 7

MCRAI Categories and Search Radii

Category	Representative POIs	Radius (km)
Education	Schools, universities	2.5
Grocery	Supermarkets, wet markets	2.0
Health	Clinics, primary care	2.0
Hospitals	General and specialty hospitals	5.0
Recreation	Gyms, sports complexes, parks, beaches	1.5
Security	Police substations, fire stations, barangay halls	2.0
Tourism	Hotels, resorts, transient lodging	3.0
Retail Density	Restaurants, cafes, bakeries, convenience stores	1.0

The *mcrai_** component scores were available individually, and a separate *mcrai_composite* was retained as a summary index. The composite combined the positive-coefficient OLS categories—education, grocery, and recreation—with weights of 0.447, 0.345, and 0.222 respectively. Transport accessibility was moved to the road-distance features above, and finance was retired from the framework because no comparable Southeast Asian hedonic study treats banking proximity as a standalone residential amenity category. For categories that correlated negatively with price, the preferred interpretation is spatial sorting or threshold externality rather than direct residential amenity value generation (Bayer & McMillan, 2012; W. Y. Chen & Jim, 2010; Dronyk-Trosper, 2017; Song & Knaap, 2004; Tiebout, 1956; Yang et al., 2016).

4. **Spatial Lag Variable:** To capture neighborhood price effects, *spatial_lag_price* was computed as the mean price of other *same-type* properties within a 500 m neighborhood of each target property. Restricting the neighborhood to the same stratum kept the comparison like-for-like, and the 500 m radius matched the micro-scale at which the MCRAI amenity signals operate. Properties with no same-type neighbor within this radius received a null lag and were excluded from model fitting. This variable operationalized Tobler’s First Law of Geography in a form that could be used directly by the regression and tree models (Tobler, 1970).

Pre-processing

Modeling Strategy

Stratified Models and Per-Stratum Feature Selection

Each property stratum was fitted separately, and the feature set for each stratum was trimmed using evidence from the exploratory analysis rather than kept identical

Table 8*Pre-processing Steps Applied to the Modeling Subset*

Step	Method	Rationale
Integrity Filtering	Remove rows with null <i>price_per_sqm</i> , null <i>spatial_lag_price</i> , or explicit integrity flags	Keeps the modeling subset consistent with the final pipeline
Log Transformation	Apply log transform to <i>price_per_sqm</i> to form the modeling target	Reduces right skew while keeping a per-unit target
Missing Values	Median imputation for remaining numeric fields; explicit zeros for structurally absent or all-null fields	Preserves usable rows while handling sparse engineered fields
Encoding	Dummy encoding for city and property type	Required for the fitted design matrix while keeping barangay for joins and reporting

across all three. The trimming drew on variance inflation factors, OLS coefficient significance, leave-one-block ablation, and MCRAI zero-rate checks. This produced a methodological contribution of its own: the model recognizes that different property types are priced by different geospatial structure.

All three strata dropped the redundant BIR log and commercial-zonal columns and the two road-class distance features, which added little once the eight node distances were present. The condominium and house models then collapsed the eight individual MCRAI categories into the single *mcrai_composite*, because for built homes the categories were strongly inter-correlated (roughly 0.57 to 0.96) and behaved as one accessibility summary. The vacant-lot model kept six individual MCRAI categories (education, grocery, health, hospitals, recreation, tourism), which were informative for bare land, but dropped the composite (which was collinear with its own components), security (an uneven data layer with a high zero rate), and retail density (near-zero correlation with lot price). The net feature counts were 21 for condominiums, 24 for houses, and 22 for vacant lots, at accuracy comparable to the fuller feature sets. The plain reading is that built homes are summarized well by one accessibility index, while bare land responds to specific kinds of amenity access.

Hedonic Equation

The hedonic regression took the following log-linear form for the baseline comparator within each stratum:

$$\begin{aligned} \ln(\text{price_per_sqm}_i) = & \alpha + \beta_1 \ln(\text{area}_i) + \beta_2(\text{bedrooms}_i) + \beta_3(\text{bathrooms}_i) \\ & + \beta_4(\text{distance-to-node features}_i) + \beta_5(\text{MCRAI features}_i) \\ & + \beta_6(\text{BIR zonal features}_i) + \beta_7(\text{spatial lag}_i) + \epsilon_i \end{aligned}$$

The dependent variable is the log of price per square meter (*log_price*), consistent with the training target used for OLS, Random Forest, and XGBoost. Predicted unit prices are back-transformed and multiplied by area to recover total price before the

business-facing figures are reported. In this form, the hedonic model retains its interpretive structure while allowing administrative and spatial variables to enter directly into the price equation. This makes it possible to compare a more conventional valuation framework with the tree-based models without stripping out the locational features that are central to the study.

Evaluation Protocol: Leak-Free Cross-Validation

Model quality was estimated with five-fold grouped cross-validation (GroupKFold), where the groups were coordinate clusters. Listings that shared the same location were forced into the same fold so that a property used in training could not reappear, in near-identical spatial form, in the test fold. This guarded against the coordinate leakage that would otherwise flatter a spatial model, since the spatial lag and neighborhood features can make co-located listings look almost like copies of one another. All reported headline metrics were computed out-of-fold under this protocol.

Hyperparameter Tuning

For the tree-based models, a parameter grid was searched under the same grouped cross-validation, with the median absolute percentage error as the selection criterion. The Random Forest grid covered the number of trees, the share of features considered at each split, the minimum samples per leaf, and the maximum depth; the XGBoost grid covered the number of trees, learning rate, depth, and subsample. The per-stratum best settings were recorded in the deployment manifest. The tuning curves were close to flat across the search range, which indicated that the models were not very sensitive to these settings at this data size, and the deployed parameters sat at or near the defaults.

Evaluation and Explainability

Performance Metrics

The headline metrics were the median absolute percentage error (MdAPE) and the share of predictions within 20 percent of the actual price (PE20), because they describe how the model does for a typical property and resist distortion from a small number of extreme misses. Mean absolute percentage error (MAPE), the coefficient of dispersion (COD), and the price-related differential (PRD) were retained as supporting diagnostics, with COD and PRD reported in the spirit of assessment ratio studies. The study does not claim compliance with IAAO ratio-study standards; those thresholds are used only as context.

Table 9

Performance Metrics Used in Model Evaluation

Metric	Description	Purpose
MdAPE	Median Absolute Percentage Error	Headline; typical-property error, robust to outliers
PE20	Share of predictions within 20% of actual	Headline; plain-language accuracy rate
MAPE	Mean Absolute Percentage Error	Supporting; comparable across studies but tail-sensitive
COD	Coefficient of Dispersion	Supporting; uniformity of the ratio of predicted to actual
PRD	Price-Related Differential	Supporting; checks for regressivity (under/over-valuing by price level)

Table 10*Benchmark Studies Used to Contextualize Later Evaluation Results*

Study	Context	MAPE	Use in This Thesis
Ramolete et al. (2023)	Philippines, larger dataset	10–21%	Closest Philippine reference point; used for a like-for-like comparison under a matched split in Chapter 7.
Nyanda et al. (2024)	Tanzania, $n \approx 954$	48%	Small-sample emerging-market benchmark for the later evaluation chapter.

Benchmark Studies Used for Later Comparison***SHAP Explainability***

SHAP was used to interpret model outputs at both the dataset and property level, which was important to keep the results reviewable in valuation practice and consistent with international valuation standards on transparency (International Valuation Standards Council, 2025).

- **Global SHAP (Summary Plots):** Identified which value drivers affected Metro Cebu property prices most across each stratum. This answered RQ1 (“What value drivers significantly influence property prices in Metro Cebu?”).
- **Local SHAP (Force Plots):** Explained individual predictions. For example: *“This Mactan condominium is predicted higher because of stronger neighborhood prices and accessibility, but the smaller floor area pulls the estimate down.”*

This helped keep the model interpretable enough to function as a support tool

rather than a purely opaque prediction system. In practical terms, the model was evaluated not only by how accurately it predicted price, but also by whether its outputs could still be examined and discussed in terms that practitioners could understand.

Deliverables

Web Decision-Support Application

The main applied output of the study was a web-based decision-support application that organized model results across Metro Cebu. Rather than presenting results only as tables or summary statistics, the application was designed to show how predicted values, valuation-gap diagnostics, and locational patterns were distributed across the study area:

1. **Predicted Price Layers:** Point or surface outputs summarizing predicted open-market residential values across Metro Cebu.
2. **Valuation-Gap Diagnostics:** Comparison layers showing the divergence between model-based values and BIR zonal benchmarks.
3. **Supporting Locational Layers:** CBD-node, road-network, and amenity-accessibility context used to interpret the price surface geographically.

The application used a TypeScript and Leaflet front end for the map interface, backed by a Python (FastAPI) service that ran the exact deployed Random Forest models for inference, so that no modeling logic was reimplemented on the client side. In practical use, the application centered on a predicted residential price surface for Metro Cebu while also supporting property-level prediction checks and SHAP-based explanation views. Its purpose was to make the model easier to inspect, both geographically, by comparing values across locations, and at the level of individual predictions and their underlying value drivers.

Data Understanding

This chapter covers the CRISP-DM data understanding phase for the frozen analytics base table (ABT). The goal here is simple: describe what the data looks like, where it is strong, and where it still has issues. This chapter does not discuss preprocessing or modeling steps. Those are covered in Chapter 5 and later chapters.

Initial Data Collection

The frozen open-market ABT had 3,616 rows and 51 columns. It collected open-market residential listings from several online property portals into one file.

Table 11 shows the source mix. Lamudi was the largest contributor, through a bulk scraper and a later browser-based batch that recovered listings after the site added an anti-bot wall. FilipinoHomes and DotProperty widened the coverage and reduced dependence on any single portal.

The ABT covered six LGUs: Cebu City, Mandaue City, Lapu-Lapu City, Talisay City, Minglanilla, and Consolacion. Naga City stayed as a CBD distance anchor but was not a training LGU. Cebu City and Lapu-Lapu City together held the largest share of rows, reflecting the concentration of online residential listings in the core and island submarkets.

Data Description (Schema)

The ABT columns can be grouped into eight blocks. The table below gives the main groups and their purpose.

Three columns are key for this thesis flow. First, *price_per_sqm* is the target variable. Second, *valuation_gap* is a diagnostic field based on *price_per_sqm* and the BIR residential benchmark. Third, the MCRAI block keeps both the eight category-level scores and the *mcrai_composite* score. The earlier finance category was retired and

Table 11*Open-Market ABT Composition by Source*

Source	Rows	Share	Role in ABT
Lamudi (bulk)	1,578	43.6%	Arm's-length asking-price listings
FilipinoHomes	1,203	33.3%	Listings with precise embedded coordinates
DotProperty	565	15.6%	Listings geocoded from barangay text
Lamudi (browser batch)	270	7.5%	Anti-bot recovery batch
Total	3,616	100.0%	Frozen open-market ABT

transport accessibility was moved to the road-distance features, so the framework now carries eight amenity categories.

This schema also shows why the ABT was not yet a final model matrix at this stage. Some fields were complete and stable, like CBD distances. Other fields depended heavily on source behavior, especially structural housing fields.

Initial Data Exploration

Initial exploration focused on target distribution, property-type mix, geographic spread, and accessibility coverage. The open-market *price_per_sqm* distribution was right-skewed, with a first quartile near PHP 47,500, a median near PHP 82,000, and a third quartile near PHP 152,000, with a long upper tail. This skew is why the modeling target was log-transformed.

Table 12*Analytics Base Table Schema by Feature Group*

Feature Group	Representative Columns	Count	Role in Chapter 4 description
Identifiers and provenance	property_id, source, geocode_source, market_segment	6	Row identity and source provenance
Structural and flags	property_type, area_sqm, floor_area_sqm, lot_area_sqm, bedrooms, bathrooms, imputation flags	10	Physical attributes and structural sparsity
Location and scope	city, latitude, longitude, barangay_geocoded	4	Study-area placement
CBD-distance features	Eight dist variables for CBP, Mandaue, Mactan, SRP, Tabunok, Consolacion, Naga, and Airport	8	Network access to polycentric anchors
Administrative zonal fields	bir_zonal_rr_median, bir_zonal_cr_median, bir_zonal_rc_median, bir_zonal_rr_log	4	BIR benchmark linkage
Target and derived price fields	price_php, price_per_sqm, log_price, valuation_gap, price_outlier_flag	5	Target, transform, and diagnostics
Spatial context	spatial_lag_price	1	Neighbor-price context
MCRAI accessibility fields	Eight category scores plus mcrai_composite	9	Accessibility coverage summary
Total	Full ABT schema	51	Frozen chapter reference file


Property-type composition is shown in Table 13. Condominiums were the largest class, and vacant lots had far lower median unit prices than vertical or built housing types. This mix is exactly why the study modeled the property types separately rather than pooling them.

Geographic spread in the open-market subset was uneven. Cebu City had the highest median unit price at about PHP 113,600 per square meter, followed by Mandaue City at about PHP 96,100 and Lapu-Lapu City at about PHP 92,100. Talisay City, Minglanilla, and Consolacion formed a lower-price band, with medians between about PHP 47,100 and PHP 56,800 per square meter. The premium open-market signal therefore

Table 13*Property-Type Composition and Median price_per_sqm (Open-Market ABT)*

Property Type	Rows	Share	Median price_per_sqm
Condominium	1,391	38.5%	PHP 163,473
Vacant Lot	924	25.6%	PHP 29,106
House and Lot	856	23.7%	PHP 72,169
Single Detached	259	7.2%	PHP 80,000
Townhouse	184	5.1%	PHP 57,900
Apartment	2	0.1%	PHP 160,363

Counts are for the full open-market ABT before the per-stratum scope filters applied in Chapter 5.

**Figure 3**

Distribution of price_per_sqm by property type (outliers hidden). Condominiums commanded the highest unit prices; vacant lots had the lowest, reflecting their land-only composition without built area.

stayed concentrated in the core and island submarkets rather than the peripheral suburban LGUs. The CBD-distance matrix also showed that several southern-corridor distances moved together closely, an early warning that the linear baseline would later need a collinearity check even though the nodes remained substantively meaningful.




Figure 4

Distribution of price_per_sqm by LGU for the open-market subset (outliers hidden). Cebu City, Mandaue, and Lapu-Lapu showed the highest median unit prices; Talisay, Minglanilla, and Consolacion formed a lower-price band.

Table 14 shows that MCRAI coverage was generally strong, but not uniform. Education, the composite, tourism, and grocery had very low zero rates, while security and retail density had higher zero rates. The higher security zero rate, concentrated unevenly across LGUs, was one reason that category was later dropped from the vacant-lot model.

A rank-based exploratory check on the open-market subset showed that location and accessibility fields aligned positively with unit price, while several size-related structural fields moved in the opposite direction. The BIR residential benchmark and the MCRAI composite were positively associated with *price_per_sqm*, while floor area, bedrooms, and bathrooms were negatively associated with it. This does not mean the target was inverted. It reflects the arithmetic of a per-square-meter target and the

Table 14*Overall Zero Rates for Metro Cebu Residential Accessibility Index Fields*

MCRAI Field	Zero Rate	Exploratory Reading
mcrai_security	26.6%	Security infrastructure was absent in many residential catchments
mcrai_retail_density	15.8%	Retail and food density improved after query expansion but was not universal
mcrai_recreation	12.0%	Recreation coverage was broad but thinner in some peripheral locations
mcrai_health	10.0%	Clinic access was uneven across the six-LGU scope
mcrai_grocery	4.3%	Grocery access was near-universal in the final file
mcrai_hospitals	3.1%	Hospital catchments were broad given the 5 km radius
mcrai_tourism	1.5%	Tourism and hospitality nodes were almost always observed
mcrai_education	0.3%	Education access was effectively complete in the final file
mcrai_composite	0.2%	Positive-weight composite coverage was effectively complete

composition of the sample: compact condominiums in Cebu City and Lapu-Lapu City tend to command higher PHP per square meter, while larger detached homes and land-oriented listings more often sit in lower-density submarkets where total asking price can still be high but price per square meter is lower. Consistent with this reading, the same structural variables remained positively associated with total asking price.

Data Quality Assessment

Data quality checks looked at missingness, integrity, source differences, and external-data contamination issues that were fixed before freeze.

Table 15

Major Missingness Patterns in the Open-Market ABT

Field	Share Null	Reading for Chapter 5
lot_area_sqm	100.0%	Structural source absence; open-market listings carry floor area, not lot area
bir_zonal_rc_median	35.6%	Some residential-condominium zonal classes were missing by location
barangay_geocoded	22.4%	Location granularity remained uneven for vague addresses
bedrooms	18.2%	Mostly portal field gaps; imputed for condominiums and houses
bathrooms	17.5%	Mostly portal field gaps; imputed for condominiums and houses
bir_zonal_cr_median	9.1%	Some commercial zonal classes missing by location
spatial_lag_price	3.8%	Neighbor-based context unavailable for a small edge subset
price_per_sqm / valuation_gap	3.2%	Target derivation incomplete for a small subset
floor_area_sqm / area_sqm	2.5%	Residual portal incompleteness

The largest missingness issue was structural. Lot area was fully missing in the open-market file because listings report floor area rather than lot area; this reflects a source limitation, not random noise, and it is the reason the vacant-lot model relies on lot size while the other strata use floor area. The bedroom and bathroom gaps were concentrated

in portal listings and were median-imputed with audit flags for the condominium and house strata, while vacant lots carried no bedroom or bathroom fields at all.




Figure 5

Top fields by missingness rate in the frozen open-market ABT. Lot area dominated because it was structurally absent in open-market listings rather than randomly missing.

The ABT also kept soft outlier flags separate from hard integrity drops. The soft *price_outlier_flag* marked extreme unit prices without removing them automatically, while a smaller set of implausible rows was hard-dropped during cleaning. Source differences were also clear: combining several portals introduced source-level price effects, which is recorded as a limitation in Chapter 9 because the source field cannot be used at prediction time.

Another issue was fixed before freeze in the POI pipeline. Earlier runs had a bounding-box bug that allowed out-of-scope points to pass the LGU filter. The corrected freeze removed this contamination before final MCRAI recomputation.

Overall, the ABT at this stage was rich and usable for analysis, but still not model-ready in raw form. It had strong geospatial and benchmark coverage, but also source-driven structural gaps, a few implausible rows, and clear differences in price behavior across submarkets. Chapter 5 explains how these findings were handled in data

preparation.

Data Preparation

This chapter covers the CRISP-DM data preparation phase for the frozen analytics base table (ABT). Chapter 4 described the condition of the data. This chapter explains what was done to turn that file into a modeling-ready dataset. The focus here is on filtering, missing-data treatment, feature engineering, encoding, and the stratum split used by the modeling script.

Scope of Preparation Work

The preparation work produced a frozen open-market ABT of 3,616 rows for the six-LGU study scope: Cebu City, Mandaue City, Lapu-Lapu City, Talisay City, Minglanilla, and Consolacion. Naga City stayed in the system only as a CBD distance anchor through *dist_naga_city_m*; it was not part of the training LGU set.

This open-market ABT was assembled from several listing portals: Lamudi (1,578 from the bulk scraper and 270 from the later browser-based anti-bot batch), FilipinoHomes (1,203), and DotProperty (565). A fourth portal, OnePropertee, was scraped but dropped after its records were found to contaminate the model with mis-extracted per-square-meter prices and centroid-level geocoding. The merge, de-duplication, distressed-listing removal, and price-band filters that reduced the raw scrape to the final 3,616 rows are documented in the data-collection funnel and summarized in Chapter 4.

The goal of this phase was to turn that frozen ABT into the exact matrices used by the stratified modeling pipeline. This meant keeping the ABT as the reference file, then applying integrity filters and splitting the data by property type for separate model fitting.

Cleaning and Filtering

The cleaning that produced the open-market ABT followed the valuation basis of the thesis. Open-market listings represent the closest available proxy to Market Value in

the IVS sense (International Valuation Standards Council, 2025).

Several filters were applied during the multi-portal cleaning step. Distressed and mortgage-assumption listings, which quote loan balances rather than market value, were removed by keyword. Duplicate listings were collapsed on coordinate, price, and area, and a spatial cap limited the number of listings per location cell so that a few dense clusters could not dominate a stratum. A per-stratum price-per-square-meter sanity band removed area-entry errors and extreme mispricing. One condominium record was dropped because it was a misclassified house-sized unit.

The remaining model-requirement filters were tied to the target and the spatial-lag feature. Rows with a null *price_per_sqm* were removed because the target could not be computed, and rows with a null *spatial_lag_price* were removed because the neighborhood-price feature was part of the final design. After all filtering, the open-market ABT held 3,616 rows across the cleaned residential taxonomy: Condominium, House and Lot, Townhouse, Single Detached, and Vacant Lot.

Stratum Split

The modeling-ready data was split into three strata for separate model fitting, because condominiums, houses, and vacant lots are priced on very different per-square-meter logics. Table 16 shows the resulting sizes.

The vacant-lot stratum used an additional scope filter, keeping lots between 80 and 2,000 square meters with a price of at least half the BIR zonal value, to exclude commercial-scale parcels and obvious data errors.

Missing Data Treatment

Missing-data treatment followed the practical pattern of the project: keep the file usable, preserve meaning when possible, and avoid inventing information that the sources

Table 16*Open-Market ABT Split into Modeling Strata*

Stratum	Rows	Membership
Condominium	1,300	Vertical residential units
Houses	1,223	Single Detached, House and Lot, Townhouse
Vacant Lot	849	Bare land within the lot scope filter
Total modeled	3,372	Rows entering the three strata

Note. The three strata sum to 3,372 of the 3,616 open-market rows. The 244-row difference falls across all three strata (about 91 condominiums, 78 houses, and 75 lots) and comes from the model-requirement filters: rows with a null target or a null spatial-lag value (no same-type neighbor within 500 m), plus vacant lots removed by the lot scope filter (area outside 80–2,000 sqm or price below half the BIR zonal value).

did not provide.

The first structural decision involved size variables. The thesis used *area_sqm* as the main size feature, with floor area preferred when available and lot area used as fallback. This mattered because vacant lots are priced on land area while condominium listings are priced on floor area. Vacant lots carried only this size field; they had no bedroom or bathroom attributes, and none were imputed for them.

For condominiums and houses, bedrooms and bathrooms were sometimes missing and were median-imputed, with audit flags retained so imputed values stayed visible. In the condominium stratum, 242 rows had an imputed bedroom value and 146 an imputed bathroom value; in the house stratum, 39 rows had an imputed bedroom value and 62 an imputed bathroom value. After filtering and encoding, any remaining numeric nulls were

median-imputed as a final safeguard, and structurally absent columns were filled with zero rather than imputed.

Market Segment Treatment

The deployed task of the thesis was the estimation of open-market residential prices, and the dataset was made up of open-market listings only. The deployed map therefore estimates open-market residential price levels across Metro Cebu; it does not estimate forced-sale or administrative floor-price values.

Feature Engineering

Most of the heavy feature engineering had already been completed before this chapter, but Chapter 5 still had to decide which engineered fields would enter each stratum's matrix.

The project kept the eight network-distance variables: Cebu Business Park, Mandaue CBD, Mactan CBD, SRP, Talisay Tabunok, Consolacion, Naga City, and Airport distances. For accessibility, the ABT carried eight category-level Metro Cebu Residential Accessibility Index (MCRAI) fields plus the *mcrai_composite*. The older *amenity_score_** fields had already been dropped because they duplicated the same concept with a weaker formulation, and the retired finance category and transport category were removed, with transport accessibility represented through the road-network distances instead.

The *spatial_lag_price* field, the mean price of other same-type properties within 500 meters, was treated as a required engineered feature rather than an optional one. Rows with a null spatial lag were removed during filtering instead of being imputed.

As described in Chapters 3 and 6, the feature set was then trimmed per stratum from exploratory evidence. All three strata dropped the redundant BIR log and

commercial-zonal columns and the two road-class distance features. The condominium and house models used the single MCRAI composite, while the vacant-lot model used six individual MCRAI categories and dropped the composite. The OLS baseline used a slightly tighter set within each stratum, replacing the raw area fields with a log-area term and removing variables that were collinear with adjacent CBD-distance terms, to keep the hedonic coefficients stable.

Encoding and Final Modeling-Ready Matrices

The final preparation step converted each stratum into model matrices. City and property type were one-hot encoded with *drop_first = True*. After encoding and numeric-null handling, the retained feature counts were 21 for condominiums, 24 for houses, and 22 for vacant lots, as summarized in Table 17. Instead of a single train-test split, model quality was estimated with five-fold grouped cross-validation by coordinate cluster, so that co-located listings could not leak across folds.

Table 17

Final Modeling-Ready Matrices by Stratum

Stratum	Rows	Features	Validation
Condominium	1,300	21	GroupKFold (5)
Houses	1,223	24	GroupKFold (5)
Vacant Lot	849	22	GroupKFold (5)

Overall, the data preparation phase was conservative. It applied a small number of defensible filters, preserved the main valuation signals, kept the matrices complete enough for model fitting, and split the data by property type. Chapter 6 discusses how these prepared matrices were used in OLS, Random Forest, and XGBoost.

Modeling

This chapter covers the CRISP-DM modeling phase for the prepared open-market dataset. Chapter 5 described how the training data was assembled. This chapter explains how the three models were specified, fit, and validated within each property stratum in the current pipeline. Detailed evaluation results are discussed in Chapter 7.

Model Selection Rationale

The study used three models because each one served a different role. Ordinary Least Squares (OLS) was the interpretable hedonic baseline rooted in implicit-price theory (Rosen, 1974). Random Forest was included because it can capture non-linear relationships and feature interactions without a fixed functional form (Breiman, 2001). XGBoost was included because gradient boosting usually performs well on structured tabular data (T. Chen & Guestrin, 2016). Chapter 3 introduced these models conceptually; the focus here is the fitting setup used in the saved implementation.

Stratified Fitting and Leak-Free Validation

Rather than fitting one model across all property types, the pipeline split the open-market data into three strata and fit a separate set of models for each: condominiums (1,300 rows), houses (1,223 rows), and vacant lots (849 rows). All models used the same target, *log_price*, the log of price per square meter, which kept the training target consistent across OLS, Random Forest, and XGBoost. Predictions were back-transformed and multiplied by area to recover total price for reporting.

Model quality was estimated with five-fold grouped cross-validation (GroupKFold), where the groups were coordinate clusters. Listings that shared a location were kept together in the same fold, so a property could not appear in both training and test folds in near-identical spatial form. This was a deliberate guard against coordinate leakage, which would otherwise flatter a spatial model whose neighborhood and

spatial-lag features make co-located listings resemble copies of one another. All headline metrics in Chapter 7 were computed out-of-fold under this protocol. A separate analysis re-ran the models under a conventional random 80:20 split to compare against an external benchmark study; that comparison is reported in Chapter 7 and is not the basis for the deployed metrics.

Table 18*Stratified Modeling Setup*

Item	Value	Notes
Strata	3	Condominium, Houses, Vacant Lot
Condominium rows	1,300	Fitted separately
House rows	1,223	Fitted separately
Vacant-lot rows	849	Fitted separately
Validation	GroupKFold (5)	Groups = coordinate clusters (leak-free)
Random seed	42	Reproducible fitting and folds
Common supervised target	log_price	Log of price per square meter

Per-Stratum Feature Sets

The feature matrix was not identical across strata. As described in Chapter 3, each stratum's features were trimmed from evidence (variance inflation factors, OLS significance, leave-one-block ablation, and MCRAI zero rates). All three strata dropped

the redundant BIR log and commercial-zonal columns and the two road-class distance features. The condominium and house models then collapsed the eight individual MCRAI categories into the single *mcrai_composite*, while the vacant-lot model kept six individual MCRAI categories but dropped the composite, security, and retail density. The resulting feature counts were 21 for condominiums, 24 for houses, and 22 for vacant lots.

The tree-based models used each stratum's full retained feature set. The OLS baseline used a slightly tighter version within each stratum, removing variables that were highly collinear with adjacent CBD-distance terms and replacing raw area fields with a log-area term, so the baseline followed a stable log-linear hedonic form. These tighter controls were a stability choice for coefficient interpretation, not a claim that the dropped columns lacked predictive value, since tree splits tolerate redundant and correlated predictors more easily.

OLS Hedonic Baseline

Within each stratum the OLS baseline was fit in *statsmodels* on the log price-per-square-meter target. It was the most constrained specification of the three because it had to remain stable enough for coefficient interpretation. Heteroscedasticity and non-normal residuals were treated as diagnostic issues for the OLS comparator and addressed with robust (HC3) standard errors; they were not blockers for the deployed tree models. OLS was retained as an interpretable comparator and as the basis for screening the MCRAI category signs, not as the deployed model.

Random Forest

The Random Forest was the deployed model in all three strata, fit with *scikit-learn's RandomForestRegressor* using 300 trees (Breiman, 2001). The per-stratum

settings selected under grouped cross-validation are listed in Table 19. No scaling step was applied before fitting, since tree models are invariant to monotone feature scaling.

Table 19

Deployed Random Forest Settings by Stratum

Stratum	Trees	Max features	Min samples / leaf
Condominium	300	0.7	1
Houses	300	1.0	2
Vacant Lot	300	1.0	1

Maximum depth was left unbounded in all three strata.

XGBoost

The XGBoost comparator was fit with the *XGBRegressor* implementation from the *xgboost* package (T. Chen & Guestrin, 2016), on the same per-stratum feature sets and the same *log_price* target as the Random Forest. This kept the comparison fair across the two tree-based models. As Chapter 7 reports, XGBoost performed comparably to the Random Forest in every stratum but did not surpass it.

Hyperparameter Tuning

For the tree-based models, a parameter grid was searched under the same grouped cross-validation, with the median absolute percentage error as the selection criterion so that tuning stayed aligned with the headline deployment metric. The Random Forest grid covered the number of trees, the share of features per split, the minimum samples per leaf,

and the maximum depth; the XGBoost grid covered the number of trees, learning rate, depth, and subsample. The tuning curves were close to flat across the search range, which indicated that the models were not very sensitive to these settings at this data size, and the deployed parameters sat at or near the defaults. The per-stratum hyperparameter sweep figures are included in the appendix material in [EDA/plots/11_hyperparameter_tuning/](#).

MCRAI Composite Weight Derivation

The MCRAI composite was built from the OLS coefficient signs rather than by forcing all categories into one additive score. It retained only the positive-coefficient household-access categories and renormalized them into a three-part weight vector: 0.447 for education, 0.345 for grocery, and 0.222 for recreation. Transport accessibility was represented separately through the road-network distance features rather than as a composite category, and finance was retired from the framework.

The remaining categories, including security, tourism, and retail density, were not used in the composite because their OLS coefficients were negative or near zero, which is interpreted in Chapter 8 as spatial sorting rather than direct disamenity. The condominium and house models used the composite as their single accessibility summary, while the vacant-lot model used the individual categories instead, because for bare land the categories were not interchangeable.

To avoid rank deficiency, the composite and its component categories were not used together in the same model: the condominium and house models used the composite, and the vacant-lot model used the individual components.

Table 20*MCRAI Composite Weights (Positive-Coefficient Categories)*

Category	Weight	Role in the Current Workflow
mcrai_education	0.447	Composite (condo/house) and standalone feature (lot)
mcrai_grocery	0.345	Composite (condo/house) and standalone feature (lot)
mcrai_recreation	0.222	Composite (condo/house); not retained for lots

SHAP Setup

SHAP was configured after model fitting for the deployed Random Forest in each stratum using *shap.TreeExplainer* (Lundberg & Lee, 2017). The explainer was applied to each stratum's data, mean absolute SHAP values were computed by feature, and per-stratum beeswarm summaries were exported. Because the OLS baseline already had an interpretable coefficient structure, SHAP was not needed for that part of the pipeline. The SHAP step served as the technical bridge between model fitting and the explainability analysis discussed in Chapters 7 and 8.

Evaluation

This chapter presents the CRISP-DM evaluation phase for the final set of fitted models. Chapter 6 explained how the OLS baseline, Random Forest, and XGBoost were specified and trained within each property stratum. The focus here is the leak-free cross-validated evidence used to judge model quality, select the production model, and examine the error pattern of the retained model. Broader interpretation of what these

results mean for Metro Cebu valuation practice is reserved for Chapter 8.

Evaluation Approach

All reported metrics were computed out-of-fold under five-fold grouped cross-validation, with coordinate clusters as the groups, so that co-located listings could not appear in both training and test folds. Predictions were made on the log price-per-square-meter target, then back-transformed; percentage errors were computed on the per-square-meter scale.

The study led with two headline metrics and kept three more as supporting diagnostics. The median absolute percentage error (MdAPE) measured the error for a typical property and was chosen as the headline because, unlike the mean, it is not dragged around by a small number of extreme misses. The proportion of predictions within 20 percent of the actual price (PE20) gave a plain-language accuracy rate that a practitioner could read directly.

The mean absolute percentage error (MAPE) was retained as a supporting metric because it is the figure most other studies report, which makes cross-study comparison possible, though it is sensitive to the error tail. The coefficient of dispersion (COD) measured how tightly the ratio of predicted to actual price clustered, and the price-related differential (PRD) checked whether the model valued cheaper and more expensive properties even-handedly. COD and PRD are reported in the spirit of assessment ratio studies; the thesis does not claim compliance with IAAO ratio-study thresholds, and those values are used only as context.

Final Model Comparison

Table 21 presents the head-to-head comparison of the three approaches within each stratum. The pattern was consistent across property types: the two tree-based models clearly beat the OLS hedonic baseline, by roughly five to six percentage points of

MdAPE, and the Random Forest edged out XGBoost in all three strata by a small margin. The gap between Random Forest and XGBoost was narrow enough to call the two comparable, with Random Forest the modest winner.

Table 21

Leak-Free Cross-Validated Comparison by Stratum (Median Absolute Percentage Error)

Stratum	OLS	Random Forest	XGBoost	PE20 (RF)	PRD (RF)
Condominium	24.5	19.3	19.8	51%	1.21
Houses	25.1	22.7	23.6	44%	1.20
Vacant Lot	44.8	38.4	40.2	26%	1.48

MdAPE values per model; PE20 and PRD shown for the deployed Random Forest. Supporting diagnostics for the Random Forest: condominium COD 37.7 / MAPE 36.5; houses COD 35.8 / MAPE 35.1; vacant lot COD 55.9 / MAPE 58.3.

The OLS baseline trailed the tree models in every stratum, which confirmed that a linear hedonic specification was useful as an interpretable comparator but was not the best predictive option for this data. The condominium and house models reached a typical error near 19 and 23 percent, while the vacant-lot model was clearly the hardest, with a typical error near 38 percent. That ordering is revisited in the residual analysis below.

Best Model Selection

The Random Forest was selected as the production model in all three strata. It posted the lowest MdAPE of the three approaches in every stratum, and it did so while remaining the simpler tree model to deploy and maintain, since it depends only on scikit-learn and is less sensitive to parameter choices than gradient boosting at this data size. Because the Random Forest advantage over XGBoost was small, the deployment

decision is framed honestly as “Random Forest best or tied, deployed for robustness and simplicity” rather than as a decisive accuracy win.

The comparison also showed a clear division of roles. OLS remained the interpretable hedonic benchmark used for coefficient-based reference and for grounding the MCRAI composite weights. The tree models were the stronger predictors. The evaluation phase therefore retained the Random Forest as the production estimator for each stratum while keeping OLS as the econometric baseline.

Do the Geospatial Features Help? (Ablation)

To test whether the engineered geospatial features earned their place, each stratum’s Random Forest was refitted in three tiers under the same folds: structural features only; then adding administrative location (city and BIR zonal value); then adding the full geospatial set (node distances, MCRAI, spatial lag). Table 22 reports the change in typical error.

Table 22

Ablation by Feature Tier (MdAPE, Leak-Free Cross-Validation)

Stratum	Structural	+ Administrative	+ Geospatial
Condominium	24.9	23.0	19.3
Houses	27.1	22.3	23.0
Vacant Lot	51.5	42.3	38.6

Compared with a structural-only model, the full geospatial set improved every stratum: condominiums by about 5.7 points, houses by about 4.2 points, and vacant lots by about 13.0 points. The decomposition is more revealing. When the engineered geospatial features were added *on top of* administrative location, they carried a clear


additional gain for condominiums (about 3.7 points) and vacant lots (about 3.8 points), but added essentially nothing for houses (about -0.7 points, a slight worsening). For houses, knowing the city and the BIR zonal value already captured most of the location signal, and the custom geospatial features mostly duplicated it. The reading is that the model's engineered features add the most value precisely where administrative benchmarks are weakest, which is vertical condominiums and bare lots.

SHAP Feature Attribution


SHAP was applied to each deployed Random Forest so that its prediction logic could be described transparently. Because the models are stratified, the value-driver structure differs by property type, and the per-stratum beeswarms in Figures 6–8 show this directly. Grouping the SHAP contributions into blocks gives the clearest summary:

- **Condominium:** neighborhood price level (spatial lag, about 34 percent of the SHAP magnitude) and CBD-distance access (about 30 percent) led, with unit size and bedrooms next. Administrative benchmarks contributed little.
- **Houses:** distance to the Cebu Business Park was the single strongest feature, and CBD distances as a block (about 39 percent) led, followed by structural size (about 35 percent) and neighborhood price.
- **Vacant Lot:** distance to the Cebu Business Park alone accounted for close to half of the model's attribution, and the individual MCRAI amenity categories together carried about 22 percent, their largest share in any stratum.


Across all three strata, location-related features (CBD distances, MCRAI, and the spatial lag) carried the large majority of the attribution, which is consistent with the value-driver question in RQ1. The substantive interpretation of why these features dominate in Metro Cebu is developed in Chapter 8.

**Figure 6**

SHAP Beeswarm Summary for the Deployed Condominium Random Forest

**Figure 7**

SHAP Beeswarm Summary for the Deployed House Random Forest

**Figure 8**

SHAP Beeswarm Summary for the Deployed Vacant-Lot Random Forest

Residual Analysis

The residual pattern was consistent and informative across all three strata. At the center of the distribution the models were close to unbiased, with median signed errors within a few percent of zero. The damage was concentrated in the error tail. For each stratum, the worst tenth of predictions were properties priced far below the norm for their location and size, and the model predicted the location-implied price and overshot: the worst-decile condominiums were over-predicted by about 106 percent, houses by about 97 percent, and vacant lots by about 181 percent.

These extreme misses were not random. They were atypically cheap listings whose low price reflects something the listing does not record, such as condition, title issues, distressed or pre-selling pricing, or, for lots, terrain and access. The model sees a normal location and size and reasonably predicts a normal price. This is the same finding seen three ways: the PRD above 1.0 in every stratum (a mild tendency to over-value cheaper properties), the gap between the good typical error and the larger average error, and the heavy worst-decile over-prediction. The vacant-lot stratum showed the strongest version of this, which is why its typical error stayed near 38 percent. Chapter 9 records the specific data limitations behind this tail.

Benchmark Comparison

The closest Philippine reference point is Ramolete et al. (2023), who reported MAPE in the 10 to 21 percent range using a richer feature set on a larger, house-dominated dataset under a random train-test split. Two adjustments make the comparison fair. First, the present models were re-evaluated under their random 80/20 protocol rather than the stricter grouped cross-validation, which raised the Random Forest MAPE only modestly (about 5.1 points for condominiums, 1.3 for houses, and 1.8 for vacant lots). This showed

that coordinate leakage was a small part of the gap, not the main story. Second, leading with the median rather than the mean, the typical condominium error of about 16 percent and house error of about 22 percent under the matched split sit at the top of Ramolete's band, so the median property is competitive while a hard-case tail inflates the mean.

The remaining gap is genuine and explainable rather than a sign of weaker method. Ramolete's house sample was much larger (about 3,212 houses versus 1,223 here), the Cebu market is thinner, and their model used socio-economic features from PSA and DTI sources that this study did not include. The fairest like-for-like comparison is the house stratum, since their data is house-dominated.

Two further benchmarks frame the result. Nyanda et al. (2024) reported a boosting MAPE near 48 percent and a Random Forest near 53 percent in a noisy, mixed-market Tanzanian setting, which is the kind of emerging-market, listing-based context most similar to this one. Against tightly controlled automated valuation systems, by contrast, the present errors are clearly higher; commercial and assessment-grade systems report single-digit median errors on cleaner transaction data. The honest reading is that this model beats the local baselines that matter for the thesis, the OLS hedonic and the BIR zonal benchmark, under an honest evaluation, but it is not assessment- or transaction-grade. Sousa et al. (2024) support the underlying choice: large online listing datasets reveal price segmentation that sparse official records miss, at the cost of a noisier target carrying asking-price spread, seller strategy, and submarket mixing.

For that reason the result is described plainly. The deployed Random Forest is the strongest model in the workflow under leak-free evaluation, and its typical-property error is competitive with the closest Philippine study, but it still carries a real error tail that the thesis acknowledges rather than hides.

Results and Discussion

Chapter 7 established which model performed best within each property stratum. This chapter shifts to interpretation. The point is not to repeat the evaluation tables, but to

explain what the retained findings mean for residential valuation in Metro Cebu. Read as a whole, the results point to a market that is polycentric, strongly segmented by property type, and only partly captured by simple counts of nearby amenities.

Overview of Findings

Three points stand out. First, location dominated value formation in every stratum: the geospatial block of features (distances to the polycentric nodes, MCRAI amenity access, and the neighborhood price lag) carried the large majority of the SHAP attribution for condominiums, houses, and vacant lots alike. Second, the value-driver structure differed by property type, which is why the study modeled the three strata separately rather than together. Neighborhood price level led for condominiums, distance to the Cebu Business Park led for houses and lots, and the individual amenity categories mattered far more for bare land than for built homes. Third, the MCRAI results were selective rather than uniform. Education, grocery, and recreation carried positive signs and fed the composite, while security, tourism, and retail density behaved as diagnostic categories rather than additive premiums.

Taken together, these findings suggest that Metro Cebu's residential price surface is not organized around one center with a smooth decline outward. It behaves more like a corridor with several active peaks and overlapping catchments. That reading is consistent with the broader polycentric literature and with the local planning view of Metro Cebu as a system of linked urban clusters rather than a single dominant core (Giuliano & Small, 1991; Heikkila et al., 1989; Japan International Cooperation Agency & Metro Cebu Development and Coordination Board, 2015; McMillen, 2003).

Polycentric Structure in the SHAP Attributions

The per-stratum SHAP results are the clearest evidence that the model learned a polycentric rather than monocentric price structure. Distance to the Cebu Business Park was the single strongest feature for both houses and vacant lots, confirming that the historic core still anchors the market. But it did not stand alone. For condominiums, the

neighborhood price lag led, followed by a spread of node distances rather than one: distance to Consolacion, to the airport, to the Mactan CBD, and to the Cebu Business Park all carried weight. This is the signature of a market that responds to several active nodes at once.

This does not mean the traditional core disappeared. For houses and lots, the Cebu Business Park gradient was the dominant locational signal, which fits the bid-rent logic in which land value falls with distance from the principal center (Alonso, 1964; Muth, 1969). The fuller picture is layered: the old core still matters most for land and detached housing, while the condominium market spreads its locational weight across the airport-linked Mactan corridor and the northern Mandaue and Consolacion nodes. The result fits the polycentric logic of Giuliano and Small (1991), the uneven gradient argument of McMillen (2003), and the question raised by Heikkila et al. (1989) about whether subcenters weaken a single-CBD explanation. In Metro Cebu, the market appears layered rather than centerless.

That interpretation also agrees with the JICA roadmap, which treats Metro Cebu as a linked urban system with specialized clusters and corridor growth nodes such as SRP and Naga (Japan International Cooperation Agency & Metro Cebu Development and Coordination Board, 2015). The continued response to nodes beyond the old core is consistent with the roadmap's treatment of the metropolis as a corridor of linked centers rather than a single hub.

Property-Type Segmentation and the Mactan Submarket

Property segmentation is part of the main structure of value formation, not a side result. In this study it is built into the method itself: the three strata are modeled separately because the same location does not generate the same premium across condominiums, detached houses, and vacant lots. The clearest demonstration is the difference in what drives each model. Condominium value leans on neighborhood price level and a spread of accessibility nodes; house and lot value lean on the bid-rent gradient to the Cebu Business

Park; and bare land alone gives the amenity categories a large role. A single pooled model would have averaged these distinct logics into one blurred equation.

This matters for the Mactan side of the market. The results do not support an exaggerated claim of a raw island premium. Instead, the Mactan signal comes through the condominium stratum, where distance to the Mactan CBD and to the airport are among the stronger locational features. The premium is therefore better read as a submarket effect than as an island dummy. What the market appears to price is the bundle of airport access, bridge-linked connectivity, tourism-adjacent development, and condominium-oriented demand that characterizes the Mactan corridor.

That reading is consistent with Agosto's finding that mobility and livability matter for Cebu land values (Agosto, 2020). It also fits the JICA roadmap's view of the tri-city core as functionally linked but internally differentiated (Japan International Cooperation Agency & Metro Cebu Development and Coordination Board, 2015). A useful regional comparison is the Bangkok condominium study, which found that transport-related and domestic accessibility factors can explain a large share of condominium value formation in a congested Southeast Asian market (Tochaiwat et al., 2023).

MCRAI Findings and the Spatial Sorting Interpretation

The MCRAI results need a more careful reading than a simple positive-versus-negative split. The final composite retained education, grocery, and recreation because those categories carried positive Stage 1 OLS coefficients in the open-market sample. That result is sensible because these variables describe everyday residential convenience and lower routine household friction. Transport accessibility was represented separately through the road-network distance features rather than as an amenity category, and finance was retired from the framework.

A second, sharper finding came from the stratified design: the amenity categories mattered very differently across property types. For condominiums and houses, the individual MCRAI categories were strongly inter-correlated and were summarized well by

the single composite, contributing only a small share of attribution. For vacant lots, the individual categories together were the second-largest driver after the Cebu Business Park distance. The plain reading is that built homes are valued through one bundled accessibility summary, while bare land responds to specific kinds of nearby amenity access. This difference is itself a result, and it justified keeping individual MCRAI categories for lots while collapsing them to the composite for the other two strata.

The negative signs on security, tourism, and retail density should not be read as proof that those categories are inherently harmful. A better interpretation is spatial sorting. In a hedonic framework, households sort across locations according to the bundles of attributes they prefer and can afford (Bayer & McMillan, 2012; Tiebout, 1956). A variable can therefore carry a negative coefficient not because the amenity itself is undesirable, but because it is concentrated in places with congestion, visitor pressure, or commercial intensity that push some residential buyers away. The broader capitalization literature supports this conditional reading (Brasington & Parent, 2024; W. Y. Chen & Jim, 2010; Dronyk-Trosper, 2017; Song & Knaap, 2004; Yang et al., 2016). That also lines up with the Metro Manila hedonic report of Tiglao and Rivera and with the Bangkok condominium study, both of which show that the market rewards specific forms of accessibility rather than all forms equally (Tiglao & Rivera, 2006; Tochaiwat et al., 2023).

Comparison to Prior Cebu and Manila Hedonic Literature

The findings are broadly consistent with the earlier Cebu literature, but they refine it. Agosto's conclusion that mobility and livability matter is still visible in the present model (Agosto, 2020). The road-network distances dominate value across strata, and the positive amenity categories mostly describe the daily convenience side of livability. What the current model adds is a stronger spatial reading: this capitalization does not operate evenly across the metropolis, but through several active nodes and property-specific submarkets.

The Metro Manila comparison points in the same direction. Tiglao and Rivera

treated accessibility to work and urban opportunities as central to both land valuation and location choice (Tiglao & Rivera, 2006). The Metro Cebu results support that idea, but they also suggest that accessibility in a polycentric region is not a single measure. It is a set of overlapping access logics: access to the old core, access to corridor nodes, access to airport-linked condominium markets, and access to daily neighborhood services. In that sense, Metro Cebu sits between a simple monocentric model and the stronger polycentric claim associated with Heikkila et al. (1989).

A regional comparison also helps explain why the MCRAI categories did not all move in the same direction. The Bangkok condominium article reported that transport accessibility and related factors could account for a large share of total model weight in that market (Tochaiwat et al., 2023). The present study found the same broad importance of accessibility, but in a more selective way, because the Metro Cebu model covered several residential property types and a wider mix of corridor conditions.

Model Trade-offs

The Random Forest was the best predictive choice within each stratum, but the findings show why model selection in this thesis could not be treated as a pure one-metric contest. OLS remained useful because it exposed coefficient direction, supported the MCRAI category screening, and showed that the Cebu Business Park still kept a meaningful role in the price structure. The tree-based models were needed because the market contains non-linear interactions across distance, corridor position, and property type that a single linear equation cannot represent well. The Random Forest and XGBoost performed comparably, and the Random Forest was deployed for its robustness on small per-stratum samples and its simpler implementation, rather than because of a decisive accuracy gap.

This is consistent with recent housing-prediction work that treats tree ensembles as strong tabular learners while still warning that data quality and market heterogeneity remain the real constraints (Nyanda et al., 2024; Sousa et al., 2024).

Limitations

Several limits should stay visible when reading these findings, and Chapter 9 records them in full. The model was trained on open-market listings rather than transaction records, so the target variable reflects asking-price behavior as well as market-value expectations. The vacant-lot stratum was the hardest to predict because bare-land value depends on parcel attributes that listings rarely record. The MCRAI categories also summarize accessibility through carefully designed but still simplified proxies; they cannot fully represent route quality, travel-time variability, perceived safety, or institutional quality.

There is also a methodological limit in the way spatial heterogeneity was handled. The tree-based models captured non-linearity and interaction effects, but the thesis did not estimate spatially varying coefficients directly. That matters in a polycentric region because the value of distance to a node is unlikely to be constant across all locations (Heikkila et al., 1989; McMillen, 2003).

Even with these limits, the main interpretation is stable. Metro Cebu's residential valuation pattern is best read as a polycentric market shaped by multiple active centers, property-type segmentation, and selective capitalization of accessibility. Chapter 9 builds on this interpretation by drawing the main conclusions of the thesis, while Chapter 10 turns those conclusions into the study's formal recommendations.

Conclusions

Summary of the Study

This study examined how residential property values in Metro Cebu could be estimated more consistently using a data-driven workflow with geospatial feature engineering. The problem began with the gap between fast-moving market prices and slower administrative or appraisal benchmarks. To address that problem, the study assembled a cleaned analytical base table from open-market listings across several online portals, BIR zonal values, and geospatial layers derived from Google Maps and

OpenStreetMap. The deployed prediction scope covered open-market residential property in six LGUs: Cebu City, Mandaue City, Lapu-Lapu City, Talisay City, Minglanilla, and Consolacion.

The study followed the CRISP-DM process and compared three modeling approaches within each property stratum: OLS hedonic regression, Random Forest, and XGBoost. Rather than fitting one model across mixed property types, it estimated separate models for condominiums, houses, and vacant lots, on a per-square-meter target. The workflow also constructed a Metro Cebu Residential Accessibility Index (MCRAI) using category-specific radii and gravity-style decay, then paired that index with polycentric distance features, structural property variables, and a neighborhood price lag. Under leak-free grouped cross-validation, the deployed Random Forest reached a typical error (median absolute percentage error) of about 19 percent for condominiums, 23 percent for houses, and 38 percent for vacant lots. The thesis therefore concluded that a machine-learning workflow grounded in local urban structure can produce a usable decision-support tool for Metro Cebu open-market residential valuation, even if prediction error remains substantial for some property types and locations.

Answers to the Research Questions

Research Question 1 asked, “What value drivers significantly influence property prices in Metro Cebu?” The study found that location dominated value formation in every stratum, with the geospatial block of features carrying the large majority of the SHAP attribution. The specific driver differed by property type: neighborhood price level led for condominiums, while distance to the Cebu Business Park led for houses and vacant lots, the latter showing the clearest bid-rent gradient. The individual amenity categories mattered most for bare land. The conclusion was that property prices in Metro Cebu were shaped by a combination of polycentric accessibility and housing-submarket segmentation, not by one uniform citywide gradient.

Research Question 2 asked which modeling technique among Hedonic Regression,

Random Forest, and XGBoost is most suitable for deployment. Under leak-free grouped cross-validation, the two tree-based models clearly beat the OLS hedonic baseline by roughly five to six percentage points of typical error in every stratum, and the Random Forest edged out XGBoost by a small margin throughout (condominium 19.3 versus 19.8, houses 22.7 versus 23.6, vacant lot 38.4 versus 40.2). Because the gap between the two tree models was narrow, the conclusion is framed as “Random Forest best or tied, deployed for robustness and simplicity” rather than as a decisive accuracy win. The Random Forest was retained as the production model in all three strata, with OLS kept as an interpretable diagnostic baseline.

Research Question 3 asked whether geospatial features significantly improve model performance compared with structural-only models. A three-tier ablation under the same folds answered this directly. Adding the full geospatial set to a structural-only model improved every stratum: condominiums by about 5.7 points, houses by about 4.2 points, and vacant lots by about 13.0 points of typical error. The decomposition was more revealing: when the engineered geospatial features were added on top of administrative location (city and BIR zonal value), they carried a clear extra gain for condominiums (about 3.7 points) and vacant lots (about 3.8 points), but added essentially nothing for houses (about -0.7 points). The conclusion was that geospatial features materially improved the model, and that they added the most value precisely where administrative benchmarks were weakest, namely vertical condominiums and bare lots.

Research Question 4 asked how large the valuation gap is between the model’s data-driven predictions and traditional BIR zonal values. The study answered this both as a measurable field and as a quantified result. Using the clean land-to-land comparison for vacant lots, market price per square meter ran about three times the BIR zonal benchmark overall, ranging from about 2.2 times in Cebu City to about 4.8 times in Mandaue City. Across the study area, listings exceeded the BIR benchmark in close to 100 percent of cases in every LGU except Cebu City lots. The condominium and house percentage gaps

are not directly comparable, because they divide a floor-area unit price by a land-area benchmark, so the defensible headline is the vacant-lot comparison. The conclusion was that BIR zonal values sit well below open-market levels across Metro Cebu, and that the gap is large, positive, and systematic rather than incidental.

Methodological Contribution

The methodological contribution of the thesis rests on the way established valuation ideas were adapted to the specific conditions of Metro Cebu. First, the study modeled property types separately and selected each stratum's features from evidence rather than using one identical set. This produced a finding of its own: different property types are priced by different geospatial structure, so built homes were summarized well by a single accessibility composite while bare land needed individual amenity categories. Second, the thesis built a polycentric distance feature set instead of relying on a single central-business-district measure, and a two-stage MCRAI workflow that used OLS signs to screen categories and kept only the positive household-access categories in the composite. Finally, all headline results were estimated under leak-free grouped cross-validation, which guarded against the coordinate leakage that would otherwise flatter a spatial model. Together, these decisions produced a locally grounded valuation workflow that was more specific to Metro Cebu than a generic hedonic template, and evaluated more honestly.

Practical Contribution

The practical contribution of the thesis is the decision-support layer that came out of the modeling work. The main deliverable is a web-based application that presents a predicted open-market residential price surface for Metro Cebu, with property-level prediction checks and SHAP-based explanations. It used a TypeScript and Leaflet front end backed by a Python service that ran the exact deployed models. This output does not replace formal appraisal judgment, but it gives brokers, appraisers, lenders, and researchers a reproducible spatial estimate of residential market price under a clearly

defined market segment.

The thesis also organized the model outputs spatially through the web application, including the valuation-gap diagnostic. This supports map-based review of predicted price levels and of where official benchmarks and market-facing estimates diverge, without treating the benchmark itself as the prediction target.

Limitations

Several limitations should stay visible when reading these conclusions.

- **Listing-based target.** The model was trained on open-market asking prices rather than recorded transaction prices, so the target carries asking-price spread, seller strategy, and submarket mixing.
- **Source heterogeneity.** Combining several portals introduced source-level price effects. FilipinoHomes listings, for example, were priced lower at equal features by roughly 14 percent, and the source field cannot be used at prediction time, so this remains a residual source of error.
- **Vacant-lot data ceiling.** The vacant-lot stratum was the hardest (about 38 percent typical error) because bare-land value depends on parcel attributes that listings rarely record, such as frontage, zoning, title status, slope, and flood exposure. The honest figure is a data ceiling, not a modeling failure; an earlier, more optimistic figure came from a smaller and geographically concentrated sample.
- **Condominium pre-selling contamination.** The cheap tail of condominium listings is partly contaminated by pre-selling down-payments or reservation fees scraped as if they were full unit prices, mostly in the new-development LGUs. This is a measurement error in the target; it was documented rather than corrected, because distressed-listing detection is weak when listing descriptions are not retained.
- **Intra-city terrain.** The model does not see elevation or terrain within a city. The

largest vacant-lot over-predictions were genuinely cheap mountain or highland barangays inside Cebu City, which the model values using city-wide land levels.

- **Centroid-snapped geocoding.** A share of houses and lots with vague addresses were geocoded to barangay or subdivision centroids, which adds spatial-feature noise on those rows, although it does not break the leak-free cross-validation.
- **No spatially varying coefficients.** The tree models captured non-linearity and interactions, but the study did not estimate coefficients that vary across space, which a polycentric region would justify as future work.

Closing Statement

The thesis concluded that data science methods can support residential valuation in Metro Cebu when they are applied with clear market definitions, local geospatial logic, and disciplined treatment of value concepts. The strongest results did not come from model complexity alone. They came from matching the workflow to the structure of the local market: an open-market target, property-type segmentation, a polycentric urban form, and an accessibility framework designed for household valuation rather than for liquidation or administrative pricing. Under those conditions, the study produced a defensible decision-support tool for Metro Cebu residential valuation.

Recommendations

Recommendations for Valuation Practice

The first recommendation is to use the open-market price surface as a triangulation tool rather than as a replacement for existing valuation references. The final workflow showed that the deployed Random Forest model was the strongest overall predictive option in the study, but Chapter 7 also showed that the held-out error remained substantial in some locations and property types. For that reason, practitioners should read the price surface together with BIR zonal values, bank reserve prices, and property-specific comparable evidence instead of treating the model output as a stand-alone final appraisal.

The second recommendation is to focus comparable-property analysis on the variables that carried the strongest predictive weight in the final models. Chapters 7 and 8 showed that polycentric distance variables and property type mattered more consistently than the accessibility composite alone. In practice, this means valuation review should give more attention to corridor position, proximity to active subcenters, and housing submarket class before giving secondary weight to broad amenity counts.

The third recommendation is to interpret the spatial sorting result from the OLS Stage 2 model carefully. The negative coefficients on security, tourism, and retail density did not mean that these uses are always harmful to residential value. They pointed to context effects such as congestion, commercial intensity, or neighborhood sorting. Practitioners should therefore avoid assuming that physical proximity to police infrastructure, tourism strips, or dense commercial activity automatically adds residential value without checking the surrounding land-use context.

The fourth recommendation is to use the valuation-gap output as a screening device for institutional review. The thesis both quantified the gap and preserved it as a diagnostic field in the analytical base table and map outputs. For the clean land-to-land comparison on vacant lots, market prices ran roughly three times the BIR zonal benchmark, and listings exceeded the benchmark in close to all LGUs. This makes the gap useful for flagging places where market-facing estimates and official BIR benchmarks diverge enough to justify closer appraisal review.

Recommendations for Policy

The first policy recommendation is to treat the thesis findings as support for continued polycentric planning in Metro Cebu. Chapters 7 and 8 showed that the market did not behave as if Cebu Business Park alone structured residential value. Distance signals from Mactan, Consolacion, and Naga also mattered strongly. For regional planners and local governments, this means that investment outside the historical core should continue to recognize the functional role of secondary and corridor-based subcenters

rather than concentrating policy attention on the CBP corridor alone.

The second recommendation is to use MCRAI as a reusable planning support framework, but only within the scope for which it was designed. The thesis built MCRAI for residential valuation, not for nationwide equity mapping and not for liquidation pricing. Even so, its category-specific radii, locally defined accessibility categories, and positive-only composite rule can support LGU-level planning or assessment work that needs a parcel-oriented accessibility backbone. The main caution is that the framework should be adapted carefully to the target use case instead of being copied as a universal score.

The third recommendation is for public institutions that maintain valuation benchmarks. BIR, LGU assessors, and lending institutions could use the price surface and valuation-gap diagnostics as a monitoring layer for places where official benchmarks are drifting away from current market evidence. This does not mean that the thesis model should replace public schedules of values. It means the model can help identify where recalibration work may be most urgent.

Recommendations for Future Research

The first recommendation for future research is to extend the training scope to Naga City. Chapter 8 showed that distance to Naga City was one of the locational signals in the retained models even though Naga was outside the training LGU set. A future version of the study should collect around 150 to 200 verified open-market Naga listings, pass them through the same geocode and enrichment pipeline, and test Naga as a seventh training LGU.

The second recommendation is to estimate spatial heterogeneity more directly. Chapter 8 already noted that the present models captured non-linearity but did not estimate spatially varying coefficients. Geographically Weighted Regression or Mixed Geographically Weighted Regression is the next logical extension. A follow-up study should test whether the capitalization of Cebu Business Park, Mactan, Consolacion, SRP,

and Naga changes materially across submarkets instead of assuming one average distance effect for the whole region.

The third recommendation is to calibrate the accessibility framework more empirically. The decay parameter β was fixed at 2.0 as a defensible baseline, but category-specific or empirically estimated decay parameters would be better than one fixed value across all amenity types. A follow-up study should estimate the decay rate by category and should also continue refining the transport layer so that the network cutoff and road-accessibility interpretation remain consistent with real travel behavior.

The fourth recommendation is to add nonlinear distance-band features for known externalities that cannot be represented well by standard positive-only accessibility scoring. Gasoline stations were excluded from the accessibility index because the literature points to a negative effect at very close range that a Hansen-style score would misread. The same logic can be tested for very-close tourism corridors, heavy roadside activity, or other locally noisy uses. These variables should be modeled as banded or threshold effects rather than folded into one generic proximity score.

The fifth recommendation is to strengthen the time dimension of the analytical base table. The current ABT remained cross-sectional, which is why BSP RPPI could not be used as a per-row time-trend control. A future version should preserve collection dates at the property level so that macro price drift and listing timing can be modeled more directly.

The sixth recommendation is to verify the evidentiary basis for the tourism externality interpretation before extending it. The negative OLS coefficient on tourism density in the Stage 2 model was interpreted cautiously in Chapter 8, but the international literature on tourism-corridor externalities for residential property is thinner than the literature on other commercial uses. Future researchers who want to extend the tourism-density framing should confirm that supporting studies are retrievable through Scholar or Scopus before building on them.

Recommendations for Deployment

The first deployment recommendation is to keep the web application tied to the project virtual environment so that all dependencies, including SHAP, are available at runtime. The backend should be launched through the project environment rather than the system Python. A simple launcher script or startup note that activates the correct environment before running the application is sufficient for most handoff scenarios.

The second deployment recommendation is to ensure the map layer uses a tokenless base tile provider. CartoDB Positron or a comparable public tile source avoids any dependency on external API keys and keeps the price surface page functional across different host environments without additional configuration.

The third recommendation is to make the model scope explicit everywhere a user sees the app. The price surface predicts open-market residential price levels only. It does not predict forced-sale or liquidation values, administrative floor prices, or appraised loan values. That scope should appear clearly in the interface, documentation, and demo script so users do not read the surface as a universal market-value map.

The fourth recommendation is to formalize a refresh cycle for data and model maintenance. The POI inventory, Lamudi listing coverage, and official benchmark schedules will drift over time. For that reason, the deployment workflow should include a regular update cadence for POI refresh, ABT rebuilding, prediction export, and model retraining. A six-month cycle is a reasonable starting point for keeping the app useful without treating it as a live real-time system.

The fifth recommendation is to keep the web application consistent with the saved model artifacts. The application and its map layers draw from the same saved models and the same prediction export. Whenever the model is retrained or the ABT is updated, the prediction layer should be regenerated and verified against the application before it is shown externally.

Closing Note

This thesis should be read as a demonstrated workflow more than as a finished valuation product. Its main contribution is that the process is reproducible: a custom MCRAI design, a polycentric distance feature set, and a Random Forest plus SHAP pipeline can be rebuilt, checked, and adapted for other Philippine secondary cities with similar data conditions. What this study finished was a defensible template for local valuation analytics, not the last version that Metro Cebu will ever need.

References

- Agosto, A. (2020). Determinants of land values in Cebu City, Philippines [Conference paper, University of San Carlos].
- Ajibola, M. O. (2010). Valuation inaccuracy: An examination of causes in Lagos metropolis. *Journal of Sustainable Development*, 3(4), 187–193.
- Alonso, W. (1964). *Location and land use: Toward a general theory of land rent* [PLACEHOLDER — confirm publisher details in Zotero]. Harvard University Press.
- Alvarez, F. D., Madridejos, J. M., Sarmiento, J. A., Valdez, E., & Lecaros, L. L. (2021). A framework for measuring geospatial amenity accessibility in the philippines [Project OHANA, Geo-accessibility context for Manila/Cebu]. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*. <https://doi.org/10.5194/isprs-archives-XLVI-4-W6-2021-19-2021>
- Anselin, L. (1988). *Spatial econometrics: Methods and models*. Kluwer Academic Publishers.
- Bangko Sentral ng Pilipinas. (2025). *Residential real estate price index (RREPI): Q2 2025 report* (tech. rep.). Bangko Sentral ng Pilipinas. Manila, Philippines.
- Bayer, P., & McMillan, R. (2012). Tiebout sorting and neighborhood stratification. *Journal of Public Economics*, 96(11–12), 1129–1143. <https://doi.org/10.1016/j.jpubeco.2012.02.006>
- Becsky-Nagy, P., & Sachicola, V. D. (2025). Challenges in property valuation in Sub-Saharan Africa – a systematic review. *Vezetéstudomány / Budapest Management Review*, 56(7–8). <https://doi.org/10.14267/VEZTUD.2025.07-08.06>
- Boeing, G. (2017). Osmnx: New methods for acquiring, constructing, analyzing, and visualizing complex street networks. *Computers, Environment and Urban Systems*, 65, 126–139. <https://doi.org/10.1016/j.compenvurbsys.2017.05.004>

- Boeing, G. (2019). Urban spatial order: Street network orientation, configuration, and entropy. *Applied Network Science*, 4(1).
<https://doi.org/10.1007/s41109-019-0189-1>
- Brasington, D. M., & Parent, O. (2024). Fire protection services and house prices: A regression discontinuity investigation. *Regional Science and Urban Economics*, 105, 103984. <https://doi.org/10.1016/j.regsciurbeco.2024.103984>
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32.
<https://doi.org/10.1023/A:1010933404324>
- Bureau of Internal Revenue. (n.d.). Zonal values resources and schedules.
- Cheloti, I., & Mooya, M. M. (2021). Valuation problems in developing countries: A new perspective. *Land*, 10(12), 1352. <https://doi.org/10.3390/land10121352>
- Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 785–794. <https://doi.org/10.1145/2939672.2939785>
- Chen, T., & Si, S. (2024). Predicting rental price of lane houses in Shanghai with machine learning methods and large language models [arXiv preprint].
- Chen, W. Y., & Jim, C. Y. (2010). Amenities and disamenities: A hedonic analysis of the heterogeneous urban landscape in shenzhen (China). *The Geographical Journal*, 176(3), 227–240. <https://doi.org/10.1111/j.1475-4959.2010.00358.x>
- Dann, M., Démurger, S., & Witoelar, F. (2020). The hedonic house price model in a development context: Evidence from the National Capital Region of the Philippines, 2000–2010. *Rationale*, 2, 1–19. <https://rationale.lse.ac.uk/articles/25/>
- Domingo, E. V., & Fulleros, R. F. (2005). Real estate price index: A model for the Philippines. *BIS Papers*, (21), 189–198.
<https://www.bis.org/publ/bppdf/bispap21k.pdf>

- Dröes, M. I., Hoesli, M., & Bourassa, S. C. (2019). Heterogeneous households and market segmentation in a hedonic framework. *Proceedings of the European Real Estate Society (ERES) Conference*.
- Dronyk-Trosper, T. (2017). Searching for goldilocks: The distance-based capitalization effects of local public services. *Real Estate Economics*, 45(3), 650–678.
<https://doi.org/10.1111/1540-6229.12171>
- Eurostat. (2013). *Handbook on residential property price indices (RPPI)*. Publications Office of the European Union.
- Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. *Annals of Statistics*, 29(5), 1189–1232. <https://doi.org/10.1214/aos/1013203451>
- Giuliano, G., & Small, K. A. (1991). Subcenters in the Los Angeles region. *Regional Science and Urban Economics*, 21(2), 163–182.
[https://doi.org/10.1016/0166-0462\(91\)90032-I](https://doi.org/10.1016/0166-0462(91)90032-I)
- Google LLC. (2025). Geocoding API overview [Google Maps Platform documentation].
- Grinsztajn, L., Oyallon, E., & Varoquaux, G. (2022). Why do tree-based models still outperform deep learning on typical tabular data? *Advances in Neural Information Processing Systems* 35, 507–520. <https://arxiv.org/abs/2207.08815>
- Hansen, W. G. (1959). How accessibility shapes land use. *Journal of the American Institute of Planners*, 25(2), 73–76. <https://doi.org/10.1080/01944365908978307>
- Hasan, M. H., Jahan, M. A., Ali, M. E., Li, Y.-F., & Sellis, T. (2024). A multi-modal deep learning based approach for house price prediction [arXiv preprint].
- Heikkila, E., Gordon, P., Kim, J. I., Peiser, R. B., Richardson, H. W., & Dale-Johnson, D. (1989). What happened to the CBD-distance gradient?: Land values in a policentric city. *Environment and Planning A: Economy and Space*, 21(2), 221–232. <https://doi.org/10.1068/a210221>
- Hu, Y., Lee, H., Kim, J., et al. (2024). Explainable machine learning for real estate valuation. *arXiv preprint*.

- Huang, C., Liang, B., Li, Z., & Chen, F. (2025). Multimodal machine learning for real estate appraisal: A comprehensive survey [arXiv preprint].
- Humanitarian OpenStreetMap Team. (2024). Humanitarian OpenStreetMap team.
- International Valuation Standards Council. (2020). *International valuation standards (IVS) 2020*. IVSC.
- International Valuation Standards Council. (2025). *International valuation standards (IVS) 2025*. IVSC.
- Ja'afar, N. S., & Mohamad, J. (2021). Application of machine learning in analysing historical and non-historical characteristics of heritage pre-war shophouses. *Planning Malaysia*, 19(16). <https://doi.org/10.21837/pm.v19i16.953>
- Japan International Cooperation Agency & Metro Cebu Development and Coordination Board. (2015). *The roadmap study for sustainable urban development in metro cebu: Final report main text*. Japan International Cooperation Agency. <https://openjicareport.jica.go.jp/pdf/12235537.pdf>
- Lundberg, S. M., & Lee, S.-I. (2017). A unified approach to interpreting model predictions. *Advances in Neural Information Processing Systems* 30, 4765–4774. <https://doi.org/10.48550/arXiv.1705.07874>
- Malpezzi, S. (2003). Hedonic pricing models: A selective and applied review. In A. O'Sullivan & K. Gibb (Eds.), *Housing economics and public policy* (pp. 67–89). Blackwell.
- McMillen, D. P. (2003). The return of centralization to Chicago: Using repeat sales to identify changes in house price distance gradients [PLACEHOLDER — polycentric distance gradients; confirm details in Zotero]. *Regional Science and Urban Economics*, 33(3), 287–304.
- Mercado, R. G., Manasan, R. G., & Pascual, M. F. V. (2004). *Metro Cebu: A metropolitan area in need of coordinative body* (Discussion Paper No. 2004-33). Philippine Institute for Development Studies.

- Moran, P. A. P. (1950). Notes on continuous stochastic phenomena. *Biometrika*, 37(1–2), 17–23. <https://doi.org/10.1093/biomet/37.1-2.17>
- Moreno-Foronda, R., et al. (2025). Machine learning versus hedonic regression for house price prediction: A systematic review. *Systematic Review*.
- Muth, R. F. (1969). *Cities and housing: The spatial pattern of urban residential land use* [PLACEHOLDER — confirm details in Zotero]. University of Chicago Press.
- Nworah, J., Egbenta, I., & Ogbuefi, J. (2023). The impact of inflation on real estate investment performance and effective investment decisions. *International Journal of Real Estate Studies*, 17(1).
- Nyanda, F., Mattsson, H., & Wilhelmsson, M. (2024). Machine learning valuation in dual market dynamics: A case study of the formal and informal real estate market in Dar es Salaam. *Buildings*, 14(10), 3172.
- Otsuka, K., Manasan, R. G., & Piza, S. (2023). *Local government unit income and real property tax collection in the philippines* (Discussion Paper) (PIDS Discussion Paper). Philippine Institute for Development Studies.
<https://scholar.google.com/scholar?q=Local+government+unit+income+and+real+property+tax+collection+in+the+Philippines+Otsuka+2023>
- Pai, P.-F., & Wang, W.-C. (2020). Using machine learning models and actual transaction data for predicting real estate prices. *Applied Sciences*, 10(17), 5832.
<https://doi.org/10.3390/app10175832>
- Perdio, R. J., Montealegre, P., & Lacambra, M. (2023). *Manila city house prices: A machine-learning analysis* [Preprint].
- Philippine Statistics Authority – Central Visayas. (2025, October). Cebu’s economy grows by 7.3 percent in 2024 [Reference No. 2025-PR22-012].
<https://rsso07.psa.gov.ph/content/cebus-economy-grows-73-percent-2024>
- Philippine Valuation Standards Council. (2018). Philippine Valuation Standards (PVS) 105: Valuation approaches and methods.

- Ramolete, G. I. L., Bramaskara, B., Reyes, D. A., & Heinrich, A. (2023). Utilization of machine learning and government-based indicators for property value prediction in the Philippines. *The Philippine Statistician*, 72(1).
- Reitz, K. (2011). Requests: Http for humans.
- Rey-Blanco, D., Zofío, J. L., & González-Arias, J. (2024). Improving hedonic housing price models by integrating optimal accessibility indices into regression and random forest analyses [Erasmus University Rotterdam Research Repository]. <https://scholar.google.com/scholar?q=Improving+hedonic+housing+price+models+by+integrating+optimal+accessibility+indices+into+regression+and+random+forest+analyses+Rey-Blanco>
- Richardson, L. (2007). Beautiful soup documentation.
- Rosen, S. (1974). Hedonic prices and implicit markets: Product differentiation in pure competition. *Journal of Political Economy*, 82(1), 34–55.
- Sharma, M., Agrawal, R., & Kumar, P. (2024). An optimal house price prediction algorithm: XGBoost. *Mathematics*, 12(4), 678. <https://doi.org/10.3390/math12040678>
- Sinnott, R. W. (1984). Virtues of the haversine. *Sky and Telescope*, 68(2), 158–159.
- Song, Y., & Knaap, G.-J. (2004). Measuring the effects of mixed land uses on housing values. *Regional Science and Urban Economics*, 34(6), 663–680. <https://doi.org/10.1016/j.regsciurbeco.2004.02.003>
- Sousa, R., Prévost, M., & Di Loreto, I. (2024). Exploring spatial segmentation from online listings for property valuation. *arXiv preprint*.
- Tiebout, C. M. (1956). A pure theory of local expenditures. *Journal of Political Economy*, 64(5), 416–424. <https://doi.org/10.1086/257839>
- Tiglao, N. C. C., & Rivera, M. A. I. (2006). *Investigating the effects of accessibility on zonal land valuation and residential location choice in metro manila* (tech. rep. No. RP NCTS 2006-09). UP National Center for Transportation Studies.

- <https://serp-p.pids.gov.ph/publication/public/view?slug=investigating-the-effects-of-accessibility-on-zonal-land-valuation-and-residential-location-choice-i>
- Tobler, W. R. (1970). A computer movie simulating urban growth in the detroit region. *Economic Geography*, 46, 234–240. <https://doi.org/10.2307/143141>
- Tochaiwat, K., Rinchumphu, D., Dendoung, T., & Khumpaisal, S. (2023). Applying linear hedonic price model to measure impact of responsible property investment factors on thai condominium projects. *Engineered Science*, 24, 924. <https://doi.org/10.30919/es924>
- Udomsap, A., & Abid, M. (2020). Macroeconomic determinants of housing prices. *International Journal of Housing Markets and Analysis*.
- Usman, H., Lizam, M., & Adekunle, M. U. (2020). A priori spatial segmentation of commercial property market using hedonic price modelling. *International Journal of Built Environment and Sustainability*.
- Utomo, A. P., Prasetyo, Y., & Setyawan, D. (2024). Decision-tree regression for housing price prediction [Conference paper].
- Viray, F. S., Jr. (2023). Residential property price forecasting model for Central Pangasinan, Philippines: Input to enhancing resilient planning and disaster mitigation strategies. *International Journal of Biosciences*, 23(1), 192–201. <https://innspub.net/residential-property-price-forecasting-model-for-central-pangasinan/>
- Wang, X., & Li, Y. (2020). Machine learning and deep learning methods for real estate price prediction: A systematic review [Survey]. *Journal of Real Estate Research*.
- Weng, J. (2022). Research on the house price forecast based on machine learning algorithm. *BCP Business & Management*, 34.
- Yacim, J. A., & Boshoff, D. G. B. (2018). Impact of artificial neural networks training algorithms on accurate prediction of property values. *Journal of Real Estate Research*, 40(3), 375–418. <https://doi.org/10.1080/10835547.2018.12091505>

- Yang, H., Song, J., & Choi, M. (2016). Measuring the externality effects of commercial land use on residential land value: A case study of seoul. *Sustainability*, 8(5), 432. <https://doi.org/10.3390/su8050432>
- Zhang, H., Li, Y., & Branco, P. (2024). Describe the house and i will tell you the price: House price prediction with textual description data. *Natural Language Engineering*.

Appendix A

*

Appendix A: Data Documentation

Table A1

Sample Structure of Cleaned Open-Market Listing Records

Raw Field (Web Scrape)	Processed Feature	Description
Location	Barangay, City	Parsed location string
Price	Actual Price	Target variable (PHP), cleaned of currency symbols
Bedrooms	Bedrooms	Numeric extract
Bathrooms	Bathrooms	Numeric extract
Floor area	Floor Area	Numeric extract (sqm)
Land Size	Lot Area	Numeric extract (sqm)
Latitude / Longitude	Latitude, Longitude	Direct coordinate mapping

Table A2*Final Feature Matrix Schema Used for the Modeling Workflow*

Feature Group	Variables	Type
Identifiers / Metadata	Property ID, source portal (stored in ABT; excluded from the final fitted feature matrix)	Metadata
Structural	Lot Area, Floor Area, Bedrooms, Bathrooms, Property Type, vacancy / imputation flags	Numeric / Categorical
Locational	City, Barangay, Latitude, Longitude, <i>is_mactan_island</i>	Numeric / Categorical
Geospatial	Network distance to Cebu Business Park, Mandaue CBD, Mactan CBD, SRP, Talisay Tabunok, Consolacion, Naga City, and Airport	Numeric (meters)
MCRAI	<i>mcrai_education</i> through <i>mcrai_retail_density</i> , plus <i>mcrai_composite</i>	Numeric (index scores)
Administrative / Neighborhood	BIR zonal-value features and <i>spatial_lag_price</i>	Numeric (PHP)
Target	<i>price_per_sqm</i> , <i>price_php</i> , <i>log_price</i>	Numeric

Appendix B

*

Appendix B: Supplementary Tables

Table B1*Geographic Distribution of the Final Open-Market ABT by LGU and Property Type*

City or Municipality	Rows	Share	Condo	House	Lot
Cebu City	1,368	37.83%	669	360	339
Lapu-Lapu City	870	24.06%	444	273	153
Mandaue City	548	15.15%	241	182	125
Talisay City	372	10.29%	19	214	139
Consolacion	242	6.69%	8	131	103
Minglanilla	216	5.97%	10	141	65
Total	3,616	100.00%	1,391	1,301	924

Note. The Condo, House, and Lot columns correspond to the three modeling strata. The House column aggregates house-and-lot, single-detached, townhouse, and apartment listings; Chapter 4 reports the finer property-type breakdown.