Maharashtra Engineering Training Academy, Nashik

Professional Exam Division

Practice Question for CEA

Construction, Construction Materials, Stores Account

सदर सराव प्रश्न हे परीक्षार्थींच्या सोईसाठी व सरावासाठी देण्यात येत आहेत. परीक्षार्थीच्या वारंवार मागणीनुसार सदर प्रश्नांची उत्तरे उपलब्ध करून देण्यात येतआहेत. तरी या सराव प्रश्न व उत्तरे यांची खात्री परीक्षार्थींनी आपल्या स्तरावर तपासून पाहणे. या विषयीच्या कुठल्याही तक्रारीची दखल या कार्यालयामार्फत घेण्यात येणार नाही याची नोंद घ्यावी.

Sr. no.	Question	Correct Option	Option 1	Option 2	Option 3	Option 4
1	53 Grade cement refers to	2	weight of cement per bag	strength of cement	strength of concrete	age of cement
2	FM refers to ----- material	2	cement	sand	aggregates	lime
3	A beam is defined as a structural member subjected to -----	2	axial loading	transverse loading	axial & transverse loading	none of these
4	A bull nose brick is not used for	4	Rounding off sharp corners	Pillars	Decoration purpose	Arches
5	A covering of concrete placed on the exposed top of an external wall, is known as	2	Cornice	Coping	Frieze	Lintel
6	A cut in frame of a door to receive the shutter is called	1	rebate	louver	stop	horn
7	A foundation could fail due to	4	unequal settlement of foundation	unequal distribution of load	horizontal movement of earth	any of these
8	Area enclosed between styles and rails and made up of glass or timber is	1	panel	louver	putty	architrave
9	A floor constructed with the 4 to 6 mm marble chips, is known	2	reinforced marble	terrazzo floor	marble floor	chip floor
10	A good building stone should not absorb water more than ---- %	1	5	10	15	20
11	A horizontal member of stone, concrete or wood provided to give support for the vertical· members' of a wooden window, is. called	3	jamb	reveal	sill	quoin
12	A hydraulic structure is designed to withstand	4	seepage forces	hydraulic jump	hydraulic pressure	all of these

13	A low height wall constructed along the edge of the roof is called	3	gable	plinth	parapet	string course
14	A mortar joint in masonry which is normal to the face of wall is known as	3	Bed joint	Wall joint	Cross joint	Bonded joint
15	A pug mill is used for	3	softening brick earth	moulding brick earth	tempering brick earth	providing brick earth
16	A series of steps without any platform, break or landing in their direction, is called	3	riser	tread	flight	nosing
17	A stair should not have pitch more than	3	25	30	40	10
18	A wooden block hinged on post outside a door, is known	1	Cleat	Stop	Horn	None of these
19	According to IS classification, the range of silt size particles is	4	4.75 mm to 2.00 mm	2.00 mm to 0.425 mm	0.425 mm to 0.075 mm	0.075 mm to 0.002 mm
20	After storage for long perid, the strength of cement -----	1	Decreases	Increases	Remains same	May increase or decrease
21	An arch constructed with finely dressed stones, is known	1	Ashlar arch	Rubble arch	Gauged arch	Axed arch
22	Anticorrosive paint is -------- in colour	3	Blue	White	Black	Yellow
23	Approximate density of concrete shall be ---- Kg/m^3	3	1200	1800	2240	3000
24	As compared to stretcher course, the thickness of joints in header course should be	2	less	more	equal	equal or more
25	As per I.S. specifications temperature for curing is ----- 0C	2	10	27	17	42
26	Auger is used for	2	Painting	Deep boring	Brick masonry	None of these
27	Best ballast contains stones varying in size from	3	1.5 cm to 3 cm	2.0 cm to 4 cm	2.0 cm to 5 cm	2.5 cm to 6 cm
28	Bitumen may be dissolved in	4	Carbon dioxide	Water	Sodium chloride	Carbon disulphide
29	Broader classification of parts of building indicates	4	substructure	plinth	superstructure	all of these
30	Cast iron pipes are generally preferred because	4	of moderate cost	of ease to join	of durability	all of these

31	CBR is short form of ---	4	California Bearing Right	Colombia Bearing Ratio	Cambodia Base Ratio	California Bearing Ratio
32	Cement older than 3 months losses its strength by -----	3	30 %	10 %	20 %	50 %
33	Coarse grained soils are best compacted by a	4	drum roller	rubber tyred roller	sheep's foot roller	vibratory roller
34	Colour of granite is	4	grey	green	brown	all of these
35	Compression of soil occurs rapidly if voids are filled with	1	air	water	partly with air and partly with water	none of these
36	Construction joints are generally provided in concrete for--	4	roads	retaining walls	lining of canals	all of these
37	COT means	2	Cut Off Test	Cut Off Trench	Cum On Test	Cushion Of Trench
38	Crushing strength of a good building stone should be more than	2	50 MPa	100 MPa	150 MPa	200 MPa
39	Curing of concrete is done to have –	2	Better appearance	Become Strong and durable	Optimize use of cement content	None of these
40	Curing of pavements, floors, roofs and slabs, is done by	2	Membrane method	Ponding method	Covering surface with bags	Sprinkling water method
41	DSR means	4	District Simple Rates	Dams Simple Rates	District Schedule of Rise	District Schedule of Rates
42	Duco is one of the patent forms of	4	emulsion paints	plastic paints	bituminous paints	cellulose paints
43	Durability of building stone is affected by its	4	Chemical composition	Texture	Resistance to atmosphere	All of these
44	Effective length of beam is the ----------distance between two adjacent columns	1	center to center	end to end	wall to wall	none of these

45	Effective stress on soil	3	increases voids ratio and decreases permeability	increases both voids ratio and permeability	decreases both voids ratio and permeability	decreases voids ratio and increases permeability
46	Every header is placed centrally over the stretcher below it in	2	English bond	Flemish bond	Stretcher bond	Header bond
47	Excess of alumina in brick earth makes the brick	4	impermeable	brittle and weak	to lose cohesion	to crack and warp on drying
48	Filling in cavities with cement slurry is known as	3	coping	beam-filling	grouting	gunniting
49	Fineness modulus of sand is obtained by --	4	sand bathe	screening	sand bulking	sieve analysis
50	First class timber has an average life of	4	Less than one year	1 to 5 years	5 to 10 years	More than 10 years
51	Flooring measurements are taken on the basis of –	2	unit length	unit area	unit cubic content	all of these
52	For ensuring quality of concrete, use ---- aggregates	3	single size	two sized	well graded	coarse
53	For RCC construction the maximum size of coarse aggregate is limited to	3	10 mm	15 mm	20 mm	25 mm
54	For testing compressive and tensile strength of cement, the cement mortar is made by mixing cement and standard sand in the proportions of	2	1 : 2	1 : 3	1 : 4	1 : 6
55	For testing compressive strength of cement, the size of cube used is	1	50 mm	70.6 mm	100 mm	150 mm
56	For walls, columns and vertical faces of all structural members, the form work is generally removed after	1	1 to 2 days	3 days	7 days	14 days
57	Glazing of clay products, is done	4	To improve their appearance	To protect them from atmospheric effect	To protect them from corrosive action	All of these

58	Gypsum is a ----- type of rock	3	mechanically formed sedimentary	igneous	chemically precipitated sedimentary	metamorphic
59	If height of the first storey of a building is 3.2 m and riser is 13 cm, the number of treads required, is	3	12	18	24	25
60	If the degree of saturation of a partially saturated soil is 0%, then air content of the soil is	4	0.4	0.6	0.8	1
61	If the soil is water logged, its bearing capacity may be improved by	2	grouting	drainage	compaction	chemical treatment
62	In a mortar, the binding material is	1	Cement	Sand	Surkhi	Cinder
63	In a public building, the stairs should be located near the ---of building.	1	entrance	centre,	end	toilet
64	In M-20 concrete, M represents ----	2	Material size	Mix	Mass concrete	Maximum size
65	In order to obtain the best workability of concrete, the preferred shape of aggregate is	1	rounded	elongated	angular	all of these
66	In the soundness test, the whole assembly is immersed in water for	3	30 minutes	1 hour	24 hours	48 hours
67	In Vicat test, the final setting is assumed when the attachment of the needle fails to make any impression on the mould but the needle	2	Penetrates the sample by 5 mm	makes just an impression on the sample	does not penetrate the sample	pierce the sample by 10 mm
68	IRC long form is	4	Inter Road committee	Indian Road Committee	International Road Congress	Indian Road Congress
69	LDPE is short form of ---	2	Least Density Poly Ethylene	Low Density Poly Ethylene	Low Density Phase of Ethylene	Low Density Phase Economy
70	Le Chatelier's device is used for determining the	2	setting time of cement	soundness of cement	tensile strength of cement	compressive strength of cement

71	Lean to roof is used generally	3	in verandahs	out houses	for small sheds	any of these
72	Linseed oil in paint is Used as a	3	base	thinner	carrier	pigment
73	M-10 grade of concrete means	1	1 : 3 : 6 mix	1 : 1 : 2 mix	1 : 2 : 4 mix	1 : 1.5 : 3 mix
74	Marble is an example of ----	2	aqueous rock	metamorphic rock	sedimentary rock	igneous rock
75	Mastic asphalt is normally used for	2	sound insulation	water proofing	fire proofing	none of these
76	Minimum cover in a slab should neither be less than the diameter of bar nor less than	2	10 mm	15 mm	25 mm	13 mm
77	Minimum diameter of longitudinal bars in a column is	3	6 mm	8 mm	12 mm	16 mm
78	Minimum grade of concrete to be used in reinforced concrete as per IS:456-1978 is	1	M15	M20	M 10	M25
79	Minimum thickness of load bearing RCC wall should be	2	50 mm	100 mm	150 mm	200 mm
80	Minimum width of landing should be	1	equal to width of stairs	half the width of stairs	twice the width of stairs	one fourth the width of stairs
81	MSA stands for –	4	Master Sieve Analysis	Mild Steel Angle	Minimum size of Aggregate	Maximum size of Aggregate
82	NMC means	3	Net Moisture Content	Nominal Mix Content	Nominal Moisture Content	Net Mean Competition
83	No. of cement bags required for 2 cum of concrete 1:2:4 nearly are –	3	6	9	13	20
84	Number of bricks required for one cubic meter of brick masonry is	3	400	450	500	600
85	ODD means	3	Observed Dry Density	Open Dry Density	Optimum Dry Density	Optimum Day Density
86	One cement bag is equal to ---------- liter by volume	4	10	15	25	35
87	Paints with white lead base are suitable for painting of	1	wood work	iron work	both wood work and iron work	none of these

88	Particles of 0.002 mm size are that of	1	Clay	Sand	Gravel	None of these
89	Pick up the correct statement	4	DPC should be continuous	DPC should be of good impervious material	DPC may be horizontal or vertical	All of these
90	Pitched and sloping roofs are suitable for	1	coastal regions	plain regions	covering large areas	all of these
91	Plaster of Paris is obtained by calcining	2	Bauxite	Gypsum	Lime stone	None of these
92	Platform at the end of series of steps is known as	3	Stop	Relaxing	Landing	railings
93	Prestressed concrete highly loaded columns, are laid in proportion	3	1:4:8	1:2:4	1:1.5:3	1:3:6
94	Residual soils are formed by	4	glaciers	wind	water	none of these
95	Rich cement mortars are more liable to cracking as compared to lean mortars because rich mortars have	1	high shrinkage	less strength	both of these	none of these
96	RMC is short form of --	2	Real Metal Chart	Ready Mix Concrete	Real Moisture Content	Rational Mix Concrete
97	Rocks formed due to alteration of original structure due to heat and excessive pressure are called	3	sedimentary rock	igneous rock	metamorphic rock	none of these
98	SLTAC is abbreviated for	2	State Level Technical Advisory Council	State Level Technical Advisory Committee	State Level Technical Admission Committee	State Level Technical Advertising Committee
99	Slump test is done for	4	clay	sand	lime	concrete
100	Soundness of cement is tested by	2	Vicat's apparatus	Le-chatelier apparatus	Compressive strength testing apparatus	None of these
101	Soundness test of cement is done to determine its	2	durability in sea water	free lime content	iron oxide content	alumina content (IES 1994)

102	Spalling hammer is used for	2	driving wooden headed chisels	rough dressing of stones	carving of stones	breaking small projection of stones
103	Specific gravity for most of the building stones lies between	3	1.5 to 2.0	2.0 to 2.5	2.5 to 2.7	3.0 to 3.5
104	Steel in RCC beam takes	3	Dead load	live load	Tension	Compression
105	Steel quantity is measured in	2	m	tone	No.	m^2
106	Stoke's law is valid only if the size of particle is	3	less than 0.0002 mm	greater than 0.2 mm	between 0.2 mm and 0.0002 mm	all of these
107	Stones used for rubble masonry must be	3	soft	light	hard	heavy
108	The 9 cm x 9 cm side of a brick as seen in the wall face, is generally known as	2	face	header	front	stretcher
109	The ability of a material to resist softening at high temperature is known as	3	creep	hot tempering	hot hardness	fatigue
110	The ability of cement to maintain a constant volume is called	3	flashing	honeycombing	soundness	creep
111	The age of a tree can be known by examining	2	cambium layer	annular rings	medullary rays	heart wood
112	The angular steps used for changing direction of the stairs, are called	3	Round steps	Angular steps	Winders	Radial steps
113	The arrangement made to support an unsafe structure temporarily, is known as	1	Shoring	Scaffolding	Underpinning	Jacking
114	The arrangement of supporting an existing structure by providing supports underneath is known as	2	shoring	underpinning	jacking	piling
115	The bearing capacity of a water logged soil can be improved by	2	compacting the soil	draining the soil	increasing the depth of foundation	grouting
116	The black cotton soil	4	Undergoes volumetric changes	Swells excessively when wet	Shrinks excessively when dry	All of these

117	The cavity wall is generally provided for	4	preventing dampness	heat insulation	sound insulation	all of these
118	The ceiling height of a building is	2	Between ceiling and ground level	Between ceiling and floor level	Upto roof above ground level	Upto ceiling from the ground level
119	The cement becomes unsound by the presence of excess	4	Sulphur	Magnesia	Lime	All of these
120	The covering of exposed top of wall is called	2	cornice	coping	cramp	corbel
121	The clay soil mainly consists of	4	kaolinites	montomorilloni te	illites	all of these
122	The compressive strength of felspar is ------ quartz	2	equal to	less than	more than	none of these
123	The diameter of longitudinal bars of a column should never be less than	4	6 mm	8 mm	10 mm	12 mm
124	The dimensions of a half queen closer, are	3	9 cm × 9 cm × 9 cm	9 cm × 9 cm × 4.5 cm	9 cm × 4.5 cm × 9 cm	1.8 cm × 4.5 cm × 9 cm
125	The disease of dry rot in timber is caused by	1	lack of ventilation	alternate wet and dry conditions	complete submergence in water	none of these
126	The dressing of stone is done	1	immediately after quarrying	after seasoning	after three months of quarrying	just before building
127	The exposed vertical surface left on the sides of an opening after the door or window frame has been fitted in position, is called	2	jamb	reveal	sill	quoin
128	The floor is rubbed with oxalic acid, for making its surface	2	Free from voids	Glossy	Durable	Uniform
129	The form work from the underside of slabs, can be removed only after	3	1 day	4 days	7 days	14 days
130	The foundation in which a cantilever beam is provided to join two footings is known as	2	strip footing	strap footing	combined footing	raft footing
131	The frog of the brick in a brick masonry is generally kept on	2	bottom face	top face	shorter side	longer side
132	The full form of SBC is	2	Soft Bearing Capacity	Safe Bearing Capacity	Sand Bearing Capacity	Sand Bearing Content

133	The functions of foundation are	4	minimize differential settlement	to offer stability against uplift	carrying the loads to firm strata	all of these
134	The grade of concrete generally not used in the reinforced concrete is	1	M-10	M-15	M-20	M-25
135	The inclined support at the ends & risers of a stair, is known as	2	baluster	string	header	beam
136	The initial setting time for ordinary Portland cement as per IS specifications should not be less than	2	10 minutes	30 minutes	60 minutes	600 minutes
137	The least bearing capacity of soil is that of	2	Hard rock	Moist clay	Soft rock	Coarse sandy soil
138	The lime which contains mainly calcium oxide and slacks with water is	2	fat lime	quick lime	poor lime	hydraulic lime
139	The liquid part of the paint is called	2	pigment	vehicle	solvent	drier
140	The lower edge of the pitched roof, from where the rain water of the roof surface drops down, is known as	4	hip	gable	ridge	eaves
141	The lower half portion between crown and skew back of the arch, is called	2	Spandrel	Haunch	Springing	Soffit
142	The lower surface of bricks or stone of each course is called as 3 face back bed front	3	face	back	bed	front
143	The main constituent of cement which is responsible for initial setting of cement is	3	dicalcium silicate	tricalcium silicate	tricalcium aluminate	all of these
144	The main constituent of fly-ash is	4	aluminium oxide	silica	ferrous oxide	all of these
145	The member which is placed horizontally to support common rafter of a sloping roof, is	1	Purlin	Cleat	Batten	Strut
146	The minimum number of main steel bars provided in R.C.C. is	4	rectangular column is 4	circular column is 6	octagonal column is 8	all of these
147	The mortar of the masonry joints to be covered by painting is raked out at list to a depth of	2	10 mm	20 mm	25 mm	30 mm
148	The most commonly used admixture which prolongs the setting and hardening time is	1	gypsum	calcium chloride	sodium silicate	all of these
149	The most commonly used material for damp proofing is	1	bitumen	paraffin wax	cement solution	cement concrete

150	The most economical section for a column is.	4	rectangular	solid round	flat strip	tubular section
151	'E' tender is used for	1	Carting	Item rate	Percentage Rate	Store Receipt
152	A Govt. servant can accumulate earned leave limited to ---- days	3	100	120	300	200
153	A Govt. servant, avails ..... days earned leave during calendar year	4	10	12	8	15
154	A Govt. servant, Class I, II, III, IV can avails ..... days casual leave during calendar year	3	10	12	8	15
155	According to the definition of "Week" under the Act, it is a period of 7 days beginning at midnight on ------	2	Sunday	Monday	Saturday	Friday
156	Accounts Returns of Sub - Divisional Officers are incorporated in ------ of MPWA	1	Chapter 21	Chapter 20	Chapter 12	Chapter 2
157	AEE means	3	Add Extra Engine	Additional Executive Engineer	Assistant Executive Engineer	As Executive Engineer
158	AG term is used for	2	Audit General	Accountant General	Audit & Account General	None of these
159	Any kind of cash book should be written	4	fortnightly	monthly	weekly	day to day
160	Approximately tour advance is sanctioned up to	2	100 %	75 %	60 %	50 %
161	As per sixth pay commission, increment date of Government servant / officer is	3	1st January	1st April	1st July	1st June
162	As per the Factories Act "Adult "means a person who has completed ..... year of age. [Sec 2(a)]	4	Fifteenth	Sixteenth	Seventeenth	Eighteenth
163	BDS abbreviated for	2	Budget Destroy System	Budget Distribution System	Beam Distribution System	Baggage Distribution System
164	BOT means	4	Build Open Transfer	Beam Operate Transfer	Build Operate Transmit	Build Operate Transfer

165	C M P system means	2	cash maintenance programme	cash management programme	circle management programme	circle maintenance programme
166	C' tender is used for	2	Departmental Works	Lump Sum Work	Transportation	Store Receipt
167	COP means –	4	Cash Over Pay	Carry Over Payment	Chest Of Payment	Certificate Of Payment
168	CPM means	2	Critical Path Minute	Critical Path Method	Central Path Method	Cut Paste Method
169	CSPO used for	3	Central System of Purchase Organization	Central Store Procurement Organization	Central Store Purchase Organization	Central Stem Purple Organ
170	CWC means	2	Centric Water Commission	Central Water Commission	Central Water Committee	Centage Water Commission
171	Detailed Completion Report for the work is kept in ------	2	Form No. 62	Form No. 63	Form No. 67	Form No. 69
172	DGS & D used for	3	Doctor General of Supplies and Disposals	Directorate General of System of Disposals	Directorate General of Supplies and Disposals	District General of Supplies and Disposals
173	DLR is short form of	3	Days Labour Report	Daily Labour Right	Daily Labour Report	Dam Labour Report

174	DPDC used for	3	District Plan and Deployment Committee	District Planning and Development Council	District Planning and Development Committee	Day Plan and Development Committee
175	DSR publish every year in a month of	2	June	July	March	January
176	DTP means ..... Departmental	2	Departmental Tender Papers	Draft Tender Papers	Departmental Tender Pros and Cons	Draft Drawing Pen
177	Duplicate & triplicate receipt books are printed in	1	Govt. Press	Private Press	Central Press	Local Press
178	EFT means	4	Electrical Fund Transfer	Emergency Fund Transfer	Emergency Food Transplantation	Electronic Fund Transfer
179	EGS Cheque Books should be obtained from	3	Commissioner	Chief Accounts Officer	Collector	Forest Officer
180	EIRL means	3	Extra Item Receipt List	Ex Item Rate List	Extra Item Rate List	Extra Ideal Rate List
181	EMD means	1	Earnest Money Deposit	Early Money Deposit	Earnest Monetary Deposit	Earnest Money Deposal
182	Employees Provident Fund arid Miscellaneous Provisions Act. 1952 is applied to establishments employing not less than	2	10 employees	20 employees	50 employees	100 employees
183	E-tendering process is compulsory above Rs	2	Rs. 2 lakhs	Rs. 3 lakhs	Rs. 11 lakhs	Rs. 5 lakhs
184	FD means	2	Fixed Dates	Fixed Deposit	First Deposit	Fixed Delay
185	FMC means	1	Force Majoure Clause	Free Majoure Clause	Free Major Claims	None of these

186	For N.M.R. form No. ..... is used	1	40	41	42	43
187	For Natural calamities head of A/c is	3	2210	2244	2245	2215
188	For pay and allowances which cash book is used,	2	Petty cash book	Main cash book	Imprest Cash Book	EGS cash book
189	For state Govt. female servant, maternity leave is granted up to -- days	3	200	240	180	300
190	Form No. - 26 is used for	1	Bin Card	Post Card	Petro Card	Hand Receipt
191	Form No. – 40 used for	1	Nominal Muster Roll	Daily Labour Report	Un Stamped Receipt	Transfer Entry Order
192	Form No. – 45 used for	1	Measurement Book	Cash Book	Field Book	Hand Book
193	Form No. – 53 purpose is	1	Un Stamped Receipt	Up Sand Receipt	Upper Stand Rest	Un Stamped Rest
194	Form No. – 56 used for	1	Work Abstract A	Work Abstract B	Work Abstract C	Work Abstract D
195	Form No.– 10 use	2	Field Book	Cash Book	Measurement Book	Hand Book
196	Form No.- 24 is used for	3	Indent for T & P	Indent for special T & P	Indent for stores	Indent for Samples
197	Form No.– 28 use	4	Receipt Account	Credit Account	Both 1 & 2	Sale Account
198	Form No.– 33 purpose is	2	Statement of T & P Issue	Statement of T & P Receipt	Statement of T & P Credit	Special T & P credit
199	Form No. 37 stands for	2	Dead stock Register	Ledger of Tools & plants	Ledger of tolls & points	Hand Receipt
200	Form No. -42 use	3	Days Labour Report	Daily Labour Right	Daily Labour Report	Dam Labour Report
201	GIS means	4	Geological information System	Government institutional system	Global Insurance System	Group Insurance Scheme

202	Govt. money should be remitted in treasury by ..... challan	2	MTR-8	MTR-6	MTR-5	MTR-10
203	Head for cost of electric consumed in divisional officer of PWD	2	0701 R&R	2059 PWD &A office exp.	0059 PW	1054 R&B
204	Head of controlling the functions of CADA authorities is called as ---	3	EE	DE	Administrator	CE
205	Headquarter of CDO is at	3	Mumbai	Pune	Nashik	Nagpur
206	Headquarter of CWP& RS is at	2	Mumbai	Pune	Nashik	Nagpur
207	How many classes are there for the store materials ?	4	1	3	2	4
208	How much earnest money to be recovered from the contractor for civil work amounting to Rs. Above 2 crore	2	1 %	0.5 %	0.75 %	2 %
209	How much IDC's are created in the state under WRD.	2	7	5	8	4
210	How much labours are reqired to start the new EGS work	3	30	20	50	40
211	How much percentage is required to be exercised by the executive engineer for civil work	4	100%	25%	10%	5%
212	How much imprest can sanctioned by the EE to the JE	3	Rs. 2000	Rs. 500	Rs. 1000	Rs. 5000
213	How much supervision charges are levied when the material are sold the local bodies	3	15 %	2 %	10 %	5 %
214	Imprest advance is	2	Transferable	Recoupable	Accountable	Reimbursable
215	In B-1 tender, for extension of time limit, clause is	1	6	8	5	3
216	In B-1 tender, for security deposit, clause is	3	2	3	1	4
217	In denture bond is required to be obtained from the contractor for which payment	2	advance payment	secured advance	running payment	F & F payment
218	Income tax recovery from the contractors bill at the rate of 2 % , the concerned head is ---	1	0021 Taxes on Income	071 M&R	1054 R&B	0059 PW
219	In electrical concept O.H. means	1	Over head system	Optional head system	Optional holiday system	None of these
220	In Kalelkar settlement 1967 ..... demands were approved	2	20	25	30	35
221	Inspecting officer for the boiler?	3	EE	SE	Boiler inspector	Electrical inspector
222	IR means	2	Irrigation Reports	Inspection Report	Irrigation Review	Irrigation Revenue

223	Joining time on public transfer is allowed up to ..... days	1	7	8	9	10
224	Imprest cash account is kept in Form -No. --	1	12	18	24	35
225	LBT means	3	Local Body Tender	Large Bid Tenders	Local Body Tax	None of these
226	Loans to Govt. Servant is granted under head of account is	2	7609	7610	7615	7620
227	LOC means	1	Letter Of Credit	Letter Of Comments	Letter Of Cards	Letter Of Camps
228	Major head of Expenditure of E.G.S. is ...	1	2505	2701	2059	4705
229	Material from departmental stock is issued to the contractor on...	1	USR	DSR	DLR	NMR
230	Measurements are recorded on	4	after 3 days	after fortnight	after one month	spot
231	Mention one of the function of Divisional Account.	1	Financial Assistance	Administrative Control	Site inspection	Store Verification
232	MOU means	4	Member Of Understanding	Memo Of Unwilling	Memo Of Undercut	Memo Of Understanding
233	MPWM used for	3	Maharashtra Public Works Mains	Maharashtra People Works Manual	Maharashtra Public Works Manual	MP Public Works Manual
234	MSA Long form is	4	Master Site Account	Mineral Site Account	Material Site Assets	Material at Site Account
235	MWSIP is abbreviation of	2	Maharashtra Water Sector Improvement Programme	Maharashtra Water Sector Improvement Project	Maharashtra Water Sector Impeachment Project	Maharashtra Waste System Improvement Project
236	NMR means	4	Net Muster Roll	Not My Roll	National Muster Roll	Nominal Muster Roll
237	Nominal muster roll contains.....parts	2	5	4	3	2
238	NPS means	4	Nominal Pension Scheme	National Private Scheme	Nominal Private System	National Pension Scheme

239	On what basis temporary advance is paid to the Sub Divisional Officer	4	for petty expenses	for purchase of POL	for purchase of stationery	passed vouchers
240	Preservation period of note books	2	5 years	after completion 10 years	20 years	15 years
241	Pay & allowance bill of staff is submitted to try in ..... bill form	1	MTR-19	MTR-19-A	MTR-19-B	MTR-18
242	PAY BILL OF WORK-CHARGED ESTABLISHMENT is submitted in -----	4	Form No. 48	Form No. 59	Form No. 80	Form No. 51
243	PERT stand for	3	Programme Evaluation Research Technique	Project Evaluation Research Terms	Project Evaluation Research Technique	Project Early Research Technique
244	POA means	1	Power Of Attorney	Power Of Authority	Power Of Account	Payment Of Authority
245	POL used for	2	Petrol Oil Linseed	Petrol Oil Lubricants	Pay Oil Lubricants	Pay On Lubricants
246	Powers to accord technical sanction to original works (Civil) to SE is Rs.	4	350 lakhs	5 crores	4 lakhs	250 lakhs
247	PPO means	1	Pension Payment Order	Payment of Personal Order	Payment of Pension Organisation	Personal Pension Order
248	Rate of annual increment is .....%	4	4	5	10	3
249	Receipts from lift Irrigation Schemes	4	0216 housing	0059 PW	1054 R&B	0702 MI Receipt
250	Register of dismental material form no. is	4	40	46	62	66
251	Report of annual verification of measurement book submitted to Division by subdivision is upto	1	1ST July	1st September	31st March	31st April
252	Revenue Receipt Head of Account in PWD is	4	Form No. 40	Form No. 49	Form No. 56	Form No. 48
253	Revised power as per GR dt. 16.12.15 to accept tenders to Ex. Engr. Rs. ..... per	4	60 lakhs	30 lakhs	20 lakhs	50 lakhs

254	RSL means	1	Reserved Stock Limit	Reserved Stock Limit	Reserved Stock Limit	Reserved Stock Limit
255	Running account bill divided in to ..... parts	3	4	2	5	3
256	Secured advance is granted on which material	1	brought to site	purchasable material	material in the factory	none of these
257	ST & P abbreviated for	1	Special Tools and Plants	Special Tips and Plans	Simple Tools and Plants	System of Tools and Plants
258	State the affective date of kalelkar settlement	1	1.10.66	1.10.67	1.4.68	31.3.67
259	State the defect liability period of New bridge constructed on contractors design	4	1 year	4 years	3 years	5 years
260	Stock ledger is maintained in which form	2	22	31	24	29
261	TEO means	3	Transfer Entity Order	Transmit Entry Order	Transfer Entry Order	Transfer Entry OKorder
262	The ---- wing will under take the maintenance and repairs of heavy earth moving machinery	2	civil	mechanical	electrical	hydro
263	The cash and stock accounts of the division office for a month are closed on the----- day of the calendar month.	2	first working	last working	fifteenth working	2 0 th working
264	The competent authority for fixing of head quarter of sub divisions is	4	Secretary	CE	EE	SE
265	The Factories Act imposes the following obligations upon the employer in regard to his workers. [Sec 7 A]	4	Health	Safety	Welfare	All of these
266	The field levels are taken in which books	1	Field book	m' ment book	note book	copied from pits
267	The maximum area of irrigation project done by zilla parishad is	1	<100 Ha	>100 Ha	100 to 250 Ha	>250 Ha
268	The nominal muster roll, the measurement book, he work-charged establishment bills are ------ records for works account	1	Initial	Final	Intermediate	None of these
269	The officer performing the duties as a adviser to the Govt in legal matters is ----	3	Secretary	Remen Brancer	Advocate General	Private pleader
270	The register of Tools & plant is to be maintained in which form	4	24	30	34	35
271	USR means	1	Un Stamped Receipt	Up Sand Receipt	Upper Stand Rest	Un Stamped Rest

272	Water supplied to the irrigation crops (Receipts)	3	0702 minor R&R	0059 PW R&R	0701 M&M, R&R	1054 R&B
273	What are the sources from which the monthly A/c of division is compiled. (Write any one)	1	cash book	M.B.	F.B.	deposit register
274	What form for Department execution of work is to be used	2	B1	A1	C	D
275	What is full form of PAC ?	1	Public Accounts Committee	Purchase Account Committee	Planning Accounting Commissioning	All of these
276	What is the initial record upon which the account of works are based	2	Store A/c	MB	Work abstract	work slip
277	What is the limit for sanctioning the imprest to the JE by the EE	2	5000	1000	10000	2000
278	What is the measuring unit of dewatering	3	Rft	Cft	BHP	Rmt
279	What is the period of currency of cheque ----- after issue date	1	3 month	4 months	6 months	1 month
280	What is the preservation period for measurement Book ----- after completion of work	1	10 years	5 years	15 years	25 years
281	What is the preservation period of account of material at site	3	10 years	3 years	5 years	15 years
282	What is the preservation period of arrears of wages	1	5 years	10 years	20 years	3 years
283	What is the preservation period of canal return.	3	20 years	25 years	50 years	30 years
284	What is the preservation period of divisional cash book	1	20 year	30 year	10 year	permanent
285	What is the rate of depreciation of oil Engine.	3	0.05	0.1	0.15	0.2
286	What is the rate of depreciation of lamp equipments	1	10 %	5 %	15 %	20 %
287	What is the utility in maintaining the log book of inspection vehicle	4	Run of the vehicle	Recording the repairs	Fuel consumption	All of these
288	What is the financial eligibility of class 8 contractor for tendering the civil works	4	10 lakhs	2 lakhs	3 lakhs	5 lakhs
289	What is the full form of IMF.....?	2	Internal Monetary Fund	International Monetary Fund	Indian Monetary Fund	International Monetary Function
290	What is the validity period of M & R estimates of work	1	April to March	Oct. to Sept.	Jan to Dec.	none of these
291	What power are delegated to accept the tender of civil work to the Chief Engineer	1	15 crores	5 crore	3 crore	full powers

292	What power are delegated to sanction the extra item to the executive engineer	4	10000	25000	50000	1 lakhs
293	What powers are delegated to the Executive Engineer to carry out the work departmentally	1	5 lakhs	10 lakhs	2.5 lakhs	3 lakhs
294	What powers are delegated to the S.E. to accept the tender of civil works	1	250 lakhs	50 lakhs	100 lakhs	25 lakhs
295	When the sanction of ordinary repairs estimate lapses	1	last day of year	5 year	3 year	2 year
296	What type of work is recorded in the standard measurement book	3	aqueduct	canal	building	dam
297	When the Divisional cash book is to be closed.	2	20th	31st or 30th	1st	Non of this
298	When the Maharashtra management of irrigation system by farmers Act. is introduced	4	2008	2001	2009	2005
299	When the minimum wages act is passed and applicable to the workers of WRD & PWD	2	1st April 1950	15-Mar-48	31st March 1952	1st Oct 1960
300	When the revised administrative approval is required to be obtained for excess more than ---	1	10%	15 %	20 %	30 %