## Учреждение образования БЕЛОРУССКИЙ ГОСУДАРСТВЕННЫЙ УНИВЕРСИТЕТ ИНФОРМАТИКИ И РАДИОЭЛЕКТРОНИКИ

Факультет компьютерных систем и сетей

Кафедра программного обеспечения информационных технологий


ОТЧЕТ по лабораторной работе №5


по дисциплине:


Объектно-ориентированные технологии программирования и стандарты проектирования


Выполнил: Студент гр. 851005 Ермолович И. В.


Проверил: Алексеев И.Г.



























































## Сгенерированный код:

```
// AssistentController.cs
// Implementation of the Class AssistentController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class AssistentController : MainDBController {
       public AssistentController(){
       }
       ~AssistentController(){
      }
       public List<Car> GetCars(){
              return null;
       }
       public void LogOut(){
       }
       public HttpResponse ProcRequest(){
              return null;
       }
       public List<Car> Search(){
              return null;
       }
       public void SellCar(){
       }
}//end AssistentController
// BDController.cs
// Implementation of the Class BDController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
```

```
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class BDController : DAOInterface {
      private String password;
      private String URL;
      private String UserName;
      public BDController(){
      }
      ~BDController(){
      }
      public void Add(){
      }
      public void Delete(){
      }
      public void DeleteByID(){
      public void GetByID(){
      }
      public void Save(){
      }
      public void Update(){
      }
}//end BDController
// Car.cs
// Implementation of the Class Car
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
using System;
using System.Collections.Generic;
```

```
using System.Text;
using System.IO;
public class Car {
       private int id;
       private Model model;
       private string name;
       public Model m_Model;
       public Car(){
       }
       ~Car(){
       }
}//end Car
// Customer.cs
// Implementation of the Class Customer
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Customer {
       public String adress;
       public int ID;
       public String Login;
       public Srting name;
       /// <summary>
       /// ame
       /// </summary>
       public String passwordHash;
       public String secondName;
       public Customer(){
       }
       ~Customer(){
       }
}//end Customer
```

```
// CustomerController.cs
// Implementation of the Class CustomerController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class CustomerController : MainDBController {
       private Customer customer;
       private OrderController order;
       public OrderController m_OrderController;
       public Customer m_Customer;
       public CustomerController(){
       ~CustomerController(){
       }
       public int AddToOrder(){
              return 0;
       public bool BuyCar(){
              return false;
       }
       public void DeleteFromOrder(){
       }
       public void LogOut(){
       public HttpResponse ProcRequest(){
              return null;
       }
}//end CustomerController
// DAOInterface.cs
// Implementation of the Interface DAOInterface
// Generated by Enterprise Architect
```

```
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public interface DAOInterface {
       void Add();
       void Delete();
       void DeleteByID();
       void GetByID();
       void Save();
       void Update();
}//end DAOInterface
// DirectorController.cs
// Implementation of the Class DirectorController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:48
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class DirectorController : MainDBController {
       private PSTransactionController paymetController;
       private PrinterController printerController;
       private ReportController reportController;
       public PSTransactionController m_PSTransactionController;
       public PrinterController m PrinterController;
       public ReportController m_ReportController;
       public DirectorController(){
       }
       ~DirectorController(){
       }
       public void LogOut(){
```

```
}
      public HttpResponse ProcRequest(){
             return null;
      }
}//end DirectorController
// GuestController.cs
// Implementation of the Class GuestController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class GuestController : MainDBController {
      public GuestController(){
      }
      ~GuestController(){
      public void Login(){
      }
      public HttpResponse ProcRequest(){
             return null;
      }
      public void Register(){
      }
}//end GuestController
// MainDBController.cs
// Implementation of the Class MainDBController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
```

```
using System.Collections.Generic;
using System.Text;
using System.IO;
public class MainDBController {
      private DAOInterface DBRealisation;
      public BDController m_BDController;
      public MainDBController(){
      }
      ~MainDBController(){
      }
      public HttpResponse ProcRequest(){
             return null;
      }
}//end MainDBController
// Model.cs
// Implementation of the Class Model
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Model {
      private int description;
      private int id;
      public Model(){
      }
      ~Model(){
      }
}//end Model
// Order.cs
// Implementation of the Class Order
```

```
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Order {
       private List<Car> cars;
       private int id;
       private Customer user;
       public Order(){
       }
       ~Order(){
       }
}//end Order
// OrderController.cs
// Implementation of the Class OrderController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class OrderController {
       private List<Car> cars;
       public Car m_Car;
       public OrderController(){
       }
       ~OrderController(){
      }
       public void Add(){
       }
```

```
public void Delete(){
      }
}//end OrderController
// OrdersManagerController.cs
// Implementation of the Class OrdersManagerController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class OrdersManagerController : MainDBController {
      public OrdersManagerController(){
      }
      ~OrdersManagerController(){
      }
      public void ConfirmOrder(){
      }
      public void DeclineOrder(){
      public void LogOut(){
      }
      public HttpResponse ProcRequest(){
             return null;
      }
}//end OrdersManagerController
// PaymentController.cs
// Implementation of the Class PaymentController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
```

```
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class PaymentController {
       public PaymentController(){
       }
       ~PaymentController(){
       public void GeneratePaymentReport(){
       }
}//end PaymentController
// PrinterController.cs
// Implementation of the Class PrinterController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class PrinterController {
       public PrinterController(){
       }
       ~PrinterController(){
       }
       public void PrintReport(){
       }
}//end PrinterController
// Provider.cs
// Implementation of the Class Provider
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
```

```
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Provider {
       private int ID;
       public String name;
       public Provider(){
      }
       ~Provider(){
       }
}//end Provider
// ProviderController.cs
// Implementation of the Class ProviderController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class ProviderController {
       private Provider provider;
       public Provider m_Provider;
       public ProviderController(){
       ~ProviderController(){
       }
       public void GetCars(){
       }
}//end ProviderController
```

```
// PSTransactionController.cs
// Implementation of the Class PSTransactionController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class PSTransactionController {
      public PaymentController m_PaymentController;
      public PSTransactionController(){
      }
      ~PSTransactionController(){
      }
      public void GetPaymentReport(){
      }
}//end PSTransactionController
// ReportController.cs
// Implementation of the Class ReportController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class ReportController {
      public ReportController(){
      }
      ~ReportController(){
      }
      public void GenersteReport(){
```

```
}
}//end ReportController
// Sale.cs
// Implementation of the Class Sale
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Sale {
      private int id;
      private Order order;
      public int status;
      private Transaction transaction;
      public Shop m_Shop;
      public Customer m_Customer;
      public Order m_Order;
      public Transacrion m_Transacrion;
      public Sale(){
      ~Sale(){
      }
}//end Sale
// Shop.cs
// Implementation of the Class Shop
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Shop {
      public String adress;
```

```
public int amount;
       private List<Car> cars;
       private int id;
       private List<Order> orders;
       public int price;
       private Provider provider;
       public Car m_Car;
       public Order m Order;
       public Provider m_Provider;
       public Shop(){
       }
       ~Shop(){
       }
}//end Shop
// StorageManagerController.cs
// Implementation of the Class StorageManagerController
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class StorageManagerController : MainDBController {
       private ProviderController providerController;
       public ProviderController m_ProviderController;
       public StorageManagerController(){
       }
       ~StorageManagerController(){
       }
       public void AddToCatalog(){
       }
       public void AddToStorage(){
       }
       public void DeleteFromCatalog(){
       }
```

```
public void DeleteFromStorage(){
       }
       public void LogOut(){
       }
       public Httpresponse ProcRequest(){
              return null;
       }
}//end StorageManagerController
// Transacrion.cs
// Implementation of the Class Transacrion
// Generated by Enterprise Architect
// Created on: 08-дек-2020 18:58:49
// Original author: Ilya
using System;
using System.Collections.Generic;
using System.Text;
using System.IO;
public class Transacrion {
       public Date date;
       private int id;
       public double price;
       public Transacrion(){
       }
       ~Transacrion(){
       }
}//end Transacrion
```