Python For Data Science *Cheat Sheet*
Matplotlib

Learn Python **Interactively** at www.DataCamp.com

Matplotlib

Matplotlib is a Python 2D plotting library which produces publication-quality figures in a variety of hardcopy formats and interactive environments across platforms.

Plot Anatomy & Workflow

Plot Anatomy

Workflow

The basic steps to creating plots with matplotlib are:

1 Prepare data **2** Create plot **3** Plot **4** Customize plot **5** Save plot **6** Show plot

```
>>> import matplotlib.pyplot as plt
>>> x = [1,2,3,4]              Step 1
>>> y = [10,20,25,30]
>>> fig = plt.figure()        Step 2
>>> ax = fig.add_subplot(111)  Step 3
>>> ax.plot(x, y, color='lightblue', linewidth=3)  Step 3, 4
>>> ax.scatter([2,4,6],
               [5,15,25],
               color='darkgreen',
               marker='^')
>>> ax.set_xlim(1, 6.5)
>>> plt.savefig('foo.png')
>>> plt.show()                Step 6
```

1 Prepare The Data

Also see **Lists & NumPy**

1D Data
```
>>> import numpy as np
>>> x = np.linspace(0, 10, 100)
>>> y = np.cos(x)
>>> z = np.sin(x)
```

2D Data or Images
```
>>> data = 2 * np.random.random((10, 10))
>>> data2 = 3 * np.random.random((10, 10))
>>> Y, X = np.mgrid[-3:3:100j, -3:3:100j]
>>> U = -1 - X**2 + Y
>>> V = 1 + X - Y**2
>>> from matplotlib.cbook import get_sample_data
>>> img = np.load(get_sample_data('axes_grid/bivariate_normal.npy'))
```

2 Create Plot

```
>>> import matplotlib.pyplot as plt
```

Figure
```
>>> fig = plt.figure()
>>> fig2 = plt.figure(figsize=plt.figaspect(2.0))
```

Axes

All plotting is done with respect to an `Axes`. In most cases, a subplot will fit your needs. A subplot is an axes on a grid system.
```
>>> fig.add_axes()
>>> ax1 = fig.add_subplot(221)  # row-col-num
>>> ax3 = fig.add_subplot(212)
>>> fig3, axes = plt.subplots(nrows=2,ncols=2)
>>> fig4, axes2 = plt.subplots(ncols=3)
```

4 Customize Plot

Colors, Color Bars & Color Maps
```
>>> plt.plot(x, x, x, x**2, x, x**3)
>>> ax.plot(x, y, alpha = 0.4)
>>> ax.plot(x, y, c='k')
>>> fig.colorbar(im, orientation='horizontal')
>>> im = ax.imshow(img,
                   cmap='seismic')
```

Markers
```
>>> fig, ax = plt.subplots()
>>> ax.scatter(x,y,marker=".")
>>> ax.plot(x,y,marker="o")
```

Linestyles
```
>>> plt.plot(x,y,linewidth=4.0)
>>> plt.plot(x,y,ls='solid')
>>> plt.plot(x,y,ls='--')
>>> plt.plot(x,y,'--',x**2,y**2,'-.')
>>> plt.setp(lines,color='r',linewidth=4.0)
```

Text & Annotations
```
>>> ax.text(1,
            -2.1,
            'Example Graph',
            style='italic')
>>> ax.annotate("Sine",
                xy=(8, 0),
                xycoords='data',
                xytext=(10.5, 0),
                textcoords='data',
                arrowprops=dict(arrowstyle="->",
                                connectionstyle="arc3"),)
```

Mathtext
```
>>> plt.title(r'$sigma_i=15$', fontsize=20)
```

Limits, Legends & Layouts

Limits & Autoscaling
```
>>> ax.margins(x=0.0,y=0.1)        Add padding to a plot
>>> ax.axis('equal')              Set the aspect ratio of the plot to 1
>>> ax.set(xlim=[0,10.5],ylim=[-1.5,1.5])  Set limits for x-and y-axis
>>> ax.set_xlim(0,10.5)           Set limits for x-axis
```
Legends
```
>>> ax.set(title='An Example Axes',   Set a title and x-and y-axis labels
           ylabel='Y-Axis',
           xlabel='X-Axis')
>>> ax.legend(loc='best')          No overlapping plot elements
```
Ticks
```
>>> ax.xaxis.set(ticks=range(1,5),     Manually set x-ticks
                 ticklabels=[3,100,-12,"foo"])
>>> ax.tick_params(axis='y',        Make y-ticks longer and go in and out
                   direction='inout',
                   length=10)
```
Subplot Spacing
```
>>> fig3.subplots_adjust(wspace=0.5,   Adjust the spacing between subplots
                         hspace=0.3,
                         left=0.125,
                         right=0.9,
                         top=0.9,
                         bottom=0.1)
>>> fig.tight_layout()              Fit subplot(s) in to the figure area
```
Axis Spines
```
>>> ax1.spines['top'].set_visible(False)   Make the top axis line for a plot invisible
>>> ax1.spines['bottom'].set_position(('outward',10))  Move the bottom axis line outward
```

3 Plotting Routines

1D Data
```
>>> lines = ax.plot(x,y)              Draw points with lines or markers connecting them
>>> ax.scatter(x,y)                   Draw unconnected points, scaled or colored
>>> axes[0,0].bar([1,2,3],[3,4,5])    Plot vertical rectangles (constant width)
>>> axes[1,0].barh([0.5,1,2.5],[0,1,2])  Plot horiontal rectangles (constant height)
>>> axes[1,1].axhline(0.45)           Draw a horizontal line across axes
>>> axes[0,1].axvline(0.65)           Draw a vertical line across axes
>>> ax.fill(x,y,color='blue')         Draw filled polygons
>>> ax.fill_between(x,y,color='yellow')  Fill between y-values and o
```

2D Data or Images
```
>>> fig, ax = plt.subplots()
>>> im = ax.imshow(img,        Colormapped or RGB arrays
                   cmap='gist_earth',
                   interpolation='nearest',
                   vmin=-2,
                   vmax=2)
```

Vector Fields
```
>>> axes[0,1].arrow(0,0,0.5,0.5)       Add an arrow to the axes
>>> axes[1,1].quiver(y,z)             Plot a 2D field of arrows
>>> axes[0,1].streamplot(X,Y,U,V)     Plot 2D vector fields
```

Data Distributions
```
>>> ax1.hist(y)          Plot a histogram
>>> ax3.boxplot(y)       Make a box and whisker plot
>>> ax3.violinplot(z)    Make a violin plot
```
```
>>> axes2[0].pcolor(data2)      Pseudocolor plot of 2D array
>>> axes2[0].pcolormesh(data)   Pseudocolor plot of 2D array
>>> CS = plt.contour(Y,X,U)     Plot contours
>>> axes2[2].contourf(data1)    Plot filled contours
>>> axes2[2]= ax.clabel(CS)     Label a contour plot
```

5 Save Plot

Save figures
```
>>> plt.savefig('foo.png')
```
Save transparent figures
```
>>> plt.savefig('foo.png', transparent=True)
```

6 Show Plot
```
>>> plt.show()
```

Close & Clear
```
>>> plt.cla()     Clear an axis
>>> plt.clf()     Clear the entire figure
>>> plt.close()   Close a window
```