

Learning SQL Part 2

Thursday, July 16, 2026 2:00 PM

- CREATE TABLE
- INSERT INTO
- ALTER
- SELECT FROM
- UPDATE (ADD COLUMNS)
- DELETE FROM

Constraints: Conditions imposed on individual data in the database.

Queries

Querying → retrieving data from database.

Eg: Table: movies

⇒ SELECT

Syntax: SELECT <column name> (just like SELECT * FROM <table>;)
FROM <table>;

Eg: SELECT name, genre FROM movies;

⇒ AS

AS is a keyword that allows us to rename a column or table.

Eg: SELECT name AS 'Titles' FROM movies;
previous column name new column name

Imp note: The columns are not renamed in the table, only in the query result.

⇒ DISTINCT

It is a keyword that returns unique values in output.
It filters out the repeating values in the column.

Eg: SELECT title FROM ...

4. SELECT tools FROM inventory; *→ return*

Nails

Nails

Nails

But:

SELECT DISTINCT tools
FROM inventory; *→ return* Hammer
Nails

⇒ WHERE

Used to restrict query results

Syntax: SELECT <column> FROM <table> WHERE <condition>;

Eg:

SELECT * FROM movies WHERE imdb-rating > 8;

⇒ LIKE

It is used to compare similar values.

SELECT *
FROM movies
WHERE name LIKE ' ';

% is a wildcard character.

When paired with LIKE,

A% → returns results that start with A

%a → returns results that end with a

% a % → returns results that contain a.

⇒ Between

It is used with WHERE clause.

It returns result with a certain range. *→ can be text, integer, dates.*

Eg: SELECT *
FROM movies
WHERE year BETWEEN 1990 AND 1999;

Also:

SELECT *
FROM movies
WHERE name BETWEEN 'A' AND 'J';

} only returns
movies starting from A to J.

⇒ **AND** → merge two conditions

```
SELECT *
FROM movies
WHERE year > 1990 AND genre = 'romance';
```

⇒ **OR** → It displays the result if either of the condition is true.

Eg:

```
SELECT *
FROM movies
WHERE year > 1985 OR genre = 'horror';
```

Either of the conditions can be true.

⇒ **ORDER BY**

- Sorting the results.

Order BY <column-name>;

DESC } high to low, Z to A
ASC } low to high, A to Z

⇒ **LIMIT**

It is a clause that specifies max. number of rows in the result.

Syntax:

```
SELECT *
FROM <table>
LIMIT <number>;
```

⇒ **CASE**

if-then logic, can lead to different outputs based on different conditions.

SYNTAX:

```
SELECT <column-name>,
CASE
  WHEN <condition> THEN <output>
  WHEN " " " "
  ELSE <output>
END
FROM <table>;
```

```
SELECT name,
CASE
  WHEN genre = 'romance' THEN 'Chill'
  ELSE 'Intense'
END
FROM movies;
```

