

Project Name: New York Restaurants

Worked with a restaurants table called nomnom. Queried the data to find the best dinner spots in the city using SELECT, WHERE, ORDER BY, and other SQL commands learned so far. Practiced filtering and sorting real table data.

Tasks

12/12 complete

Write the following queries:

1. Start by getting a feel for the nomnom table:

```
SELECT *  
FROM nomnom;
```

2. What are the distinct neighborhoods?

```
SELECT DISTINCT neighborhood  
FROM nomnom;
```

3. What are the distinct cuisine types?

```
SELECT DISTINCT cuisine  
FROM nomnom;
```

4. Suppose we would like some Chinese takeout. What are our options?

```
SELECT *  
FROM nomnom  
WHERE cuisine = 'Chinese';
```

5. Return all the restaurants with reviews of 4 and above.

```
SELECT *  
  
FROM nomnom  
  
WHERE review >= 4;
```

6. Suppose Abbi and Ilana want to have a fancy dinner date. Return all the restaurants that are Italian and \$\$\$.

```
SELECT *  
  
FROM nomnom  
  
WHERE cuisine = 'Italian' AND price = '$$$';
```

7. Your coworker Trey can't remember the exact name of a restaurant he went to but he knows it *contains* the word 'meatball' in it. Can you find it for him using a query?

```
SELECT *  
  
FROM nomnom  
  
WHERE name LIKE '%meatball%';
```

8. Let's order delivery to the house! Find all the close by spots in Midtown, Downtown or Chinatown. (OR can be used more than once)

```
SELECT *  
  
FROM nomnom  
  
WHERE neighborhood = 'Midtown' OR neighborhood = 'Downtown' OR  
neighborhood = 'Chinatown';
```

9. Find all the health grade pending restaurants (empty values).

```
SELECT *  
  
FROM nomnom  
  
WHERE health IS NULL;
```

10. Create a Top 10 Restaurants Ranking based on reviews.

```
SELECT *  
  
FROM nomnom  
  
ORDER BY review DESC  
  
LIMIT 10;
```

11. Use a CASE statement to change the rating system to:

review > 4.5 is Extraordinary

review > 4 is Excellent

review > 3 is Good

review > 2 is Fair

Everything else is Poor

Don't forget to rename the new column!

```
SELECT name,  
  
  
CASE  
  
  
  
WHEN review > 4.5 THEN 'Extraordinary'
```

```
WHEN review > 4 THEN 'Excellent'
```

```
WHEN review > 3 THEN 'Good'
```

```
WHEN review > 2 THEN 'Fair'
```

```
ELSE 'Poor'
```

```
END AS 'Review'
```

```
FROM nomnom;
```