End of Life Care

History

- · Terminal illness
- Hospice care
- POLST or DNR

Signs and Symptoms

- AMS
- Congestion
- · Change in breathing
- · Change in pulse
- Fever

Differential

- Natural end of life
- Medication OD

Review POLST or DNR form Honor wishes listed on legal form If needed, provide comfort care to include: Oxygen • Open and maintain the airway using noninvasive means only (e.g. chin lift or jaw Suction as necessary Do not start resuscitation if the patient is in cardiopulmonary arrest If family member with decision-making authority is not present, ask family for the phone number for their Hospice Nurse if not already on scene Is the patient on hospice? **Contact Hospice Nurse** Ε Let Hospice Nurse discuss options with No family, even if only over the phone The family and Hospice Nurse should decide on an appropriate course of treatment or decision to transport

Treatment for pain indicated?

Yes

If an existing patent IV is available consider

Fentanyl 25 – 200mcg IV

titrated in 25 – 50mcg increments to pain
relief. Consider 25mcg increments in elderly
patients

If no IV access consider Fentanyl 100mcg IN May repeat once after 15 minutes

If no IV access and IN route not advisable Fentanyl 50 – 100mcg IM May repeat once after 15 minutes

Max of 200mcg total

Monitor and reassess 5 minutes following administration

Honor and respect patient/family wishes, transport requested?

Yes

Transport to appropriate receiving center or requested facility of choice

Complete a Refusal for Service and thoroughly document encounter

Notify receiving facility. Contact Base Hospital for medical direction, as needed.








Fentanyl

Contact Base Hospital for

additional order

End of Life Care

- Follow the wishes outlined in a signed POLST or DNR order. A competent patient or designated decision maker acting on behalf of the patient can override POLST.
- If a POLST or DNR order is not immediately available, immediately initiate BLS supportive care. Do not delay care while waiting for the form.
- If transport is initiated at the request of the family and the patient subsequently goes into cardiac or respiratory arrest during transport, continue to the closest approved receiving facility.



POLST forms are generally copied on pink paper to help ensure that the document stands out and is followed. However, POLST on any paper color is valid.

Unlike POLST, there is no standardized DNR order form. If you have doubt of a DNR order authenticity, initiate BLS care and contact the Base Hospital for guidance.

Pearls

- Hospice patients and those on palliative end of life care are often heavily medicated with pain medications. Administration of Naxolone, even in small amounts, can result in unnecessary suffering.
- Always involve the patient's assigned Hospice Nurse, even if it is by phone. It is important to recognize that families may be educated on what to expect with a dying family member, but no amount of preparation can eliminate the stress and grief of watching a loved one die.



