



BRAND GUIDELINES

Digital inspections, incident reporting and audit-ready evidence for
UK warehousing, logistics and manufacturing.


What's inside

A quick reference to the hsmanager visual identity — logo, colour, type and the core system tokens.

Logo	Lockup, mark, clear space and minimum size
Colour	Brand core, green & navy scales, neutrals, status
Typography	Display face, heading ladder, body, mono
Spacing & radius	4px scale, corner radii, control heights
Elevation & motion	Shadow scale, durations and easing
Components	Buttons, badges, status pills, cards in practice

Lockup & mark

Supplied artwork — never redrawn, recoloured or stretched.



Clear space & minimum size

- Clear space around the lockup = half the height of the mark.
- Minimum lockup width: 96px on screen, 25mm in print.
- Mark alone, minimum 24px — app icons, favicons, avatars.
- Use the white lockup on navy or photographic backgrounds; never place the colour lockup on anything darker than grey-100.

Palette

The two brand primitives, sampled from the logo artwork, extended into functional scales.

HS Green

--hsm-green · #12B71D


HS Navy

--hsm-navy · #0D1F2D


Green scale — actions, pass states, brand accents



Navy / ink scale — text, sidebars, dark sections






Neutrals — surfaces, borders, dividers



Inspection status vocabulary

Pass, fail, open action, info and N/A — this mapping is fixed and never reassigned to other meanings.

 Pass Racking, forklift, fire checks that meet standard #12B71D	 Fail A defect was found and evidence attached #E02B20	 Open action Raised from a failed question, awaiting resolution #F5A524	 Info / synced System state — sync, notices, references #2F6FED	 N/A Question does not apply to this site or asset #6E7C89
--	---	--	---	---

Usage rule

- Green always means pass or compliant — never used for anything else in the product.
- Red always means fail — reserved for defects and destructive actions.
- Amber marks an open, unresolved action; it is not a warning about the interface itself.
- Grey N/A is neutral — the question doesn't apply, it hasn't been skipped.

Display face

ITC Avant Garde Gothic, Bold only. Headlines and big numbers — never body copy.

```
--font-display • weight 700 • tracking -.03em • line-height 1.06
```

Heading ladder — Plus Jakarta Sans, 700, -1.8% tracking

H1 / 30px

Unified oversight across every site

H2 / 24px

Unified oversight across every site

H3 / 20px

Unified oversight across every site

H4 / 17px

Unified oversight across every site

Body, caption & mono

Plus Jakarta Sans for everything read; JetBrains Mono for anything measured.

Body large — 17px. Marketing paragraphs and lead-ins.

Body — 15px, line-height 1.5. The default for app UI and long-form copy.

Body small — 13.5px. Table cells, hints and secondary detail.

Caption — 12px. Timestamps, badge text and metadata.


EYEBROW — 11PX, UPPERCASE, .09EM TRACKING

```
RACK-DAV-C14 · FLT-08 · 07/05/2026 14:32
0123456789 – tabular figures in tables and meters
```

--font-mono · never used for sentences

Scale & corners

A 4px base grid. Card padding 24, section gaps 32–48, page gutters 24 (40 on wide layouts).



Corner radii



Control heights



Shadows & timing

Soft, low-contrast navy shadows. Short, flat easing — no bounce, no overshoot.




Motion durations

TOKEN	VALUE	USED FOR
--dur-instant	90ms	micro state changes
--dur-fast	150ms	hover, focus, colour
--dur-base	220ms	card lift, toggles
--dur-slow	380ms	progress, sheets
--dur-page	600ms	page-level transitions

The system in practice

Green primary actions, navy secondary, the fixed status vocabulary, and a 20px-radius card.


BUTTONS



BADGES & STATUS



METRIC CARD





Every screen, document and touchpoint should read as one product.
When in doubt, default to the tokens in this book rather than a one-off
value.