DSP Exam

No.1

Exercises (16p)

1. (3p) Consider the following signal:

$$x_a(t) = 2 + 0.5 \cos(400\pi t) + 0.5 \cos(800\pi t)$$

- a. (1p) Compute the minimum sampling frequency necessary for avoiding alias.
- b. (1p) The signal is sampled with 500Hz. Write the discrete signal obtained via sampling.
- c. (1p) What is the analog signal reconstructed from the samples via ideal D/A conversion?
- 2. (2p) Compute the convolution y of the two sequences $x_1 = \{...0, 0, \frac{1}{1}, 2, 1, 0, 0, ...\}$ and $x_2 = \{...0, 0, 1, 2, \frac{3}{1}, 4, 5, 0, 0, ...\}$.
- 3. A causal LTI system has the property that if the input signal is

$$x[n] = 2\left(\frac{1}{4}\right)^n u[n],$$

then the output signal is

$$y[n] = u[n]$$

- a. (1p) Find the system function H(z), specify the Region of Convergence, draw the pole-zero diagram, justify if the system is stable or not.
- b. (2p) Compute the impulse response h[n] of the system
- 4. (8p) Consider a causal LTI system with system function

$$H(z) = 3\frac{1+z^{-2}}{1-0.81z^{-2}}$$


- a. (1p) Draw the pole-zero diagram
- b. (2p) Sketch the amplitude response of the system. What type of filter is it?.
- c. (2p) Write the expression of the amplitude response $|H(\omega)|$.
- d. (2p) Write a non-zero sinusoidal signal x[n] for which the output signal y[n] = 0.

Known formulas

$$\begin{aligned} a^n \cdot u[n] & & \stackrel{\mathbf{Z}}{\longleftrightarrow} & \frac{1}{1 - a \cdot z^{-1}} = \frac{z}{z - a}, ROC : |z| > |a| \\ -a^n \cdot u[-n - 1] & & \stackrel{\mathbf{Z}}{\longleftrightarrow} & \frac{1}{1 - a \cdot z^{-1}} = \frac{z}{z - a}, ROC : |z| < |a| \end{aligned}$$

Theory (15p)

- 1. (1p) Prove that $cos(2\pi(\frac{1}{2}+\frac{1}{5})n)$ is identical to $cos(2\pi(\frac{1}{2}-\frac{1}{5})n)$.
- 2. (2p) We apply the unit step signal u[n] to a system and we observe that the output y[n] slowly increases up to infinity. What property can we state about the system? Explain.
- 3. (4p) Derive the convolution equation. If a linear and time-invariant system has an input x[n] which can be written as $x[n] = \sum_{k=-\infty}^{\infty} x[k]\delta[n-k]$, derive the expression of the output signal (based on the impulse response h[n]).
- 4. (1p) A signal x[n] has the Region of Convergence 0.2 < |z| < 1.4. Is the signal causal / anti-causal / bilateral?
- 5. (2p) Specify all the possible frequencies that can appear in the spectrum of a a discrete periodic signal with period N.
- 6. (3p) Prove that an input signal $x[n] = Ae^{j\omega_0 n}$, when applied to the input of an LTI system, produces an output that is proportional to the input $y[n] = x[n] \cdot H(\omega_0)$.
- 7. (2p) What type of digital system has the following pole-zero diagram? What is its output y[n]?.



Notes

- 3p are awarded from start. 34p max total, obtain 30p for grade 10.
- Time available: 2h