Marico Brand Sales Return Adapter

It's a single file upload.

File Sample: https://ripplr-my.sharepoint.com/:x:/g/personal/sheik_m_ripplr_in/IQC-p10fSbFS S5AymBEZx18-ATTTIAm9ozKcV7dXB8zINx8?e=XNJWcz Connect your OneDrive account

File Level Validation:

- If any of the required fields listed in the mapping table below are missing, excluding the "Ignore" fields, throw an error message in the following format: "Expected <Field Name> field is missing in the uploaded file."
  For example: "Expected Company Invoice Date field is missing in the uploaded file."
- If any of the conditions mentioned in the Validation column of the mapping field fail then through an appropriate error
  ex:
  - Company Invoice Date is not in Date format
  - Company Invoice Number should not be more than 255 characters
  - Product Batch Code should be Alphanumeric, no special characters are allowed
  - Product Batch Code should not be more than 55 characters
  - Invoice Qty should be an integer value which is a number without a decimal point like 23
  - purchase_price should be a number with a decimal point like 23.45 or 23.00

Below is the Mapping for Sales Return:

Field Name	CDMS Table	Column	Validation	Remarks		
DistrBrName	Ignore					
SalesReturnDt	brand_return	return_date				
SalesReturnNo	brand_return	Return_no		Add a new column to start storing		

				the data. In the UI, the Marico return number should be captured from this field.		
Reg InvoiceNumber	brand_return	find order_id based on the fc_id, brand_id, and invoice_number combition and save the order_id for mapping. If this field is blank then keep order_id as Null.				
Godown Name	Ignore					

RouteName	Ignore					
SalesmanName	Ignore					
CustomerName	Check Retailer Code and Name Combination in Stores Table, If store found then take ID of the store and map it in Orders Table, If not found then create new store and get that ID and map it to the order.					
distrCustomerCode	Check Retailer Code and Name Combination in Stores Table, If store found then take ID of the store and map it in Orders Table, If not found then create new store and get that ID and map it to the order.					
HSNCode	brand_return_detail	hsn				
Brand Name	Ignore					
Product Code	Check Product Code and Name Combination in Products Table, If product found then take ID of the product and map it in Orders in OrderDetails Table, If not found then create new product and get that ID and map it to the order in OrderDetails table.					
Product Name	Check Product Code and Name Combination in Products Table, If product found then take ID of the product and map it in Orders in OrderDetails Table, If not found then create new product and get that ID and map it to the order in OrderDetails table.					
prodBatchCode	ChampProductDetails	batch_no	Alphanumaric less or equal to 55 digits or null			
PDA Batch	Ignore					

Reason						
Remarks	Ignore					
OLD MRP	Ignore					
NEW MRP	ChampProductDetails	mrp	Float			
Saleable Qty	brand_return_detail	good_qty				
UnSaleable Qty	brand_return_detail	bad_qty				
FreeQty	brand_return_detail	free_qty				
TotalReturnQty	brand_return_detail	total_return_qty				
Gross Amount	brand_return_detail	gross_amount	Float		If SGST and CGST is greater than 0 then calculate Gross Amt using formula ((Gross Amt/1.(SGST+	If the tax amount or percentage is not available, store the data as it is.

					CGST)) - (Cess Amount) - (TCS Tax Amount)) and save the value upto to 4 decimal point If IGST is greater than 0 then calculate Gross Amt price using formula ((Gross Amt/1. (IGST)) - (Cess Amount) - (TCS Tax Amount)) and save the value upto to 4 decimal point		

					If CGST and UTGST is greater than 0 then calculate Gross Amt using formula ((Gross Amt/1.(CGST+UTGST)) - (Cess Amount) - (TCS Tax Amount)) and save the value upto to 4 decimal point	
DB Disc	brand_return_detail	discount_info.special_DB Disc_amt				
Cash Disc	brand_return_detail	discount_info.special_Cash_amt				
Sch Disc	brand_return_detail	discount_info.special_Sch Discount_amt				

SM Discount	brand_return_detail	discount_info.special_SM Discount_amt				
LND DiscgetSalesReturnBeangetDownloadount	Ignore					
Add Tot	Ignore					
CGST Perc	brand_return_detail	tax_info	Float	"cgst%": 9.0,	The SGST column in the system will receive tax data as a percentage. This percentage will be used to calculate the CGST amount and split the total tax.	If the tax amount or percentage is not available, store the data as it is.
CGSTAmt	brand_re	tax_info	Float	"cgst_amt": 12.08,		If the tax amount or

	turn_detail					percentage is not available, store the data as it is.
SGST Perc	brand_return_detail	tax_info		"sgst%": 0.0,	The SGST column in the system will receive tax data as a percentage. This percentage will be used to calculate the CGST amount and split the total tax.	If the tax amount or percentage is not available, store the data as it is.
SGSTAmt	brand_return_detail	tax_info	Float	"sgst_amt": 12.08,		If the tax amount or percentage is not available, store

						the data as it is.
IGST Perc	brand_return_detail	tax_info	Float	igst%": 0.0,	The IGST column in the system will receive tax data as a percentage. This percentage will be used to calculate the IGST amount.	If the tax amount or percentage is not available, store the data as it is.
IGSTAmt	brand_return_detail	tax_info	Float	igst_amt": 0.0,		If the tax amount or percentage is not available, store the data as it is.
Tax Perc	Ignore					
Tax Amount	brand_return_detail	total_tax_amount	Float			
Net Amount	brand_return_det	net_amount	Float			

	ail					