

Unrated

nikhi_13

 Contribution: 0

 Friend of: 0 users

 [My friends](#)

 [Change settings](#)

 [nikhimaha13@gmail.com](#) (not visible)

Last visit: **online now**

Registered: 62 minutes ago

 [Start your own blog](#), [Comments](#)

 [Comments](#)

 [View my talks](#)



[Change photo](#)

→ **Pay attention**

Before contest
[Codeforces Round \(Div. 3\)](#)
6 days

→ **Streams**

[Mock ICPC Prelims Contest 3](#)
[Solution Discussion](#)
By **aryanc403**
Before stream 24:20:41

[View all](#) →

→ **nikhi_13**

 Contribution: 0

- [Settings](#)
- [Blog](#)
- [Teams](#)
- [Submissions](#)
- [Talks](#)
- [Contests](#)



nikhi_13

[HOME](#) [TOP](#) [CATALOG](#) [CONTESTS](#) [GYM](#) [PROBLEMSET](#) [GROUPS](#) [RATING](#) [EDU](#) [API](#) [CALENDAR](#) [HELP](#)

[PROBLEMS](#) [SUBMIT CODE](#) [MY SUBMISSIONS](#) [STATUS](#) [STANDINGS](#) [CUSTOM INVOCATION](#)

Problems

#	Name			
A	The 67th Integer Problem	standard input/output 1 s, 256 MB		x16454
B	The 67th 6-7 Integer Problem	standard input/output 1 s, 256 MB		x14109
C	The 67th Permutation Problem	standard input/output 2 s, 256 MB		x3906
D	The 67th OEIS Problem	standard input/output 2 s, 256 MB		x447
E	The 67th XOR Problem	standard input/output 3 s, 256 MB		x229
F	The 67th Tree Problem	standard input/output 4 s, 256 MB		x25
G	The 67th Iteration of "Counting is Fun"	standard input/output 2 s, 256 MB		x14

[Complete problemset](#)
 [Ask a question](#)

Questions about problems

Question	Answer
No items	

Codeforces Round 1090 (Div. 4)

Contest is running

01:58:48


Virtual Participation



→ [Clone Contest to Mashup](#)

You can clone this contest to a mashup.

[Clone Contest](#)

[HOME](#) [TOP](#) [CATALOG](#) [CONTESTS](#) [GYM](#) [PROBLEMSET](#) [GROUPS](#) [RATING](#) [EDU](#) [API](#) [CALENDAR](#) [HELP](#)[PROBLEMS](#) [SUBMIT CODE](#) **[MY SUBMISSIONS](#)** [STATUS](#) [STANDINGS](#) [CUSTOM INVOCATION](#)My Submissions

#	When	Who	Problem	Lang	Verdict	Time	Memory
392845019	00:14:13	nikhi_13 ^{00:17}	B - The 67th 6-7 Integer Problem	C++17 (GCC 7-32)	Accepted	31 ms	0 KB

Codeforces Round 1090 (Div. 4)**Contest is running**

01:57:34



392845019	00:14:13	nikhi_13	B - The 67th 6-7 Integer Problem	C++17 (GCC 7-32)	Accepted	31 ms	0 KB
392844913	00:13:21	nikhi_13	A - The 67th Integer Problem	C++17 (GCC 7-32)	Accepted	31 ms	0 KB
392844029	00:06:53	nikhi_13	A - The 67th Integer Problem	C++17 (GCC 7-32)	Wrong answer on test 2	31 ms	0 KB

01:57:08

Virtual Participation



Scanned with OKEN Scanner



Candidate Master

nikhi_13



Contribution: 4



Friend of: 0 users



[My friends](#)



[Change settings](#)



[nikhinaha13@gmail.com](#) (not visible)

Last visit: 3 hours ago

Registered: 3 hours ago



[Start your own blog, Comments](#)



[Comments](#)



[View my talks](#)



[Change photo](#)

Rating

1347 ▲+72

Highest: 1347



→ Pay attention

Before contest

[Codeforces Round 1125 \(Div. 3\)](#)

6 days

→ Streams

[Mock ICPC Prelims Contest 3](#)
[Solution Discussion](#)

By [aryank403](#)

Before stream 22:09:18

[View all →](#)

→ **nikhi_13**



Contribution: 4

- [Settings](#)
- [Blog](#)
- [Teams](#)
- [Submissions](#)
- [Talks](#)
- [Contests](#)



nikhi_13

→ Top rated





Nikhi Rathod



Username: nikhi_13


Country:  India

Student/Professional: Other

CodeChef Pro Plan: No Active Plan. [View Details](#)

Submissions Heat Map

Last 6 Months ▾



CodeChef Rating

To get the CodeChef rating, you need to participate in contests. You can find details of upcoming contests on the [contests page](#) or on your [dashboard](#).

We host contests every Wednesday at 8:00 PM.

Skill tests



No test taken

Build a strong profile by taking skill tests

Your percent score will appear here

[View skill tests](#)

Badges



Code Enthusiast - No Badge

0 / 10

Explain 10 Solutions to get Bronze Badge

Total likes: 0 Total dislikes: 0



Click on the graph to enable the zoom feature.

Only rated ▾



→ Top rated

#	User	Rating
1	jiangly	3810
2	Benq	3676
3	Kevin114514	3655
4	maroonrk	3463
5	strapple	3390
6	Um_nik	3387
7	tourist	3384
8	heuristicca	3322
9	tumax	3319
10	jiangbowen	3291

[Countries](#) | [Cities](#) | [Organizations](#)

[View all](#) →

What activity will be shown to other users: All ▾



2 problems
solved for all time

2 problems
solved for the last year

2 problems
solved for the last month

1 day
in a row max.

1 day
in a row for the last year

1 day
in a row for the last month

→ Top contributors

#	User	Contrib.
1	Qingyu	155
2	nik_exists	150
2	maspy	150
4	Um_nik	143
5	AmShZ	140
6	Errichto	139
7	adamant	137
8	maroonrk	134
9	BledDest	132
10	rwprl	129

geeksforgeeks - Search

You searched for two sum - Geeks

Practice | GeeksforGeeks | Your All

+

← → ↺

https://www.geeksforgeeks.org/explore?page=1&sprint=a812e2cb82fd1bac7e9964ce43c3767d&sprint_name=Bookmark

☆ ⚙️ ⚙️ ⚙️ ⚙️ ⚙️ Chat

🌐 Import favorites

🌐 Agoda

🛡️ McAfee Security

🌐 Adobe offers

🌐 Worksheets worth...

🌐 GFG – Two Sum

🌐 GFG – Stock Buy a...

🌐 GFG – Find the Mis...

 Search...

Sale

Courses ▾

Tutorials ▾

Practice ▾

Jobs ▾

🔍

🌐

🌙

🔔

P

All Problems  

🔍 Search problems...

📁 Topic ▾

📊 Difficulty ▾

🏢 Company ▾

✅ Status ▾

⬆️ Sort ▾

✖ Clear all

Bookmark 

Recommended Time : 0d 1h 0m

Your Time  :

🕒 Start timer

STATUS	PROBLEM	COMPANIES	SUBMISSIONS	ACCURACY
▾	Searching			1 of 1 solved
▾	Easy			1 of 1 solved
✅	Missing in Array	Accolite Adobe Amazon +12	👤 2M	29.59%
▾	Hashing			1 of 1 solved
▾	Easy			1 of 1 solved
✅	Two Sum - Pair with Given Sum	Accolite Adobe Amazon +10	👤 617K	30.61%

Problem of the Day

COMPLETE TECH INTERVIEW PROGRAM

Placement 360°

✅ Prog Lang + DSA + LLD

✅ Core CS + SQL + Dev AI Toolkit

✅ Live Doubt Solving + Soft Skill Sessions

Enroll Now →

🕒 2 YEARS OF COURSE ACCESS

Fresher Jobs

Experienced Jobs

 Cybersecurity intern

CyArt Tech

Internship • Remote


Apply by Wed Sep 30 2026

 Cybersecurity Intern

CyArt Tech

23°C

Mostly cloudy



Search

ENG IN

🔊 🔌 🔋

09:43

29-09-2026

geeksforgeeks - Search

You searched for two sum - Geeks

Practice | GeeksforGeeks | Your All

+

← → ↺

https://www.geeksforgeeks.org/explore?page=1&sprint=a812e2cb82fd1bac7e9964ce43c3767d&sprint_name=Bookmark

☆ ⚙️ ⌵ 👤 ... 🗨 Chat

🌐 Import favorites

🌐 Agoda

🛡 McAfee Security

🌐 Adobe offers

🌐 Worksheets worth...

🌐 GFG – Two Sum

🌐 GFG – Stock Buy a...

🌐 GFG – Find the Mis...

 Search...

Sale

Courses ▾

Tutorials ▾

Practice ▾

Jobs ▾

🔍

🌙

🔔

P

All Problems  

🔍 Search problems...

📁 Topic ▾

📊 Difficulty ▾

🏢 Company ▾

✅ Status ▾

⬆️ Sort ▾

Recommended time : 00:10:00

your time :

🕒 Start timer

STATUS	PROBLEM	COMPANIES	SUBMISSIONS	ACCURACY
▾	Searching			1 of 1 solved
▾	Easy			1 of 1 solved
✅	Missing in Array	Accolite Adobe Amazon +12	2M	29.59%
▾	Hashing			1 of 1 solved
▾	Easy			1 of 1 solved
✅	Two Sum - Pair with Given Sum	Accolite Adobe Amazon +10	617K	30.61%
>	Two Pointers			0 of 1 solved
▾	Greedy			1 of 1 solved
▾	Easy			1 of 1 solved
✅	Stock Buy and Sell – Max one Transaction Allowed	Accenture Adobe Amazon +20	164K	49.33%

Problem of the Day

COMPLETE TECH INTERVIEW PROGRAM

Placement 360°

✅ Prog Lang + DSA + LLD

✅ Core CS + SQL + Dev AI Toolkit

✅ Live Doubt Solving + Soft Skill Sessions

Enroll Now →

🕒 2 YEARS OF COURSE ACCESS

Fresher Jobs

Experienced Jobs

🛡 Cybersecurity intern

CyArt Tech

Internship • Remote

Apply by Wed Sep 30 2026

🛡 Cybersecurity Intern

CyArt Tech

23°C Mostly cloudy

🔍 Search



ENG IN

🔊 🔌 🔋

09:43 29-09-2026

[Courses](#) ▾[Tutorials](#) ▾[Practice](#) ▾[Jobs](#) ▾[iA](#)[N](#)[Problem](#)[Editorial](#)[Submissions](#)[Comments](#)

Reverse Array

Difficulty: **Easy**Accuracy: **55.32%**Submissions: **346K+**Points: **2**Average Time: **5m**

You are given an array of integers **arr[]**. You have to reverse the given array.

Note: Modify the array in place.

Examples:

Input: arr = [1, 4, 3, 2, 6, 5]

Output: [5, 6, 2, 3, 4, 1]

Output Window

[Compilation Results](#)[Custom Input](#)

Compilation Completed

[Case 1](#)

C++ (17)

[Start Timer](#)

```
1 class Solution {
2 public:
3     void reverseArray(vector<int>& arr) {
4         int left = 0;
5         int right = arr.size() - 1;
6
7         while (left < right) {
8             swap(arr[left], arr[right]);
9             left++;
10            right--;
11        }
12    }
13 };
```

[Custom Input](#)[Compile & Run](#)[Submit](#)

[Courses](#) ▾[Tutorials](#) ▾[Practice](#) ▾[Jobs](#) ▾

zA



N

[Problem](#)[Editorial](#)[Submissions](#)[Comments](#)

Missing in Array

Difficulty: **Easy**Accuracy: **29.59%**Submissions: **1.8M**Points: **2**Average Time: **15m**

You are given an array **arr[]** of size **n - 1** that contains distinct integers in the range from 1 to n (inclusive). This array represents a permutation of the integers from 1 to n with one element missing. Your task is to identify and return the missing element.

Examples:

Input: arr[] = [1, 2, 3, 5]**Output:** 4

Output Window

[Compilation Results](#)[Custom Input](#)

Compilation Completed

• Case 1

C++ (17)

[Start Timer](#)

```
1 class Solution {
2 public:
3     int missingNum(vector<int>& arr) {
4         int n = arr.size() + 1;
5
6         long long expectedSum = 1LL * n * (n + 1) / 2;
7         long long actualSum = 0;
8
9         for (int num : arr) {
10             actualSum += num;
11         }
12
13         return expectedSum - actualSum;
14     }
15 };
```

[Custom Input](#)[Compile & Run](#)[Submit](#)

Scanned with OKEN Scanner

[Courses](#) ▾[Tutorials](#) ▾[Practice](#) ▾[Jobs](#) ▾

zA



N

[Problem](#)[Editorial](#)[Submissions](#)[Comments](#)

Two Sum - Pair with Given Sum

Difficulty: **Easy**Accuracy: **30.61%**Submissions: **618K+**Points: **2**Average Time: **20m**

Given an array **arr[]** of integers and another integer **target**. Determine if there exist two distinct indices such that the sum of their elements is equal to the target.

Examples:

Input: arr[] = [0, -1, 2, -3, 1], target = -2

Output: true

Explanation: arr[3] + arr[4] = -3 + 1 = -2

Output Window



Compilation Results

[Custom Input](#)

Compilation Completed

• Case 1

C++ (17)

[Start Timer](#)

```
1 class Solution {
2 public:
3     bool twoSum(vector<int>& arr, int target) {
4         unordered_set<int> seen;
5
6         for (int num : arr) {
7             int required = target - num;
8
9             if (seen.find(required) != seen.end()) {
10                 return true;
11             }
12
13             seen.insert(num);
14         }
15
16         return false;
17     }
18 };
19
```

[Custom Input](#)[Compile & Run](#)[Submit](#)