

Mini-Max Sum

85 more points to get your next star!

Rank: 1781260 | Points: 115/200



Problem

Submissions

Leaderboard

Discussions

Editorial

Given five positive integers, find the minimum and maximum values that can be calculated by summing exactly four of the five integers. Then print the respective minimum and maximum values as a single line of two space-separated long integers.

Example

`arr = [1, 3, 5, 7, 9]`

The minimum sum is $1 + 3 + 5 + 7 = 16$ and the maximum sum is $3 + 5 + 7 + 9 = 24$. The function prints

```
16 24
```

Function Description

Complete the *miniMaxSum* function with the following parameter(s):

- `arr[5]`: an array of 5 integers

Print

Print two space-separated integers on one line: the minimum sum and the maximum sum of 4 of 5 elements. No value should be returned.

Note For some languages, like C, C++, and Java, the sums may require that you use a long integer due to their size.

Author	bishop15
Difficulty	Easy
Max Score	10
Submitted By	1459375

NEED HELP?

[View discussions](#)

[View editorial](#)

[View top submissions](#)

RATE THIS CHALLENGE



MORE DETAILS

[Download problem statement](#)

[Download sample test cases](#)





You have earned 10.00 points!

You are now 20 points away from the 1st star for your problem solving badge.

33%

10/30

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Compiler Message

Success

Input (stdin)

1 1 2 3 4 5

[Download](#)

Expected Output

1 10 14

[Download](#)



github.com/nikhi-sys/HackerRank-3rdSem-Algorithm-Portfolio

nikhi-sys / HackerRank-3rdSem-Algorithm-Portfolio

Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings

HackerRank-3rdSem-Algorithm-Portfolio Public

Pin Watch 0 Fork 0 Star 0

main 1 Branch 0 Tags

Go to file

Add file Code

nikhi-sys Initial commit 443b116 · now 1 Commit

README.md Initial commit now

README

HackerRank-3rdSem-Algorithm-Portfolio

About

No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

https://github.com/nikhi-sys/HackerRank-3rdSem-Algorithm-Portfolio



Files

main

Go to file

01-Mini-Max-Sum

- solution.cpp
- README.md

HackerRank-3rdSem-Algorithm-Portfolio / 01-Mini-Max-Sum

Add file

nikhi-sys Add Mini-Max Sum solution 2c0a866 · 3 minutes ago History

Name	Last commit message	Last commit date
..		
solution.cpp	Add Mini-Max Sum solution	3 minutes ago

Birthday Cake Candles

85 more points to get your next star!

Rank: 1781260 | Points: 115/200



Problem

Submissions

Leaderboard

Discussions

Editorial

You are in charge of the cake for a child's birthday. It will have one candle for each year of their total age. They will only be able to blow out the tallest of the candles. Your task is to count how many candles are the tallest.

Example

`candles = [4, 4, 1, 3]`

The tallest candles are 4 units high. There are 2 candles with this height, so the function should return 2.

Function Description

Complete the function `birthdayCakeCandles` with the following parameter(s):

- `int candles[n]`: the candle heights

Returns

- `int`: the number of candles that are tallest

Input Format

The first line contains a single integer, `n`, the size of `candles[]`.

Author [shashank21j](#)

Difficulty [Easy](#)

Max Score 10

Submitted By [1362989](#)

NEED HELP?

[View discussions](#)

[View editorial](#)

[View top submissions](#)

RATE THIS CHALLENGE



[MORE DETAILS](#)





You have earned 10.00 points!

You are now 10 points away from the 1st star for your problem solving badge.

67%

20/30

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Compiler Message

Success

Input (stdin)

```
1 4
2 3 2 1 3
```

Download

Expected Output

```
1 2
```

Download



Files

main

Go to file

01-Mini-Max-Sum

solution.cpp

02-Birthday-Cake-Candles

solution.cpp

README.md

HackerRank-3rdSem-Algorithm-Portfolio / 02-Birthday-Cake-Candles

Add file

nikhi-sys

Add Birthday Cake Candles solution5a7655b · nowHistory

Name	Last commit message	Last commit date
..		
solution.cpp	Add Birthday Cake Candles solution	now

Insertion Sort - Part 1



10 more points to get your first star!

Rank: 2773914 | Points: 20/30



Problem

Submissions

Leaderboard

Discussions

Sorting

One common task for computers is to sort data. For example, people might want to see all their files on a computer sorted by size. Since sorting is a simple problem with many different possible solutions, it is often used to introduce the study of algorithms.

Insertion Sort

These challenges will cover Insertion Sort, a simple and intuitive sorting algorithm. We will first start with a nearly sorted list.

Insert element into sorted list

Given a sorted list with an unsorted number e in the rightmost cell, can you write some simple code to insert e into the array so that it remains sorted?

Since this is a learning exercise, it won't be the most efficient way of performing the insertion. It will instead demonstrate the brute-force method in detail.

Assume you are given the array $arr = [1, 2, 4, 5, 3]$ indexed $0 \dots 4$. Store the value of $arr[4]$. Now test lower index values successively from 3 to 0 until you reach a value that is lower than $arr[4]$, at $arr[1]$ in this case. Each time your test fails, copy the value at the lower index to the current index and print your array. When the next lower indexed value is smaller

Author	HackerRank
Difficulty	Easy
Max Score	30
Submitted By	237003

NEED HELP?

[View discussions](#)[View top submissions](#)

RATE THIS CHALLENGE



MORE DETAILS

[Download problem statement](#)[Download sample test cases](#)[Support/Feedback](#)

Congratulations

You solved this challenge. Would you like to challenge your friends?  

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Compiler Message

Success

Input (stdin)

```
1 5
2 2 4 6 8 3
```

Download

Expected Output

```
1 2 4 6 8 8
2 2 4 6 6 8
3 2 4 4 6 8
4 2 3 4 6 8
```

Download





Files

main



Go to file



01-Mini-Max-Sum

solution.cpp

02-Birthday-Cake-Candles

solution.cpp

03-Insertion-Sort-Part-1

solution.cpp

README.md

HackerRank-3rdSem-Algorithm-Portfolio / 03-Insertion-Sort-Part-1



nikhi-sys Add Insertion Sort Part 1 solution



Name

Last commit message

..

solution.cpp

Add Insertion Sort Part 1 solution



Intro to Tutorial Challenges ★

20 more points to get your next star!

Rank: 2252627 | Points: 80/100



Problem

Submissions

Leaderboard

Discussions

About Tutorial Challenges

Many of the challenges on HackerRank are difficult and assume that you already know the relevant algorithms. These tutorial challenges are different. They break down algorithmic concepts into smaller challenges so that you can learn the algorithm by solving them. They are intended for those who already know some programming, however. You could be a student majoring in computer science, a self-taught programmer, or an experienced developer who wants an active algorithms review. Here's a great place to learn by doing!

The first series of challenges covers sorting. They are listed below:

Tutorial Challenges - Sorting

Insertion Sort challenges

- [Insertion Sort 1 - Inserting](#)
- [Insertion Sort 2 - Sorting](#)
- [Correctness and loop invariant](#)
- [Running Time of Algorithms](#)

Quicksort challenges

- [Quicksort 1 - Partition](#)

Author [HackerRank](#)

Difficulty [Easy](#)

Max Score 30

Submitted By 232171

NEED HELP?

[View discussions](#)

[View top submissions](#)

RATE THIS CHALLENGE



MORE DETAILS

[Download problem statement](#)

[Download sample test cases](#)





You have earned 30.00 points!

You are now 20 points away from the 2nd star for your problem solving badge.

71%

80/100

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#)

✓ **Test case 0**

Compiler Message

✓ **Test case 1**

Success

✓ **Test case 2**

Input (stdin)

[Download](#)

```
1 4
2 6
3 1 4 5 7 9 12
```

✓ **Test case 3**

Expected Output

[Download](#)

```
1 1
```





Files

main + 🔍

Go to file T

- 01-Mini-Max-Sum
 - solution.cpp
- 02-Birthday-Cake-Candles
 - solution.cpp
- 03-Insertion-Sort-Part-1
 - solution.cpp
- 04-Binary-Search
 - solution.cpp
 - README.md

HackerRank-3rdSem-Algorithm-Portfolio / 04-Binary-Search /

nikhi-sys Add Binary Search solution

Name	Last commit message
..	
solution.cpp	Add Binary Search solution

Mark and Toys ★

85 more points to get your next star!

Rank: 1781260 | Points: 115/200



Problem | Submissions | Leaderboard | Discussions | Editorial | Topics

Mark and Jane are very happy after having their first child. Their son loves toys, so Mark wants to buy some. There are a number of different toys lying in front of him, tagged with their prices. Mark has only a certain amount to spend, and he wants to maximize the number of toys he buys with this money. Given a list of toy prices and an amount to spend, determine the maximum number of gifts he can buy.

Note Each toy can be purchased only once.

Example

$prices = [1, 2, 3, 4]$

$k = 7$

The budget is 7 units of currency. He can buy items that cost [1, 2, 3] for 6, or [3, 4] for 7 units. The maximum is 3 items.

Function Description

Complete the function maximumToys in the editor below.

maximumToys has the following parameter(s):

- `int prices[]`: the toy prices

Author	HackerRank
Difficulty	Easy
Max Score	35
Submitted By	253582


NEED HELP?

- [View discussions](#)
- [View editorial](#)
- [View top submissions](#)

RESOURCES

- [Greedy Technique](#)
- [Sorting](#)





Problem Solving
★★

You are now 85 points away from the 3rd star for your problem solving badge. 15%

115/200

Congratulations

You solved this challenge. Would you like to challenge your friends?  

Next Challenge

✓ Test case 0

✓ Test case 1 

✓ Test case 2 

✓ Test case 3 

✓ Test case 4 

✓ Test case 5 

✓ Test case 6 

Compiler Message

Success

Input (stdin)

```
1 7 50
2 1 12 5 111 200 1000 10
```

Download

Expected Output

```
1 4
```

Download



Files

main + 🔍

🔍 Go to file T

01-Mini-Max-Sum

📄 solution.cpp

02-Birthday-Cake-Candles

📄 solution.cpp

03-Insertion-Sort-Part-1

📄 solution.cpp

04-Binary-Search

📄 solution.cpp

05-Mark-and-Toys

📄 solution.cpp

📄 README.md

HackerRank-3rdSem-Algorithm-Portfolio / 05-Mark-and-Toys / 📄

🌱 nikhi-sys Add Mark and Toys solution

Name

Last commit message

📁 ..

📄 solution.cpp

Add Mark and Toys solution



nikhi-sys / HackerRank-3rdSem-Algorithm-Portfolio

Code

Issues

Pull requests

Agents

Actions

Projects

Wiki

Security and quality

Insights

Settings

Files

main

Go to file

01-Mini-Max-Sum

02-Birthday-Cake-Candles

03-Insertion-Sort-Part-1

04-Binary-Search

05-Mark-and-Toys

README.md

HackerRank-3rdSem-Algorithm-Portfolio / README.md

nikhi-sys Complete portfolio documentation f2751e6 · now History

Preview

Code

Blame

252 lines (151 loc) · 8.25 KB

Raw

HackerRank 3rd Semester Algorithm Portfolio

Student Details

- Name: Nikhi Rathod
- Student ID / USN: R25EF167
- Semester: 3rd Semester
- Programming Language: C++14

Profiles

- HackerRank: <https://www.hackerrank.com/profile/nikhimaha13>





My Badges



Problem Solving

