#### Contents

- Read Grid Points
- Franke's function
- Radial basic function
- Prompt for eps
- Compute coefficients
- Compute difference between RBF interpolant and f
- Plot the interpolant
- Print max and RMS errors
- Print condition number of M

```
% Nikhil Jayswal
% MATH 3890
% Machine Problem 11
% 06 April 2021
clc; clear; close all
Read Grid Points
[npts, x, y] = readxy;
Franke's function
f = @(x, y) franke2(x, y);
```

# Radial basic function

```
rbf = @(eps, r) exp(-(eps*r).^2);
```

### Prompt for eps

z = f(x, y);

```
eps = input('Enter the value of eps: ');
```

## Compute coefficients

```
[c, M] = scatrbf(x, y, z, eps, rbf);
```

## Compute difference between RBF interpolant and f

```
% Evaluate the RBF interpolant and Franke's function on a grid
ng = 71;
xmin = min(x); xmax = max(x); ymin = min(y); ymax = max(y);
xg = linspace(xmin,xmax,ng); yg = linspace(ymin,ymax,ng);
interp_value = zeros(ng, ng);
```

```
exact_value = zeros(ng, ng);
for i = 1:ng
   for j = 1:ng
        interp_value(i, j) = 0;
       for k = 1:length(c)
           r = sqrt((xg(i) - x(k))^2 + (yg(j) - y(k))^2);
           interp_value(i, j) = interp_value(i, j) + c(k)*rbf(eps, r);
            exact_value(i, j) = franke2(xg(i), yg(j));
        end
    end
end
% Compute difference
err = exact_value - interp_value;
err = reshape(err, ng*ng, 1);
Plot the interpolant
figure; surfl(xg',yg',interp_value'); colormap(copper);
Print max and RMS errors
fprintf('Maximum error: %5.2e,
                                RMS = %5.2e\n', norm(err,inf),erms(err))
Print condition number of M
fprintf('Condition number of M = %g\n', cond(M))
```

file name for points x,y 'gridpts.81'


Enter the value of eps: 1

Warning: Matrix is close to singular or badly scaled. Results may be inaccurate. RCOND = 2.875983e-20.

> In scatrbf (line 20)

In mp11 (line 26)

 $\label{eq:maximum} \begin{array}{lll} \text{Maximum error: } 2.27\text{e+00,} & \text{RMS = 6.03e-01} \\ \text{Condition number of M = } 1.05423\text{e+}18 \end{array}$ 




file name for points x,y 'gridpts.81'

Enter the value of eps: 4

Maximum error: 2.44e-02, RMS = 4.76e-03

Condition number of M = 2.03086e+06



file name for points x,y 'gridpts.289'

Enter the value of eps: 1


Warning: Matrix is close to singular or badly scaled. Results may be inaccurate. RCOND = 3.799617e-21.

> In scatrbf (line 20)

In mp11 (line 26)

Maximum error: 1.17e+00, RMS = 3.04e-01

Condition number of M = 4.8867e+19



file name for points x,y 'gridpts.289'

Enter the value of eps: 4

Warning: Matrix is close to singular or badly scaled. Results may be inaccurate. RCOND = 5.431895e-19.

> In scatrbf (line 20)

In mp11 (line 26)

Maximum error: 1.14e-02, RMS = 9.82e-04 Condition number of M = 4.68226e+18

