## **CDSLogin**

#### **Execution Environment**

Host name nikhiljustus - localhost Local OS Mac OS X 64bit Katalon version 8.2.5.208 Browser null

### Summary

ID Test Suites/CDSLogin

Description

 Total
 1

 Passed
 0
 Failed
 1

 Error
 0
 Incomplete
 0

Skipped 0

Start 2022-03-29 12:28:34 End 2022-03-29 12:28:37

Elapsed 3.192s

| # ID                      | Description | Status |
|---------------------------|-------------|--------|
| 1 Toot Cooca/CDCAnnl agin |             | EALLED |

1 Test Cases/CDSAppLogin FAILED

### CDSAppLogin

### Information

ID Test Cases/CDSAppLogin

Description

Tag

Start 2022-03-29 12:28:35 End 2022-03-29 12:28:36

Elapsed 0.930s Status FAILED

#### Details

| # | Description                                     | Elapsed | Status |
|---|---|---------|--------|
| 1 | core.GetDriverFromCore.setAndroidCapabilities() | 0.032s  | PASSED |

 $core. Get Driver From Core. set Android Capabilities \ is \ PASSED$ 

# CDSAppLogin

| Description   | Elapsed | Status |
|---|---------|--------|
| startApplication("lambda123456", true)  | 0.668s  | FAILE  |
| Unable to start app at: 'lambda123456' (Root cause: java.lang.                    |         |        |
| IllegalArgumentException: The mobile device is missing. Please select the mobile  |         |        |
|   |         |        |
| device to be executed and try again.  |         |        |
| at com.google.common.base.Preconditions.checkArgument(Preconditions.              |         |        |
| java:135)   |         |        |
| at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.              |         |        |
| startLocalMobileDriver(MobileDriverFactory.java:535)                              |         |        |
| at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.              |         |        |
| startMobileDriver(MobileDriverFactory.java:452)                                   |         |        |
| at com.kms.katalon.core.mobile.keyword.builtin.                                   |         |        |
| StartApplicationKeyword\$_startApplication_closure1.doCall                        |         |        |
| (StartApplicationKeyword.groovy:49)   |         |        |
| at com.kms.katalon.core.mobile.keyword.builtin.                                   |         |        |
| StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. |         |        |
| groovy)   |         |        |
| at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.                |         |        |
| runKeyword(MobileKeywordMain.groovy:21)   |         |        |
| at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.           |         |        |
| startApplication(StartApplicationKeyword.groovy:51)                               |         |        |
| at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.           |         |        |
| execute(StartApplicationKeyword.groovy:40)  |         |        |
|   |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor.                         |         |        |
| executeKeywordForPlatform(KeywordExecutor.groovy:74)                              |         |        |
| at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.                     |         |        |
| startApplication(MobileBuiltInKeywords.groovy:78)                                 |         |        |
| at com.kms.katalon.core.mobile.keyword.   |         |        |
| MobileBuiltInKeywords\$startApplication.call(Unknown Source)                      |         |        |
| at CDSAppLogin.run(CDSAppLogin:7)   |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)              |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText                      |         |        |
| (ScriptEngine.java:119)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript                           |         |        |
| (TestCaseExecutor.java:442)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute                           |         |        |
| (TestCaseExecutor.java:433)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase               |         |        |
| (TestCaseExecutor.java:412)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                     |         |        |
| (TestCaseExecutor.java:404)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.execute                             |         |        |
| (TestCaseExecutor.java:281)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.                                   |         |        |
| accessTestCaseMainPhase(TestSuiteExecutor.java:202)                               |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.                                   |         |        |
|   |         |        |
| accessTestSuiteMainPhase(TestSuiteExecutor.java:164)                              |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute                            |         |        |
| (TestSuiteExecutor.java:105)  |         |        |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.            |         |        |
| java:185)   |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call                 |         |        |
| (Unknown Source)  |         |        |
| at TempTestSuite1648537101326.run(TempTestSuite1648537101326.                     |         |        |
| groovy:36)  |         |        |