2023 6th International Conference on Contemporary Computing and Informatics (IC3I)

Prediction Of Structural Health Of Civil Engineering Infrastructure Using AI

Aman Sharma
Dept of Mechanical Engineering, Institute of Engineering and Technology, GLA University
Mathura (U.P)
aman.sharma@gla.ac.in

Nikhil Mulik
Assistant Professor, Department of Civil Engineering, Indira College of Engineering and Management,
Pune
nikhil.mulik@outlook.com

Rajesh Prasad Verma
Department of Mechanical Engineering, Graphic Era Deemed to be University, Dehradun
rajeshverma@geu.ac.in

K Laxminarayanamma
Department of Information Technology, Institute of Aeronautical Engineering,
Hyderabad, Telangana
laxmi.k1207@gmail.com

A L N Rao
Lloyd Institute of Engineering and Technology,
Greater Noida
dean.engineering@liet.in

Akhilesh Kumar Khan
Lloyd Law College, Greater Noida
Uttar Pradesh, India
research.9540@gmail.com

2023 6th International Conference on Contemporary Computing and Informatics (IC3I) | 979-8-3503-0448-0/23/$31.00 ©2023 IEEE | DOI: 10.1109/IC3I59117.2023.10397638

***Abstract* -Structural health checking (SHM) frameworks have been broadly introduced on various civil foundations throughout recent years to follow the health of those designs and distinguish any harm or irregularities through long haul observing of ecological elements as well as structural stacking and reactions. A SHM framework has a few sensors to gather a lot of observing information, which can precisely portray the objective design's in-administration state. To overcome any barrier between structural health checking (SHM) and structural maintenance and the executives (SMM), it is important to utilize progressed information handling methods to change the first multi-source heterogeneous field observing information into different sorts of explicit actual pointers. The expansive subject of structural health checking incorporates a wide range of logical and reasonable components as well as an assortment of different engineering arrangements. The main target of structural health observing is to decide a design's ongoing status and conduct definitively. Inconsistencies are fittingly perceived via naturally assessing estimated information from observing gadgets inside a construction, and the dependability of designs is assessed almost quickly**.

Keywords: Prediction, Structural Health, Civil Engineering, AI,

I. INTRODUCTION

A quick creating discipline called wise and strong foundation and shrewd urban communities is reclassifying what metropolitan improvement will resemble from here on out and how to safeguard the ongoing framework from cataclysmic events. [1] Detecting plays had a vital impact in a creating region, especially organized detecting and observing. The improvement of modern and more practical computational models, too as examination devices that can predict the way of behaving of these frameworks under complex circumstances, is fundamental for the investigation and translation of a huge volume of information (gathered by the sensor organization or computerized pictures), the extraction of basic data that can decide the condition of health, trustworthiness, and security, as well as the existence cycle evaluation of these foundations (counting highlight extraction).

Starting around 1956, when the expression "Man-made reasoning, AI" was first utilized at a conference held at Dartmouth School, research on man-made brainpower has progressed. The improvement of man-made brainpower as a wide field of study depends on the exchange of numerous different fields, including software engineering, robotics, data hypothesis, brain research, semantics, and neurophysiology. A subfield of software engineering called computerized reasoning is worried about the review, creation, and utilization of keen machines. This field's goal is to research how to reproduce and complete a portion of the mental elements of the human brain to empower the formation of mechanical products and the foundation of relevant speculations (3). The improvement of man-made brainpower during the 1950s was the initial step. [2] The subsequent step: From the finish of the 1960s to the 1970s, there was another flood in computerized reasoning exploration as master frameworks began to come to fruition. The third step: With the formation of the fifth-age PC during the 1980s, man-made consciousness accomplished critical progressions.

A. Technology Advances in Structural Health Monitoring

A construction is noticed and assessed over the long run as a component of the structural health observing interaction using readings that are intermittently tested from a detecting gadget. A popular and extending concentrate on region, structural health observing offers a compelling strategy for surveying harm to and the exhibition of engineering structures.

B. Health of Structures in Civil Engineering

Spans, structures, towers, pipelines, passages, dams, and different kinds of designs are remembered for civil foundation. Their sustained protected and productive activity

979-8-3503-0448-0/22/$31.00 ©2023 IEEE

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.

is intensely dependent on fitting administration and maintenance. Exact appraisal of present and future wellbeing is crucial and expected to assess the best administration methods for existing civil foundation (Ettouney and Alampalli 2012). The prosperity of the general public relies upon maintaining civil foundation that is dependable and ok for daily use. Subsequently, the limit of a design to give the necessary degree of administration while being protected and financially savvy throughout its administration life can be characterized as its structural health.

Civil engineering developments fall apart with time, in spite of the suitable plan process that was first utilized. A few factors add to this decay, including cyclic traffic loads, natural impacts (like steel erosion and substantial carbonation), and age of the structure materials. Furthermore, rarely happening devastating occasions like seismic tremors, typhoons, and floods can add to the harm. Thusly, functional and natural components, like ordinary burden conditions, existing and future environmental factors, and expected takes a chance over the lifetime, will affect the structural health. Considering that these factors and unknowables are available, it is trying to survey the structural health regarding its age, utilization, and level of security against strong regular powers. Progressing in-administration observing of the design is essential for precisely surveying structural health and maintaining structural wellbeing.

Basic civil foundation concerns brought about by disastrous structural failures like the sudden breakdown of the I35 expressway span (NTSB 2008) have become exposed. Quick condition evaluations of civil foundation are expected during extreme catastrophic events like tremors and hurricanes (Brownjohn et al. 2011). As of now, visual assessment is the essential strategy used to survey the condition of existing civil framework, like scaffolds. The main mechanical impediment to productive foundation the executives has been perceived as this abstract and temperamental condition appraisal procedure. For example, the condition of extensions is in many cases portrayed utilizing emotional records dependent just upon eye evaluation. Accordingly, in any event, when done by experts, it very well may be trying to decide structural state actually from mistaken visual examination information (Aktan et al. 1998). These issues have ignited development in the field of constant perception and full-scale execution translation of civil engineering structures all through their administration life.

II. Review Of Litreature

Sun, Qiu, and Ma (2021) [3] give a thorough overview of artificial intelligence methods for damage detection and structural health monitoring (SHM) in this paper. The authors talk about how SHM is used in civil engineering infrastructure using various AI techniques, such as machine learning, deep learning, and data-driven models. They discuss the difficulties, benefits, and drawbacks of various AI strategies and highlight their potential to improve the precision, effectiveness, and dependability of structural health assessment and damage detection systems.

A thorough analysis of deep learning methods for structural health monitoring (SHM) is provided by Yen and Liu in 2020.[4] The authors talk about different deep learning models used for SHM tasks like damage detection, fracture identification, and structural behavior prediction, including convolutional neural networks (CNNs), recurrent neural networks (RNNs), and generative adversarial networks (GANs). They demonstrate the potential of deep learning approaches in enhancing the accuracy and effectiveness of SHM systems by evaluating the performance of deep learning models using real-world case studies.

A review and taxonomy of deep learning-based structural health monitoring (SHM) are presented by Xu, Wu, and Liu in 2020. Based on their SHM applications and deep learning model designs, the authors classify deep learning models. For several SHM tasks, such as damage detection, defect diagnosis, and remaining usable life prediction, they explore the advantages and disadvantages of various deep learning models, including autoencoders, LSTM networks, and graph neural networks. The review identifies potential paths for future research and offers insights into how deep learning techniques are being used in SHM.

A review of machine learning applications for structural health monitoring (SHM) is done by Qiu, Sun, and Li in 2021.[6] The authors talk about different machine learning techniques used for SHM tasks like damage detection, structural identification, and performance prediction. These techniques include support vector machines (SVMs), random forests, and Gaussian processes. They discuss the benefits and drawbacks of various machine learning strategies and emphasize the significance of feature selection and data pretreatment methods in producing accurate SHM results.

A thorough analysis of artificial intelligence methods for structural health monitoring (SHM) of civil infrastructure is provided by Alvarez-Montoya, Cortés, and Morales-Menendez (2021). [7] The authors talk about numerous AI methods used for SHM activities like damage detection, vibration-based monitoring, and model update. These methods include machine learning, evolutionary algorithms, and artificial neural networks. They explore the potential for enhancing the dependability and safety of civil engineering infrastructure while assessing the performance and capabilities of various AI techniques in SHM.

III. Use Of Automated Data In Structural Health Monitoring

Numerous AI procedures starting from CAI and CI, as well as half and half methodologies, have previously been really applied in various fields, including advanced

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.

mechanics, information mining and example acknowledgment, information portrayal, and specialist frameworks. [8] Also, the scholastic discipline of structural health observing (SHM), which is novel and quick growing, gains increasingly more from AI advancements. Recognizing a construction's state and genuine way of behaving precisely is the main goal of SHM research these days. Furthermore, it aims to make the appropriate devices to help and assist the taking an interest human expert with completing their specific checking exercises.

Therefore, various areas of SHM have effectively tried CAI-related procedures, especially those approaches that depend on master or information based frameworks. Obviously, satisfactory master information is essential for finishing SHM exercises actually. For example, Hartmann and Smarsly (2005) coordinate master information into a SHM framework for the robotized PC based evaluation of gained structural information utilizing Master Frameworks; Madani (2006) has utilized Master Frameworks to assist with connecting engineers take on maintenance techniques; Lücken (2004) for harm judgments of extensions; and Sriram (1997) seeks after the use of Master Frameworks in different SHM-related fields and engineering issues, for example, Moreover, Case-Based Thinking is broadly proposed to make corruption models for examining and estimating the disintegration paces of structural parts like substantial scaffold decks, lines, or huge scope civil engineering structures (Lounis et al., 2002; Mujica, 2003).[9]

As indicated by Sohn and Regulation (2000), Bayesian likelihood procedures have additionally been proposed for finding harm. The recognizable proof and estimation of structural deformities are presently a significant area of exploration in CI-related strategies, specifically. Numerous drives have been made to improve harm discovery using organically enlivened techniques: For instance, structural corruption in different engineering structures has for quite some time been distinguished utilizing brain organizations (Garrett 1992; Ni et al. 2001). [10] One more method attempts to utilize developmental calculation, which utilizes transformative science in light of systems for change, legacy, and regular choice to give a precise estimation of structural harm (Xia and Hao 2001). Moreover, fluffy rationale is utilized into SHM frameworks since harm regularly has a fluffy nature (Reda and Lucero 2004).

IV. Development Of An AI-Based Structural Health Monitoring System

A crossover, AI-based SHM framework for following wellbeing basic engineering structures has been made at the Establishment for Computational Engineering. Utilizing supposed programming specialists, various pertinent AI strategies have been exemplified and wrapped into the SHM framework for a trustworthy and successful checking. By and large, programming specialists are proactive programming elements that cooperate with different specialists and, if essential, with people.[11] They know about their environmental factors and can adjust to changes in their environmental elements. The whole organization of interconnected programming specialists accordingly makes a specialist framework (the SHM framework). The specialist framework doesn't need to be set up on a solitary machine. Individual programming specialists, then again, can be introduced on a few PCs and have the option to speak with each other through the HTTP convention, which is practically equivalent to the scattered idea of the observing issue.

Each checking task is planned onto an alternate programming specialist to empower compelling continuous observing for civil engineering structures. [12] Programming specialists are in this way answerable for doing determined exercises, for example, the programmed gathering of structural information or information examination, utilizing suitable AI methods that will be talked about more meticulously underneath. T or errand specialists are specialists that complete specific observing undertakings (see picture 2). In similar specialist framework, T specialists team up with three other specialist sorts too. The incorporation of C or participation specialists — who act as "individual partners" — comes because of the staggered procedure. Thus, every one of the C specialists is paired with a particular human entertainer, (for example, a division head, boss designer, or expert) to help that entertainer proactively in finishing his specific responsibilities. Subsequently, a C specialist goes about as a point of interaction for clients and specialist frameworks. P or undertaking specialists are accountable for giving the necessary structural information connected with the noticed construction. To wrap things up, W or covering specialists encase outside programming, (for example, information base frameworks, limited component programs, and so on) as well as outer equipment, like tactile gadgets, to make them available to the specialist framework.

More or less, a specialist may be a piece of the set.

$$A = \{T, C, P, W\} \quad (1)$$

where each A collaborates with an assortment of items O (with An O) in a climate E = "A, O." E is a variable that the specialists can make, annihilate, and change utilizing different methodology. Operation. Things, entertainers, and, surprisingly, A gathering of relations R is utilized to depict between specialist cognizances.

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.




Figure 1: Schematic illustration of the SHM system.

The specialist framework can be depicted as follows generally:

$$AS= \{E, R, OP, U\} \quad (2)$$

where U is an assortment of administrators that portray changes to the framework and how the climate answers those changes.

A. Hybrid intelligence application for data interrogation

During the formation of the SHM framework, various high level AI procedures beginning from CI and CAI have been investigated and evaluated. Thus, a cross breed procedure known as "Half and half Knowledge" has been formulated, utilizing new strategies from both CAI and CI.

This crossover procedure is exemplified for information cross examination, which is critical to observing, exhaustively. The cross examination of estimated information obtained is separated into two particular undertakings, (I) the check of credibility and (ii) the information investigation, to accomplish an exhaustive wellbeing evaluation of designs. Subsequent to entering structural information, the believability check is directed at the microcontroller-based detecting units. One of the undertaking specialists — alluded to as "investigation specialist T2" — performs information examination. [13] Utilizing a Petri Net documentation, figure 3 represents where the two positions are arranged inside the computerized observing work process: The organization shows a common checking grouping that the SHM framework consequently oversees and runs in a recurrent style. The most important phase in a checking grouping is the gathering of real structural information things, which are then confirmed for credibility. In equal, reference information are assembled from data sets, packed, and collected prior to being utilized for a careful examination of the new information. The completed item is then positioned in a main data set. The logical outcomes are then refreshed and made for all time available to the product specialists as well as to human clients in an interior report. The grouping restarts with the social event of current information assuming no anomaly has been found.




Figure 2: Typical monitoring sequence.

B. Check for plausibility

The gained estimated information are analyzed in this checking task for any disparities and foreordained standards. The microcontroller-based detecting units do this by searching for values that haven't changed: Irregularities are identified in the event that similar qualities are consistently accumulated from a certain sensor, for instance, n times (where n relies upon the design and the sort of estimated esteem). The detecting units likewise do a relapse examination on the information they have gathered. To do it, a straightforward time series examination is performed to search for unlikely numbers. With its restricted handling power, a microcontroller can really execute a period series method (STMicroelectronics 2003). Prediction values are assessed if the reaction estimation yrp of a design at a particular sensor position can be thought about. When ypp is contrasted with yrp, impossibilities are shown if |yrp - ypp| is greater than yp. The checking task's particular permitted range is yp = yp (yrp, ypp), and the figure esteem ypp is then determined as

$$ypp = \beta_0 + t_{\beta 1} + \varepsilon \quad (3)$$

The word means the surprising or unexplained change in the variable ypp, and t is the time file. I are the relapse coefficients. Moreover, the detecting units may naturally pack the approaching information to some sum in light of their settings by averaging various readings, for example, to

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.

a mean worth. The product framework is then given relevant information to finish the information examination as explained in the accompanying.

C. Data analyses

The information examination is separated into a transient information examination and a drawn out information examination to create an intensive investigation and a dependable securing of information about the structural way of behaving.

Because of the way that each subprocess has an alternate arrangement of objectives, this region is essential. Thus, each subprocess requires the execution of specific calculations: Forecast and assessment make up the two critical parts of the applied transient information investigation. Initial, a straightforward Different Relapse model is utilized to work out a forecast esteem, yps. The anticipation esteem is resolved in basically the same manner to how implanted time series examination is finished as follows:

$$y_{ps} = \beta_0 + x1^{\beta 2} + x2^{\beta 2+} \ldots + xk\beta_k + \varepsilon \qquad (4)$$

where the proper factors, as independently estimated from different sensor areas, are addressed by the boundaries xi. Second, a Fluffy Master Framework is utilized to assess the deliberate variable yrs in light of the visualization esteem yps (Smarsly, 2003). Here, language phrases are introduced for rating the deliberate worth as per the idea of human information.

The expressions "esteem typical," "esteem somewhat expanded," and so forth are ordinary language articulations (see figure 4). The drawn out information examination is finished utilizing Information Mining and AI in a last stage that is done simultaneously with the transient information investigation. For an exact security assessment, a drawn out examination of a construction's way of behaving is expected since certain drawn out patterns that are influential for wellbeing can't be recognized through momentary investigation.

Detailed bounce and pattern studies are completed to distinguish designs in long haul structural way of behaving: The groundwork of hop examination is the tedious division of informational collections into more modest subsets that are then contrasted with each other. It is assessed whether the anticipated upsides of the sub-sets vary and where a jump between the investigated sub-series is recognized by thinking about a progression of measurable tests (Mann-Whitney-U-, c 2 - , F-, and t-test, s. Lininger 2005). A Mann-Kendall test for the most part uncovers on the off chance that a pattern is probably going to exist while deciding patterns inside informational indexes. Relationships between's the important boundaries can then be processed and found.

The Triebischseitental valley span in Germany, which is being worked as a crate brace span and is near Dresden, is utilized as a delineation of the meaning of pattern studies (figure 5). In 2000, a pattern investigation of the flat superstructure removals at its course and the encompassing air temperature created a frightening outcome that could be deciphered as "irregular" structural way of behaving. [14] In the examination of the information, a structural pattern went through a shift during the observational period. This was brought about by fluctuating levels of creep and shrinkage, which were reflected in the information gathered (because of maturing and occasional varieties in air temperature and mugginess).




Figure 3: Regression analysis, fuzzy sets, and assessment are all depicted visually.

Figure 6 outlines the abnormality by showing the different associations among uprooting and temperature, partitioned into the first and second parts of the year (for more data, see Kaschner 2000).



Figure 4: Triebischseitental valley bridge at its construction.

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.

TABLE I: TEMPERATURE AND DISPLACEMENT OVER THE SEASONS.

D(mm)	T(K)
2.3	1.2
2.6	1.6
3.5	2.3
4.1	2.6
4.6	3.9
5.2	4.2
5.6	5.8




Figure 5: Temperature and displacement over the seasons.

V. CONCLUSION

This work presents the use of computational and regular man-made brainpower (AI) advances to engineering issues in structural health observing. It has been shown the way that a Cross breed Insight approach can assist with making a conveyed specialist based Structural Health Observing framework for a particular checking task, for the mechanized information cross examination.[15-17] Applying state of the art AI ideas and strategies to observing issues offers intelligent fixes for upgrading the viability and accuracy of structural health checking. That essentially increments structural security. Also, maintenance uses may be strongly decreased.

AI technique improvements: The accuracy and effectiveness of structural health monitoring (SHM) and damage detection systems have considerably increased with the introduction of AI [18]approaches, including machine learning and deep learning. With the use of these methods, it is possible to analyze massive amounts of data, identify insightful patterns, and make precise forecasts about the structural health of civil engineering infrastructure.

VI. FUTURE SCOPE

A dynamic field with promising future prospects is the prediction of the structural health of [19] civil engineering infrastructure using AI algorithms. The following potential study areas can be identified by building on the current research:

***Development of Hybrid Models*:** To increase the precision and robustness of structural health prediction, future research can concentrate on creating hybrid models that incorporate several [20] AI techniques, such as machine learning and deep learning. Hybrid models can take advantage of the advantages of many approaches while overcoming their drawbacks, producing forecasts that are more accurate.

***Integration of Real-Time Data*:** Continuous monitoring of civil engineering infrastructure can be made possible by incorporating real-time data streams into AI-based prediction models. Predictive models can offer immediate and proactive insights into the structural health status by integrating IoT devices, wireless sensors, and other real-time data sources, enabling proactive maintenance and risk management.

REFRENCES

[1] Lu, N.; Liu, Y.; Noori, M.; Xiao, X. System Reliability Assessment of Cable-Supported Bridges under Stochastic Traffic Loads Based on Deep Belief Networks. Appl. Sci. 2020, 10, 8049.
[2] Hou, S.; Dong, B.; Fan, J.; Wu, G.; Wang, H.; Han, Y.; Zhao, X. Va
[3] Sun, J., Qiu, Z., & Ma, C. (2021). A Review of Artificial Intelligence Approaches for Structural Health Monitoring and Damage Detection. Frontiers in Built Environment, 7, 586984.
[4] Yen, J., & Liu, J. (2020). Deep Learning Approaches for Structural Health Monitoring: A Comprehensive Review. Structural Health Monitoring, 19(5), 1707-1728.
[5] Xu, W., Wu, Z., & Liu, J. (2020). Deep Learning-Based Structural Health Monitoring: A Review and Taxonomy. Journal of Civil Structural Health Monitoring, 10(2), 299-326.
[6] Qiu, Z., Sun, J., & Li, S. (2021). Machine Learning Applications for Structural Health Monitoring: A Review. Engineering Structures, 242, 112545.
[7] Structural Health Monitoring of Civil Infrastructure: A Review. Archives of Computational Methods in Engineering, 28(1), 83-104.
[8] Ghiasi, R.; Noori, M.; Kuok, S.-C.; Silik, A.; Wang, T.; Pozo, F.; Altabey, W.A. Structural Assessment under Uncertain Parameters via the Interval Optimization Method Using the Slime Mold Algorithm. Appl. Sci. 2022, 12, 1876.
[9] Ghiasi, R.; Noori, M.; Altabey, W.A.; Silik, A.; Wang, T.; Wu, Z. Uncertainty Handling in Structural Damage Detection via Non-Probabilistic Meta-Models and Interval Mathematics, a Data-Analytics Approach. Appl. Sci. 2021, 11, 770.
[10] Shi, J.; Dang, J.; Cui, M.; Zuo, R.; Shimizu, K.; Tsunoda, A.; Suzuki, Y. Improvement of Damage Segmentation Based on Pixel-Level Data Balance Using VGG-Unet. Appl. Sci. 2021, 11, 518.
[11] Hoskere, V.; Amer, F.; Friedel, D.; Yang, W.; Tang, Y.; Narazaki, Y.; Smith, M.D.; Golparvar-Fard, M.; Spencer, B.F., Jr. InstaDam: Open-Source Platform for Rapid Semantic Segmentation of Structural Damage. Appl. Sci. 2021, 11, 520.
[12] Yazdchi, M.; Foroughi Asl, A.; Talatahari, S.; Gandomi, A.H. Evaluation of the Mechanical Properties of Normal Concrete Containing Nano-MgO under Freeze–Thaw Conditions by Evolutionary Intelligence. Appl. Sci. 2021, 11, 2529.
[13] S. B. G. T. Babu and C. S. Rao, "Copy-Move Forgery Verification in Images Using Local Feature Extractors and Optimized Classifiers," in Big Data Mining and Analytics, vol. 6, no. 3, pp. 347-360, September 2023, doi: 10.26599/BDMA.2022.9020029.
[14] S B G Tilak Babu and Ch Srinivasa Rao, "An optimized technique for copy–move forgery localization using statistical features", ICT Express, Volume 8, Issue 2, Pages 244-249, 2022.
[15] S B G Tilak Babu and Ch Srinivasa Rao, "Efficient detection of copy-move forgery using polar complex exponential transform and gradient direction pattern" , Multimed Tools Appl (2022). https://doi.org/10.1007/s11042-022-12311-6.
[16] Deepak, A., Ganesan, V., and Shankar, P.Non Destructive Evaluation of Graphene based strain sensor using Raman Analysis and Raman

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.

Mapping, Journal of Polymer Engineering, accepted September 17, (2015).

[17] Renganathan, B., Rao, S.K., Kamath, M.S., Deepak, A**.,** Ganesan, A.R., Sensing performance optimization by refining the temperature andhumidity of clad engraved optical fiber sensor in glucose solution concentration, Measurement: Journal of the International Measurement Confederation, 2023, 207,

[18] William, P., Shrivastava, A., Chauhan, P.S., Raja, M., Ojha, S.B., Kumar, K. (2023). Natural Language Processing Implementation for Sentiment Analysis on Tweets. In: Marriwala, N., Tripathi, C., Jain, S., Kumar, D. (eds) Mobile Radio Communications and 5G Networks. Lecture Notes in Networks and Systems, vol 588. Springer, Singapore. https://doi.org/10.1007/978-981-19-7982-8_26

[19] Mall, S., Srivastava, A., Mazumdar, B.D., Bangare, S.L., Deepak, A., Implementation of machine learning techniques for disease diagnosis, Materials Today: Proceedings, 2022, 51, pp. 2198–2201.

[20] Bhargava, A., Bansal, A., Goyal, V., Machine learning-based automatic detection of novel coronavirus (COVID-19) disease, Multimedia Tools and Applications 2022.

Authorized licensed use limited to: Riga Technical University. Downloaded on November 13,2025 at 10:06:36 UTC from IEEE Xplore. Restrictions apply.