[Total No. of Printed Pages—3

Seat	
No.	N 3

[5459]-192

## S.E. (CE) (Second Semester) EXAMINATION, 2018 ADVANCED DATA STRUCTURES

## (2015 **PATTERN**)

Time: Two Hours

Maximum Marks: 50

- N.B. :— (i) Answer to the questions Q. 1 or Q. 2, Q. 3 or Q. 4, Q. 5 or Q. 6, Q. 7 or Q. 8.
  - (ii) Assume suitable data, if necessary.
  - (iii) Draw neat labelled diagram wherever necessary.
  - (iv) Figures to the right indicate full marks.
- 1. (a) Let characters a, b, c, d, e, f have probabilities 0.07, 0.09, 0.12, 0.22, 0.23, 0.27 respectively. Find an optimal Huffman code and draw Huffman tree. What is the average code length?
  - (b) Write an aigorithm for Preorder traversal of binary tree and give suitable example. [6]

Or

(a) Draw any directed graph with minimum 6 nodes and represent graph using adjacency matrix, adjacency list, adjacency multilist and inverse adjacency list.

P.T.O.

(b) Consider the graph represented by the following adjacency matrix:

	1	2	3	4	5	6
1	0	W.	y 0	6	0	0
1	0	3	4	6	0	0
2	3	0/	5	0	3	0
3	1	5	0	5	6	4
4	6	0	5	0	0	2
5	0	3	6	0	0	6
6	0	0	2	2	6	0

And find minimum spanning tree of this graph using Prim's algorithm. [6]

- 3. (a) Explain about a skip list with an example. Give applications of skip list. [6]
  - (b) What is hash function? Enlist characteristics of a good hash function. Explain modulo Division and folding method. [6]

Or

- 4. (a) Construct the AVL tree for the following data by inserting each of the following data item one at a time: [6] 10, 20, 15, 12, 25, 30, 14, 22, 35, 40
  - (b) Explain the following:
    - (i) Static and dynamic tree tables with suitable example. [3]
    - (ii) Dynamic programming with principle of optimality. [3]

<b>5.</b> (a	$\alpha$ )	Write an algorithm to arrange numbers in ascending order						
		using heapsort. Arrange the following numbers in ascending						
		order using heapsort: [7]						
		48, 0, -1, 82, 10, 2, 100						
(1	<b>b</b> )	Construct B+ tree of order 3 for the following data: [7]						
		1, 42, 28, 21, 31, 10, 17, 7, 31, 25, 20, 18						
		Or Or						
6. (	$\alpha)$	Build the min-heap for the following data: [8]						
	,	25, 12, 27, 30, 5, 10, 17, 29, 40, 35						
		After creation of min-heap perform one delete operation						
		it and show the final min-heap.						
(1	b)	Write short notes on: [6]						
		(i) Red-black tree						
		(ii) K-dimensional tree.						
7. (	α)	Explain any three operations carried out on sequential file.						
	/	Write pseudo code for each these three operations. [6]						
71	7. \	O.'X						
(1	<b>b</b> )	Explain Linked organization of a file. [6]						
		Or A Control of the C						
8. (	a)	Define sequential file organization. State advantages and						
		disadvantages of sequential file organization. Write pseudo code						
		for insertion of records in sequential file. [6]						
(8	b)	Explain any two types of indices. [6]						
		A. A.						
[5459]-:	192	3						