VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

1. Use MongoDB to implement the following DB operations

   1. Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
Atlas atlas-8xbt3x-shard-0 [primary] test> use vehicles
switched to db vehicles
```

   2. Write a MongoDB query to display all the databases.

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> show dbs
admin   348.00 KiB
local    41.32 GiB
```

   3. Create a collection called 'two_wheelers'.(use capping) and Create a collection called 'four_wheelers'.

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.createCollection("two_wheelers",{ capped: true , size: 500000})
{ ok: 1 }
```

   4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
 },
 {
   bike_name: "Pulsar 150",
   model: "gear",
   category: "150cc",
   colors_available: ["black", "sport red"],
   manufacturer: "Bajaj",
   performance: 9,
   timestamp: new Date("2021-06-10"),
   price: 110000
 },
 {
   bike_name: "Activa 6G",
   model: "gearless",
   category: "125cc",
   colors_available: ["white", "blue"],
   manufacturer: "Honda",
   performance: 7,
   timestamp: new Date("2023-01-12"),
   price: 90000
 },
 {
   bike_name: "FZ",
   model: "gear",
   category: "150cc",
   colors_available: ["blue", "black"],
   manufacturer: "Yamaha",
   performance: 8,
   timestamp: new Date("2020-09-20"),
   price: 115000
 },
 {
   bike_name: "Apache RTR",
   model: "gear",
   category: "200cc",
   colors_available: ["black", "red"],
   manufacturer: "TVS",
   performance: 9,
   timestamp: new Date("2022-11-05"),
   price: 140000
 }
 ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69a03a4a6065fdc0b97c2907'),
    '1': ObjectId('69a03a4a6065fdc0b97c2908'),
    '2': ObjectId('69a03a4a6065fdc0b97c2909'),
    '3': ObjectId('69a03a4a6065fdc0b97c290a'),
    '4': ObjectId('69a03a4a6065fdc0b97c290b')
  }
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
Result: BulkWriteResult {
  insertedCount: 0,
  matchedCount: 0,
  modifiedCount: 0,
  deletedCount: 0,
  upsertedCount: 0,
  upsertedIds: {},
  insertedIds: {
    '0': ObjectId('69a049416065fdc0b97c290e'),
    '1': ObjectId('69a049416065fdc0b97c290f'),
    '2': ObjectId('69a049416065fdc0b97c2910'),
    '3': ObjectId('69a049416065fdc0b97c2911'),
    '4': ObjectId('69a049416065fdc0b97c2912')
```

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.four_wheelers.find()
[
  {
    _id: ObjectId('69a03b0a6065fdc0b97c290c'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [ 'vxi', 'zxi', 'petrol' ],
    manufacturer: 'Maruti',
    performance: 8,
    timestamp: ISODate('2022-02-10T00:00:00.000Z'),
    price: 700000
  },
  {
    _id: ObjectId('69a03b526065fdc0b97c290d'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [ 'vxi', 'zxi', 'petrol' ],
    manufacturer: 'Maruti',
    performance: 8,
    timestamp: ISODate('2022-02-10T00:00:00.000Z'),
    price: 700000
  }
]
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.two_wheelers.find()
[
  {
    _id: ObjectId('69a03a4a6065fdc0b97c2907'),
    bike_name: 'Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2022-03-15T00:00:00.000Z'),
    price: 85000
  },
  {
    _id: ObjectId('69a03a4a6065fdc0b97c2908'),
    bike_name: 'Pulsar 150',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'black', 'sport red' ],
    manufacturer: 'Bajaj',
    performance: 9,
    timestamp: ISODate('2021-06-10T00:00:00.000Z'),
    price: 110000
  },
  {
    _id: ObjectId('69a03a4a6065fdc0b97c2909'),
    bike_name: 'Activa 6G',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'white', 'blue' ],
    manufacturer: 'Honda',
    performance: 7,
    timestamp: ISODate('2023-01-12T00:00:00.000Z'),
    price: 90000
  },
  {
    _id: ObjectId('69a03a4a6065fdc0b97c290a'),
    bike_name: 'FZ',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'blue', 'black' ],
    manufacturer: 'Yamaha',
    performance: 8,
    timestamp: ISODate('2020-09-20T00:00:00.000Z'),
    price: 115000
  },
  {
    _id: ObjectId('69a03a4a6065fdc0b97c290b'),
    bike_name: 'Apache RTR',
    model: 'gear',
    category: '200cc',
    colors_available: [ 'black', 'red' ],
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.two_wheelers.find({}, { bike_name:1, price:1, _id:0 })
[
  { bike_name: 'Shine', price: 85000 },
  { bike_name: 'Pulsar 150', price: 110000 },
  { bike_name: 'Activa 6G', price: 90000 },
  { bike_name: 'FZ', price: 115000 },
  { bike_name: 'Apache RTR', price: 140000 }
]
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.four_wheelers.find({}, { vehicle_name:1, price:1, _id:0 })
[
  { vehicle_name: 'Swift', price: 700000 },
  { vehicle_name: 'Swift', price: 700000 }
]
```

8. Write a MongoDB query to display two_wheelers from a particular company

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.two_wheelers.find({ manufacturer: "Honda" })
[
  {
    _id: ObjectId('69a03a4a6065fdc0b97c2907'),
    bike_name: 'Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2022-03-15T00:00:00.000Z'),
    price: 85000
  },
  {
    _id: ObjectId('69a03a4a6065fdc0b97c2909'),
    bike_name: 'Activa 6G',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'white', 'blue' ],
    manufacturer: 'Honda',
    performance: 7,
    timestamp: ISODate('2023-01-12T00:00:00.000Z'),
    price: 90000
  }
]
```

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.four_wheelers.find({ variants: "diesel" })
```

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.two_wheelers.find(
|  { performance: { $gt: 5 } },
|  { bike_name:1, category:1, manufacturer:1, _id:0 }
| )
[
  { bike_name: 'Shine', category: '125cc', manufacturer: 'Honda' },
  { bike_name: 'Pulsar 150', category: '150cc', manufacturer: 'Bajaj' },
  { bike_name: 'Activa 6G', category: '125cc', manufacturer: 'Honda' },
  { bike_name: 'FZ', category: '150cc', manufacturer: 'Yamaha' },
  { bike_name: 'Apache RTR', category: '200cc', manufacturer: 'TVS' }
]
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> db.four_wheelers.find(
|  { performance: { $gt: 5 } },
|  { vehicle_name:1, category:1, manufacturer:1, _id:0 }
| )
[
  { vehicle_name: 'Swift', category: 'car', manufacturer: 'Maruti' },
  { vehicle_name: 'Swift', category: 'car', manufacturer: 'Maruti' }
]
```

2. Use MongoDB to implement the following DB operations for a Zoo

   1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.

```
Atlas atlas-8xbt3x-shard-0 [primary] vehicles> use animal
switched to db animal
```

   2. Write a MongoDB query to display all the databases.

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> show dbs
vehicles  144.00 KiB
admin     348.00 KiB
local      41.32 GiB
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.createCollection("wild_animals", { capped: true, size: 500000 })
{ ok: 1 }
```

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
mongosh mongodb+srv://<credentials>@cluster0.wcaej8c.mongodb
    favorite_foods: ["meat","deer"],
    care_taker_name: "Ramesh",
    life_span: 15,
    timestamp: new Date("2022-06-10"),
    expenses: 50000
  },
  {
    animal_name: "Tiger",
    nature: "harm",
    favorite_foods: ["meat"],
    care_taker_name: "Suresh",
    life_span: 18,
    timestamp: new Date("2021-04-15"),
    expenses: 60000
  },
  {
    animal_name: "Elephant",
    nature: "harmless",
    favorite_foods: ["grass","fruits"],
    care_taker_name: "Mahesh",
    life_span: 60,
    timestamp: new Date("2020-01-20"),
    expenses: 70000
  },
  {
    animal_name: "Leopard",
    nature: "harm",
    favorite_foods: ["meat"],
    care_taker_name: "Ramesh",
    life_span: 12,
    timestamp: new Date("2023-03-12"),
    expenses: 45000
  },
  {
    animal_name: "Bear",
    nature: "harm",
    favorite_foods: ["fish","meat"],
    care_taker_name: "Kiran",
    life_span: 25,
    timestamp: new Date("2019-07-07"),
    expenses: 55000
  }
  ])

  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69a07e446065fdc0b97c2913'),
    '1': ObjectId('69a07e446065fdc0b97c2914'),
    '2': ObjectId('69a07e446065fdc0b97c2915'),
    '3': ObjectId('69a07e446065fdc0b97c2916'),
    '4': ObjectId('69a07e446065fdc0b97c2917')
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
|    favorite_foods: ["meat","biscuits"],
|    animal_petname: "Rocky",
|    life_span: 12,
|    timestamp: new Date("2022-05-01"),
|    expenses: 10000
| },
| {
|    animal_name: "Cat",
|    gender: "female",
|    favorite_foods: ["milk","fish"],
|    animal_petname: "Kitty",
|    life_span: 15,
|    timestamp: new Date("2021-08-10"),
|    expenses: 8000
| },
| {
|    animal_name: "Cow",
|    gender: "female",
|    favorite_foods: ["grass"],
|    animal_petname: "Lakshmi",
|    life_span: 20,
|    timestamp: new Date("2020-09-15"),
|    expenses: 15000
| },
| {
|    animal_name: "Goat",
|    gender: "male",
|    favorite_foods: ["grass","leaves"],
|    animal_petname: "Raju",
|    life_span: 10,
|    timestamp: new Date("2023-02-18"),
|    expenses: 7000
| },
| {
|    animal_name: "Rabbit",
|    gender: "female",
|    favorite_foods: ["carrot","grass"],
|    animal_petname: "Bunny",
|    life_span: 8,
|    timestamp: new Date("2022-11-11"),
|    expenses: 5000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69a07e526065fdc0b97c2918'),
    '1': ObjectId('69a07e526065fdc0b97c2919'),
    '2': ObjectId('69a07e526065fdc0b97c291a'),
    '3': ObjectId('69a07e526065fdc0b97c291b'),
    '4': ObjectId('69a07e526065fdc0b97c291c')
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

6. Write a MongoDB query to display all documents available in wild_animals and domastic_animals.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.wild_animals.find()
[
  {
    _id: ObjectId('69a07e446065fdc0b97c2913'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [ 'meat', 'deer' ],
    care_taker_name: 'Ramesh',
    life_span: 15,
    timestamp: ISODate('2022-06-10T00:00:00.000Z'),
    expenses: 50000
  },
  {
    _id: ObjectId('69a07e446065fdc0b97c2914'),
    animal_name: 'Tiger',
    nature: 'harm',
    favorite_foods: [ 'meat' ],
    care_taker_name: 'Suresh',
    life_span: 18,
    timestamp: ISODate('2021-04-15T00:00:00.000Z'),
    expenses: 60000
  },
  {
    _id: ObjectId('69a07e446065fdc0b97c2915'),
    animal_name: 'Elephant',
    nature: 'harmless',
    favorite_foods: [ 'grass', 'fruits' ],
    care_taker_name: 'Mahesh',
    life_span: 60,
    timestamp: ISODate('2020-01-20T00:00:00.000Z'),
    expenses: 70000
  },
  {
    _id: ObjectId('69a07e446065fdc0b97c2916'),
    animal_name: 'Leopard',
    nature: 'harm',
    favorite_foods: [ 'meat' ],
    care_taker_name: 'Ramesh',
    life_span: 12,
    timestamp: ISODate('2023-03-12T00:00:00.000Z'),
    expenses: 45000
  },
  {
    _id: ObjectId('69a07e446065fdc0b97c2917'),
    animal_name: 'Bear',
    nature: 'harm',
    favorite_foods: [ 'fish', 'meat' ],
    care_taker_name: 'Kiran',
    life_span: 25,
    timestamp: ISODate('2019-07-07T00:00:00.000Z'),
    expenses: 55000
  }
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.domestic_animals.find()
[
  {
    _id: ObjectId('69a07e526065fdc0b97c2918'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [ 'meat', 'biscuits' ],
    animal_petname: 'Rocky',
    life_span: 12,
    timestamp: ISODate('2022-05-01T00:00:00.000Z'),
    expenses: 10000
  },
  {
    _id: ObjectId('69a07e526065fdc0b97c2919'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [ 'milk', 'fish' ],
    animal_petname: 'Kitty',
    life_span: 15,
    timestamp: ISODate('2021-08-10T00:00:00.000Z'),
    expenses: 8000
  },
  {
    _id: ObjectId('69a07e526065fdc0b97c291a'),
    animal_name: 'Cow',
    gender: 'female',
    favorite_foods: [ 'grass' ],
    animal_petname: 'Lakshmi',
    life_span: 20,
    timestamp: ISODate('2020-09-15T00:00:00.000Z'),
    expenses: 15000
  },
  {
    _id: ObjectId('69a07e526065fdc0b97c291b'),
    animal_name: 'Goat',
    gender: 'male',
    favorite_foods: [ 'grass', 'leaves' ],
    animal_petname: 'Raju',
    life_span: 10,
    timestamp: ISODate('2023-02-18T00:00:00.000Z'),
    expenses: 7000
  },
  {
    _id: ObjectId('69a07e526065fdc0b97c291c'),
    animal_name: 'Rabbit',
    gender: 'female',
    favorite_foods: [ 'carrot', 'grass' ],
    animal_petname: 'Bunny',
    life_span: 8,
    timestamp: ISODate('2022-11-11T00:00:00.000Z'),
```

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.wild_animals.find({}, { animal_name:1, expenses:1, _id:0 })
[
  { animal_name: 'Lion', expenses: 50000 },
  { animal_name: 'Tiger', expenses: 60000 },
  { animal_name: 'Elephant', expenses: 70000 },
  { animal_name: 'Leopard', expenses: 45000 },
  { animal_name: 'Bear', expenses: 55000 }
]
Atlas atlas-8xbt3x-shard-0 [primary] animal>
```

```
]
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.domestic_animals.find({}, { animal_name:1, expenses:1, _id:0 })
[
  { animal_name: 'Dog', expenses: 10000 },,
  { animal_name: 'Cat', expenses: 8000 }, },
  { animal_name: 'Cow', expenses: 15000 },00 },
  { animal_name: 'Goat', expenses: 7000 },0 },
  { animal_name: 'Rabbit', expenses: 5000 }
]
```

8. Write a MongoDB query to display domestic_animals whose life is a particular year

```
]
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.domestic_animals.find({ life_span: 12 })
[
  {
    _id: ObjectId('69a07e526065fdc0b97c2918'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [ 'meat', 'biscuits' ],
    animal_petname: 'Rocky',
    life_span: 12,
    timestamp: ISODate('2022-05-01T00:00:00.000Z'),
    expenses: 10000
  }
]
```

9. Write a MongoDB query to display wild_animals available under a particular care_taker

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.wild_animals.find({ care_taker_name: "Ramesh" })
[
  {
    _id: ObjectId('69a07e446065fdc0b97c2913'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [ 'meat', 'deer' ],
    care_taker_name: 'Ramesh',
    life_span: 15,
    timestamp: ISODate('2022-06-10T00:00:00.000Z'),
    expenses: 50000
  },
  {
    _id: ObjectId('69a07e446065fdc0b97c2916'),
    animal_name: 'Leopard',
    nature: 'harm',
    favorite_foods: [ 'meat' ],
    care_taker_name: 'Ramesh',
    life_span: 12,
    timestamp: ISODate('2023-03-12T00:00:00.000Z'),
    expenses: 45000
  }
]
```

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.wild_animals.find(
|  { life_span: { $gt: 5 } },
|  { animal_name:1, favorite_foods:1, expenses:1, _id:0 }
| )
[
  {
    animal_name: 'Lion',
    favorite_foods: [ 'meat', 'deer' ],
    expenses: 50000
  },
  { animal_name: 'Tiger', favorite_foods: [ 'meat' ], expenses: 60000 },
  {
    animal_name: 'Elephant',
    favorite_foods: [ 'grass', 'fruits' ],
    expenses: 70000
  },
  { animal_name: 'Leopard', favorite_foods: [ 'meat' ], expenses: 45000 },
  {
    animal_name: 'Bear',
    favorite_foods: [ 'fish', 'meat' ],
    expenses: 55000
  }
]
Atlas atlas-8xbt3x-shard-0 [primary] animal> db.domestic_animals.find(
|  { life_span: { $gt: 5 } },
|  { animal_name:1, favorite_foods:1, expenses:1, _id:0 }
| )
[
  {
    animal_name: 'Dog',
    favorite_foods: [ 'meat', 'biscuits' ],
    expenses: 10000
  },
  {
    animal_name: 'Cat',
    favorite_foods: [ 'milk', 'fish' ],
    expenses: 8000
  },
  { animal_name: 'Cow', favorite_foods: [ 'grass' ], expenses: 15000 },
  {
    animal_name: 'Goat',
    favorite_foods: [ 'grass', 'leaves' ],
    expenses: 7000
  },
  {
    animal_name: 'Rabbit',
    favorite_foods: [ 'carrot', 'grass' ],
    expenses: 5000
  }
]
Atlas atlas-8xbt3x-shard-0 [primary] animal>
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**