2400030176

MANIKONDA NIKHILA

SKILL-16

SECTION : 51

[nikhila9876/student-swagger-api]



SpringBoot - backend/src/main/java/com/student/controller/RoleController.java - Spring Tools for Eclipse

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- backend [boot]
  - src/main/java
    - com.student
      - BackendApplication.java
    - com.student.controller
      - AuthController.java
      - RoleController.java
      - StudentController.java
    - com.student.entity
      - Student.java
      - User.java
    - com.student.repository
      - StudentRepository.java
      - UserRepository.java
    - com.student.security
      - SecurityConfig.java
    - com.student.service
      - StudentService.java
      - UserService.java
    - com.student.util
      - JwtUtil.java
  - src/main/resources
    - static
    - templates
    - application.properties
  - src/test/java
  - JRE System Library [JavaSE-21]
  - Maven Dependencies
  - src
  - target
  - HELP.md
  - mvnw
  - mvnw.cmd
  - pom.xml
- backend-1 [boot]

AuthControll... | BackendAppli... | backend/pom.xml | JwtUtil.java | RoleControll... | SecurityConf... | application...

```java
package com.student.controller;

import org.springframework.web.bind.annotation.*;

@RestController
public class RoleController {

    @GetMapping("/admin/add")
    public String add(){
        return "Admin Add Success";
    }

    @GetMapping("/admin/delete")
    public String delete(){
        return "Admin Delete Success";
    }

    @GetMapping("/employee/profile")
    public String profile(){
        return "Employee Profile";
    }
}
```

Problems | Javadoc | Declaration | Console | Progress | Terminal | Terminal 1 | Terminal 2 | Terminal 3 | Terminal 4

C:\WINDOWS\system32\cmd.exe

```
Total 52 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/nikhila9876/jwt-auth-app.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\nikhi\OneDrive\Desktop\FSDA-scftware\SEC51\SpringBoot\backend>
```

Writable | Smart Insert | 22 : 2 : 465

Search | ENG IN | 20:28 09-04-2026

SpringBoot - backend/src/main/java/com/student/security/SecurityConfig.java - Spring Tools for Eclipse

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- backend [boot]
  - src/main/java
    - com.student
      - BackendApplication.java
    - com.student.controller
      - AuthController.java
      - RoleController.java
      - StudentController.java
    - com.student.entity
      - Student.java
      - User.java
    - com.student.repository
      - StudentRepository.java
      - UserRepository.java
    - com.student.security
      - SecurityConfig.java
    - com.student.service
      - StudentService.java
      - UserService.java
    - com.student.util
      - JwtUtil.java
  - src/main/resources
    - static
    - templates
    - application.properties
  - src/test/java
  - JRE System Library [JavaSE-21]
  - Maven Dependencies
  - src
  - target
  - HELP.md
  - mvnw
  - mvnw.cmd
  - pom.xml
- backend-1 [boot]

AuthControll... | BackendAppli... | backend/pom.xml | JwtUtil.java | RoleControll... | SecurityConf... | application...

```java
package com.student.security;

import org.springframework.context.annotation.Bean;
import org.springframework.context.annotation.Configuration;
import org.springframework.security.config.annotation.web.builders.HttpSecurity;
import org.springframework.security.web.SecurityFilterChain;

@Configuration
public class SecurityConfig {

    @Bean
    public SecurityFilterChain filterChain(HttpSecurity http) throws Exception {

        http
            .csrf(csrf -> csrf.disable())
            .authorizeHttpRequests(auth -> auth
                .requestMatchers("/auth/login").permitAll()
                .requestMatchers("/admin/**").hasAuthority("ADMIN")
                .requestMatchers("/employee/**").hasAuthority("EMPLOYEE")
                .anyRequest().authenticated()
            )
            .httpBasic(httpBasic -> {});

        return http.build();
    }
}
```

Problems | Javadoc | Declaration | Console | Progress | Terminal | Terminal 1 | Terminal 2 | Terminal 3 | Terminal 4

C:\WINDOWS\system32\cmd.exe

```
Total 52 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/nikhila9876/jwt-auth-app.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\nikhi\OneDrive\Desktop\FSDA-scftware\SEC51\SpringBoot\backend>
```

SpringBoot - backend/src/main/java/com/student/util/JwtUtil.java - Spring Tools for Eclipse

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- backend [boot]
  - src/main/java
    - com.student
      - BackendApplication.java
    - com.student.controller
      - AuthController.java
      - RoleController.java
      - StudentController.java
    - com.student.entity
      - Student.java
      - User.java
    - com.student.repository
      - StudentRepository.java
      - UserRepository.java
    - com.student.security
      - SecurityConfig.java
    - com.student.service
      - StudentService.java
      - UserService.java
    - com.student.util
      - JwtUtil.java
  - src/main/resources
    - static
    - templates
    - application.properties
  - src/test/java
  - JRE System Library [JavaSE-21]
  - Maven Dependencies
  - src
  - target
  - HELP.md
  - mvnw
  - mvnw.cmd
  - pom.xml
- backend-1 [boot]

AuthControll... | BackendAppli... | backend/pom.xml | JwtUtil.java | RoleControll... | SecurityConf... | application...

```java
package com.student.util;

import io.jsonwebtoken.*;
import org.springframework.stereotype.Component;
import java.util.Date;

@Component
public class JwtUtil {

    private String SECRET = "secret123";

    public String generateToken(String username){
        return Jwts.builder()
                .setSubject(username)
                .setIssuedAt(new Date())
                .setExpiration(new Date(System.currentTimeMillis()+1000*60*60))
                .signWith(SignatureAlgorithm.HS256, SECRET)
                .compact();
    }

    public String extractUsername(String token){
        return Jwts.parser().setSigningKey(SECRET)
                .parseClaimsJws(token)
                .getBody().getSubject();
    }
}
```

Problems | Javadoc | Declaration | Console | Progress | Terminal | Terminal 1 | Terminal 2 | Terminal 3 | Terminal 4

C:\WINDOWS\system32\cmd.exe

```
Total 52 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/nikhila9876/jwt-auth-app.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\nikhi\OneDrive\Desktop\FSCA-scftware\SEC51\SpringBoot\backend>
```

localhost:8080/swagger-ui/index.h

localhost:8080/swagger-ui/index.html

Sign in to access this site

Authorization required by http://localhost:8080

Username

Password

Sign in | Cancel

Search

ENG IN 20:28 09-04-2026

Nikhila Manikonda's Workspace

Search | Invite | Upgrade

Overview | GET Get data | POST Get data | POST Post data | No environment

COLLECTIONS
- My Collection
  - GET Get data
  - POST Post data

My Collection > Post data | Save | Share

POST http://localhost:8080/auth/login | Send

Docs | Params | Authorization | Headers 11 | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Schema | Beautify

```
{
  "username":"admin",
  "password":"123"
}
```

Body | Cookies 1 | Headers 14 | Test Results 0/1 | 401 Unauthorized | 18 ms | 431 B | Save Response

Raw | Preview | Pass the correct auth credentials

```
1
```

ENVIRONMENTS
SPECS
FLOWS

Connect Git | Console | Terminal | Globals | Vault | Tools

Search | ENG IN | 20:29 09-04-2026

MySQL Workbench

Local instance MySQL80

File | Edit | View | Query | Database | Server | Tools | Scripting | Help

Navigator | SCHEMAS | Filter objects

- fsad_portal
- fsadexam
- inventory_db
- portfolio_db
- product_db
- sec51
- student_db
  - Tables
    - student
    - user
      - Columns
      - Indexes
      - Foreign Keys
      - Triggers
  - Views
  - Stored Procedures
  - Functions
- student_project_db
- sys

Administration | Schemas

Information

Schema: student_db

Object Info | Session

edia | project_media | users | users | projects | milestones | feedbacks | projects | users | profiles | user | users | user | user

Limit to 1000 rows

```
1 • SELECT * FROM student_db.user;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

id	email	password	username	role
1	nikhi@gmail.com	123	nikhi	NULL
2	2400030176@kluniversity.in	123	2400030176	NULL
3	nikhi@gmail.com	123	nikhi	NULL
4	nikhi@gmail.com	123	nikhi	NULL
5	sai@gmail.com	111	sai	NULL
6	NULL	123	admin	ADMIN
7	NULL	123	emp	EMPLOYEE
NULL	NULL	NULL	NULL	NULL

Result Grid | Form Editor | Field Types

user 1 | Apply | Revert

SQL Additions | Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help | Snippets

Output | Action Output

#	Time	Action	Message	Duration / Fetch
5	19:46:48	INSERT INTO user (username,password,role) VALUES ("admin","123","ADMIN")	Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the SC...	0.000 sec
6	19:47:34	SELECT * FROM student_db.user LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
7	19:47:39	INSERT INTO user (username,password,role) VALUES ("admin","123","ADMIN")	Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the SC...	0.000 sec
8	19:47:48	INSERT INTO user (username,password,role) VALUES ("admin","123","ADMIN")	1 row(s) affected	0.015 sec
9	19:47:48	INSERT INTO user (username,password,role) VALUES ("emp","123","EMPLOYEE")	1 row(s) affected	0.016 sec
10	20:25:40	SELECT * FROM student_db.user LIMIT 0, 1000	7 row(s) returned	0.015 sec / 0.000 sec


nikhila9876/student-swagger-api
New tab
https://github.com/nikhila9876/student-swagger-api
Chat
nikhila9876 / student-swagger-api
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
On April 24 we'll start using GitHub Copilot interaction data for AI model training unless you opt out. Review this update and manage your preferences in your GitHub account settings.
student-swagger-api
Public
Pin
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
Add file
Code
nikhila9876 Skill-16 Swagger API Documentation
601a297 · now
1 Commit
.mvn/wrapper
Skill-16 Swagger API Documentation
now
src
Skill-16 Swagger API Documentation
now
.gitattributes
Skill-16 Swagger API Documentation
now
.gitignore
Skill-16 Swagger API Documentation
now
mvnw
Skill-16 Swagger API Documentation
now
mvnw.cmd
Skill-16 Swagger API Documentation
now
pom.xml
Skill-16 Swagger API Documentation
now
README
Add a README
Help people interested in this repository understand your project.
About
No description, website, or topics provided.
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Contributors 1
nikhila9876 MANIKONDA NIKHILA
nikhila9876
MANIKONDA NIK...
Set status
Profile
Repositories
Stars
Gists
Organizations
Enterprises
Sponsors
Settings
Copilot settings
Feature preview
New
Appearance
Accessibility
Try Enterprise
Free
Sign out


localhost:8080/swagger-ui/index.h
localhost:8080/swagger-ui/index.html
Chat
Sign in to access this site
Authorization required by http://localhost:8080
Username
admin
Password
Sign in
Cancel
Search
ENG
IN
20:38
09-04-2026