ZeroGPT

Trusted GPT-6, ChatGPT and AI Detector tool by ZeroGPT

ZeroGPT the most Advanced and Reliable Chat GPT, GPT6 & AI Content Detector


VELLORE INSTITUTE OF TECHNOLOGY (VIT)
SCHOOL OF COMPUTER SCIENCE AND ENGINEERING
DEPARTMENT OF ARTIFICIAL INTELLIGENCE & MACHINE LEARNING
ACADEMIC YEAR 2026–2027
QUANTLENS-XAI:
CLOSED-LOOP EXPLAINABLE ARTIFICIAL INTELLIGENCE FOR
STOCK MARKET DIRECTION PREDICTION AND RISK-AWARE
FINANCIAL DECISION SUPPORT
A Comprehensive Scientific Research Report on Explanation Feedback, Model Re-Evaluation,
1D Temporal Grad-CAM, 10-Metric Quality Benchmarking, and Sensitivity Analysis
Student Name: Nikhil Anand
Registration Number: 24BCE1674
Course Code & Title: BCSE418L – Explainable Artificial Intelligence
Submission & Review Date: 28 October 2026 (Assessment Window: Oct 12–30, 2026) TABLE OF CONTENTS

Detect Text

Upload File

15,000/15,000 Characters
Check 350,000 characters, Upgrade Here

Most of Your File Content is AI/GPT Generated



VELLORE INSTITUTE OF TECHNOLOGY (VIT)

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

DEPARTMENT OF ARTIFICIAL INTELLIGENCE & MACHINE LEARNING

ACADEMIC YEAR 2026–2027

QUANTLENS-XAI:

CLOSED-LOOP EXPLAINABLE ARTIFICIAL INTELLIGENCE FOR

STOCK MARKET DIRECTION PREDICTION AND RIS

FINANCIAL DECISION SUPPORT

A Comprehensive Scientific Research Report on Ex

Learn more

Havells
Buy now


10 L Water Heater
4.1 ★★★★☆ 1,796
₹6,290.00
~~₹10,790.00~~
prime

1D Temporal Grad-CAM, 10-Metric Quality Benchmarking, and Sensitivity Analysis

Student Name: Nikhil Anand

Registration Number: 24BCE1674

Course Code & Title: BCSE418L — Explainable Artificial Intelligence

Submission & Review Date: 28 October 2026 (Assessment Window: Oct 12–30, 2026) TABLE OF CONTENTS

1. Abstract 3
2. Introduction & Research Problem Statement 4
3. Comparison of Existing Studies, Tools, and Related Works 6
3.1 Comprehensive Literature & Tool Benchmarking Table 6
3.2 Research Gap Analysis & Critical Motivation 8
4. Proposed Architecture & Methodological Framework 9
4.1 End-to-End System Architecture 9
4.2 Closed-Loop Explanation Feedback Procedural Flow 10
5. Dataset Description & Causal Feature Engineering 12
5.1 Historical Market Dataset & OHLCV Statistics 12
5.2 Causal Technical Indicator Formulations 13
5.3 Target Label Formulation & Chronological Partitioning 14
6. Experimental Setup & Hardware Environment 15
7. Results and Discussion 17
7.1 Baseline Model Results (Separately Evaluated Without XAI) 17
7.2 Explanation Generation Scenarios (SHAP, LIME, Grad-CAM) 19
7.3 Closed-Loop Explanation Feedback & Re-Evaluation Outcomes 21
7.4 Explanation-Guided Retraining Benchmark Leaderboard 23
7.5 Quantitative 10-Metric Scientific XAI Quality Evaluation 25
7.6 Methodological Synthesis: SHAP vs LIME vs 1D Grad-CAM 28
7.7 Sensitivity Analysis Lab (4 Mandatory Empirical Families) 30
7.8 Model and Explainer Trade-Off Analysis 34
8. Human Expert Feedback & Interactive Machine Learning (IML) 35
9. Empirical Observations on Failure Cases and Diagnostic Outliers 37
10. Pointwise Novel Research & Methodological Contributions 39
11. Conclusion, System Limitations & Future Scope 41
12. References 43

1. ABSTRACT

Machine learning models have achieved remarkable

Havells
Buy now


Water Heater ISI
4.2 ★★★★☆ 14,314
₹3,412.00 ~~₹6,190.00~~
prime

their internal opacity imposes severe adoption risks in quantitative trading, where capital preservation, regulatory auditing, and risk management require transparent causal reasoning. While post-hoc Explainable AI (XAI) tools like SHAP and LIME have gained traction, current research treats explanation generation as an open-loop terminus: attribution plots are rendered for human observation, but are never reverted back into the predictive models to test whether the identified features causally drive model behavior. Furthermore, applying standard Grad-CAM to tabular classifiers without convolutional feature maps constitutes a methodological misrepresentation.

To address these critical limitations, this research presents QuantLens-XAI, an institutional-grade, closed-loop financial machine learning and explainability framework. First, we design a closed-loop explanation evaluation engine that reverts feature attributions into models through controlled baseline interventions (mean imputation, median imputation, zero imputation, and Gaussian noise), measuring marginal target-class probability degradation, decision boundary flips, and faithfulness drop ratios against empirical null baselines (random and least-important feature controls). Second, to enable authentic Gradient-Weighted Class Activation Mapping (Grad-CAM) without tabular falsification, we architect Model C: TimeSeriesConv1D, a 1D temporal convolutional neural network processing multi-channel sequential sliding windows (T=30 lookback bars, C=10 stationary channels). Grad-CAM extracts neuron importance weights via global-average-pooled activation gradients from the final convolutional layer, localizing high-saliency temporal inflection intervals and enabling temporal window masking feedback. Third, we establish a rigorous 10-metric scientific evaluation suite assessing: (1) Stability, (2) Consistency, (3) Faithfulness, (4) Fidelity, (5) Robustness, (6) Actionability, (7) Calibration & Confidence, (8) Attribution Sensitivity, (9) Sparsity, and (10) Computational Latency. Fourth, we execute an Explanation-Guided Retraining Benchmark on identical chronological splits, demonstrating that retaining the top-6 SHAP features yields an out-of-sample Macro F1 of 0.3410, significantly outperforming the 22-feature full baseline (0.2897) by eliminating collinear indicator noise. Finally, we formulate a comprehensive Sensitivity Analysis Lab evaluating input perturbation sweeps (delta in [0.1%, 15%]), sequential deletion curves, strategy hyperparameter actionability grids, and macroeconomic volatility regimes. All experimental executions are durably tracked in MongoDB Community 7.0.

Keywords: Explainable Artificial Intelligence (XAI), Quantitative Trading, Closed-Loop Model Re-Evaluation, 1D Convolutional Neural Networks, Grad-CAM, SHAP, LIME, Faithfulness, Sensitivity Analysis, Financial Machine Learning.

DIRECT FACULTY MANDATE COMPLIANCE■

Faculty Assessment Alignment: This research directly fulfills all instructions provided by the Explainable AI faculty: (1) Reverting explanations back into models for con ic XAI metrics (Stability, Consistency, Faithfulness, Fidelity, Robust ity, Cost); (3)

PHILIPS
Buy now
PHILIPS
Buy now


Air Fryer NA130, 6.2...
4.2 ★★★★☆ 1,857
₹6,499.00
~~₹8,995.00~~
✓prime

Genuine Grad-CAM temporal saliency via a 1D sequence CNN; and (4) Comprehensive sensitivity analysis in the Results section. 2. INTRODUCTION & RESEARCH PROBLEM STATEMENT

Quantitative finance has undergone a rapid evolution over the past decade, progressing from traditional linear econometric models (such as ARIMA, GARCH, and Fama-French factor regressions) to non-linear machine learning ensembles and deep neural networks. Modern tree boosting architectures (e.g., XGBoost, LightGBM) and deep temporal neural networks offer superior pattern recognition capabilities across multi-dimensional indicator spaces. However, their internal complexity creates an opaque 'black-box' decision boundary, preventing human portfolio managers, quantitative risk officers, and regulatory bodies from inspecting the causal mechanisms behind trade signals.

In institutional capital allocation, an opaque recommendation is unacceptable. Regulatory mandates, including the European Union Markets in Financial Instruments Directive II (MiFID II RTS 25) and SEC Rule 15c3-5, legally require algorithmic trading systems to provide complete decision traceability, explainable risk management, and rigorous pre-trade control mechanisms. When an algorithmic trading engine executes a multi-million-rupee long position, stakeholders must know whether the signal was triggered by genuine multi-day trend momentum or by spurious noise in an isolated volatility indicator.

To bridge this trust gap, Explainable Artificial Intelligence (XAI) frameworks have been widely introduced. Post-hoc explainers, primarily Shapley Additive Explanations (SHAP) and Local Interpretable Model-agnostic Explanations (LIME), attempt to attribute output probabilities to individual input features. However, current financial XAI literature suffers from a critical methodological flaw: the open-loop fallacy.

THE OPEN-LOOP FALLACY IN FINANCIAL XAI■

Core Scientific Thesis: Generating an explanation does not establish that the explanation is trustworthy or causal. A model explanation is an unverified hypothesis until it is reverted back into the predictive model under controlled baseline perturbations to measure the empirical score degradation and decision boundary response.

Research Objectives of QuantLens-XAI:

1. Closed-Loop Explanation Evaluation: Design an automated feedback mechanism that takes feature attributions, applies controlled interventions (mean imputation, median, zero, Gaussian noise), and re-evaluates the original model to measure target-class probability drop ΔP.

2. Authentic 1D Temporal Grad-CAM: Formulate and implement Model C (TimeSeriesConv1D), enabling genuine Gradient-Weighted Class Activation Mapping on multi-channel sequential financial time series without tabular falsification.

3. Multi-Metric Scientific Benchmarking: Quantitativ s 10 academic dimensions: Stability, Consistency, Faithfu

GoDaddy
Great ideas deserve a great domain name.
Havells
Buy now


10 L Water Heater
4.1 ★★★★☆ 1,796
₹6,290.00
~~₹10,790.00~~
✓prime

Confidence/Calibration, Sensitivity, Sparsity, and Computational Cost.

4. Explanation-Guided Retraining Benchmark: Retrain model variants on chronological splits using explanation-selected feature subsets to verify whether explanations isolate true causal predictive features or overfit local noise.

5. Sensitivity Analysis Lab: Execute four empirical sensitivity families: input noise sweeps (delta in [0.1%, 15%]), sequential feature deletion curves, strategy parameter actionability grids, and market volatility regime shifts.

3. COMPARISON OF EXISTING STUDIES, TOOLS AND RELATED WORKS

To establish academic positioning, we benchmark QuantLens-XAI against peer-reviewed foundational literature and open-source XAI evaluation frameworks. Existing studies typically focus on either explanation generation or abstract statistical benchmarking, rarely connecting closed-loop model re-evaluation to temporal convolutional saliency in financial time series.

3.1 Comprehensive Literature & Tool Benchmarking Table

ReferenceYear	Research / ToolModel / Domain	XAI MethodEvaluation MethodKey Strengths	Primary LimitationsQuantLens-XAI Differentiation
Lundberg & Lee [8]	2017	Unified SHAP	General ML	Shapley Values	Axiomatic proof (Efficiency, Symmetry)	Grounded in cooperative game theory	High computational cost for KernelSHAP	QuantLens applies TreeExplainer C++ core

				(<1.5ms)			
Lundberg et al. [9]	2020	TreeExplainer	Tree Ensembles	Exact Tree SHAP	Benchmarked on clinical & tabular data	O(M*L*D^2) exact polynomial computation	No temporal lookback
attributionQuantLens				pairs TreeSHAP with 1D Grad-CAM			
Ribeiro et al. [10]	2016	LIME	General ML	Local Linear Surrogate	Visual user inspection, simulated tasks	Model-agnostic, sparse human rules	Surrogate boundary instability under noise
QuantLens benchmarks				LIME stability (0.724) vs SHAP (0.941)			
Selvaraju et al. [11]	2017	Grad-CAM	Computer				

		Vision (CNN)	Gradient Activation Mapping	Visual object localization on ImageNet
Preserves spatial coordinates without retraining	Formulated strictly for 2D visual maps	QuantLens adapts Grad-CAM to 1D financial time-series CNN	Hooker et al. [5]	2019
ROAR Benchmark	Image & Tabular ML	Feature Degradation	Retraining with feature removal (ROAR)	Verifies feature importance via retraining
Extremely expensive computational cost	QuantLens combines instance feedback with 6-model			

retraining
Alvarez-Melis
[1]2018Robustness
EvaluationDeep
NetworksSaliency MapsLipschitz
continuity
measurementFormalized
explanation
stability
mathematicall
yLacks financial
domain
actionabilityQuantLens
formulates
investor
actionability
parameter
ratio
Yeh et al. [14]2019Infidelity & Neural Gradient Perturbation-Quantifies Assumes QuantLens SensitivityNetworksExplanationsbased infidelity
metricdeviation from
true model
scorecontinuous
inputs without
domain
boundsuses empirical
training
distribution
mean
imputation
Ismail et al. [6]2020Time-Series
SaliencyMedical &
Financial TSIntegrated
Gradients,

DeepLIFT	Precision of temporal saliency detection	Evaluated multi-horizon temporal models	Open-loop evaluation; no feedback into models	QuantLens introduces temporal window masking feedback	Hedström et al. (Quantus)	2022
Quantus	Framework	Python Library	General XAI	Suite of 30+ statistical XAI metrics	Broad standardized metric taxonomy	Abstract library; disconnected from live systems
QuantLens	natively embeds 10 metrics in interactive terminal	QuantLens-XAI				

(Ours)2026QuantLens-XAI PlatformFinancial Market AI (NSE)SHAP + LIME + 1D Grad-CAMClosed-loop feedback, retraining, 10 metricsFull spatio-temporal XAI, 140 automated testsEvaluated on daily candles (intraday future work)First institutional closed-loop financial XAI platform

3.2 Research Gap Analysis & Critical Motivation

Critical Research Gaps Identified in Existing Literature:

1. Disconnect Between Attribution and Model Re-Evaluation: As demonstrated in Table 1, tools like SHAP and LIME terminate at visualization. No existing financial trading research verifies whether neutralizing the top attributed features causes a steeper prediction decline than random features.

2. Misuse of Grad-CAM in Tabular Trading Systems: Prior financial papers frequently claim to apply Grad-CAM to gradient boosting or tabular MLPs, ignoring that Grad-CAM mathematically requires convolutional feature maps. Our work correctly architectures Model C (TimeSeriesConv1D) to provide authentic Grad-CAM.

3. Lack of Unified Multi-Metric Rigor: Most studies report only single metrics (e.g. stability or fidelity alone). QuantLens-XAI establishes a standardized 10-metric suite.

4. Failure to Distinguish Controllable Strategy Param
counterfactual frameworks suggest modifying mark
define Actionability strictly based on strategy hyper

4. PROPOSED ARCHITECTURE & METHODOLOGICAL FRAMEWORK

QuantLens-XAI is designed as an end-to-end quantitative research terminal combining predictive machine learning, post-hoc explainability, closed-loop model re-evaluation, and historical paper simulation. The system architecture is visualized below. Figure 1: QuantLens-XAI System Architecture — Dual-Flow Pipeline integrating Natural-Language Strategy Parsing, Machine Learning Inference, Explanation Feedback, and Hybrid Database Persistence.

4.1 Closed-Loop Explanation Feedback Procedural Flow

The closed-loop explanation feedback workflow operates according to a strict 9-step algorithmic procedure:

Step 1: Input Feature Generation — Calculate 22 stationary technical indicators (or 10-channel 30-day temporal tensor) from daily OHLCV bars with zero forward lookahead.

Step 2: Base Model Inference — Evaluate instance x through model f (XGBoost, MLP, or TimeSeriesConv1D), computing class probabilities P(c|x) and predicted class y = argmax P.

Step 3: Explanation Attribution — Execute explainer E (SHAP TreeExplainer, LIME Tabular, or 1D Grad-CAM) to generate feature attribution vector ϕ or temporal heatmap H(t).

Step 4: Top-k Feature / Window Identification — Rank features by attribution magnitude |ϕ_i| and select the top-k most important indicators (or 5-bar peak Grad-CAM window).

Step 5: Controlled Baseline Intervention — Construct interv

Highlighted text is suspected to be most likely generated by AI*

15,000 Characters

1,639 Words

Instructions for Educators and Evaluators

Export to PDF

Hi, Keep working with the Trusted Tools everyone loves

Pomodoro Timer
Focus sessions

AI Image Detector
Spot generated images

AI Video Detector
Frame-level analysis

Grammar Checker
Spelling and style

Plagiarism Checker

AI Humanizer
Rewrite to pass review

Explore all tools

Simple and Credible Open AI, Grok, DeepSeek, and Gemini Detector Tool for Free

Millions of Users Trust ZeroGPT, See what sets ZeroGPT apart

Highlighted Sentences

Every sentence written by AI is highlighted, with a gauge showing the percentage of AI inside the text

Multiple Features

Enjoy our Top-notch Humanizer Plagiarism Checker, Paraphraser, Summarizer, Grammar checker, Translator, Writing Assistant...

High Accuracy Model

Advanced and premium model, trained on all languages and multiple LLM models to provide highly accurate results

Generated Report

Automatically generated .pdf reports for every detection, used as a proof of AI-Free plagiarism

Support All Languages

Support all the languages with the highest accuracy rate of detection

Batch Files Upload


Simply upload multiple files at once, and they will get checked automatically in the dashboard

Unlock growth potential with our API

Our API is available for the AI Detector, Plagiarism Checker, Paraphraser, Summarizer, Grammar and Spell Checker, Chatbot & Translator

Our team has developed a user-friendly API for organizations.

Get API access >



DeepAnalyse™ Technology

A pioneering research in the modeling of AI content detection


Our AI detection model includes several components that analyze text to determine its origin and if it was written by AI. We use a multi-stage methodology designed to optimize accuracy while minimizing false positives and negatives. From the macro level to the micro one, this is how DeepAnalyse™ Technology works. Our model specializes in identifying AI generated content like Chat GPT, GPT 3, GPT 4, GPT 5, GPT 6, Gemini, Grok, Perplexity AI, Claude, DeepSeek, LLaMa models ... Finally, we employ a comprehensive deep learning methodology, trained on extensive text collections from the internet, educational datasets, and our proprietary synthetic AI datasets produced using various language models.

Explore DeepAnalyse™ Technology →

98.4%
<1%
False positive rate
35+
LLM families covered

Use ZeroGPT in Whatsapp and Telegram

ZeroGPT is now available on WhatsApp and Telegram. Chat With ZeroGPT: Advanced ChatBot, Detect AI, Summarize, Paraphrase, Translate and Check for Grammar Errors... all these features available inside WhatsApp and Telegram.



WhatsApp

Register your WhatsApp's number in the Dashboard (section "Social Settings") and start using all the features of ZeroGPT inside WhatsApp using the phone number **+1 (206) 372-5474**

Telegram

Register the telegram code inside your Dashboard (section "Social Settings") and start using all the features of ZeroGPT inside Telegram using the telegram bot **zerogpt_official_bot**

Get Your MAX / EXPERT Subscription

Explore M ting Skills

Fix grammar and spelling mistakes, detect AI plagiarism, check for plagiarism, generate citations, advanced word counter, powerful summarizer and paraphraser

AI Humanizer
Humanize AI text to make it sound natural and human-like.

AI Image Detector
Detect AI-generated images and edited visuals instantly.

AI Video Detector
Analyze videos to detect AI-generated or manipulated content.

Plagiarism Checker
Check content originality and detect plagiarism in seconds.

AI Grammar Checker
Fix grammar, spelling, punctuation and writing errors.

AI Paraphraser
Rephrase text with different tones and writing styles.

AI Summarizer Tool
Summarize long text into clear, concise and meaningful abstracts.

AI Translator
Translate text into multiple languages accurately.

Word Counter Tool
Count words, characters, sentences and paragraphs easily.

Dictionary
Look up word meanings, synonyms, antonyms and examples.

Citation Generator
Generate accurate citations in APA, MLA, Chicago and more.

Pomodoro Timer
Boost your productivity with smart Pomodoro timer sessions.

FAQ

Your questions, answered

How Does ZeroGPT AI Detector work?

What is the accuracy rate of ZeroGPT?

Who Benefits from ZeroGPT's AI content detect

Will my text get plagiarized or be available online, if I check it on ZeroGPT?

How can I integrate ZeroGPT tool in my organization or website on a large scale?

Does ZeroGPT work with different languages?

How can I cite the AI detector?

Check Our Blog created with the help of AI

5 Mind Blowing Technologies we'll see in 2024

10 Ridiculous Technologies That Will Actually Make Your Life Better

ZeroGPT

2026 Copyright ©
ZeroGPT.com

More about

- Pricing
- API
- FAQ
- Our policy
- Terms of use
- DeepAnalyse™

Features

- AI Detector
- AI Humanizer
- Background Remover
- AI Image Detector
- AI Video Detector
- AI ZeroChat-4 & 5
- AI Plagiarism Checker
- AI Summarizer
- AI Paraphraser
- AI Grammar Checker
- AI Translator
- Word Counter
- Pomodoro Timer
- Dictionary
- AI Email Helper

You can email us at

support@zerogpt.com

Our support team is spread across the globe to give you answers fast

ZeroGPT - AI detection, plagiarism checking, and writing tools.

Trusted by millions of users worldwide.