

Ques 1) What are the annotations used in TestNG ?

Ans: @Test, @BeforeSuite, @AfterSuite, @BeforeTest, @AfterTest, @BeforeClass, @AfterClass, @BeforeMethod, @AfterMethod.

Ques 2) How do you read data from excel ?

Ans:

```
FileInputStream fis = new FileInputStream("path of excel file");
XSSFWorkbook wb = new XSSFWorkbook(fis);
XSSFWorksheet s = wb.getSheet("sheetName");
String value = s.getRow(rowNum).getCell(cellNum).getStringCellValue();
```

Ques 3) What is the use of xpath ?

Ans- it is used to find the WebElement in web page. It is very useful to identify the dynamic web elements.

Ques 4) What are different types of locators ?

Ans- There are 8 types of locators and all are the static methods of the By class.
By.id(), By.name(), By.tagName(), By.className(), By.linkText(), By.partialLinkText(),
By.xpath, By.cssSelector().

Ques 5) What is the difference between Assert and Verify?

Ans- Assert- it is used to verify the result. If the test case fail then it will stop the execution of the test case there itself and move the control to other test case.
Verify- it is also used to verify the result. If the test case fail then it will not stop the execution of that test case.

Ques 6) What is the alternate way to click on login button?

Ans- use submit() method but it can be used only when attribute type=submit.

Ques 7) How do you verify if the checkbox/radio is checked or not ?

Ans- We can use isSelected() method.

Syntax –

If the return value of this method is true then it is checked else it is not.

```
driver.findElement(By.xpath("xpath of the checkbox/radio button")).isSelected();
```

Ques 8) How do you handle alert pop-up ?

Ans- To handle alert pop-ups, we need to 1st switch control to alert pop-ups then click on ok or cancel then move control back to main page.

Syntax

```
Alert alt = driver.switchTo().alert(); // to move control to alert popup  
alt.accept(); // to click on ok.  
alt.dismiss(); // to click on cancel.
```

Ques 9) How do you launch IE/chrome browser?

Ans- Before launching IE or Chrome browser we need to set the System property.

```
//To open IE browser  
System.setProperty("webdriver.ie.driver","path of the iedriver.exe file ");  
WebDriver driver = new InternetExplorerDriver();  
  
//To open Chrome browser  
System.setProperty("webdriver.chrome.driver","path of the chromeDriver.exe file ");  
WebDriver driver = new ChromeDriver();
```

Ques 10) How to perform right click using WebDriver?

Ans- Use Actions class

```
Actions act = new Actions(driver); // where driver is WebDriver type  
  
act.moveToElement(webElement).build().perform();  
  
act.contextClick().build().perform();
```

Ques 11) How do you perform drag and drop using WebDriver?

Ans- Use Action class

```
Actions act = new Actions(driver);

WebElement source = driver.findElement(By.xpath(" -----")); //source ele which you want to drag

WebElement target = driver.findElement(By.xpath(" -----")); //target where you want to drop

act.dragAndDrop(source,target).perform();
```

Ques 12) Give the example for method overload in WebDriver.

Ans- frame(string), frame(int), frame(WebElement).

Ques 13) How do you upload a file?

Ans- To upload a file we can use sendKeys() method.

```
driver.findElement(By.xpath("input field")).sendKeys("path of the file which u want to upload");
```

Ques 14) How do you click on a menu item in a drop down menu?

Ans- If that menu has been created by using select tag then we can use the methods selectByValue() or selectByIndex() or selectByVisibleText(). These are the methods of the Select class.

If the menu has not been created by using the select tag then we can simply find the xpath of that element and click on that to select.

Ques 15) How do you simulate browser back and forward ?

```
driver.navigate().back();
driver.navigate().forward();
```

Ques 16) How do you get the current page URL ?

```
driver.getCurrentUrl();
```

Ques 17) What is the difference between '/' and '//' ?

Ans-

// - it is used to search in the entire structure.

/ - it is used to identify the immediate child.

Ques 18) What is the difference between findElement and findElements?

Ans- Both methods are abstract method of WebDriver interface and used to find the WebElement in a web page.

findElement() – it used to find the one web element. It return only one WebElement type.

findElements()- it used to find more than one web element. It return List of WebElements.

Ques 21) How to get typed text from a textbox ?

Ans- use getAttribute("value") method by passing arg as value.

```
String typedText = driver.findElement(By.xpath("xpath of box")).getAttribute("value");
```

Ques 22) What are the different exceptions you got when working with WebDriver ?

Ans- ElementNotVisibleException, ElementNotSelectableException, NoAlertPresentException, NoSuchElementException, NoSuchWindowException, TimeoutException, WebDriverException etc.

Ques 23) What are the languages supported by WebDriver ?

Ans- Python, Ruby, C# and Java are all supported directly by the development team. There are also webdriver implementations for PHP and Perl.

Ques 24) How do you clear the contents of a textbox in selenium ?

Ans- Use clear() method.

```
driver.findElement(By.xpath("xpath of box")).clear();
```

Ques 25) What is a Framework ?

Ans- A framework is set of automation guidelines which help in Maintaining consistency of Testing, Improves test structuring, Minimum usage of code, Less Maintenance of code, Improve re-usability, Non Technical testers can be involved in code, Training period of using the tool can be reduced, Involves Data wherever appropriate.

There are 3 types of framework used in software automation testing:

- 1-Data Driven Automation Framework
- 2-Keyword Driven Automation Framework
- 3-Hybrid Automation Framework , its basically combination of different frameworks. (1+2).

Ques 26) What are the prerequisites to run selenium webdriver?

Ans- JDK, Eclipse, WebDriver(selenium standalone jar file), browser, application to be tested.

Ques 27) What are the advantages of selenium webdriver?

- Ans- a) It supports with most of the browsers like Firefox, IE, Chrome, Safari, Opera etc.
b) It supports with most of the language like Java, Python, Ruby, C# etc.
c) Doesn't require to start server before executing the test script.
d) It has actual core API which has binding in a range of languages.
e) It supports of moving mouse cursors.
f) It supports to test iPhone/Android applications.

Ques 28) What is WebDriverBackedSelenium ?

Ans- WebDriverBackedSelenium is a kind of class name where we can create an object for it as below:

```
selenium wbdriver= new WebDriverBackedSelenium(WebDriver object name, "URL path of website")
```

The main use of this is when we want to write code using both WebDriver and Selenium RC , we must use above created object to use selenium commands.

Ques 29) How to invoke an application in webdriver ?


```
driver.get("url"); or driver.navigate().to("url");
```

Ques 30) What is Selenium Grid ?

Ans- Selenium-Grid allows you to run your tests on different machines against different browsers in parallel. That is, running multiple tests at the same time against different machines, different browsers and operating systems. Essentially, Selenium-Grid support distributed test execution. It allows for running your tests in a distributed test execution environment.

Ques 31) How to get the number of frames on a page ?

```
List <WebElement> framesList = driver.findElements(By.xpath("//iframe"));
int numOfFrames = frameList.size();
```



Ques 32) How do you simulate scroll down action ?

Ans- Use java script to scroll down-

```
JavascriptExecutor js = (JavascriptExecutor)driver;
js.executeScript("window.scrollBy(0,500)"); //Scroll down by 1000 pixels
js.executeScript("arguments[0].scrollIntoView()",Element ); //Scroll the page till the element is found
js.executeScript("window.scrollTo(0, document.body.scrollHeight)"); Scroll the web page till end.
```

Ques 33) What is the command line we have to write inside a .bat file to execute a selenium project when we are using testng ?

Ans- java -cp bin;jars/* org.testng.TestNG testng.xml

(Or)

cd <>project path>

mvn clean install

Ques 34) Which is the package which is to be imported while working with WebDriver ?

Ans- org.openqa.selenium

Ques 35) How to check if an element is visible on the web page ?


Ans- use isDisplayed() method. The return type of the method is boolean. So if it return true then element is visible else not visible.

```
driver.findElement(By.xpath("xpath of elemnt")).isDisplayed();
```

Ques 36) How to check if a button is enabled on the page ?

Ans- Use isEnabled() method. The return type of the method is boolean
So if it return true then button is enabled else not enabled.

```
driver.findElement(By.xpath("xpath of button")).isEnabled();
```

**Ques 37) How to check if a text is highlighted on the page ?**

Ans- To identify weather color for a field is different or not-

```
String color = driver.findElement(By.xpath("//a[text()='Shop']")).getCssValue("color");
String backcolor = driver.findElement(By.xpath("//a[text()='Shop']")).getCssValue("background-color");
System.out.println(color);
System.out.println(backcolor);
```

Here if both color and back color different then that means that element is in different color.

Ques 38) How to check the checkbox or radio button is selected ?

Ans- Use isSelected() method to identify. The return type of the method is boolean.
So if it return true then button is selected else not enabled.

```
driver.findElement(By.xpath("xpath of button")).isSelected();
```

Ques 39) How to get the title of the page ?

Ans- Use getTitle() method.

Syntax- `driver.getTitle();`

Ques 40) How do u get the width of the textbox ?

```
driver.findElement(By.xpath("xpath of textbox ")).getSize().getWidth();
driver.findElement(By.xpath("xpath of textbox ")).getSize().getHeight();
```

Ques 41) How do you get the attribute of the web element ?

Ans- `driver.getElement(By.tagName("img")).getAttribute("src")` will give you the src attribute of this tag.

Similarly, you can get the values of attributes such as title, alt etc.

Ques 43) How to change the URL on a webpage using selenium web driver ?

driver.get("url1");
driver.get("url2");



Ques 44) How to hover the mouse on an element ?

```
Actions act = new Actions(driver);  
act.moveToElement(webElement); //webElement on which you want to move cursor
```

Ques 45) What is the use of getOptions() method ?

Ans- getOptions() is used to get the selected option from the dropdown list.

Ques 46) What is the use of deSelectAll() method ?

Ans- It is used to deselect all the options which have been selected from the dropdown list.

Ques 47) Is WebElement an interface or a class ?

Ans- WebDriver is an Interface.

Ques 48) FirefoxDriver is class or an interface and from where is it inherited ?

Ans- FirefoxDriver is a class. It implements all the methods of WebDriver interface.

Ques 49) Which is the super interface of webdriver ?

Ans- SearchContext.

Ques 50) What is the difference b/w close() and quit()?

Ans- close() – it will close the browser where the control is.

quit() – it will close all the browsers opened by WebDriver.

Ques.1. What is Selenium?

- Ans. Selenium is a robust test automation suite that is used for automating web based applications. It supports multiple browsers, programming languages and platforms.

Ques.2. What are different forms of selenium?

- Ans. Selenium comes in four forms-
- *Selenium WebDriver* - Selenium WebDriver is used to automate web applications using browser's native methods.
- *Selenium IDE* - A Firefox plugin that works on record and play back principle.
- *Selenium RC* - Selenium Remote Control(RC) is officially deprecated by selenium and it used to work on javascript to automate the web applications.
- *Selenium Grid* - Allows selenium tests to run in parallel across multiple machines.

Ques.3. What are some advantages of selenium?

- Selenium is open source and free to use without any licensing cost.
- It supports multiple languages like Java, ruby, python etc.
- It supports multi browser testing.
- It has good amount of resources and helping community over the internet.
- Using selenium IDE component, non-programmers can also write automation scripts
- Using selenium grid component, distributed testing can be carried out on remote machines possible.

Ques.4. What are some limitations of selenium?

- We cannot test desktop application using selenium.
- We cannot test web services using selenium.
- For creating robust scripts in selenium webdriver, programming language knowledge is required.
- We have to rely on external libraries and tools for performing tasks like - logging(log4J), testing framework-(testNG, JUnit), reading from external files(POI for excels) etc.

Ques.5. Which all browsers/drivers are supported by Selenium Webdriver?

- Ans. Some commonly used browsers supported by selenium are-
- Google Chrome - ChromeDriver
- Firefox - FireFoxDriver
- Internet Explorer - InternetExplorerDriver
- Safari - SafariDriver
- HtmlUnit (Headless browser) - HtmlUnitDriver
- Android - Selendroid/Appium
- IOS - ios-driver/Appium

Ques.6. Can we test APIs or web services using Selenium webdriver?

Ans. No selenium webdriver uses browser's native method to automate the web applications. Since web services are headless, so we cannot automate web services using selenium webdriver.

Ques.7. What are the testing type supported by Selenium WebDriver?

Ans. Selenium webdriver can be used for performing automated functional and regression testing.

Ques.8. What are various ways of locating an element in selenium?

- Ans. The different locators in selenium are-
- Id
- XPath
- cssSelector
- className
- tagName
- name
- linkText
- partialLinkText

Ques.9. What is an XPath?

- Ans. Xpath or XML path is a query language for selecting nodes from XML documents. XPath is one of the locators supported by selenium webdriver.

Ques.10. What is an absolute XPath?

- Ans. An absolute XPath is a way of locating an element using an XML expression beginning from root node i.e. html node in case of web pages. The main disadvantage of absolute xpath is that even with slightest change in the UI or any element the whole absolute XPath fails.
- Example - html/body/div/div[2]/div/div/div/div[1]/div/input

Ques.11. What is a relative XPath?

- Ans. A relative XPath is a way of locating an element using an XML expression beginning from anywhere in the HTML document. There are different ways of creating relative XPaths which are used for creating robust XPaths (unaffected by changes in other UI elements).
- Example - //input[@id='username']

Ques.12. What is the difference between single slash(/) and double slash(//) in XPath?

- Ans. In XPath a single slash is used for creating XPaths with absolute paths beginning from root node.
- Whereas double slash is used for creating relative XPaths.

Ques.13. Which XPath you will prefer to use? Why?

- Normally we prefer to use Relative XPath.
- Relative Xpath can identify element even though some UI changes happened, but can't identify by Absolute Xpath.

Ques.14. What is the difference between Absolute XPath and Relative XPath?

- Absolute Xpath will traverse entire HTML from the root node /html.
- Relative Xpath directly jump to node based on attribute specified.

Ques.15. How can we inspect the web element attributes in order to use them in different locators?

- Ans. Using Chropath or developer tools we can inspect the specific web elements.
Chropath is a plugin that provides xpaths and CSS Selectors. From automation perspective, “*Right click on page inspect element*” is used specifically for inspecting web-elements in order to use their attributes like id, class, name etc. in different locators.

Ques.16. How can we locate an element by only partially matching its attributes value in Xpath?

- Ans. Using contains() method we can locate an element by partially matching its attribute's value. This is particularly helpful in the scenarios where the attributes have dynamic values with certain constant part.

xPath expression = //*[contains(@name,'user')]

- The above statement will match all the values of name attribute containing the word 'user' in them.

Ques.17. How can we locate elements using their text in XPath?

- Ans. Using the text() method


```
xPathExpression = //*[text()='username']
```

Ques.18. How can we move to nth child element using XPath?

- Ans. There are two ways of navigating to the nth element using XPath-
- Using square brackets with index position-
Example - div[2] will find the second div element.
- Using position()-
Example - div[position()=3] will find the third div element.


Ques.19. What is the syntax of finding elements by class using CSS Selector?

- Ans. By .className we can select all the element belonging to a particular class e.g '.inputtext' will select all elements having class 'inputtext'.




Ques.20. What is the syntax of finding elements by id using CSS Selector?

- Ans. By #idValue we can select all the elements belonging to a particular id e.g. '#u_0_n' will select the element having id - u_0_n.



Ques.21. How can we select elements by their attribute value using CSS Selector?

- Ans. Using [attribute=value] we can select all the element belonging to a particular attribute e.g. '[type=radio]' will select the element having attribute type of value 'radio'.



Ques.22. What is fundamental difference between XPath and css selector?

- Ans. The fundamental difference between XPath and css selector is using XPaths we can traverse up in the document i.e. we can move to parent elements. Whereas using CSS selector we can only move downwards in the document.

Ques.23. How can we launch different browsers in selenium webdriver?

- Ans. By creating an instance of driver of a particular browser-

```
WebDriver driver = new ChromeDriver();
```

Ques.24. What is the use of `driver.get("URL")` and `driver.navigate().to("URL")` command? Is there any difference between the two?

- Ans. Both `driver.get("URL")` and `driver.navigate().to("URL")` commands are used to navigate to a URL passed as parameter.
There is no difference between the two commands.

Ques.25. How can we type text in a textbox element using selenium?

```
WebElement searchTextBox = driver.findElement(By.id("search"));  
searchTextBox.sendKeys("searchTerm");
```

Ques.26. How can we clear a text written in a textbox?

- Ans. Using clear() method we can delete the text written in a textbox.

```
driver.findElement(By.id("elementLocator")).clear();
```

Ques.27. How to check a checkBox in selenium?

- Ans. The same click() method used for clicking buttons or radio buttons can be used for checking checkbox as well.



Ques.28. How can we submit a form in selenium?

- Ans. Using submit() method we can submit a form in selenium.

```
driver.findElement(By.id("form1")).submit();
```

- Also, the click() method can be used for the same purpose.

Ques.29. Explain the difference between close and quit command.

- Ans. `driver.close()` - Used to close the current browser having focus
- `driver.quit()` - Used to close all the browser instances

Ques.30. How to switch between multiple windows in selenium?

- Ans. Selenium has `driver.getWindowHandles()` and `driver.switchTo().window("{windowHandleName}")` commands to work with multiple windows.
- The `getWindowHandles()` command returns a list of ids corresponding to each window and on passing a particular window handle to `driver.switchTo().window("{windowHandleName}")` command we can switch control/focus to that particular window

```
for (String windowHandle : driver.getWindowHandles())
{
    driver.switchTo().window(handle);
}
```

Ques.31. What is the difference between driver.getWindowHandle() and driver.getWindowHandles() in selenium?

- Ans. `driver.getWindowHandle()` returns a handle of the current page (a unique identifier)
Whereas `driver.getWindowHandles()` returns a set of handles of the all the pages available.

Ques.32. How can we move to a particular frame in selenium?

- Ans. The `driver.switchTo()` commands can be used for switching to frames.

```
driver.switchTo().frame("{frameIndex/frameId/frameName}");
```

- For locating a frame we can either use the index (starting from 0), its name or Id.

Ques.33. Can we move back and forward in browser using selenium?

- Ans. Yes, using `driver.navigate().back()` and `driver.navigate().forward()` commands we can move backward and forward in a browser.

Ques.34. Is there a way to refresh browser using selenium?

- Ans. There are multiple ways to refresh a page in selenium-
- Using `driver.navigate().refresh()` command
- Using `sendKeys(Keys.F5)` on any textbox on the webpage

Ques.35. How can we maximize browser window in selenium?

- Ans. We can maximize browser window in selenium using following command-

```
driver.manage().window().maximize();
```

Ques.36. How can we fetch a text written over an element?

- Ans. Using `getText()` method we can fetch the text over an element.

```
String text = driver.findElement("elementLocator").getText();
```

Ques.37. How can we find the value of different attributes like name, class, value of an element?

- Ans. Using `getAttribute("{attributeName}")` method we can find the value of different attributes of an element e.g.-

```
String valueAttribute = driver.findElement(By.id("elementLocator")).getAttribute("value");
```



Ques.38. How to delete cookies in selenium?

- Ans. Using deleteAllCookies() method-

```
driver.manage().deleteAllCookies();
```

Ques.39. What is an implicit wait in selenium?

- Ans. An implicit wait is a type of wait which waits for a specified time while locating an element before throwing NoSuchElementException. By default selenium tries to find elements immediately when required without any wait. So, it is good to use implicit wait. This wait is applied to all the elements of the current driver instance.

```
driver.manage().timeouts().implicitlyWait(5, TimeUnit.SECONDS);
```

Ques.40. What is an explicit wait in selenium?

- Ans. An explicit wait is a type of wait which is applied to a particular web element until the expected condition specified is met.

```
WebDriverWait wait = new WebDriverWait(driver, 10);
WebElement element = wait.until(ExpectedConditions.elementToBeClickable(By.id("elementId")));
```

Ques.41. What are some expected conditions that can be used in Explicit waits?

- Ans. Some of the commonly used expected conditions of an element that can be used with explicit waits are-
 - elementToBeClickable(WebElement element or By locator)
 - visibilityOfElementLocated(By locator)
 - attributeContains(WebElement element, String attribute, String value)
 - alertIsPresent()
 - titleContains(String title)
 - titleIs(String title)
 - textToBePresentInElementLocated(By, String)

Ques.42. What is fluent wait in selenium?

- Ans. A fluent wait is a type of wait in which we can also specify polling interval(intervals after which driver will try to find the element) along with the maximum timeout value.

```
Wait wait = new FluentWait(driver)
    .withTimeout(20, SECONDS)
    .pollingEvery(5, SECONDS)
    .ignoring(NoSuchElementException.class);
WebElement textBox = wait.until(new Function<webdriver,webElement>(){
{
    public WebElement apply(WebDriver driver) {
        return driver.findElement(By.id("textBoxId"));
    }
});
```

Ques.43. What are the different keyboard operations that can be performed in selenium?

- Ans. The different keyboard operations that can be performed in selenium are-
- .sendKeys("sequence of characters")** - Used for passing character sequence to an input or textbox element.
- .pressKey("non-text keys")** - Used for keys like control, function keys etc that are non-text.
- .releaseKey("non-text keys")** - Used in conjunction with keypress event to simulate releasing a key from keyboard event.

Ques.44. What are the different mouse actions that can be performed?

Ans. The different mouse events supported in selenium are

- click(WebElement element)
- doubleClick(WebElement element)
- contextClick(WebElement element) */rightclick*
- moveToElement(WebElement element)
- dragAndDrop(source WebElement, target WebElement)



Ques.45. Write the code to double click an element in selenium?


```
Actions action = new Actions(driver);
WebElement element=driver.findElement(By.id("elementId"));
action.doubleClick(element).build().perform();
```

Ques.46. Write the code to right click an element in selenium?

```
Actions.action = new Actions(driver);
WebElement element=driver.findElement(By.id("elementId"));
action.contextClick(element). build().perform();
```

Ques.47. How to mouse hover an element in selenium?

```
Actions action = new Actions(driver);
WebElement element=driver.findElement(By.id("elementId"));
action.moveToElement(element).build().perform();
```



Ques.48. How to fetch the current page URL in selenium?

- Ans. Using getCurrentURL() command we can fetch the current page URL.

```
driver.getCurrentUrl();
```

Ques.49. How can we fetch title of the page in selenium?

- Ans. Using driver.getTitle(); we can fetch the page title in selenium. This method returns a string containing the title of the webpage.

Ques.50. How can we fetch the page source in selenium?

- Ans. Using driver.getPageSource(); we can fetch the page source in selenium. This method returns a string containing the page source.

Ques.51. How to verify tooltip text using selenium?

- Ans. Webelements have an attribute of type 'title'. By fetching the value of 'title' attribute we can verify the tooltip text in selenium.

```
String toolTipText = element.getAttribute("title");
```

Ques.52. How to locate a link using its text in selenium?

- Ans. Using `linkText()` and `partialLinkText()` we can locate a link.
- The difference between the two is linkText matches the complete string passed as parameter to the link texts. Whereas partialLinkText matches the string parameter partially with the link texts.

```
WebElement link1 = driver.findElement(By.linkText("pavantestingtools"));  
WebElement link2 = driver.findElement(By.partialLinkText("testingtools"));
```

Ques.53. What are DesiredCapabilities in selenium webdriver?

- Ans. Desired capabilities are a set of key-value pairs that are used for storing or configuring browser specific properties like its version, platform etc in the browser instances.

Ques.55. What are some commonly encountered exceptions in selenium?

- Ans. Some of the commonly seen exception in selenium are-
- NoSuchElementException - When no element could be located from the locator provided.
- ElementNotVisibleException - When element is present in the dom but is not visible.
- NoAlertPresentException - When we try to switch to an alert but the targetted alert is not present.
- NoSuchFrameException - When we try to switch to a frame but the targetted frame is not present.
- NoSuchWindowException - When we try to switch to a window but the targetted window is not present.
- TimeoutException - When a command execution gets timeout.
- InvalidElementStateException - When the state of an element is not appropriate for the desired action.
- NoSuchAttributeException - When we are trying to fetch an attribute's value but the attribute is not correct
- WebDriverException - When there is some issue with driver instance preventing it from getting launched.

Ques.56. How can we capture screenshots in selenium?

- Ans. Using getScreenshotAs method of TakesScreenshot interface we can take the screenshots in selenium.

```
File scrFile = ((TakesScreenshot)driver).getScreenshotAs(OutputType.FILE);
FileUtils.copyFile(scrFile, new File("D:\\testScreenShot.jpg"));
```


Ques.57. How to handle dropdowns in selenium?

- Ans. Using Select class-

```
Select countriesDropDown = new Select(driver.findElement(By.id("countries")));
dropdown.selectByVisibleText("India"); //or using index of the option starting from 0
dropdown.selectByIndex(1); //or using its value attribute
dropdown.selectByValue("Ind");
```

Ques.58. How to check which option in the dropdown is selected?

- Ans. Using isSelected() method we can check the state of a dropdown's option.



```
Select countriesDropDown = new Select(driver.findElement(By.id("countries")));
dropdown.selectByVisibleText("India"); //returns true or false value
System.out.println(driver.findElement(By.id("India")).isSelected());
```

Ques.59. How can we check if an element is getting displayed on a web page?

- Ans. Using isDisplayed method we can check if an element is getting displayed on a web page.

```
driver.findElement(By locator).isDisplayed();
```

Ques.60. How can we check if an element is enabled for interaction on a web page?

- Ans. Using isEnabled method we can check if an element is enabled or not.

```
driver.findElement(By locator).isEnabled();
```



Ques.61. What is the difference between driver.findElement() and driver.findElements() commands?

- Ans.
- findElement() returns a single WebElement (found first) based on the locator passed as parameter. Whereas findElements() returns a list of WebElements, all satisfying the locator value passed.
- Syntax of findElement():
`WebElement textbox = driver.findElement(By.id("textBoxLocator"));`
- Syntax of findElements():
`List <WebElement> elements = element.findElements(By.id("value"));`
- Another difference between the two is- if no element is found then findElement() throws NoSuchElementException whereas findElements() returns a list of 0 elements.

Ques.62. Explain the difference between implicit wait and explicit wait.?

- Ans. An implicit wait, while finding an element waits for a specified time before throwing NoSuchElementException in case element is not found. The timeout value remains valid throughout the webDriver's instance and for all the elements.

```
driver.manage().timeouts().implicitlyWait(180, TimeUnit.SECONDS);
```

- Whereas, Explicit wait is applied to a specified element only-

```
WebDriverWait wait = new WebDriverWait(driver, 5);
wait.until(ExpectedConditions.presenceOfElementLocated(ElementLocator));
```

Ques.63. How can we handle window UI elements and window POP ups using selenium?

Ans. Selenium is used for automating Web based application only(or browsers only). For handling window GUI elements we can use AutoIT or Sikuli.

Ques.64. What is Robot API?

- Ans. Robot API is used for handling Keyboard or mouse events. It is generally used to upload files to the server in selenium automation.

```
Robot robot = new Robot(); //Simulate enter key action  
robot.keyPress(KeyEvent.VK_ENTER);
```

Ques.65. How to do file upload in selenium?

- Ans. File upload action can be performed in multiple ways
 - Using element.sendKeys("path of file") on the webElement of input tag and type file i.e. the elements should be like...

```
<input type="file" name="fileUpload">
```
 - Using Robot API.
 - Using AutoIT.
 - Using Sikuli

Ques.66. How to handle HTTPS website in selenium? or How to accept the SSL untrusted connection?

- Ans. Using profiles in firefox we can handle accept the SSL untrusted connection certificate. Profiles are basically set of user preferences stored in a file.

IE

Firefox

```
FirefoxProfile profile = new FirefoxProfile();
profile.setAcceptUntrustedCertificates(true);
profile.setAssumeUntrustedCertificateIssuer(false);
WebDriver driver = new FirefoxDriver(profile);
```

Chrome

```
DesiredCapabilities capabilities = new DesiredCapabilities();
capabilities.setCapability(CapabilityType.ACCEPT_SSL_CERTS, true);
System.setProperty("webdriver.ie.driver","IEDriverServer.exe");
WebDriver driver = new InternetExplorerDriver(capabilities);

DesiredCapabilities handISSErr = DesiredCapabilities.chrome ();
handISSErr.setCapability(CapabilityType.ACCEPT_SSL_CERTS, true)
WebDriver driver = new ChromeDriver (handISSErr);
```

Ques.67 How to do drag and drop in selenium?

- Using Action class, drag and drop can be performed in selenium. Sample code-

```
Actions act = new Actions(driver);

act.clickAndHold(source Element).moveToElement(target Element).release().build().perform();

OR

act.dragAndDrop(source Element, target Element).build().perform();
```

Ques.68. How to execute javascript in selenium?

- Ans. JavaScript can be executed in selenium using JavaScriptExecuter. Sample code for javascript execution-

```
JavascriptExecutor js = ((JavascriptExecutor) driver);
js.executeScript("{Java script code }");
```

Ques.69. How to handle alerts in selenium?

- Ans. In order to accept or dismiss an alert box the alert class is used. This requires first switching to the alert box and than using accept() or dismiss() command as the case may be.

```
Alert alert = driver.switchTo().alert(); //To accept the alert  
alert.accept();
```

```
Alert alert = driver.switchTo().alert(); //To cancel the alert box  
alert.dismiss();
```

Ques.70. What is HtmlUnitDriver?

- Ans. HtmlUnitDriver is the fastest WebDriver. Unlike other drivers (FireFoxDriver, ChromeDriver etc), the HtmlUnitDriver is non-GUI, while running no browser gets launched.

Ques.70. What is HtmlUnitDriver?

- Ans. HtmlUnitDriver is the fastest WebDriver. Unlike other drivers (FireFoxDriver, ChromeDriver etc), the HtmlUnitDriver is non-GUI, while running no browser gets launched.

Ques.71. How to handle hidden elements in Selenium webDriver?

- Ans. Using javaScript executor we can handle hidden elements-

```
(JavascriptExecutor(driver)).executeScript("document.getElementsByClassName(ElementLocator).click();");
```

Ques.72. What is Page Object Model or POM?

- Ans. Page Object Model(POM) is a design pattern in selenium. POM helps to create a framework for maintaining selenium scripts.
- In POM for each page of the application a class is created having the web elements belonging to the page and methods handling the events in that page.
- The test scripts are maintained in separate files and the methods of the page object files are called from the test scripts file.

Ques.73. What are the advantages of POM?

- Ans. The advantages are POM are-
- Using POM we can create an Object Repository, a set of web elements in separate files along with their associated functions. Thereby keeping code clean.
- For any change in UI(or web elements) only page object files are required to be updated leaving test files unchanged.
- It makes code reusable and maintainable.

Ques.74. What is Page Factory?

- Ans. Page factory is an implementation of Page Object Model in selenium. It provides @FindBy annotation to find web elements and PageFactory.initElements() method to initialize all web elements defined with @FindBy annotation.


```
public class SamplePage
{
    WebDriver driver;
    @FindBy(id="search")
    WebElement searchTextBox;
    @FindBy(name="searchBtn")
    WebElement searchButton;
}

//Constructor public samplePage(WebDriver driver)
{
    this.driver = driver; //initElements method to initialize all elements
    PageFactory.initElements(driver, this);
}

//Sample method
public void search(String searchTerm)
{
    searchTextBox.sendKeys(searchTerm); searchButton.click();
}
```


Ques.76. What is a data driven framework?

- Ans. A data driven framework is one in which the test data is put in external files like csv, excel etc separated from test logic written in test script files. The test data drives the test cases, i.e. the test methods run for each set of test data values.




Ques.78. What is a hybrid framework?

- Ans. A hybrid framework is a combination of one or more frameworks. Normally it is associated with combination of data driven and keyword driven frameworks where both the test data and test actions are kept in external files(in the form of table).



Ques.79. What is selenium Grid?

- Ans. Selenium grid is a tool that helps in distributed running of test scripts across different machines having different browsers, browser version, platforms etc in parallel. In selenium grid there is hub that is a central server managing all the distributed machines known as nodes.



Ques.80. What are some advantages of selenium grid?

- Ans.
- It allows running test cases in parallel thereby saving test execution time.
- Multi browser testing is possible using selenium grid by running the test on machines having different browsers.
- It allows multi-platform testing by configuring nodes having different operating systems.

Ques.81. What is a hub in selenium grid?

- Ans. A hub is server or a central point in selenium grid that controls the test executions on the different machines.

Ques.82. What is a node in selenium grid?

- Ans. Nodes are the machines which are attached to the selenium grid hub and have selenium instances running the test scripts. Unlike hub there can be multiple nodes in selenium grid.

Ques.83. Explain the line of code Webdriver driver = new FirefoxDriver();

- Ans. In the line of code ***Webdriver driver = new FirefoxDriver();***
- 'WebDriver' is an interface and we are creating an object of type WebDriver instantiating an object of FirefoxDriver class.

Ques.84 What is the purpose of creating a reference variable- 'driver' of type WebDriver instead of directly creating a FireFoxDriver object or any other driver's reference in the statement Webdriver driver = new FirefoxDriver();?

- Ans. By creating a reference variable of type WebDriver we can use the same variable to work with multiple browsers like ChromeDriver, IEDriver etc.

Ques.85. What is testNG?

- Ans. TestNG(NG for Next Generation) is a testing framework that can be integrated with selenium or any other automation tool to provide multiple capabilities like assertions, reporting, parallel test execution etc.

Ques.86. What are some advantages of testNG?

- Ans. Following are the advantages of testNG:
- TestNG provides different assertions that helps in checking the expected and actual results.
- It provides parallel execution of test methods.
- We can define dependency of one test method over other in TestNG.
- We can assign priority to test methods in selenium.
- It allows grouping of test methods into test groups.
- It allows data driven testing using @DataProvider annotation.
- It has inherent support for reporting.
- It has support for parameterizing test cases using @Parameters annotation.

Ques.87. What is the use of testng.xml file?

- Ans. testng.xml file is used for configuring the whole test suite.
- In testng.xml file we can create test suite, create test groups, mark tests for parallel execution, add listeners and pass parameters to test scripts.
- Later this testng.xml file can be used for triggering the test suite.

Ques.88. How can we pass parameter to test script using testNG?

- Ans. Using @Parameter annotation and 'parameter' tag in testng.xml we can pass parameters to the test script.

The screenshot illustrates the mapping between a testng.xml configuration and a Java code snippet. The XML configuration defines a parameter 'a' with a value 'welcome' and maps it to the 'a' parameter in the Test1 class. The Java code shows the Test1 class with a method m1 that takes a String parameter 's' and prints its value.

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE suite SYSTEM "http://testng.org/testng-1.0.dtd">
<suite name="testsuite">
    <test name="simpletest">
        <parameter name="a" value="welcome" />
        <classes>
            <class name="parameterization.Test1" />
        </classes>
    </test>
</suite>
```

```
package parameterization;
import org.testng.annotations.Parameters;
import org.testng.annotations.Test;

public class Test1 {
    @Parameters("a")
    @Test
    public void m1(String s)
    {
        System.out.println("the value from xml file is:" +s);
    }
}
```

Ads

Ques.89. How can we create data driven framework using testNG?

- Ans. Using @DataProvider we can create a data driven framework in which data is passed to the associated test method and multiple iteration of the test runs for the different test data values passed from the @DataProvider method.
- The method annotated with @DataProvider annotation return a 2D array of object.

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.testng.Assert;
import org.testng.annotations.AfterClass;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.DataProvider;
import org.testng.annotations.Test;
```

```
public class DataProviderExample {  
    WebDriver driver;  
    WebElement element;  
    @BeforeClass  
    void setup() {  
        //System.setProperty("webdriver.chrome.driver","C:\Users\user\chromedriver.exe");  
        System.setProperty("webdriver.chrome.driver","C:\Users\user\chromedriver.exe");  
        driver = new ChromeDriver();  
    }  
  
    @DataProvider(name="Login")  
    void loginData(String uname, String pass) {  
        driver.get("http://www.facebook.com");  
        driver.findElement(By.name("email")).sendKeys(uname);  
        driver.findElement(By.name("pass")).sendKeys(pass);  
        driver.findElement(By.className("loginbutton")).click();  
        Assert.assertEquals(driver.getTitle(),"Facebook - Log In");  
    }  
  
    @Test  
    void check() {  
        element = driver.findElement(By.id("username"));  
        element.sendKeys("abc");  
        element.sendKeys(Keys.RETURN);  
        System.out.println(element.getAttribute("value"));  
    }  
}
```

Data Provider method

Ques.90. What is the use of TestNG Listeners?

- Ans. TestNG provides us different kind of listeners using which we can perform some action in case an event has triggered.
- Usually testNG listeners are used for configuring reports and logging.
- One of the most widely used listener in testNG is ITestListener interface and TestListenerAdapter Class.
- It has methods like onTestSuccess, onTestFailure, onTestSkipped etc.
- We need to implement this interface creating a listener class of our own.

Ques.91. What is the use of *@Listener* annotation in TestNG?

- We need to implement ITestListener interface by creating a listener class of our own.
- After that using the *@Listener* annotation, we can use specify that for a particular test class, our customized listener class should be used.

Ques.92. How can we make one test method dependent on other using TestNG?

- Ans. Using dependsOnMethods parameter inside @Test annotation in TestNG we can make one test method run only after successful execution of dependent test method.

```
@Test(dependsOnMethods = { "preTests" })
```

Ques.93. How can we set priority of test cases in TestNG?

- Ans. Using priority parameter in @Test annotation in TestNG we can define priority of test cases. The default priority of test when not specified is integer value 0. Example:

```
@Test(priority=1)
```

Ques.94. What are commonly used TestNG annotations?

- Ans. The commonly used TestNG annotations are-
- @Test
- @BeforeMethod
- @AfterMethod
- @BeforeClass
- @AfterClass
- @BeforeTest
- @AfterTest
- @BeforeSuite
- @AfterSuite

Ques.95. What are some common assertions provided by testNG?

- Ans. Some of the common assertions provided by testNG are-
- assertEquals(String actual, String expected, String message) - (and other overloaded data type in parameters)
- assertNotEquals(double data1, double data2, String message) - (and other overloaded data type in parameters)
- assertFalse(boolean condition, String message)
- assertTrue(boolean condition, String message)
- assertNotNull(Object object)
- fail(boolean condition, String message)
- true(String message)

Ques.96. How can we run test cases in parallel using TestNG?

- Ans. In order to run the tests in parallel just add these two key value pairs in suite-
 - parallel="{methods/tests/classes}"
 - thread-count="{number of thread you want to run simultaneously}".

```
<suite name="paralleltesting" parallel="tests" thread-count="5">
```

Ques.97. Name an API used for reading and writing data to excel files.

- Ans. Apache POI API and JXL(Java Excel API) can be used for reading, writing and updating excel files.

Ques.98. Name an API used for logging in Java.

- Ans. Log4j is an open source API widely used for logging in Java.
- It supports multiple levels of logging like - ALL, DEBUG, INFO, WARN, ERROR, TRACE and FATAL.

Ques.99. What is the use of logging in automation?

- Ans. Logging helps in debugging the tests when required and also provides a storage of test's runtime behaviour.

Ques.100. What is InvocationCount in TestNG?

- This is a TestNG attribute that defines number of times a test method should be invoked or executed before executing any other test method.

```
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.testng.annotations.Test;

public class invocationCount {
    @Test(invocationCount = 3)
    public void getTitle() {
        System.setProperty("webdriver.chrome.driver", "C:/Drivers/chromedriver_win32/chromedriver.exe");
        WebDriver driver = new ChromeDriver();
        driver.get("http://www.pavantestingtools.com/");
        driver.manage().window().maximize();
        System.out.println("Website Title: "+driver.getTitle());
        driver.quit();
    }

    @Test
    public void secondTest() {
        System.out.println("This will be executed at the end");
    }
}
```

Ques.101. How can we run a Test method multiple times in a loop(without using any data provider)?

- Ans. Using invocationCount parameter and setting its value to an integer value, makes the test method to run n number of times in a loop.

```
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.testng.annotations.Test;

public class invocationCount {
    @Test(invocationCount = 2)
    public void gettitle() {
        System.setProperty("webdriver.chrome.driver", "C:/Drivers/chromedriver_win32/chromedriver.exe");
        WebDriver driver = new ChromeDriver();
        driver.get("http://www.google.com");
        driver.manage().window().maximize();
        System.out.println("Website Title: " + driver.getTitle());
        driver.quit();
    }

    @Test
    public void secondTest() {
        System.out.println("This will be executed at the end");
    }
}
```

Ques.102. What is the default priority of test cases in TestNG?

- Ans. The default priority of test when not specified is integer value 0. So, if we have one test case with priority 1 and one without any priority then the test without any priority value will get executed first (as default value will be 0 and tests with lower priority are executed first).

Ques.103. What is the difference between soft assertion and hard assertion in TestNG?

- Ans. **Soft assertions (SoftAssert)** allows us to have multiple assertions within a test method, even when an assertion fails the test method continues with the remaining test execution.
- The result of all the assertions can be collated at the end using softAssert.assertAll() method.
- Here, even though the first assertion fails still the test will continue with execution and print the message below the second assertion.
- Hard assertions** on the other hand are the usual assertions provided by TestNG. In case of hard assertion in case of any failure, the test execution stops, preventing execution of any further steps within the test method.

```
@Test
public void softAssertionTest() {
    SoftAssert softAssert= new SoftAssert();

    //Assertion failing
    softAssert.fail();
    System.out.println("Failing");

    //Assertion passing
    softAssert.assertEquals(1, 1);
    System.out.println("Passing");

    //Collates test results and marks them pass or fail
    softAssert.assertAll();
}
```

Ques.104. How to fail a testNG test if it doesn't get executed within a specified time?

- Ans. We can use **timeOut** attribute of **@Test** annotation.
- The value assigned to this **timeOut** attribute will act as an upperbound, if test doesn't get executed within this time frame then it will fail with **timeOut** exception.

```
@Test(timeOut = 1000)
public void timeOutTest() throws InterruptedException {
    //Sleep for 2sec so that test will fail
    Thread.sleep(2000);
    System.out.println("Will throw Timeout exception!");
}
```

Ques.105. How can we skip a test case conditionally?

- Ans. Using **SkipException**, we can conditionally skip a test case. On throwing the **SkipException**, the test method marked as skipped in the test execution report and any statement after throwing the exception will not get executed.

```
@Test
public void testMethod(){
    if(conditionToCheckForSkippingTest)
        throw new SkipException("Skipping the test");
    //test logic
}
```

Ques.106. How can we make sure a test method runs even if the test methods or groups on which it depends fail or get skipped?

- Ans. Using "alwaysRun" attribute of @Test

annotation, we can make sure the test method will run even if the test methods or groups on which it depends fail or get skipped.

```
@Test  
public void parentTest() {  
    Assert.fail("Failed test");  
}
```

- Here, even though the parentTest failed, the dependentTest will not get skipped instead it will executed because of "alwaysRun=true". In case, we remove the "alwaysRun=true" attribute from @Test then the report will show one failure and one skipped test, without trying to run the dependentTest method.

```
@Test(dependsOnMethods={"parentTest"}, alwaysRun=true)  
public void dependentTest() {  
    System.out.println("Running even if parent test failed");  
}
```

Ques.107. Why and how will you use an Excel Sheet in your project?

- The reason we use Excel sheets is because it can be used as data source for tests. An excel sheet can also be used to store the data set while performing DataDriven Testing.

Ques.108. How can you redirect browsing from a browser through some proxy?

- Selenium provides a PROXY class to redirect browsing from a proxy. Look at the example below:

```
String PROXY = "199.201.125.147:8080";  
  
org.openqa.selenium.Proxy proxy = new org.openqa.selenium.Proxy();  
proxy.setHTTPProxy(Proxy)  
.setFtpProxy(Proxy)  
.setSslProxy(Proxy)  
DesiredCapabilities cap = new DesiredCapabilities();  
cap.setCapability(CapabilityType.PROXY, proxy);  
WebDriver driver = new FirefoxDriver(cap);
```

Ques.109. How to scroll down a page using JavaScript in Selenium?

- We can scroll down a page by using window.scrollBy() function.
- Example:
- `((JavascriptExecutor) driver).executeScript("window.scrollBy(0,500)")`

Ques.110. How to scroll down to a particular element?

- To scroll down to a particular element on a web page, we can use the function **scrollIntoView()**.
- Example:
- `((JavascriptExecutor) driver).executeScript("arguments[0].scrollIntoView()", element);`

Ques.111. How to set the size of browser window using Selenium?

- To maximize the size of browser window, you can use the following piece of code:
`driver.manage().window().maximize();` – To maximize the window
- To resize the current window to a particular dimension, you can use the `setSize()` method.

```
System.out.println(driver.manage().window().getSize());  
Dimension d = new Dimension(420,600);  
driver.manage().window().setSize(d);
```

Ques.112. Can we enter text without using sendKeys()?

- Yes. We can enter/ send text without using `sendKeys()` method. We can do it using `JavaScriptExecutor`.

```
JavascriptExecutor jse = (JavascriptExecutor) driver;  
jse.executeScript("document.getElementById('Login').value='Test text without sendkeys'");
```

Ques.113. Explain how you will login into any site if it is showing any authentication popup for username and password?

- Since there will be popup for logging in, we need to use the explicit command and verify if the alert is actually present. Only if the alert is present, we need to pass the username and password credentials.
- The sample code:

```
WebDriverWait wait = new WebDriverWait(driver, 10);  
Alert alert = wait.until(ExpectedConditions.alertIsPresent());  
alert.authenticateUsing(new UserAndPassword(**username**, **password**));
```

Ques.114. Explain what is Group Test in TestNG?

- In TestNG, methods can be categorized into groups. When a particular group is being executed, all the methods in that group will be executed. We can execute a group by parameterizing its name in group attribute of `@Test` annotation. Example: `@Test(groups={"xxx"})`

Ques.115. How To Run Failed Test Cases Using TestNG In Selenium WebDriver

- By using "testng-failed.xml"

↳ → XML
↙ ↘ ✓

Ques.116. What is Stale Element Exception? How to handle it?

- Stale means old, decayed, no longer fresh.
- Stale Element means an old element or no longer available element.
- Assume there is an element that is found on a web page referenced as a WebElement in WebDriver. If the DOM changes then the WebElement goes stale. If we try to interact with an element which is stale then the **StaleElementReferenceException** is thrown.
- When this happens you will need to refresh your reference, or find the element again.

Ques.117. What are different XPath functions that you have used in your Project?

- | | |
|-------------------------|--------------------|
| • Contains() | XPath axes methods |
| • Using OR & AND | Following |
| • Start-with() function | Ancestor |
| • Text() | Child |
| | Preceding |
| | Following |
| | Parent |
| | Self |
| | Descendant |

Ques.118. What will happen in background when execute new FirefoxDriver() ?

- Firefox binary will be triggered and Firefox browser will open with default options.
- FirefoxDriver object is created

Ques.119. What is the below statement means and Why?

WebDriver driver = new FirefoxDriver();

- WebDriver is an interface which contains several abstract methods such as get(...), findElementBy(...) etc.
- We simply create reference of web Driver and we can assign objects (Firefox driver, ChromeDriver, IEDriver, Andriod driver etc) to it.

Ques.120. How do you handle inner Frames and Adjacent Frames?

- SwitchTo frame1, SwitchTo frame2 (inner frame) work on the element and switchto default content
- Use SwitchTo frame to move the control inside frame.

Ques.121. How to click on an element which is not visible using selenium WebDriver?

- We can use JavascriptExecutor to click.

```
WebElement element = driver.findElement(By.id("gbqfd"));
JavascriptExecutor executor = (JavascriptExecutor)driver;
executor.executeScript("arguments[0].click()", element);
```

Ques.122. Difference between verify and assert?

- **Assert:** Assert command checks if the given condition is true or false. If the condition is true, the program control will execute the next phase of testing, and if the condition is false, execution will stop and nothing will be executed.
- **Verify:** Verify command also checks if the given condition is true or false. It doesn't halt program execution i.e. any failure during verification would not stop the execution and all the test phases would be executed.

Ques.123. What is the use of @FindBy annotation?

- @FindBy is used to identify element in the Page Factory approach.

Ques.124. Do you use Thread.sleep?

- Rarely

Ques.125. What are different pop-ups that you have handle in your projects?

- JavaScript Pop
 - Alert alert = driver.switchTo().alert(); .
- Browser Pop Ups
 - Browser Profiles, Robot Class, AutoIT, Sikuli
- Native OS Pop Ups
 - Browser Profiles, Robot Class, AutoIT, Sikuli

Ques.126. How do you handle HTTP Proxy Authentication pop ups in browser?

- Form authentications URL - <http://UserName:Password@Example.com>
- Example:
- http://the-internet.herokuapp.com/basic_auth
- https://admin:admin@the-internet.herokuapp.com/basic_auth

Ques.127. How do you handle Ajax dropdowns?

- With help of Selenium Sync commands like ImplicitWait, WebDriverWait or FluentWait.

Ques.129. How to run tests in multiple browser parallel?

- Using selenium grid

Ques.128. What is the default port for Selenium Grid?

- 4444

Ques.130. How to find broken images in a page using Selenium Web driver.

- Get xpath and then using tag name 'a'; get all the links in the page
- Use HttpURLConnection class and sent method GET
- Get the response code for each link and verify if it is 404/500

```
List<WebElement> links = driver.findElements(By.tagName("a"));

for (int i = 0; i < links.size(); i++) {
    WebElement element = links.get(i);

    // By using "href" attribute, we could get the url of the required link
    String url = element.getAttribute("href");

    //System.out.println(url);
    URL link = new URL(url);

    // Create a connection using URL object (i.e., link)
    HttpURLConnection httpConn = (HttpURLConnection) link.openConnection();

    // Set the timeout for 2 seconds
    httpConn.setConnectTimeout(2000);

    // connect using connect method
    httpConn.connect();

    // use getResponseCode() to get the response code.
    if (httpConn.getResponseCode() >= 400) {
        System.out.println(url + " - " + "is Broken Link");
    } else {
        System.out.println(url + " - " + "is valid Link");
    }
}
```

Ques.131. How to disable cookies in browser?

- Using deleteAllVisibleCookies() in selenium

Ques.132. How does u handle dynamic elements without using XPath?

- By using classname or css.

Ques.133. Write down scenarios which we can't automate?

- Barcode Reader, Captcha etc.

Ques.134. How do you manage the code versions in your project?

- Using SVN, GitHub or other versioning tools

Ques.135. How to count total no of hyperlinks in a page?

```
Listalllinks=driver.findElements(By.tagName("a"));  
System.out.println(alllinks.size());
```

Ques.136. What are the benefits of Automation Testing?

- Saves time and money. Automation testing is faster in execution.
- Reusability of code. Create one time and execute multiple times with less or no maintenance.
- Easy reporting. It generates automatic reports after test execution.
- Easy for compatibility testing. It enables parallel execution in the combination of different OS and browser environments.
- Low-cost maintenance. It is cheaper compared to manual testing in a long run.
- It is mostly used for regression testing. Supports execution of repeated test cases.
- Minimal manual intervention. Test scripts can be run unattended.
- Maximum coverage. It helps to increase the test coverage.

Ques.137. What type of tests have you automated?

- Our main focus is to automate test cases to do Regression testing, Smoke testing, and Sanity testing. Sometimes based on the project and the test time estimation, we do focus on End to End testing.

Ques.138. How many test cases you have automated per day?

- It depends on Test case scenario complexity and length.
- I did automate 2-5 test scenarios per day when the complexity is limited.
- Sometimes just 1 or fewer test scenarios in a day when the complexity is high.

Ques.139. What is Selenium IDE?

- Selenium IDE (Integrated Development Environment) is a Firefox plugin.
- It is the simplest framework in the Selenium Suite.
- It allows us to record and playback the scripts. Even though we can create scripts using Selenium IDE, we need to use Selenium WebDriver to write more advanced and robust test cases.

Ques.140. What is Selenese?

Selenese is the language which is used to write test scripts in Selenium IDE.

Ques.141. What is Selenium RC?

- Selenium RC (Selenium 1).
- Selenium RC was the main Selenium project for a long time before the WebDriver merge brought up Selenium 2.
- Selenium 1 is still actively supported (in maintenance mode). It relies on JavaScript for automation. It supports Java, Javascript, Ruby, PHP, Python, Perl and C#. It supports almost every browser out there.

Ques.142. What is Selenium WebDriver?

- Selenium WebDriver (Selenium 2) is a browser automation framework that accepts commands and sends them to a browser.
- It is implemented through a browser-specific driver.
- It controls the browser by directly communicating with it.
- Selenium WebDriver supports Java, C#, PHP, Python, Perl, Ruby.

Ques.143. When do you use Selenium Grid?

- Selenium Grid can be used to execute same or different test scripts on multiple platforms and browsers concurrently so as to achieve distributed test execution.

Ques.144. What are the advantages of Selenium Grid?

- It allows running test cases in parallel thereby saving test execution time.
- It allows multi-browser testing
- It allows us to execute test cases on multi-platform

Ques.145. What is a hub in Selenium Grid?

- A hub is a server or a central point that controls the test executions on different machines.

Ques.146. What is a node in Selenium Grid?

- Node is the machine which is attached to the hub. There can be multiple nodes in Selenium Grid.

Ques.147. What are the types of WebDriver APIs available in Selenium?

- Firefox Driver
- InternetExplorer Driver
- Chrome Driver
- HTMLUNIT Driver
- Opera Driver
- Safari Driver
- Android Driver
- iPhone Driver

Ques.148. Which WebDriver implementation claims to be the fastest?

- The fastest implementation of WebDriver is the HTMLUnitDriver. It is because the HTMLUnitDriver does not execute tests in the browser.

Ques.149. What are the Programming Languages supported by Selenium WebDiver?

- Java
- C#
- Python
- Ruby
- Perl
- PHP

Ques.150. What are the Operating Systems supported by Selenium WebDriver?

- Windows
- Linux
- Mac

Ques.151. What are the Open-source Frameworks supported by Selenium WebDriver?

- JUnit
- TestNG
- CUCUMBER
- JBHEAVE

Ques.152. What is the super interface of WebDriver?

- SearchContext.

Ques.153. What are the types of waits available in Selenium WebDriver?

- In Selenium we could see three types of waits such as Implicit Waits, Explicit Waits and Fluent Waits.
- Implicit Waits
- Explicit Waits
- Fluent Waits
- PageLoadTimeOut
- Thread.sleep() – static wait

Ques.154. How to clear the text in the text box using Selenium WebDriver?

- By using clear() method

```
WebDriver driver = new FirefoxDriver();
driver.get("https://www.gmail.com");
driver.findElement(By.xpath("xpath_of_element1")).sendKeys("Software Testing ");
driver.findElement(By.xpath("xpath_of_element1")).clear();
```

Ques.155. How to get a text of a web element?

- By using getText() method

Ques.156. How to get an attribute value using Selenium WebDriver?

- By usinggetAttribute(value);

Ques.157. List some scenarios which we cannot automate using Selenium WebDriver?

- Bitmap comparison Is not possible using Selenium WebDriver
- Automating Captcha is not possible using Selenium WebDriver
- We can not read bar code using Selenium WebDriver
- windows OS based pop ups
- third party calendars/element
- Image
- Word/PDF

Ques.158. How can you use the Recovery Scenario in Selenium WebDriver?

- By using “Try Catch Block” within Selenium WebDriver Java tests.

```
try {  
    driver.get("www.xyz.com");  
}catch(Exception e){  
    System.out.println(e.getMessage());  
}
```

Ques.159. Database testing in Selenium?

- We can use JDBC driver to connect to any database in Java.

Ques.160. How to schedule the Test Suite Execution?

- We can schedule the test suite execution using CI tools like hudson(Jenkins), Bamboo. Alternatively, we can use windows scheduler to launch the test execution.

Ques.161. How to send an email stating the execution status to all stakeholders in Selenium?

- We can send mail in Java using javax.mail library.

Ques.162. What is desired capabilities?

- Capabilities are used to set the values of the browser attributes before we launch any browser using selenium web driver.

Ques.163. Version control tools like SVN, GIT?

- We use version control tools like GitHub/SVN to track the changes to the files in a project and work in collaboration.

Ques.164. Build tools - Ant, Maven?

- We use these tools to manage build activities for the Java project.

Ques.165. CI tools - Jenkin, Bamboo?

- These are continuous integration tools helping in quick deployment of applications, testing them and reporting the issues in the code before it is too late.
It helps in getting the application into production quickly and with more quality confidence.

Ques.166. What is a Framework?


- A framework defines a set of rules or best practices which we can follow in a systematic way to achieve the desired results. There are different types of automation frameworks and the most common ones are:
- Data Driven Testing Framework
- Keyword Driven Testing Framework
- Hybrid Testing Framework

Ques.167. Have you created any Framework?

- If you are a beginner: No, I didn't get a chance to create a framework. I have used the framework which is already available.
- If you are an experienced tester: Yes, I have created a framework. Or I have involved in the creation of the framework.

Ques.168. Can you explain the Framework which you have used in your Selenium Project?

- Here you have to clearly explained each component of Framework.



Framework Structure



Ques.169. Why do you prefer Selenium Automation Tool?

- Free and open source
- Have large user base and helping communities
- Cross browser compatibility
- Platform compatibility
- Multiple programming languages support