

# GSM

# **Quectel Cellular Engine**

# Embedded GSM Antenna User Guide

Embedded\_GSM\_Antenna\_UGD\_V1.2





<b>Document Title</b>	ument Title Embedded GSM Antenna User Guide	
Version	ersion 1.2	
<b>Date</b> 2015-04-11		
Status	Release	
<b>Document Control ID</b> Embedded_GSM_Antenna_UGD_V1.2		

#### **General Notes**

Quectel offers this information as a service to its customers, to support application and engineering efforts that use the products designed by Quectel. The information provided is based upon requirements specifically provided for customers of Quectel. Quectel has not undertaken any independent search for additional information, relevant to any information that may be in the customer's possession. Furthermore, system validation of this product designed by Quectel within a larger electronic system remains the responsibility of the customer or the customer's system integrator. All specifications supplied herein are subject to change.

#### Copyright

This document contains proprietary technical information of Quectel Co., Ltd. Copying of this document, distribution to others, and communication of the contents thereof, are forbidden without permission. Offenders are liable to the payment of damages. All rights are reserved in the event of a patent grant or registration of a utility model or design. All specifications supplied herein are subject to change without notice at any time.

Copyright © Quectel Wireless Solutions Co., Ltd. 2015



# **Contents**

Contents	2
Figure Index	3
0. Revision history	
1. Introduction	
2. PIFA antenna	
3. FPC antenna	
4. Monopole antenna	
5. PCB antenna	



# **Figure Index**

FIGURE 1: PIFA ANTENNA	6
FIGURE 2: FPC ANTENNA	7
FIGURE 3: MONOPOLE ANTENNA	
FIGURE 4: PCB ANTENNA	



# 0. Revision history

Revision	Date	Author	Description of change
1.0	2011-7-13	David WEI	Initial
1.1	2011-7-27	David WEI	Modified Figure 1 and 3
1.2	2015-04-11	David WEI	Added applicable modules



# 1. Introduction

This document introduces four kinds of Embedded GSM antennas including PIFA antenna, FPC antenna, Monopole antenna and PCB antenna. It aims to help you better understand the GSM antenna and choose the most suitable antenna for your applications.

This document is applicable to all Quectel GSM modules.



#### 2. PIFA antenna

This kind of inner antenna is widely used in mobile phone. Generally, a sheet metal in proper shape is fixed to a plastic bracket. As shown in the Figure 1, there are two feed points. One is for ground and the other is for RF\_IN. For dual band, the height and the projected area of the bracket on the PCB are respectively about 7mm and 500 square millimetres. For quad band, the height is about 9mm and the projected area is about 600 square millimetres.



Figure 1: PIFA antenna



# 3. FPC antenna

This kind of antenna can be fixed to plastic box and do not need any host PCB area. But, the antenna size is generally a little big. It is about 100mm\*10mm, just shown as the black area in the picture.



Figure 2: FPC antenna



# 4. Monopole antenna

This kind of antenna is similar with PIFA antenna in appearance. But it has only one feed point, only for RF\_IN. This kind of antenna needs a certain clearance area in all layers of host PCB. For dual band antenna, the height of the bracket is more than 6mm and the clearance area in PCB should be more than 360 square millimetres. For quad band, the height and clearance area should be 8mm and 400 square millimetres respectively.



Figure 3: Monopole antenna



#### 5. PCB antenna

This kind of antenna can be printed in host PCB. The photo below is from one of our customers. We have helped them test it. It is found that the antenna performance in 1800BAND is good, but in 900BAND, the antenna performance need to be optimized further. Although this kind of antenna will be very helpful to minimize the host PCB size and save cost, it is very difficulty to design it. For designing this antenna, firstly, you have to design and simulate the antenna with simulation software such as "Ansoft HFSS" according to the real PCB condition; secondly, devise the PCB layout based on simulation results data; then, modify the simulation figure in the finished PCB; at last, redesign the PCB, then get a PCB antenna with good performance.




Figure 4: PCB antenna





Shanghai Quectel Wireless Solutions Co., Ltd.

Room 501, Building 13, No.99, Xianzhou Road, Shanghai, China 200233 Tel: +86 21 5108 6236

Mail: info@quectel.com