HackSprint

24-Hour Hackathon

17-18 OCTOBER

VENUE DETAILS
Manipal Academy of Higher Education (MAHE)

SATURDAY
09 A.M. Onwards

YOUR NAME: Nikhil, Shreyas, Koustav, Deekshitha

TEAM NAME: Chaukanna

TRACK NO: PS22 · AI Automation with n8n

REGISTER NOW

Team Size
1-4 Members

ORGANIZED BY:



Solution

Chaukanna (चौकन्ना): alert, watchful. The call guardian that acts for you.

THE PROBLEM

Digital-arrest & KYC scam calls run on panic

A fake police, CBI or bank caller keeps the victim on the line and demands secrecy, OTPs and transfers.

The response is repetitive and fragmented: call the bank, call 1930, file on cybercrime.gov.in, warn family, keep evidence.

In a panic, almost nobody does any of it in time, and scripts change language by language, so static block-lists miss them.

OUR SOLUTION: LISTEN → UNDERSTAND → INTERVENE → RESPOND

1 Listen

Calls run through the app, so both legs are heard separately and live.

2 Understand

Indic speech-to-text, then a typed verdict: scam type, pressure 0–3, OTP/PIN ask, secrecy demand.

3 Intervene

Only the victim hears a whispered warning in their own language, plus an alarm.

4 Respond (n8n)

An AI agent alerts family, drafts the 1930 complaint, logs evidence and updates a shared scam-number list.

Tech Stack & Architecture

CAPTURE	Flutter app (Android) · LiveKit WebRTC calling · Python agent hears caller and victim legs separately
SPEECH	Sarvam STT & TTS: Hindi, Kannada, English and code-mixed speech, in and out
BRAIN	Keyword fast path + Jev typed judgments: calibrated, milliseconds per chunk · Gemini fallback
AUTOMATION	n8n (self-hosted): webhook trigger · AI Agent node with tools · Switch/IF branching · retries · human-approval step
DATA & NOTIFY	Supabase: evidence log + shared scam-number list · Telegram alerts to trusted contacts


Open, cheap and auditable: the classifier answers in milliseconds, and self-hosted n8n keeps call data under our control.

Beyond Task Automation

WHEN THE AGENT SEES…	…IT DECIDES AND ACTS
Pressure ≥ 2 and asks for OTP / PIN	Whisper “Do not share that code”, ring the alarm, and ping trusted contacts now
Poses as police / CBI and demands secrecy	Highest severity: send family the call summary and the next steps to follow
Number already in the shared scam list	Raise confidence, block, and skip the guessing
Call ends, victim confirms what happened	Agent drafts the 1930 / cybercrime.gov.in complaint in their language with transcript timestamps
Money already moved	Switch to the time-critical checklist: bank freeze steps and helpline, in order


Multi-step reasoning, autonomous execution. A human confirms only the one irreversible step: submitting the complaint.

Data Flow Diagram




Screenshot of Your Project

Concept screens: the live build is demoed at the event.



Alarm screen



After-call report



n8n workflow

Others

Impact

Protects the people scammers target most: elders and first-time digital users, in their own language.

Turns minutes of panic into steps that run on their own.

Every report grows a shared scam-number list that protects the next person.

Why n8n

Visual, auditable response flow that judges and families can follow.

AI Agent node with tools gives multi-step reasoning, not just triggers.

Retries, branching and a human-approval step built in.

Self-hosted, so call data stays ours.

Roadmap

Hackathon: app-to-app guardian calls with the full n8n response.

Next: real phone numbers via SIP (Exotel / Plivo / Twilio into LiveKit).

Then: more Indic languages, and sharing scam signals with banks and telecoms.