▧ Batch Framework Documentation

1. Overview
The batch framework is designed to handle inbound file ingestion, processing, database operations, order creation, and outbound file delivery. Jobs are triggered in production via **Control-M Portal**.

---

2. Job Flow
- **FGET Job (Inbound)**
  Retrieves full files from external systems.

- **Processing Job**
  - Extraction of data from inbound files
  - Database insertion
  - Business logic execution (order creation, processing)
  - Integration with EJB and DB manipulation

- **Outbound Job**
  Sends processed files to external applications.

---

3. Batch Shell
- Consists of execution processes.
- Calls **EJB**, **DB**, and manipulates database records.
- Uses **Input Central (NFS)** accessible by **eCom** and **Kenan**.

---

4. Main File System Components
- **tabat script**
  - Contains main logic to trigger specific files and SFTP.
  - Reads `ta_BatchEnvironment` file (external system connection configs).

- **ta_BatchError**
  - Contains all error codes with messages.

- **ta.batch.main (Java Class)**
  - Entry point for batch execution.
  - `main(String args[])` reads CLI arguments passed during execution.

---

5. Directory Structure
- **Activity Log**
  `/data/panda_var/<env>/ecom/act_log` → Actual logs

- **Job Log**
  `/data/panda_var/<env>/ecom/job_log` → System logs & job status

- **Control Report**
  `/data/panda_var/<env>/ecom/cnt_rpt`

- **Script File Location**
  `/data/panda_app/<env>/ecom/config/ta`

- **Processing INI File Location**
  `/data/panda_var/<env>/ecom/config`

- **Outbound INI File Location**
  `/data/panda_int/<env>/ecom/outbound/<dir>/config/`

- **Inbound INI File Location**
  `/data/panda_int/<env>/ecom/inbound/<dir>/config/`

---

6. Subdirectories
- **int** → Contains inbound/outbound files (staging directory)
- **bat** → Central directory for input/output files
- **var** → Contains logs directory for input/output files
- **app** → Contains all shell scripts, INI files, config files
- **arc** → Directory for archived files

☑