

PRINTMONT

API Documentation

Complete REST API Reference

Base URL

http://localhost/printmont-admin/api/

This document lists all available API endpoints in the Printmont e-commerce backend, organized by module. Each entry includes the HTTP method, full endpoint URL, description, query/body parameters, and authentication requirements.

API Modules Summary

#	Module	Endpoints
1	Authentication	5
2	User Addresses	5
3	Orders	7
4	Products	5
5	Home Product Sections	7
6	Categories	1
7	Cart	4
8	Wishlist	3
9	Banners	2
10	Blog	7
11	Careers	3
12	Content & CMS	6
	TOTAL	55+

1. Authentication

User Register

POST <http://localhost/printmont-admin/api/user-api.php?action=register>

Register a new customer account.

Parameters:

Name	Type	Required	Description
name	string	Yes	Full name of the user
email	string	Yes	Email address (must be unique)
password	string	Yes	Account password
phone	string	No	Phone number

User Login

POST <http://localhost/printmont-admin/api/user-api.php?action=login>

Authenticate a user and return a JWT Bearer token for protected endpoints.

Parameters:

Name	Type	Required	Description
email	string	Yes	Registered email address
password	string	Yes	Account password

Get User Profile

GET <http://localhost/printmont-admin/api/user-api.php?action=profile>

Retrieve the authenticated user's profile details.

Auth: Bearer Token required in Authorization header

Update User Profile

POST http://localhost/printmont-admin/api/user-api.php?action=update_profile

Update the authenticated user's profile information.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
name	string	No	Updated full name
phone	string	No	Updated phone number
email	string	No	Updated email address

Change Password

PUT http://localhost/printmont-admin/api/router.php?action=change_password

Change the authenticated user's account password.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
old_password	string	Yes	Current account password
new_password	string	Yes	New password to set

2. User Addresses

Get Addresses

GET `http://localhost/printmont-admin/api/user-api.php?action=get_addresses`

Get all saved delivery addresses for the authenticated user.

Auth: Bearer Token required in Authorization header

Add Address

POST `http://localhost/printmont-admin/api/user-api.php?action=add_address`

Add a new delivery address to the user's account.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
full_name	string	Yes	Recipient full name
phone	string	Yes	Contact phone number
address_line1	string	Yes	Street address line 1
address_line2	string	No	Street address line 2 (optional)
city	string	Yes	City
state	string	Yes	State / Province
pincode	string	Yes	Postal / ZIP code
country	string	No	Country (default: India)

Update Address

POST `http://localhost/printmont-admin/api/user-api.php?action=update_address`

Update an existing delivery address.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
address_id	integer	Yes	ID of the address to update

Delete Address

POST `http://localhost/printmont-admin/api/user-api.php?action=delete_address`

Remove a delivery address from the user's account.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
address_id	integer	Yes	ID of the address to delete

Set Default Address

POST `http://localhost/printmont-admin/api/user-api.php?action=set_default_address`

Mark an address as the default shipping address for checkout.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
------	------	----------	-------------

address_id	integer	Yes	ID of address to set as default
------------	---------	-----	---------------------------------

3. Orders

Get All Orders

GET http://localhost/printmont-admin/api/user-api.php?action=get_orders

Retrieve a list of all orders. Supports filtering by user.

Parameters:

Name	Type	Required	Description
user_id	integer	No	Filter orders by a specific customer's user ID

Get Order by ID

GET http://localhost/printmont-admin/api/user-api.php?action=get_order&id={id}

Retrieve the full details of a single order including items and status history.

Parameters:

Name	Type	Required	Description
id	integer	Yes	Order ID

Create Order

POST http://localhost/printmont-admin/api/user-api.php?action=create_order

Place a new order. Accepts cart items, customer address, and payment method.

Parameters:

Name	Type	Required	Description
user_id	integer	Yes	Customer user ID
items	array	Yes	Array of {product_id, quantity, price}
address_id	integer	Yes	Delivery address ID
payment_method	string	Yes	cod online upi
coupon_code	string	No	Discount coupon code (if any)

Get Customer Orders

GET http://localhost/printmont-admin/api/router.php?action=get_customer_orders&user_id={id}

Get all orders placed by a specific customer.

Parameters:

Name	Type	Required	Description
user_id	integer	Yes	Customer user ID

Update Order Status

PUT http://localhost/printmont-admin/api/router.php?action=update_order_status&id={id}

Change the fulfillment status of an order.

Parameters:

Name	Type	Required	Description
status	string	Yes	pending processing shipped delivered cancelled
notes	string	No	Optional admin note for this status change

Update Payment Status

PUT

http://localhost/printmont-admin/api/router.php?action=update_payment_status&id={id}

Update the payment status for a specific order.

Parameters:

Name	Type	Required	Description
payment_status	string	Yes	paid unpaid refunded

Dashboard Stats

GET

http://localhost/printmont-admin/api/router.php?action=get_dashboard_stats

Get summary statistics: total orders, revenue, pending orders, total customers.

4. Products

Get All Products

GET

http://localhost/printmont-admin/api/product-api.php

Returns all active products. Each product includes a full image gallery array with primary image flag.

Get Product by ID

GET

http://localhost/printmont-admin/api/product-api.php?id={id}

Retrieve a single product's full details including images, variants, and category info.

Parameters:

Name	Type	Required	Description
id	integer	Yes	Product ID

Get Deactivated Products

GET

http://localhost/printmont-admin/api/product-api.php?status=deactive

List all deactivated (hidden from store) products.

Related Products

GET

http://localhost/printmont-admin/api/related_products.php?id={id}

Get products in the same category as the given product (excludes the product itself).

Parameters:

Name	Type	Required	Description
id	integer	Yes	Product ID to find related items for

Search Products

GET

http://localhost/printmont-admin/api/search-api.php

Full-text search across products with optional price and category filters.

Parameters:

Name	Type	Required	Description
q	string	Yes	Search keyword (name, description, tags)
category	string	No	Filter by category slug
min_price	number	No	Minimum price filter
max_price	number	No	Maximum price filter
limit	integer	No	Max results to return (default: 10)

5. Home Page Product Sections

Home Products (Multi-Action)

GET <http://localhost/printmont-admin/api/home-product-api.php?action={action}>

Fetch curated product lists for various homepage sections. Pass one of the actions below as the ?action= parameter.

Parameters:

Name	Type	Required	Description
top_selection	string	—	Top selection / featured products
top_rated	string	—	Highest rated products
top_deal	string	—	Top deals grouped by category
discount_for_you	string	—	Products with active discounts
recently_viewed	string	—	Recently viewed products
categories	string	—	All product categories list
men_clothing	string	—	Products in men-clothing category
women_clothing	string	—	Products in women-clothing category
kids	string	—	Products in kids category
mobile	string	—	Mobile phones & accessories
laptop	string	—	Laptop & computer products
buds	string	—	Earbuds & headphones
home_decor	string	—	Home decor products
table_dinnerware	string	—	Table and dinnerware items
women_outfit	string	—	Women outfit products
men	string	—	General men products
women	string	—	General women products

Top Rated Products

GET <http://localhost/printmont-admin/api/top-rated-products.php>

Get the list of products marked as top-rated.

Set Top Rated Status

POST <http://localhost/printmont-admin/api/top-rated-products.php>

Mark or unmark a product as top-rated.

Parameters:

Name	Type	Required	Description
product_id	integer	Yes	Product ID
status	integer	Yes	1 = mark as top-rated, 0 = remove

Top Selection Products

GET <http://localhost/printmont-admin/api/top-selection-products.php>

Get the list of products marked as top-selection.

Set Top Selection Status

POST http://localhost/printmont-admin/api/top-selection-products.php

Mark or unmark a product as top-selection.

Parameters:

Name	Type	Required	Description
product_id	integer	Yes	Product ID
status	integer	Yes	1 = mark as top-selection, 0 = remove

Bestseller Products

GET http://localhost/printmont-admin/api/bestseller-products.php

Get the list of products marked as bestsellers.

Set Bestseller Status

POST http://localhost/printmont-admin/api/bestseller-products.php

Mark or unmark a product as a bestseller.

Parameters:

Name	Type	Required	Description
product_id	integer	Yes	Product ID
status	integer	Yes	1 = mark as bestseller, 0 = remove

6. Categories

Get All Categories

GET <http://localhost/printmont-admin/api/category-api.php>

Retrieve all product categories including the full hierarchy: Main Category > Sub Category > Sub-Sub Category.

7. Cart

Get Cart

GET <http://localhost/printmont-admin/api/cart-api.php>

Get all items currently in the authenticated user's shopping cart.

Auth: Bearer Token required in Authorization header

Add to Cart

POST <http://localhost/printmont-admin/api/cart-api.php>

Add a product to the shopping cart.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
product_id	integer	Yes	Product ID to add
quantity	integer	No	Quantity to add (default: 1)

Update Cart Item

PUT <http://localhost/printmont-admin/api/cart-api.php>

Update the quantity of an existing cart item.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
item_id	integer	Yes	Cart item ID to update
quantity	integer	Yes	New quantity

Remove from Cart

DELETE http://localhost/printmont-admin/api/cart-api.php?item_id={id}

Remove a specific item from the shopping cart.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
item_id	integer	Yes	Cart item ID to remove

8. Wishlist

Get Wishlist

GET

http://localhost/printmont-admin/api/wishlist-api.php

Get all products saved in the authenticated user's wishlist.

Auth: Bearer Token required in Authorization header

Add to Wishlist

POST

http://localhost/printmont-admin/api/wishlist-api.php

Save a product to the wishlist.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
product_id	integer	Yes	Product ID to add to wishlist

Remove from Wishlist

DELETE

http://localhost/printmont-admin/api/wishlist-api.php?product_id={id}

Remove a product from the wishlist.

Auth: Bearer Token required in Authorization header

Parameters:

Name	Type	Required	Description
product_id	integer	Yes	Product ID to remove

9. Banners

Homepage Banners

GET http://localhost/printmont-admin/api/banner_api.php

Get all active banners for the homepage hero/carousel section. Returns image URL, link, position, and display order.

Blog Page Banner

GET <http://localhost/printmont-admin/api/blog-page-banner-api.php>

Get the banner image displayed at the top of the blog listing page.

10. Blog

Get All Blog Posts

GET <http://localhost/printmont-admin/api/blog-api.php/posts>

Get all published blog posts with metadata (title, slug, excerpt, category, author, published date).

Get Blog Post by ID or Slug

GET <http://localhost/printmont-admin/api/blog-api.php/posts/{id|slug}>

Get a single published blog post. Automatically increments the view count on each access.

Parameters:

Name	Type	Required	Description
id or slug	string	Yes	Numeric post ID or URL-friendly slug

Get Blog Post by Slug (Alt)

GET <http://localhost/printmont-admin/api/blog-single.php?slug={slug}>

Alternative endpoint to fetch a single published blog post by its URL slug.

Parameters:

Name	Type	Required	Description
slug	string	Yes	URL slug of the blog post

Get Blog Categories

GET <http://localhost/printmont-admin/api/blog-api.php/categories>

Get all active blog categories with post count.

Get Category with Posts

GET <http://localhost/printmont-admin/api/blog-api.php/categories/{id}>

Get a single blog category and all its associated published posts.

Parameters:

Name	Type	Required	Description
id	integer	Yes	Blog category ID

Recent Blog Posts

GET

http://localhost/printmont-admin/api/blog-api.php/recent

Get the most recently published blog posts.

Parameters:

Name	Type	Required	Description
limit	integer	No	Number of posts to return (default: 5)

Popular Blog Posts

GET

http://localhost/printmont-admin/api/blog-api.php/popular

Get the most-viewed / popular blog posts.

Parameters:

Name	Type	Required	Description
limit	integer	No	Number of posts to return (default: 5)

11. Careers

Get All Job Listings

GET <http://localhost/printmont-admin/api/career-get-api.php>

Get all open job positions with optional department/type filters and pagination support.

Parameters:

Name	Type	Required	Description
active_only	integer	No	1 = active only (default), 0 = all listings
department	string	No	Filter by department name (e.g. Engineering)
job_type	string	No	Filter by type: full-time part-time contract internship
featured	integer	No	1 = featured listings only
limit	integer	No	Maximum number of results
offset	integer	No	Pagination offset (default: 0)

Get Job by ID

GET <http://localhost/printmont-admin/api/career-get-api.php?id={id}>

Get a single job listing's full details. Increments the view count on access.

Parameters:

Name	Type	Required	Description
id	integer	Yes	Career/job listing ID

Submit Job Application

POST <http://localhost/printmont-admin/api/career-post-api.php>

Submit a job application with resume upload. Use multipart/form-data content type for file upload.

Parameters:

Name	Type	Required	Description
career_id	integer	Yes	ID of the job being applied for
full_name	string	Yes	Applicant's full name
email	string	Yes	Applicant's email address
phone	string	Yes	Applicant's phone number
resume	file	Yes	Resume file (PDF or DOC, max 5MB)
cover_letter	string	No	Cover letter text
experience	string	No	Work experience summary
education	string	No	Education background
skills	string	No	Key skills (comma-separated)
linkedin_url	string	No	LinkedIn profile URL
portfolio_url	string	No	Portfolio or personal website URL

12. Content & CMS

About Us

GET <http://localhost/printmont-admin/api/about-api.php>

Get all About Us page sections (company story, mission, vision, team, values, etc.).

Contact Information

GET <http://localhost/printmont-admin/api/contact-api.php>

Get the store's contact details including email, phone, address, map link, and social media links.

FAQ List

GET <http://localhost/printmont-admin/api/faq-api.php>

Get all frequently asked questions. Optionally filter by active/inactive status.

Parameters:

Name	Type	Required	Description
is_active	integer	No	1 = active only, 0 = inactive only, omit = all

Help Center

GET <http://localhost/printmont-admin/api/help-center-api.php>

Get all FAQ categories with their associated FAQs nested inside. Supports filtering and empty category handling.

Parameters:

Name	Type	Required	Description
active_only	boolean	No	true = active only (default: true)
include_empty	boolean	No	Include categories with no FAQs (default: true)
type	string	No	Filter categories by type

Policies

GET <http://localhost/printmont-admin/api/policies-api.php>

Get all site policy pages: Privacy Policy, Return & Refund Policy, Terms & Conditions, Shipping Policy, etc.

Logo

GET <http://localhost/printmont-admin/api/logo-api.php>

Get logo assets for the website. Supports multiple query filters to fetch specific logo types.

Parameters:

Name	Type	Required	Description
(no param)	flag	No	Returns all logos
favicon	flag	No	?favicon — returns the favicon only
desktop_logo	flag	No	?desktop_logo — returns the main website logo
id	integer	No	?id={id} — get a specific logo by ID
type	string	No	?type={type} — get logos by type (header, footer, etc.)
active_type	string	No	?active_type={type} — get only the active logo for a type