

Database System Engineering and Distributed Backend Development Course

Code: 25CS1302E

ROLL NO : 2520030255

NAME : V SAI NIKHIL

WEEK-1

```
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 11
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database |
+-----+
| bookflow_db |
| information_schema |
| mysql |
| performance_schema |
| studentdb1 |
| sys |
| userdb |
+-----+
7 rows in set (0.00 sec)

mysql> create database studentdb1;
ERROR 1007 (HY000): Can't create database 'studentdb1'; database exists
mysql> create database studentdb1;
ERROR 1007 (HY000): Can't create database 'studentdb1'; database exists
mysql> create database studentdb2;
Query OK, 1 row affected (0.01 sec)

mysql> use studentdb2;
Database changed
mysql> create table students(id int, name varchar(20), email varchar(20), address varchar(20));
Query OK, 0 rows affected (0.02 sec)

mysql> show tables;
+-----+
| Tables_in_studentdb2 |
+-----+
| students |
+-----+
1 row in set (0.00 sec)

mysql> insert into students values(1, 'Ramya', 'ram@123', 'hyd');
Query OK, 1 row affected (0.01 sec)

mysql> insert into students values(2, 'Ram', 'ram@123', 'gnt');
Query OK, 1 row affected (0.01 sec)

mysql> insert into students values(3, 'sita', 'sita@123', 'gnt');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from students;
+----+-----+-----+-----+
| id | name  | email  | address |
+----+-----+-----+-----+
| 1  | Ramya | ram@123 | hyd     |
| 2  | Ram   | ram@123 | gnt     |
| 3  | sita  | sita@123 | gnt     |
+----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> update students set name='Ram1' where id=2;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from students;
+----+-----+-----+-----+
| id | name  | email  | address |
+----+-----+-----+-----+
| 1  | Ramya | ram@123 | hyd     |
| 2  | Ram1  | ram@123 | gnt     |
| 3  | sita  | sita@123 | gnt     |
+----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> delete from students where id=2;
Query OK, 1 row affected (0.01 sec)

mysql> select * from students;
+----+-----+-----+-----+
| id | name  | email  | address |
+----+-----+-----+-----+
| 1  | Ramya | ram@123 | hyd     |
| 3  | sita  | sita@123 | gnt     |
+----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> insert into students values(2, 'Ram1', 'ram1@123', 'gnt');
Query OK, 1 row affected (0.00 sec)

mysql> select * from students;
+----+-----+-----+-----+
| id | name  | email  | address |
+----+-----+-----+-----+
| 1  | Ramya | ram@123 | hyd     |
| 3  | sita  | sita@123 | gnt     |
| 2  | Ram1  | ram1@123 | gnt     |
+----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select count(*) from students;
+-----+
| count(*) |
+-----+
| 3 |
+-----+
1 row in set (0.01 sec)
```

```
mysql> select max(id) from students;
+-----+
| max(id) |
+-----+
| 3 |
+-----+
1 row in set (0.00 sec)

mysql> select min(id) from students;
+-----+
| min(id) |
+-----+
| 1 |
+-----+
1 row in set (0.00 sec)

mysql> |
```

