IBM OpenPages with Watson Version 9.0.0

User Guide



# Note

Before using this information and the product it supports, read the information in "Notices" on page 157.

#### **Product Information**

This document applies to IBM OpenPages with Watson Version 9.0.0 and may also apply to subsequent releases.

Licensed Materials - Property of IBM Corporation.

© Copyright IBM Corporation, 2003, 2023.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

# **Contents**

Note	iii
Introduction	xiii
Chapter 1. What's new?	
New features in version 9.0.0.0	1
New features in version 8.3.0.2	1
New features in version 8.3.0.1	1
New features in version 8.3.0	
New features in version 8.2.0.3	
New features in version 8.2.0.2	3
New features in version 8.2.0.1	3
New features in version 8.2.0	4
Chapter 2. Getting started with the UI	7
Using the UI	
Logging in to IBM OpenPages for IBM Cloud Pak for Data	
Logging in	
Logging out	
Navigating the UI	9
Using the Primary menu	
Using the Navigation Bar	
Changing your locale	13
Changing your password	13
Changing your profile	14
Changing your theme	14
Changing the reporting period	15
Using IBM Watson Assistant	
Using IBM Watson Language Translator	16
Machine learning models	16
Providing feedback using an NPS survey	19
Configurable lifecycles	20
Natural language processing services	20
Tags	22
Adding and removing tags	22
Chapter 3. Using the Home page and Dashboard	25
Using the Home page	
Using the Dashboard	
Using the My Tasks tab	
Using the Subscription Tasks tab	
Using the Oversight Tasks tab	
Adding panels and widgets to your dashboard	
Adding a chart panel	
Adding a custom panel	
Adding a favorites panel	
Adding a Reports panel	
Adding a My Tasks panel	
Adding a Subscription Task panel	
Adding an Oversight Task panel	37

Adding a Reports tab	38
Chapter 4. Working with objects	39
Using Grid Views to find, open, and work with objects	
Completing work that is assigned to you	
Viewing information in charts	
Viewing information in a tree diagram	45
Validating a workflow action	
Completing bulk workflow actions in a Grid View	
Opening a Quick View	
Applying changes to multiple objects with bulk update in a Grid View	51
Adding and removing tags from multiple objects in a Grid View	52
Viewing change history on the Activity tab	53
Exporting data from filter results	53
Editing objects in a Task View	54
Copying objects	55
Deleting objects	55
Renaming an object from a Task View	56
Chapter 5. Creating and associating objects	57
Creating object instances	
Rules for naming objects	59
Creating objects from a Grid View	
Creating objects from a Dashboard panel	
Creating child objects from a Task View	
Associations between objects	
Associating objects using a grid relationship field	
Associating objects using a card relationship field	
Disassociating objects	
Primary parent association	64
Changing the primary parent association	64
Chapter 6. Using filters in Grid Views	65
Finding objects with the Search box	
Using folder filters (Business Entity)	
Using public filters	
Using private filters	
Defining private filters	
Using ad hoc filters	
Editing private filters	
Deleting saved filters	
Clearing filter results	
Chapter 7. Using global search	72
Global search versus other search methods	
Global search advanced techniques	
Terms	
Phrases	
Wildcards	
Boolean	
Grouping	
Fuzzy matches	
Proximity	
Boosting	75
Searching for objects using global search	
Searching file attachments	76

Chapter 8. Working with files and links	77
About file attachments	
Rules for naming folders and files	
Adding and working with files (attachments) on objects	
Adding and managing all files (attachments)	
External URL links	
Creating URL links on objects	
Chapter 9. Working with Reports	85
About reports	
Generating and viewing reports	
Emailing a report	
Viewing reports in a different format	
Chapter 10. Questionnaires	87
Questionnaire overview	87
Questionnaire template scores and scoring methods	
Questionnaire template scoring formulas	89
Questionnaire templates	
Creating a questionnaire template object	
Editing a questionnaire template	
Adding sections and subsections to a questionnaire template	
Adding questions to a questionnaire template	
Adding object variables to a questionnaire template	
Adding links to a questionnaire template	
Questionnaire assessments	
Completing a questionnaire assessment	
Reviewing a questionnaire assessment	
Creating an ad hoc questionnaire assessment	
Programs	
Creating and configuring a program Launching a program	
Chapter 11. Applying Signatures and locks	111
Adding a signature	
Revoking signatures	
Viewing signatures	
Locking and unlocking objects	
Chapter 12. Using OpenPages Platform objects	115
Business Entities	
Risk Assessments	
Risk Assessment Evals	
Control Objectives	115
Processes	
Process Evals	116
Sub-Processes	116
Controls	116
Compliance Plans and Compliance Themes	
Deploying multiple Compliance Themes to a business entity	117
Deploying a Compliance Theme to multiple business entities	
Control Evals	
Risks	
Risk Evals	
Test Plans	
Test Plans	

Test Results	119
Issue and Action Items	120
Adding comments to an Action Item	120
Completing Action Items	
Preferences and Preferences Groups	
Chapter 13. Using OpenPages Internal Audit Management (IAM)	
OpenPages Internal Audit Management objects	
Summary audit plans	
Audits	
Auditable entities	
Audit sections	
Plans	
Workpapers	
Findings	
Auditors	
Audit review comments	125
Chapter 14. Using OpenPages IT Governance (ITG)	127
OpenPages IT Governance terms you should know	
OpenPages Internal IT Governance objects	
Assets and Asset Links	
Baselines	128
Incidents	129
KRIs and KRI values	
KPIs and KPI values	
Mandates	
Policies	
Procedures	
Requirements	
Sub-Mandates	
Systems	
Threats	
Vulnerabilities	
Waivers	
Chanter 45 Haing Ones Dages Ones tional Dick Management chicate	422
Chapter 15. Using OpenPages Operational Risk Management objects  OpenPages Operational Risk Management objects	
KRIs and KRI values	
KPIs and KPI values.	
Loss events	
Loss impacts	
Loss recoveries	
Scenario analysis	
Scenario results	
FIRST losses	
ORIC losses	
ORX losses Cost centers	
Chapter 16. Using OpenPages Policy Management	
IBM OpenPages Policy Management terms you should know	
OpenPages Policy Management objects	
Regulation applicabilities	
Mandates	
Sub-Mandate	
Requirement	138

KRIs and KRI values	
Incidents	139
Waivers	139
KPIs and KPI values	139
Policies	139
Policy review comment	140
Procedures	140
Campaigns	140
Employees	140
Attestations	140
Regulators	140
Regulator Interactions, RI categories, RI requests	140
Regulatory changes and regulatory tasks	141
Chapter 17. Using IBM OpenPages Financial Controls M	lanagement143
OpenPages Financial Controls Management objects	_
Sub-Accounts	
Assertions	
Accounts	
Chantar 40 Bagulataru Caranlianaa Manadamanta war	
Chapter 18. Regulatory Compliance Management over	
Regulatory compliance management object types	145
Chanter 10 Ones Degree Madel Biols Covernous chiests	1.40
Chapter 19. OpenPages Model Risk Governance objects	
OpenPages Model Risk Governance	
OpenPages Model Risk Governance objects	
Change Request	
Committee	
Metric	
Metric Value	
ModelModel Attestation	
Model Input	
Model Link	
Model Output	
Model Risk Scorecard	
Model Use Case	
Review	
Model Deployment	151
Chapter 20. Third party risk management overview	
Third party risk management object types	
Chapter 21. Using OpenPages Business Continuity Man	agement155
Notices	157
Glossary	
<b> </b>	
- ·	

## Introduction

The IBM OpenPages with Watson User Guide is intended for use with OpenPages with Watson. This guide contains instructions for using the OpenPages with Watson application.

#### **IBM OpenPages with Watson documentation**

IBM® maintains one set of documentation serving IBM OpenPages® with Watson™, IBM OpenPages for IBM Cloud Pak for Data, and IBM OpenPages with Watson on Cloud deployments. The IBM OpenPages with Watson documentation describes certain features and functions which may not be available on the cloud.

If you have any questions about the functionality available in the product version that you are using, contact IBM OpenPages Support by using the IBM Support portal.

#### **Accessibility features**

Accessibility features help users who have a physical disability, such as restricted mobility or limited vision, to use information technology products. OpenPages documentation has accessibility features. PDF documents are supplemental and include no added accessibility features.

# Chapter 1. What's new?

New and changed features are available for IBM OpenPages with Watson.

For information about all new features for this release, see the *IBM OpenPages with Watson New Features Guide*.

### New features in version 9.0.0.0

The new features in IBM OpenPages with Watson version 9.0.0.0 are described in the following tables. For more information, see the *IBM OpenPages with Watson New Features Guide*.

#### **UI** enhancements

Table 1. Task Focused UI enhancements		
For information about	See topic	
Viewing reports as Microsoft Excel formatted or unformatted files	"Viewing reports in a different format" on page 86	
Selecting your profile when you log in	"Logging in" on page 8	
Using a questionnaire template to specify complex logic for dependencies to hide or show questions	"Creating question dependencies" on page 96	

### New features in version 8.3.0.2

The new features in IBM OpenPages with Watson version 8.3.0.2 are described in the following tables. For more information, see the *IBM OpenPages with Watson New Features Guide*.

#### **UI** enhancements

Table 2. Task Focused UI enhancements		
For information about	See topic	
If you want to edit the disclaimer on a questionnaire template, you must modify the application text questionnaire.intro.label.informationD etails.	"Editing a questionnaire template" on page 91	
When you edit Microsoft Office files directly from OpenPages, the <b>View</b> button is no longer displayed by default and the file is now checked out as soon as you click the <b>Edit</b> button.	"Adding and working with files (attachments) on objects" on page 78	
You can use the content assist feature to help you add object variables to a questionnaire template.	"Adding object variables to a questionnaire template" on page 97	

## New features in version 8.3.0.1

The new features in IBM OpenPages with Watson version 8.3.0.1 are described in the following tables.

For more information, see the IBM OpenPages with Watson New Features Guide.

#### **UI** enhancements

Table 3. Task Focused UI enhancements		
For information about	See topic	
Adding tags to categorize objects and perform searches based on those categories	"Adding and removing tags" on page 22	
How respondents can choose to copy answers, comments, and attachments from an existing questionnaire assessment to save time	"Completing a questionnaire assessment" on page 103	

## **New features in version 8.3.0**

The new features in IBM OpenPages with Watson version 8.3.0 are described in the following tables. For more information, see the IBM OpenPages with Watson New Features Guide.

#### Task Focused UI enhancements

Table 4. Task Focused UI enhancements	
For information about	See topic
Enhancements to questionnaires	Chapter 10, "Questionnaires," on page 87

#### **Standard UI**

The Standard UI has been removed.

The  $\stackrel{\textstyle \square}{\sim}$  > **Switch to Standard UI** menu item was removed.

### New features in version 8.2.0.3

The new features in IBM OpenPages with Watson version 8.2.0.3 are described in the following tables.

#### Task Focused UI enhancements

Table 5. Task Focused UI enhancements		
For information about	See topic	
IBM Watson® Discovery was added as a natural language processing service.	"Natural language processing services " on page 20	
The ability to search for fields in Task Views, Creation Views, and Quick Views	"Navigating the UI" on page 9, "Opening a Quick View" on page 50	
Administrators can now configure the fields that are available for bulk update in Grid Views.	"Applying changes to multiple objects with bulk update in a Grid View" on page 51	
Users can now define report tabs on their dashboard. Previously, report tabs could be created only by administrators by using the Manage Dashboards task.	"Adding a Reports tab " on page 38	

### New features in version 8.2.0.2

The new features in IBM OpenPages with Watson version 8.2.0.2 are described in the following tables.

#### **Task Focused UI enhancements**

Table 6. Task Focused UI enhancements		
For information about	See topic	
Applying a color theme by using the new A > Change Theme task.	"Changing your theme" on page 14	
Improved usability for disassociating objects. Added a <b>Remove</b> button to grid relationship fields that have an Associate action.	"Completing work that is assigned to you" on page 41	
Receiving email reminders when tasks are due or overdue.	"Completing work that is assigned to you" on page 41	
Completing workflow tasks in bulk:	"Completing bulk workflow actions in a Grid View"	
Using Grid Views to support bulk workflow actions.	on page 47	
Using the Complete tasks with bulk workflow actions window on the My Tasks tab and panel, the Subscription Tasks tab and panel, and the Oversight Tasks tab and panel.		
Using the new hove icon in Grid Views to move objects from one folder to another.	"Using Grid Views to find, open, and work with objects" on page 39	

### New features in version 8.2.0.1

The new features in IBM OpenPages with Watson version 8.2.0.1 are described in the following tables.

## IBM OpenPages for IBM Cloud Pak for Data

OpenPages can now be installed on IBM OpenPages for IBM Cloud Pak for Data.

#### **Task Focused UI enhancements**

Table 7. Task Focused UI enhancements	
For information about	See topic
Using IBM Watson Language Translator to translate values in text fields to the language associated to your locale.	"Using IBM Watson Language Translator" on page 16
Opening and editing Microsoft Office documents directly from OpenPages.	"Adding and working with files (attachments) on objects" on page 78
Providing feedback on a Net Promoter Score (NPS) survey.	"Providing feedback using an NPS survey" on page 19
The <b>Edit Mode</b> toggle in was renamed to <b>Reveal editable fields</b> .	"Navigating the UI" on page 9

Table 7. Task Focused UI enhancements (continued)	
For information about See topic	
The <b>Analytics</b> button for IBM Cognos Analytics moved from the header to the Primary Menu.	"Using the Primary menu" on page 11
Safe mode can now be applied to Dashboards.	"Adding panels and widgets to your dashboard" on page 31

## **New features in version 8.2.0**

The new features in IBM OpenPages with Watson version 8.2.0 are described in the following tables. For more information, see the IBM OpenPages with Watson New Features Guide.

#### **Task Focused UI enhancements**

Table 8. Task Focused UI enhancements	
For information about	See topic
The new IBM OpenPages Business Continuity Management solution.	Chapter 21, "Using OpenPages Business Continuity Management," on page 155
Accessing IBM Watson Assistant with the Start Chat  icon.	"Navigating the UI" on page 9
The review process for questionnaire assessments can now be driven by GRC Workflow.	"Questionnaire overview" on page 87
Ad hoc questionnaire assessments.	"Creating an ad hoc questionnaire assessment" on page 107
Classifier fields are now displayed using an IBM Watson Insights button and panel.	"Natural language processing services " on page 20
	"Creating objects from a Grid View" on page 59
Gantt charts on dashboards.	"Adding a chart panel " on page 32
New method type and aggregation field for sum, average, min, and max on charts on Dashboards.	"Adding a chart panel " on page 32
Activity tab on Task Views.	"Viewing change history on the Activity tab" on page 53
The Delete button in a grid layout in a Task View.	"Completing work that is assigned to you" on page 41
When defining private filters on Grid Views, the new <b>Show hidden values</b> toggle controls whether hidden values for enumerated value fields are displayed.	"Defining private filters" on page 67
A Reports panel on the dashboard can now list all reports by category, depending on how the new field <b>Data Source</b> is set.	"Adding a Reports panel " on page 35
A Search panel on the dashboard uses global search to find information.	"Searching for objects using global search" on page 76

Table 8. Task Focused UI enhancements (continued)	
For information about	See topic
How GRC Calculations are handled in Creation Views and Task Views.	"Creating objects from a Grid View" on page 59  "Completing work that is assigned to you" on page 41
Check in and check out functionality for files was made more consistent.	"Adding and working with files (attachments) on objects" on page 78

#### **Standard UI enhancements**

The **Process Portal** on the Home page has been removed. It supported the integration of IBM OpenPages with Watson with IBM Business Process Manager, which has been removed.

#### **Solution enhancements**

See the IBM OpenPages with Watson Solutions Guide for a complete list of all the changes to solutions.

# **Chapter 2. Getting started with the UI**

Learn to navigate the UI to access information, change your password, locale, profile and theme.

## **Using the UI**

You use the UI to complete tasks that are assigned to you and to find information in OpenPages.

If you are an implementer or administrator who is responsible for defining views in the UI, see the topic *Configuring the UI* in the *IBM OpenPages with Watson Administrator's Guide*.

If you are an implementer or administrator who is responsible for defining workflows, see the topic *Configuring GRC Workflow* in the *IBM OpenPages with Watson Administrator's Guide*.

## Logging in to IBM OpenPages for IBM Cloud Pak for Data

Use this procedure to log in to IBM OpenPages for IBM Cloud Pak for Data.

#### **About this task**

Before you log in, get the URL for the instance of IBM OpenPages for IBM Cloud Pak for Data from your administrator and the username and password.

#### **Procedure**

1. Open a supported web browser. In the **Location bar**, enter the URL for the instance of IBM OpenPages for IBM Cloud Pak for Data, for example:

https://your-server.com/openpages-openpagesinstance1/

- 2. Type your username and password.
- 3. Click Log in.

You are automatically logged in to IBM OpenPages for IBM Cloud Pak for Data.


#### What to do next

Complete your work. When you are finished, you can log out by performing the following steps:

1. Delete the text following the server name in the **Location bar** of your browser. For example, change https://your-server.com/openpages-openpagesinstance1/ to https://your-server.com/.

The Cloud Pak for Data interface is displayed.

2. Click the **Profile and settings** button in the upper right of the screen.



- 3. When the menu is displayed, click Log out.
- 4. When prompted to confirm that you want to log out, click Log out.

## Logging in

You can log in to IBM OpenPages with Watson by using your browser.

#### **About this task**

Before you log in, obtain the OpenPages with Watson URL and your username and password, if single sign-on is not configured.

#### **Procedure**

1. Open Google Chrome, Apple Safari, or Microsoft Edge. In the **Location bar** enter the OpenPages with Watson URL, for example:

https://opserver:10111/openpages

- 2. Type your username and password.

  If these fields are not displayed, single sign-on is configured and the application opens. Go to step 4.
- 3. Click Log In.
- 4. If the Select Profile page is displayed, click the profile that you want to use.

A profile determines the look and feel of the application. Your profile determines the contents of the Dashboard, the layout and contents of views, the types of objects you see, and more. Your administrator configures one or more profiles for you. Each profile can be tailored to a specific task.

#### What to do next

Complete your work. When you are finished, click 1 to open the User menu, and click Log Out.

## **Logging out**

You can end a session and exit the application.

#### **About this task**

It is a best practice to log out rather than simply close the browser window.

OpenPages automatically times out and closes after a period of system inactivity.

If you attempt to perform an operation after OpenPages has timed out, the system automatically moves to the Log On page where you can log on again.

#### **Procedure**

- 1. Click to open the User menu.
- 2. Click Log Out.

## **Navigating the UI**

The UI is easy to navigate and simple to use.




Figure 1. Example of the UI

The UI has the following components:

Table 9. UI Components	
UI components	Description
IBM OpenPages with Watson	Opens the Home page in the work area. For information, see "Using the Home page" on page 25.
命	Opens the Home page in the work area.  For information, see "Using the Home page" on page 25.
	Opens the Primary menu.  For information, see <u>"Using the Primary menu" on page 11</u> .

	inued)
UI components	Description
Navigation Bar	The Navigation Bar contains and a tab for each view you have open.
	For information, see "Using the Navigation Bar" on page 12.
₽	Opens WalkMe. WalkMe is a third-party tool that you can use to guide you through OpenPages. WalkMe gives you guided tours, feature overviews, and embedded resources to help you make the most out of yourOpenPages implementation.
	Administrators use registry settings to disable or enable WalkMe. The icon is not displayed in the interface if WalkMe is disabled.
	If you click and WalkMe doesn't start, refresh your browser page.
	WalkMe opens in English by default but you can change the language setting.
Ф	Opens the WalkMe.
_	The list does not include notifications about work you need to complete. Instead, use the Home page and dashboard. For information, see "Using the Home page" on page 25.
[Q]	Identifies an input field required to run a custom machine learning model.
	For more information about custom machine learning models, see "Machine learning models" on page 16.
@	Opens the Administration menu.
2	Opens the User menu.
Start Chat	Opens a chat bot where you can ask questions using IBM Watson Assistant. Only displays if an assistant is configured and you are allowed to access it.
	For information, see "Using IBM Watson Assistant" on page 15.
Q	In a Task View or Creation View, you can search for fields in the view.
	In a Grid View, you can search for objects in the grid.
Reveal editable fields Off  Reveal editable fields On	In a Task View or Quick View, turns on edit mode. You can press tab to move from field to field. The <b>Reveal editable fields</b> toggle is hidden in certain situations, for example, the object is locked or you do not have access control permission to edit it.
Watson Translator (i) Off	In a Task View, values in text fields are translated to the language associated to your locale.
Watson Translator (j) On	For more information, see "Using IBM Watson Language Translator" on page 16.

Table 9. UI Components (continued)	
UI components	Description
Feedback	Opens a Net Promoter Score (NPS) survey where you can provide product feedback to IBM. If you are eligible to receive a survey, it is always displayed on the Home page. You can provide feedback at any time and as often as you want. You might also periodically be prompted to submit a survey when you log in.
	For more information, see <u>"Providing feedback using an NPS survey"</u> on page 19.
Work area	The work area displays your dashboard, a task tab, or a view.
	For more information, see:
	• "Using the Dashboard" on page 25
	• "Using the My Tasks tab" on page 27
	• "Using the Subscription Tasks tab" on page 28
	• "Using the Oversight Tasks tab" on page 29
	• "Using Grid Views to find, open, and work with objects" on page 39
	• "Creating objects from a Grid View" on page 59
	• "Completing work that is assigned to you" on page 41
I	Contains options that close all tabs or let you open a specific tab.
<u>→</u>	Opens a menu that is used to configure dashboard panels.
10-	For more information, see <u>"Adding panels and widgets to your dashboard"</u> on page 31.
Browser back button	Opens the last web page that is stored in the session.
Browser forward button	Moves forward in the web page browser session history.

## **Using the Primary menu**

The Primary menu lists the categories of object types that you can access in IBM OpenPages with Watson. Expand and collapse the categories to see the object types.

Depending on your configuration, **Analytics** might display as the first menu item. Click it to open IBM Cognos Analytics.

When you click an object type, for example, Organization, a list of objects opens. For information, see "Using Grid Views to find, open, and work with objects" on page 39.




Figure 2. Example of the Primary menu

## **Using the Navigation Bar**

The Navigation Bar contains and a tab for each view you have open. Click the tabs to switch between the views.




Figure 3. Example of the Navigation Bar

The icons are described in the following table:

Table 10. Icons on the Navigation Bar	
Icon	Description
命	Opens the Home page in the work area.
	For information, see <u>"Using the Home page" on page 25</u> .
田	The tab is a view that lists objects for the selected object type. This type of view is called a Grid View.
+	The tab is a view where an object is being created but is not open for editing. This type of view is called a Creation View.
+ *	The tab is a view where an object is being created and is open for editing. This type of view is called a Creation View.

Table 10. Icons on the Navigation Bar (continued)	
Icon	Description
ß	The tab is a view where a task is being completed but the object is not open for editing. This type of view is called a Task View.
	The tab is a view where a task is being completed and the object is open for editing. This type of view is called a Task View.
	Allows you to choose a tab or close all open tabs on the Navigation Bar.

An object can be open for editing in only one view. If an object is open for editing in a view and you try to open it in a second view, a warning is issued.

## **Changing your locale**

You can change your locale setting. This changes the language of the user interface, as well as the display format for numbers and dates.

#### **About this task**

#### **Procedure**

- 1. Click to open the User menu.
- 2. Click Change Locale and select a language.
- 3. Click Save.

## **Changing your password**

You can change your password.

#### **Procedure**

- 1. Click to open the User menu.
- 2. Click Change Password.
- 3. Type the old password in **Current Password**.
- 4. Specify a new password in New Password and confirm it.

Note the following password requirements:

- The maximum length is 32 characters.
- · Passwords are case-sensitive.
- If your company uses single sign-on or LDAP, you cannot change a password with IBM OpenPages with Watson. You must change it with the single sign-on or LDAP application.
- 5. Click Save.

### Changing your profile

A profile determines the look and feel of the user experience in the UI. It determines the contents of the Dashboard and the layout and contents of all views, and any filters available for use in the Grid View. Your administrator configures one or more profiles for you, which can be tailored to a specific task.

#### **About this task**

If your administrator set you up with multiple profiles, you can change profiles by using **Change Profiles** on the User menu.

**Important:** Ensure that you save your work before you change your profile.

#### **Procedure**

- 1. Click to open the User menu.
- 2. Click Change Profile.




Figure 4. Change Profile

**Note:** If you do not see **Change Profile** in the menu, you have one profile only.

3. Select the profile that you want to use, and then click Save.

#### What to do next

The change takes effect immediately without having to log off. After you change profiles, the Dashboard and the functionality of views might change.

## **Changing your theme**

A theme determines the color design that is applied in the UI. Your administrator can configure one or more themes for you to use.

#### **About this task**

If you choose no theme, a default theme is applied for you.

After you choose a theme, it is retained the next time you log in.

#### **Procedure**

- 1. Click A to open the User menu.
- 2. Click Change Theme.
- 3. Select a theme.
- 4. Click Save.

#### **Results**

The change takes place immediately.

## Changing the reporting period

You can view data for a current and past reporting period. However, you can only modify data in the current reporting period.

#### **About this task**

If past reporting periods are defined, you can change the reporting period in the UI.

If the **Change Reporting Period** option on the User menu is not displayed, there is only one reporting period (the current reporting period).

#### **Procedure**

- 1. Open the object that you want to work with.
- 2. Click to open the User menu.

The reporting period that is currently chosen is displayed above **Change Reporting Period**.

- 3. Click Change Reporting Period.
- 4. Select a reporting period.
- 5. Click Save.

The view is refreshed based on the reporting period. If you switch to a past reporting period, the object becomes read-only. Fields cannot be changed and workflows can be neither started nor advanced.

#### What to do next

Repeat the steps to select the current reporting or another past reporting period. If you switch to the current reporting period, the object becomes editable and workflows can be started and advanced.

## **Using IBM Watson Assistant**

Use IBM Watson Assistant to access 24-hour support for OpenPages.

IBM Watson Assistant is a chat bot that provides interactive text answers, natural language search, and direct links to specific pages in OpenPages, for example, to a Creation View where you can enter an Issue or Loss Event.

When IBM Watson Assistant is configured and you have permission to access it, the Start Chat icon is displayed on all pages in the UI.

#### Show me how


This video provides an overview of using IBM Watson Assistant.

https://youtu.be/NbvU-UdJ6Aw

### **Using IBM Watson Language Translator**

Use IBM Watson Language Translator to translate values in text fields to the language associated to your locale.

#### How users interact with IBM Watson Language Translator



- Text field values (simple strings and long strings) are translated. Rich text fields and enumerated field values are not translated.
- There is no differentiation between US and UK English.
- Translated values on a Task View cannot be edited.
- They are not saved to the object.

Example 1: a user's locale is set to US English. The user views regulatory change objects in a Task View.

- First, the user views a regulatory change object that came from a French regulatory body. It contains field values in French. The user clicks the are translated to English.
- Next, the user views a regulatory change object that came from an EU regulatory body. It contains text field values in English, French, and Portuguese. The user clicks the The text field values in English remain unchanged. The text field values in French and Portuguese are translated into English.

Example 2: a user's locale is set to Japanese. The user views regulatory change objects in a Task View.

- First, the user views a regulatory change object that came from a US regulatory body. It contains field values in English. The user clicks the translated into Japanese.
- Next, the user views a regulatory change object that came from an EU regulatory body. It contains field values in English, French, and Portuguese. The user clicks the field values are translated into Japanese.

### Machine learning models

Your organization can create machine learning models that the administrator can configure to run in OpenPages. When a machine learning model runs, it uses input data from OpenPages fields to generate live insights and suggestions in OpenPages views. You can run these models to extract insights from your data and apply suggestions from the model to set field values and tags.

When you open a view, you might see the **View insights** icon  $\mathbb{Q}$ . This icon shows that a machine learning model is available for the field. The results are displayed in a side panel as shown in Figure 1.




Figure 5. An example of a Control in a Task View displaying insights in the side panel

#### How a model runs

Administrators can configure models to run automatically or manually. For both manual and automatic, the model can run only when all the required fields have data.

Automatically

If the administrator configured the model to run automatically, enter or modify values for an input field that the model requires, and click anywhere outside of that field to run the model. If the administrator configured notifications for the model, a notification is displayed when the model finishes running.

If you want to see the results after the model runs, click Q associated with the input field you modified. The results are displayed in a side panel.

Manually

If the administrator configured the model to run manually, the model runs only when you click  $\mathbb{Q}$  associated with an input field. If the administrator configured notifications, a notification is displayed when the model finishes running. The results are displayed in a side panel.

#### How model suggestions are applied

An administrator configures a model to determine how suggestions or insights from the model are applied to fields or tags.

User set

If the administrator configured the model to provide suggestions for fields or tags, you can select the suggestions that you want to apply. If a confidence score is defined, OpenPages displays in the order of decreasing confidence score. Otherwise, suggestions are displayed in the order in which they are returned from the model. A confidence score, which is shown as a percentage, indicates the probability that the output was determined correctly.

To set fields, click the set of suggestions that you want to apply.




Figure 6. An example of a Loss Event in a Task View. Field values are displayed in the side panel.

To set tags, select the checkboxes for each tag you want to apply.




Figure 7. An example of an Issue in a Task View. Suggested tags are displayed in the side panel.

If you want to know which input fields were used to determine the suggestions, click **How were suggestions determined** in the side panel.

Threshold set

Sometimes the administrator configures the model to set fields or tags automatically for you based on the confidence score that is shown in the side panel.

- Tags

After the model runs, when you click  $\mathbb{Q}$ , the side panel shows the suggested tags. When you close the side panel, you see the tags that are applied to the object. If the model has confidence scores, the applied tags include those tags that meet or exceed the specified confidence threshold. Otherwise, the applied tags include all suggested tags.

- Fields

After the model runs, when you click  $\mathcal{Q}$ , the side panel shows the selected field values. If the model has confidence scores, the set of field values with the highest confidence score is selected. Otherwise, the first set of field values in the list is selected. You can see the field values applied to the object fields. Only fields with no existing value are set, unless the administrator configures the model to overwrite existing field values when the model runs.

You can choose to click **Save** to save the object with the new field values, or **Cancel** to keep the object as it was.

## **Providing feedback using an NPS survey**

If a Net Promoter Score survey has been configured, you can send feedback about OpenPages to IBM. User feedback helps IBM improve OpenPages.

If a Net Promoter Score survey is enabled, you are presented with two possibilities to complete a survey:

- An NPS Feedback button
- An NPS survey form after logging in

An NPS Feedback button is always displayed on the Home page if you are eligible to receive it. You can provide feedback at any time and as often as you want.




Figure 8. NPS Feedback button on the Home page

An NPS survey form might be displayed when you log in. Whether you receive a survey and how frequently is determined by the configuration and the survey provider.




Figure 9. NPS survey form displayed after logging in

The survey is displayed in the language of the locale that you have selected. If you change your locale, the language of the survey changes. Answer the questions, provide screen shots (optional), and click **Submit**.

## **Configurable lifecycles**

Configurable lifecycles define the stages that an object type can follow.

Configurable lifecycles are a legacy feature that might be configured for certain object types and processes in your organization. The feature has been replaced by GRC Workflow. Until your organization has fully transitioned to GRC Workflow, you might still use configurable lifecycle in some areas.

Lifecycles work with questionnaire assessments and incidents but can be extended to other objects. Users are informed in an email that they must complete a task, for example, answer questions in a questionnaire assessment. When the user completes the task, the object moves to the next task and the next user. The lifecycle process is finished when all the tasks are completed. You have a record of who did what task and when.

At each lifecycle stage, the system:

- Identifies a lifecycle assignee
- Defines the actions available to move to a different stage
- · Sends an email to the new lifecycle assignee
- Defines other attributes (read-only and in review) that are related to the current stage

Lifecycle information is stored on the object instance. Open an object to see its lifecycle information. Lifecycle fields are read-only, except for **Update Assignee**. The assignee for a stage is defined in the lifecycle trigger. An object can have only one lifecycle assignee per stage. A user can add a comment with each transition.

For more information see the IBM OpenPages with Watson Solutions Guide.

## **Natural language processing services**

Implementing and configuring a natural language processing service is an optional feature in IBM OpenPages with Watson. If your administrator has implemented and configured a natural language processing service, you can use it to interpret and classify text that you enter in OpenPages. A natural

language processing service understands the intent behind text and returns corresponding suggested classifications, together with a confidence score.

You can use a natural language processing service with any objects in OpenPages but it is typically used to classify loss events, waivers, issues, and incidents. For example, you can use it to support your decision making when you classify a loss event to the correct Basel II categorization. You can also use it to support decision making when you classify waivers as exceptions to regulatory compliance. The text description that you enter is used as input to a natural language processing service that has been trained with knowledge from your domain specialists.

#### Terms to understand

#### natural language processing service

A natural language processing service uses machine learning algorithms to return the top-matching predefined classes for short text inputs.

#### **IBM Watson Discovery**

IBM Watson Discovery is a natural language processing service on IBM Cloud Pak® for Data. You configure a IBM Watson Discovery service and then integrate it with OpenPages. It uses the Analyze API

#### **IBM Watson Natural Language Understanding**

IBM Watson Natural Language Understanding is a language processing service in IBM Cloud. You can train and deploy text classifier models and then integrate them with OpenPages. IBM Watson Natural Language Understanding learns from your data and can predict classifications for texts that it is not trained on. IBM Watson Natural Language Understanding is a multi-label, multi-class classifier. It assumes that text likely belongs to more than one class and can better predict texts with multiple classifications.

#### **Classifier Configuration**

A classifier configuration in OpenPages defines connection information to an instance of a natural language processing service. For taxonomy classifications, it specifies the classifier target fields for the instance. For object associations, it specifies the object type to associate, whether it is a child or parent relationship, and other attributes.

#### **Classifier Field**

A classifier field is a field group in OpenPages that contains the name of a classifier configuration and a classifier input field. An IBM Watson Insights button is displayed in place of a classifier field (taxonomy classifications) or as an action (object associations).

#### **Classifier Input Field**

A classifier input field is a field in OpenPages that contains the short text input that a natural language processing service interprets and classifies. It is typically a **Description** field. The text *Adding a description improves IBM Watson Suggestions* is automatically displayed below a classifier input field.

#### **Classifier Target Fields**

For taxonomy classifications, classifier target fields are fields in OpenPages that are set when a user chooses suggestions for a classifier field.

#### **Watson Insights**

The underlying infrastructure in OpenPages is tied to IBM Watson Insights. An IBM Watson Insights button is displayed and suggestions are displayed in a **Watson Insights** panel.

An IBM Watson Insights button appears only if the classifier is able to make a suggestion based on the text entered. The button does not appear if the text does not generate suggestions.

The user interaction in the **Watson Insights** panel is the same regardless of whether the service is IBM Watson Discovery or IBM Watson Natural Language Understanding.

### lags

In OpenPages, you can use tags to categorize objects and perform searches based on those categories.

You can add tags to objects and remove tags from objects. Only Administrators with the Tagging administration permission can enable and disable the Tagging feature, and create, edit, and disable tags. Also, Administrators can disable tagging for specific object types.

You can add and remove tags from an object only under the following conditions:

- The object type has tagging enabled.
- The object must be unlocked.
- You must have write access to the object.
- You must be in the current reporting period.
- When you are adding tags, the number of tags must be less than the maximum of 25 tags per object.

When a tag is disabled, you can remove it from an object and you can search on it, but you can't add a disabled tag to an object.

### Adding and removing tags

You can add tags to objects and remove tags from objects.

#### Before you begin

You can only add and remove tags under specific conditions. For more information, see the previous section entitled Tags.

#### **Procedure**

1. Open a Grid View.

For more information, see "Using Grid Views to find, open, and work with objects" on page 39.

2. Click the object you want to add tags to or remove tags from.

The **Task** tab is displayed.

- 3. To add tags if no tags have been applied yet:
  - a) In the **Tags** panel, click  $\oplus$ .
  - b) You can either type characters to find tags or you can click the arrow in the drop-down box to display a list of tags.
  - c) Select the tags you want to add.
- 4. To add tags if the object has tags already:
  - a) Click the pencil icon in the **Tags** panel.
  - b) You can either type characters to find tags or you can click the arrow in the drop-down box to display a list of tags.
  - c) Select the tags you want to add.
- 5. To remove tags, you can choose one of the following methods:
  - Click the X on the tags you want to remove.
  - Type characters to find the tags you want to remove. Deselect the tags you want to remove.
  - Click the arrow in the drop-down box to display a list of tags. Deselect the tags you want to remove.
  - Click the X on the number of unique tags displayed in the drop-down box to remove all tags on the selected objects.

### Results

|--|

### Chapter 3. Using the Home page and Dashboard

The Home page and the Dashboard are the central points of access to information in OpenPages.

### **Using the Home page**

The Home page is the initial page that is displayed when you log in to OpenPages.

The Home page organizes information and tasks. It contains the following parts:

- · A dashboard
- · Task tabs
- Tabs for reports

The dashboard displays panels with content that is personalized for you. For more information, see <u>"Using</u> the Dashboard" on page 25 and "Adding panels and widgets to your dashboard" on page 31.

The task tabs summarize the three types of tasks that you can work with:

Tasks that are assigned to you.

For more information, see "Using the My Tasks tab" on page 27.

· Tasks that you are subscribed to.

For more information, see "Using the Subscription Tasks tab" on page 28.

· Tasks for which you have oversight responsibility.

For more information, see "Using the Oversight Tasks tab" on page 29.

The tabs for Cognos reports are part of the dashboard that is personalized for you.

### **Using the Dashboard**

The dashboard displays panels and report tabs with content that is personalized for you.

The dashboard provides personalized, quick access to the tasks, information, objects, and reports that you most frequently work on.




Figure 10. Example of a dashboard

#### You can:

- · Click actionable elements in any panel to quickly drill down to what you want to work on or view.
- · Click a tab for a report to run a report.
- · Reorganize the panels
- Hide and remove panels
- Customize the dashboard by adding your own panels that contain charts, reports, tasks, and so on. For more information, see "Adding panels and widgets to your dashboard" on page 31.
- Use Search panels, if they are configured by an administrator. A Search panel allows you to search for text and values for one object type or across selected or all object types. For more information, see "Searching for objects using global search" on page 76.
- Quickly complete your tasks by using bulk workflow actions on the My Tasks, Subscription Task, and
  Oversight Task panels. For more information, see "Completing bulk workflow actions in a Grid View" on
  page 47.
- View system notices if single sign-on (SSO) is used. If SSO is used, system notices that would be displayed on the logon page are displayed when you access the dashboard. The system notice can change when you close the session and access the system again.

### Using the My Tasks tab

Use the My Tasks tab to access tasks that are assigned to you.




Figure 11. Example of the My Tasks tab

The My Tasks tab contains two parts:

- Chart
- Grid

The chart summarizes tasks that are assigned to you. You can:

- · Filter the data
- Control how the data is stacked in each bar by changing Stack by
- Hover above a bar to view a summary of the underlying data
- Select Week, Month, or Year to change the date view

The grid lists your assignments. When you select an object in the grid, the object opens and you can begin working on it. For more information, see "Completing work that is assigned to you" on page 41.

You can control what tasks are included in both the chart and the grid by applying a filter. You can filter your assignments using the following selection criteria: Criticality, Workflow Name, Stage, and Type. For example, you can choose to include only tasks whose Criticality is High. Tasks that do not match the filter are excluded from the chart and the grid.

The **Complete task with bulk workflow actions** window is displayed if the feature is configured and you have workflow items that belong to you as an assignee. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.

The content and layout of the My Tasks tab is configured for you and cannot be changed.

### **Using the Subscription Tasks tab**

Use the Subscription Tasks tab to access tasks you are subscribed to.




Figure 12. Example of the Subscription Tasks tab

The Subscription Tasks tab contains two parts:

- Chart
- Grid

In the chart you can:

- · Filter the data
- Control how the data is stacked in each bar by changing Stack by
- Hover above a bar to view a summary of the underlying data
- · Select Week, Month, or Year to change the date view

The grid lists tasks you are subscribed to. When you select an object in the grid, the object opens and you can begin working on it. For more information, see "Completing work that is assigned to you" on page 41.

You can control what tasks are included in both the chart and the grid by applying a filter. You can filter your assignments using the following selection criteria: Criticality, Workflow Name, Stage, and Type. For example, you can choose to include only tasks whose Criticality is High. Tasks that do not match the filter are excluded from the chart and the grid.

The Complete task with bulk workflow actions window is displayed if the feature is configured and you have workflow items that belong to you as subscriber. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.

The content and layout of the Subscription Tasks tab is configured for you and cannot be changed.

### **Using the Oversight Tasks tab**

Use the Oversight Tasks tab to view a summary of work that is assigned to people in your area of responsibility.

If you have access to an Oversight Tasks tab, you have been designated as someone responsible for a workflow. Tasks you see on the Oversight Tasks tab and your own My Tasks tab are generated by workflows that are behind the scenes guiding a task through a defined business process, for example, how Issues are reviewed and finished. The assignees and options on the Actions button change as an object moves towards completion of its process. A workflow can have none, one, or many oversight users.

Although there are similarities in the layout of the My Tasks tab and the Oversight Tasks tab, the content and purpose are different. The My Tasks tab summarizes tasks for a single assignee while the Oversight Tasks tab summarizes tasks for many assignees under one oversight user. As an oversight user, you use it to get an overview of the work assigned to people on your team, assess the overall workload, and drill down to the workloads for specific individuals. All users have an Oversight Tasks tab but the tab is empty if you are not designated as an oversight user in a workflow.

The Oversight Tasks tab has two parts:

- Chart
- Grid




Figure 13. Example of the Oversight Tasks tab

The chart summarizes tasks that belong to people in your area of responsibility. You can:

- · Filter the data
- Control how the data is stacked in each bar by changing Stack by
- Hover above a bar to view a summary of the underlying data
- Select Stage Due Date or Workflow Due Date to change the date view
- Select Week, Month, or Year to change the date view

The grid lists tasks that belong to people in your area of responsibility. In the grid you can click a user that is displayed in the **Assignee** column. The list and chart change to show only tasks assigned to that person. You can get an overview of their workload and work that is overdue.

You can also select an object by clicking the **Name**. The object opens and, if you have access to the task, you can begin working on it.

When you apply a filter, you can control what tasks are included in both the chart and the grid. You can filter tasks using the following selection criteria: Criticality, Workflow Name, Stage, and Type. For example, you can choose to include only tasks whose Criticality is High. Tasks that do not match the filter are excluded from the chart and the grid.

The **Complete task with bulk workflow actions** window is displayed if the feature is configured and you have workflow items that belong to you as an oversight user. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.

The content and layout of the Oversight Tasks tab is configured for you and cannot be changed.

### Adding panels and widgets to your dashboard

The dashboard allows you to create your own personalized dashboard panels.

The following types of panels can be added to your dashboard:

Charts

For more information, see "Adding a chart panel" on page 32.

· Custom panels

For more information, see "Adding a custom panel" on page 33.

• Favorite objects

For more information, see "Adding a favorites panel" on page 35.

My Tasks

For more information, see "Adding a My Tasks panel" on page 36.

Oversight Tasks

For more information, see "Adding an Oversight Task panel" on page 37.

Reports

For more information, see "Adding a Reports panel" on page 35.

Subscribed Tasks

For more information, see "Adding a Subscription Task panel" on page 37.

You can add as many panels as you want to your dashboard. Panels might appear on your dashboard that you did not define. They can come from two sources:

• Dashboard panels that an administrator defined for the profile that you belong to.

These panels are automatically displayed on your dashboard. You can rearrange them and hide them. Administrators can add or change the default panels at any time. If you configured your dashboard and an administrator later adds a panel to the default dashboard, your layout remains unchanged and the new panel appears at the bottom of your dashboard.

Administrators can define Search panels that use global search. For more information, see <u>"Searching</u> for objects using global search" on page 76.

Regardless of where the panels come from, you can reposition them on your dashboard by dragging them and placing them where you want them.

The configuration of your dashboard is saved in the database and not in the web browser cache. This means that you can clear the cache, switch to a different browser, or log in from a different computer without changing the configuration of your dashboard.

Dashboard panels are displayed side-by-side and down the screen. The screen width dictates how many dashboard panels are displayed side-by-side. On smaller screens, for example, on tablets and phones, panels might be displayed straight down the screen. Scroll down to see all panels. You can use a drop-down list to switch between tabs.

Tabs for reports are part of the dashboard that an administrator defined for the profile that you belong to. Administrators can add or change the tabs for reports at any time. You can retain the report tabs that an administrator defined for your profile and also define your own. For more information, see "Adding a Reports tab" on page 38.

#### Trouble:

If the Dashboard encounters a problem and cannot render, you can apply safe mode by adding? safeMode=1 to the end of the URL. The rendering process stops and you can access the dashboard configuration to debug the problem. Remove ?safeMode=1 from the URL to exit safe mode.

### Adding a chart panel

Chart panels on the Dashboard show data graphs that you frequently access.

### Before you begin

Learn more about chart diagrams. For more information, see the IBM OpenPages with Watson Administrator's Guide.

### **About this task**

A chart is based on one object type and one field within that object type that is a single value enumerated field.

You can drill through the chart and open related objects.

Charts in a dashboard panel are similar in functionality to charts in a Task View with the exception that a chart in a dashboard panel has a sum total of objects. Click the sum total to open a grid view of all objects in the chart.

### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Panel.
- 3. Select Chart in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. Choose an **Object Type**. The object types that are listed depend on the access rights that have been assigned to you by an administrator.
  - a) Optional: Select a Filter. If no filters are displayed, there are no filters associated to the object type. Contact your administrator for assistance.
- 6. Choose a **Chart Type**. The following values are valid:
  - Bar
  - Doughnut
  - Gantt
  - Horizontal Bar
  - Pie

If you choose a Chart Type of Bar, Doughnut, Horizontal Bar, or Pie and there are more than 10 values to display, the field values are displayed for 9 values. The other values are grouped together and displayed as **Other** in the chart.

- 7. If you choose Gantt, complete the Gantt Chart Configuration fields:
  - a) Select a Start Date Field.
  - b) Select an End Date Field.
  - c) Select a Primary Row Field.
  - d) Optional: Select a Secondary Row Field.
  - e) Select a Color Definition Field.
  - f) Click Done.

- 8. Choose a field in **Chart Data Field** (displays for all types of charts except Gantt).
- 9. In **Method Type** choose Count, Sum, Average, Min, or Max (displays for all types of charts except Gantt). If you chose Sum, Average, Min, or Max, provide a field in Aggregation Field. Only currency, decimal, and integer type fields are displayed in Aggregation Field.
- 10. Click Done.
- 11. Click Dashboard to refresh the dashboard and verify that the panel displays correctly. Click a panel and move it to where you want it to display on the dashboard.

### Adding a custom panel

Configure a custom panel on the Dashboard to organize information to which you want to have quick access.

### **About this task**

The custom panel is a highly flexible panel type. It can contain multiple widgets of different types, for example, you can place a New widget and a Guidance widget (informational text that you write) in a single custom panel.

The following types of widgets can be added to a custom panel:

#### New

A New widget displays a **New** button for one object type. A Creation View for the object type opens.

#### Chart

A chart is based on one object type and one field within that object type that is a single value enumerated field.

For more information about charts, see "Adding a chart panel" on page 32.

You can select the chart type (bar, doughnut, horizontal bar, or pie), the object type, and the field or fields that the chart is based on.

#### Filter Count

A filter count widget shows an object count for one object type and filter. Click the count to open a Grid View that lists objects that match the filter. You can see how many objects exist and drill down into the count.

#### Guidance

A guidance widget displays informational text that you write. You can apply formatting, for example, bold and italics, to the text.

#### Static Link

A static link widget displays a clickable label for a URL.

### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Panel.
- 3. Select Custom in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. Click **New Widget** and select a widget type:
  - New
  - Chart
  - Filter Count
  - Guidance

- Static Link
- 6. If you chose **New**, complete the following steps:
  - a) Select an Object Type.
  - b) Click Done.
- 7. If you chose **Chart**, complete the following steps:
  - a) Enter a Label.
  - b) Select an Object Type.
  - c) Select a Chart Type.
    - Bar
    - Doughnut
    - · Horizontal Bar
    - Pie
  - d) Choose a field in Chart Data Field.
  - e) Click **Done**.
- 8. Click Done.
- 9. If you chose **Filter Count**, complete the following steps:
  - a) Select an Object Type.
  - b) Optional: Select a **Filter**. If no filters are displayed, there are no filters associated to the object type. Contact your administrator for assistance.
  - c) Click Done.
- 10. If you chose **Guidance**, complete the following steps:
  - a) Enter informational text in Guidance.

You can apply the following formatting to the text:

- \*text\* displays text as italics.
- \*\*text\*\* displays text as bold.
- A fully qualified URL inserts a hyperlink. For example, https://www.ibm.com/displays in a view as a hyperlink named https://www.ibm.com.
- [Link title] (URL) inserts a hyperlink as a link title, where [Link title] is a text title and (URL) is a fully qualified URL. For example, [Click here to visit IBM] (https://www.ibm.com) displays in a view as a hyperlink named **Click here to visit IBM**.

**Note:** Check the text placement and make adjustments if needed. You might have to add spaces and/or new lines to position the text where it aligns correctly.

- b) Click Done.
- 11. If you chose **Static Link**, complete the following steps:
  - a) Enter a Label, for example, Go to IBM. The label is a clickable name in the widget.
  - b) Enter a fully qualified URL in **Link**, for example, https://www.ibm.com.
  - c) Click Done.
- 12. Click Done.
- 13. Click **Dashboard** to refresh the dashboard and verify that the panel displays correctly. Click a panel and move it to where you want it to display on the dashboard.

### Adding a favorites panel

A favorites panel on the Dashboard displays objects that are marked as favorites.

#### About this task

The first column in a favorites panel is object name. The second column is configurable, where it can be an object's description, folder location, or object type. You can define multiple favorites panels, each with a different field defined as the second column.

Objects are sorted by the timestamp when objects are marked as a favorite.

A maximum of 20 objects can be marked as favorites.

### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Panel.
- 3. Select Favorite Objects in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. In **Second Column** define what field is displayed in the second column of the favorites panel.

The second column can be:

- Description
- Folder
- Object Type
- 6. Click Done.
- 7. Click Done.

The new panel displays on the Dashboard. Objects are already marked as a favorite are listed.

- 8. To mark an object as a favorite:
  - a) Click to open the Primary menu, expand a category, choose an object type, and open an object. For example, open a business entity that you frequently need to access.
  - b) Click 🔯.

The favorites star becomes solid yellow.

c) Go back to the dashboard.

The object you marked is listed in the favorites panel.

9. To unmark an object as a favorite, open the object and click 🔼

### Adding a Reports panel

A Reports panel shows either a list of all reports by category or an alphabetical list of reports that are assigned to the profile that you belong to.

#### About this task

When you define a Reports panel, the **Data Source** field determines the panel's organization and content:

All Reports

A Reports panel lists reports organized by categories. The panel contains reports that are located in the Reporting folder. The panel contains only reports that you have permission to view, either per your profile or the permissions on the report.

· Profile Reports

A Reports panel lists reports alphabetically. The list contains only reports that are assigned to your profile.

### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Panel.
- 3. Select Reports in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. Select All Reports or Profile Reports in **Data Source**.
- 6. Click Done.
- 7. Click **Dashboard** to refresh the dashboard and verify that the panel displays correctly. Click a panel and move it to where you want it to display on the dashboard.

### Adding a My Tasks panel

A My Tasks panel on the dashboard organizes tasks that are assigned to you by due date, relative to a *due* soon timeframe.

#### About this task

You define how many weeks constitute the *due soon* timeframe. You can use the timeframe to establish a sense of urgency that is personalized for you for this type of task. A task can fall into one of three categories:

- Overdue (the task's due date is before the due soon timeframe)
- Due soon (the task's due date is within the due soon timeframe)
- Due later (the task's due date is after the due soon timeframe)

The **Complete task with bulk workflow actions** window displays on My Tasks panel if the feature is configured and you have workflow items that belong to you as an assignee. It appears automatically and requires no configuration in the panel definition. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.

#### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Panel.
- 3. Click My Tasks in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. In 'Due Soon' definition (in weeks) enter the number of weeks that define the due soon timeframe.
- 6. Leave the default colors as they are or choose other colors in **Chart Colors**.
- 7. Click Done.
- 8. Click **Dashboard** to refresh the dashboard and verify that the panel displays correctly. Click a panel and move it to where you want it to display on the dashboard.

### Adding a Subscription Task panel

A Subscription Task panel on the Dashboard organizes your subscription tasks by due date, relative to a "due soon" timeframe.

### **About this task**

You define how many weeks constitute the due soon timeframe. You can use the timeframe to establish a sense of urgency that is personalized for you for this type of task. A task can fall into one of three categories:

- Overdue (the task's due date is before the due soon timeframe)
- Due soon (the task's due date is within the due soon timeframe)
- Due later (the task's due date is after the due soon timeframe)

The Complete task with bulk workflow actions window displays on a Subscription Task panel if the feature is configured and you have workflow items that belong to you as a subscriber. It appears automatically and requires no configuration in the panel definition. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.

#### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Panel.
- 3. Select Subscribed Tasks in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. In 'Due Soon' definition (in weeks) enter the number of weeks that define the due soon timeframe.
- 6. Leave the default colors as they are or choose other colors in **Chart Colors**.
- 7. Click Done.
- 8. Click Dashboard to refresh the dashboard and verify that the panel displays correctly. Click a panel and move it to where you want it to display on the dashboard.

### Adding an Oversight Task panel

An Oversight Task panel on the Dashboard organizes your oversight tasks by due date, relative to a due soon timeframe.

### **About this task**

You define how many weeks constitute the due soon timeframe. You can use the timeframe to establish a sense of urgency that is personalized for you for this type of task. A task can fall into one of three categories:

- Overdue (the task's due date is before the due soon timeframe)
- Due soon (the task's due date is within the due soon timeframe)
- Due later (the task's due date is after the due soon timeframe)

The Complete task with bulk workflow actions window displays on an Oversight Task panel if the feature is configured and you have workflow items that belong to you as an oversight user. It appears automatically and requires no configuration in the panel definition. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.

### **Procedure**

1. Click to open the Dashboard configuration menu.

- 2. Click New Panel.
- 3. Select Oversight Tasks in Panel Type.
- 4. Enter a **Label**. The label displays as a title for the panel.
- 5. In 'Due Soon' definition (in weeks) enter the number of weeks that define the due soon timeframe.
- 6. Leave the default colors as they are or choose other colors in **Chart Colors**.
- 7. Click Done.
- 8. Click **Dashboard** to refresh the dashboard and verify that the panel displays correctly. Click a panel and move it to where you want it to display on the dashboard.

### **Adding a Reports tab**

A dashboard can contain up to three tabs for Cognos and OpenPages reports.

### **About this task**

Your administrator might have created report tabs for the profile that you belong to. If this is the case, you can retain the report tabs or remove them and add reports that you access more frequently.

### **Procedure**

- 1. Click to open the Dashboard configuration menu.
- 2. Click New Report Tab.
- 3. Enter a Name. Keep it short.
- 4. Select a Report.
- 5. Click Done.

## **Chapter 4. Working with objects**

You can complete work that is assigned to you, create objects, and edit and copy objects.

### Using Grid Views to find, open, and work with objects

A Grid View is a list of objects.

In a Grid View, you can perform the following tasks:

- · Filter the list.
- · Export the list.
- · Select a specific object to open.
- · Create, delete, lock, and unlock objects.
- Change fields across multiple objects.
- Apply or remove tags across multiple objects.

### **About this task**

Grid Views function the same across all object types. The field columns vary depend on the object type.




Figure 14. Example of a list of objects (Grid View)

#### **Procedure**

1. Open a Grid View.

There are numerous access points for Grid Views, for example:

- Click to open the Primary menu. Find the object type that you want to work with. A Grid View opens.
- Click a color in a chart in a Task View or on the Dashboard. A Grid View opens with objects in that portion of the chart.

- 2. Take any of the following actions:
  - Select an object that you want to work with and open it.
  - · Click in the search box and enter search criteria.

For more information, see "Finding objects with the Search box" on page 65.

• Click To access filters that help you quickly find objects that you want to work with.

For more information, see:

- "Using folder filters (Business Entity)" on page 66
- "Using private filters" on page 67
- "Using public filters" on page 66
- "Using ad hoc filters" on page 70

After you apply a filter, you can optionally enter search criteria in the search box to narrow your search even further.

Click the filter name in the header to remove the filter.

- Select or clear the filter that is displayed at the top of the grid, if one is displayed. The name of the filter depends on how your system has been configured. If the object type uses workflows, the **Active Only** filter might be displayed. Clear **Active Only** to include objects in the list that have completed a workflow. Objects that have not yet gone through a workflow and those that are actively in a workflow are always listed. If **Active Only** is not displayed, no workflows exist for the object type.
- Export all or selected objects into a spreadsheet. For information, see <u>"Exporting data from filter</u> results" on page 53.
- Click **Complete task with bulk workflow actions**, if it is displayed, to quickly complete workflow items. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.
- Select all, one, or many objects with the check mark and then you can delete, lock, unlock, or export them.
- Select all, one, or many objects with the check mark and click Bulk Update Let to change field values across multiple objects. For more information, see "Applying changes to multiple objects with bulk update in a Grid View" on page 51.
- Select all, one, or many objects with the check mark and click Manage tags to apply or remove tags across multiple objects. For more information, see "Adding and removing tags from multiple objects in a Grid View" on page 52.
- Select all, one, or many objects with the check mark and click Move to move the objects to another folder. Choose the destination of the selected objects and click **Confirm**. For business entities, self-contained objects, and security model objects, selected objects are moved using a long running process. This enables a user to reorganize business entity structures. A move cannot be undone.

Whether child objects are moved with their parent objects depends on how the Allow Hierarchical Moves setting is configured.

**Note:** If a move involves a large number of objects, perform the move after business hours to reduce the impact on system performance.

- Click a field name in the header row to sort the list by that field in ascending order. Click the field name again to choose descending order.
- Click New + to create a new object. Whether the button is displayed depends on how your system is configured.
- Choose a value in **Items per page** to control how many objects are listed on a single page.

If you access an object type that does not have an enabled, valid Grid View, no view is displayed.

### Completing work that is assigned to you

You can complete a task that is assigned to you.

### About this task

What you can do on the task depends on how it is configured.

#### **Procedure**

- 1. You can access the tasks that are assigned to you in several ways:
  - From your dashboard, you can find and open tasks that are assigned to you. For more information, see "Using the Dashboard" on page 25.
  - From the My Tasks tab, you can open tasks that are assigned to you. For more information, see "Using the My Tasks tab" on page 27.
  - · Click Complete task with bulk workflow actions to complete workflow items. For more information, see "Completing bulk workflow actions in a Grid View" on page 47.
  - From an email notification that you received, click a URL. The system opens a task that is assigned to you. Email notifications can be sent when a stage changes or a workflow ends. Email notifications can be sent to both task assignees and subscribers. Whether and when you receive email notifications depends on how your system is configured.
  - From an email reminder that you received, click a URL. The system opens a task that is assigned to you. Email reminders can be sent before, on, or after the due date for a task. You might receive multiple reminders. Email reminders can be sent to both task assignees and subscribers. Whether and how frequently you receive email reminders depends on how your system is configured.
- 2. Work on the task:
  - · Review information about the object.
  - · Complete required fields that are empty.

Reveal editable fields ( to turn on edit mode. If you have many **Tip:** If it is displayed, click changes to make, you can use the Tab key to move from field to field.

- Correct required and optional fields that have invalid values.
- · Review optional fields that have values.
- If possible, complete optional fields that are empty.
- Click (1) to view field guidance for all fields in a section.
- To find a field in the view, click , and then type the name of the field.

Depending on how the Task View is configured, you might also be able to take any of the following actions:

- Use the supporting information in inline guidance to help you understand what you need to do.
- Use the information text and progress bar in user guidance to view a task's status:

Table 11. Colors in the progress bar			
Color	Status	Includes	
Red	Not ready	<ul> <li>Required fields that are empty.</li> <li>Required fields that have invalid values.</li> <li>Optional fields that have invalid values.</li> </ul>	
Green	Ready	Required and optional fields that are finished and have valid values.	
Gray	Ready	Optional fields that are empty.	
Black	Not ready	Fields that need to be revalidated. Click <b>Save</b> .	

Provide a valid value for fields that display as red in the progress bar. Review all optional fields and, if possible, provide values for fields that display as gray.

Use the key items that are listed in user guidance as your navigation point to important fields. Filter the list of key items by all key items, key items that need attention, or key items that are incomplete. Key items that need attention are included in red in the progress bar.

• Add or change information about the object.

Other field values might change automatically and be set to read-only. For example, if the field you modify is an input field for a calculation, the output field is changed as a result of the calculation and set to read-only. For more information about the GRC Calculations feature, see the IBM OpenPages with Watson Administrator's Guide.

A field that is read-only is not validated when you modify other fields in a view. For example, if Field A is read-only, then the value of Field A isn't validated when you modify other fields in the view and save your changes.

The same rule applies for dependent fields. For example, suppose that Field A is read-only and Field B is editable. Also, suppose that the value of Field A must be **Yes** if Field B is **No** and Field A must be No if Field B is Yes. When Field A is Yes and the user changes the value of Field B from No to Yes, they can save their changes because Field A is read-only. Field A retains the invalid value and no error message is displayed.

- Associate the object to another object. If the association is required, the relationship field is listed as a key item.
- Disassociate an object from another object:
  - In a grid relationship field, click **Remove**.
  - In a card relationship field, click **Associate** (the label might be different) and then disassociate the object.
- Add objects. For more information, see "Creating objects from a Grid View" on page 59.
- Delete child objects.
- View a chart diagram and drill down to underlying objects. For more information, see "Viewing information in charts" on page 44.
- View object relationship diagrams and navigate through an object relationship structure. For more information, see "Viewing information in a tree diagram" on page 45.
- If a task is part of a workflow, the **Actions** button is displayed. For example, for an Issue object you might see one or more of the following options on the **Actions** button:
  - Approve
  - Deny
  - Approve Close Request
  - Deny Close Request

- Request Due Date Change
- Grant Due Date Change

For a Waiver object you might see one or more of the following options:

- Submit for Review
- Reject
- Approve and Close

Whether the **Actions** button is displayed depends on the workflow that is driving the business process for the object type. The options on the **Actions** button change as the object moves through the workflow process.

The information in the workflow information card is dynamic and also changes throughout the workflow process. It helps you understand where the object is in the workflow process. It shows the current stage, the stage due date, and the current assignee.

Click the refresh button in the workflow information card if the workflow fields are not automatically updated with the latest changes. Fields that are displayed in the workflow information card are refreshed. If the dashboard or task tabs are open, information there is refreshed as well.

The information in the user guidance panel, if it is configured, is also dynamic and can change throughout the workflow process. It explains more about the workflow process and what you need to do at this stage. Click Select an action to validate to check whether an action would pass validation before you complete the action. For more information, see "Validating a workflow action" on page 46.

- Add a comment after you choose an option on the **Actions** button. Whether you can add a comment and whether it is required or optional depends on how the options for the Actions button are configured. A comment can be up to 4000 characters.
- Move an object forward to the next stage in a lifecycle, if lifecycles are configured for the object type. For example, for an Issue object you might see an Actions button with one or more options.

Objects that are configured to use lifecycles show different options on the Actions button but don't have a workflow information card or a User Guidance panel.

For more information, see "Configurable lifecycles" on page 20.

- · Use IBM Watson cognitive technology to make taxonomy suggestions and parent or child object association suggestions. For more information, see "Creating objects from a Grid View" on page 59.
- · View insights about the data in a view. If a field has a link to an AI model, you can click the link to see insights about the data in the field. In this example, the **Description** field has a link to an AI model:



- Watson Translator (i) , if it is displayed, to translate values in text fields to the language associated to your locale. For more information, see "Using IBM Watson Language Translator" on page 16.
- · Add and work with files (attachments). For more information, see "Adding and working with files (attachments) on objects" on page 78.
- From a Grid relationship field, click upon an object in a Quick View. The object opens in the side panel. For more information about using the Quick View, see "Opening a Quick View" on page
- 3. Click the Activity tab to view change history. For more information, see "Viewing change history on the Activity tab" on page 53.

4. Click Save

### **Results**

After you finish a task, close the tab.

If you access an object type that does not have an enabled, valid Task View, no view is displayed.

### **Viewing information in charts**

A chart diagram displays a graphical view of related objects based on a specific field.

### **Example: Horizontal bar**

In the following example, a horizontal bar chart shows work papers by review status. You can quickly understand that most of the work papers are completed.




Figure 15. Example of a horizontal bar chart

Click in the different areas of a chart to open a Grid View that lists the underlying objects for that value.

For example, click in the **Completed** bar area and a Grid View opens that lists work papers that have a review status of **Completed**.

Indicators in the Grid View show the filters that are applied and the number of objects in the list. Click the arrow icon to open a parent object. Click **X** to remove a filter and update the list in the Grid View.




Figure 16. Grid View of underlying objects in a chart

### Viewing information in a tree diagram

A tree diagram displays an object relationship diagram that you can use to find out how an object is related to other objects, drill through the diagram, and open related objects.

The following image shows a tree diagram for a Business Entity.



Figure 17. Tree diagram

In a tree diagram, you can take the following actions:

- Click a circle to expand or collapse that level.
- Click the title of a circle to open an object or list of objects.
  - If you click an object name, the object opens in a Quick View. For more information, see "Opening a Quick View" on page 50.
  - If you click an object type name, a list of objects displays as cards. Click an object name to open it in a new tab.
- Hover over an object title to see a full name without opening an object.
- Click <sup>□</sup> to open the tree diagram in a new tab.

The following image shows an expanded tree diagram after you drill down to the child objects.




Figure 18. Expanded tree diagram

### Validating a workflow action

If a task is part of a workflow that has already started, you can check whether an action would pass validation before you complete the action.

#### **About this task**

If a task is part of a workflow that has started, **Select an action to validate** is displayed in the user guidance panel.

When you validate an action, the system guides you through the issues that need to be addressed. You can:

- Use the list of key items as your navigation point.
- · Click a key item to go directly to a field.
- Follow the messages to understand how to resolve issues.

The list of key items includes required fields and other items that an administrator designated as key items. You can filter the list of key items by all key items, key items that need attention, or incomplete key items. Key items that need attention are included in red in the progress bar. The symbols next to a key item indicate its status. When you click a key item, the curser moves to the field in edit mode.

#### **Procedure**

- 1. Open the task that you want to work on.
  - If it is configured, the user guidance panel displays in the upper right corner of the view.
- 2. Click **Select an action to validate** and choose an action.
  - Several changes occur in the user guidance panel:
  - Symbols next to key items change based on the action you chose.
  - Messages might display in the task view under fields that have validation errors.
  - Key items that are specific for the action are added to the list of key items under the title Key Items
    for this Action.
- 3. Click key items that are in error or need to be addressed. Use the selector to filter the key items by all key items, those that need attention, or those that are incomplete. Key items that need attention are included in red in the progress bar.
- 4. Follow the messages to understand how to resolve issues.

  After all issues are resolved and the progress bar has no red, the action is validated.
- 5. Optional: Click **Select an action to validate** and validate a different action. Changes occur in the user guidance panel based on the action you chose. Work through the same steps to resolve issues.
- 6. After issues are resolved and the task is ready to be finished, click **Actions** and select the action that you validated.
  - The action completes and you have finished your work.

### Completing bulk workflow actions in a Grid View

Use the **Complete task with bulk workflow actions** window to quickly complete workflow tasks.

#### **About this task**

The **Complete task with bulk workflow actions** window is displayed if the feature is configured and you have workflow items that belong to you as an assignee, subscriber, or oversight user. For more information about configuring the **Bulk Workflow Action** feature, see the *Defining a standard stage* topic in the *IBM OpenPages with Watson Administrator's Guide*.

The window can be displayed on the My Tasks tab and dashboard panel, the Subscription Tasks tab and dashboard panel, and the Oversight Task tab and dashboard panel. After you click a category, a Grid View for bulk workflow actions is displayed.

For example, you are the assignee for tasks for Risks, Control Evals, and Issues. If you go to a **My Tasks** panel on the Dashboard, the **Complete task with bulk workflow actions** window is displayed as in the following example:




Figure 19. Example of a My Tasks dashboard panel with a Complete tasks with bulk workflow actions window

The number 3 corresponds to the number of categories (workflows) assigned to you, not the number of actual tasks.

If you go to the My Tasks tab on the Home page, the Complete tasks with bulk workflow actions window is displayed. Click the count to expand the view:




Figure 20. Example of a My Tasks tab with a Complete tasks with bulk workflow actions window

From either access point, when you click a category, a Grid View opens where you can work with tasks. In the following example, you selected to work with tasks that are related to Risks (the RCSA workflow). The workflow is displayed in **Workflow Name** in the header. The stage is displayed next to the workflow name. In this example, you have 43 risk assessments to review. Select one or more rows with the checkmark. The options that are displayed in the toolbar are **Approve**, **Reject**, and **Return**.




Figure 21. Example of a Grid View for bulk workflow actions

### **Procedure**

- 1. Go to the **My Tasks** tab or dashboard panel, the **Subscription Tasks** tab or dashboard panel, or the **Oversight Task** tab or dashboard panel.
- 2. Expand Complete task with bulk workflow actions.
- Choose a category.A Grid View opens.
- 4. Optional: Select all, one, or many objects with the checkmark and click **Bulk Update**. For more information, see "Applying changes to multiple objects with bulk update in a Grid View" on page 51.
- 5. Select one or more rows with the checkmark and choose an option in the toolbar.
- 6. Click Confirm.
- 7. Repeat the steps until you have worked through your tasks.

### **Opening a Quick View**

Use a Quick View to view or edit a selected or related object or create an object in a small sidebar without leaving the original object.

#### About this task

A Quick View is accessed from several places in the system, for example, a Grid View, Grid relationship field in a Task View, or a tree diagram.

If you open a Quick View from a Task View, the Task View where you started becomes read only.

All of the functionality that is available in a Task View is also available in a Quick View with the following exceptions:

- Actions in relationship fields except for New (direct children only)
- User Guidance
- The IBM Watson Insights button that supports IBM Watson cognitive technology

#### **Procedure**

1. Open a Grid View or a Task View.

For information about how to access a Grid View View, see "Using Grid Views to find, open, and work with objects" on page 39.

For information about how to access a Task View, see "Completing work that is assigned to you" on page 41.

2. Click next to the object you want to open.

The object opens in Quick View.

3. From a tree diagram, click a circle title where there is only one object at that level.

The object opens in a Quick View.

- 4. In a Quick View, you can:
  - · View an object.
  - Edit an object, either field-by-field or in edit mode.
  - Click \( \text{\text{Q}} \) to search for fields in the Quick View.
  - Mark an object as a favorite.
  - · Start a workflow action.
  - Create a new child object of the object that is open.
  - If a tree diagram is displayed, drill through to other objects.
  - Click to expand the Quick View to open the object in a new tab. The object opens in the Task View for the object type. Full functionality is then available.
- 5. Close the Quick View.

# Applying changes to multiple objects with bulk update in a Grid View

Administrators can edit information for multiple objects by using the bulk update function.

### Before you begin

You must have the Bulk Update All Fields permission to access the bulk update function.

### **About this task**

- Identify field values to change and objects to update. The fields that you identify are updated in all objects that you select.
- You can also leave fields unchanged or clear the values in a field.
- Administrative settings might prevent you from updating an object.
- All objects that generate no errors are updated.
- Field dependencies, locks, and permissions might prevent you from modifying selected objects. The objects that you can modify are saved with the changes, while the others are not changed.
- · You cannot clear required fields.

Administrators configure the fields that are available in bulk update. Depending on how the view is configured, more fields might be displayed in bulk edit than are displayed in the Grid View.

Read only fields, for example, computed fields, workflow fields, and system fields that are read only are not available for selection in bulk update.

Changing the value of a picklist that is the controller of other pick lists can invalidate the values of the dependent pick lists. Therefore, if you use bulk update to change a controller or dependent picklist, all other picklists that are involved in the dependency are automatically added as bulk update fields. Update the field values based on the list of new options.

#### **Procedure**

- 1. Open a Grid View.
  - For more information, see "Using Grid Views to find, open, and work with objects" on page 39.
- 2. Select all, one, or many objects with the check mark and click **Bulk Update**.
  - The bulk update side panel opens. The number of objects that are selected is displayed.
- 3. In **Select fields to bulk update**, choose the fields that you want to change. Type letters to find fields.
- 4. Provide the changes:
  - Enter new values in the fields.
  - Click Clear Values to clear the values in a field.
    - If a field is required, you cannot clear its values.
- 5. Review the list of changes to be applied. If a field is listed that should not be updated, click the remove icon to remove it from bulk update.
- 6. Click Update.
- 7. A summary of the proposed updates is displayed. Review the changes and click **Confirm**.

### What to do next

Objects are updated. If you remain on the confirmation window during processing, the Bulk Update Report window is displayed when the process is finished. It shows the number of object updates that succeeded and failed. Object updates that failed are listed with a reason. If you close the confirmation window during processing, you can review the bulk update results in Notifications or the email that you receive.

### Adding and removing tags from multiple objects in a Grid View

You can edit the tags for multiple objects by using the Manage tags button in Grid View.

### Before you begin

You can add and remove tags from an object only under the following conditions:

- The object type has tagging enabled.
- The object must be unlocked.
- · You must have write access to the object.
- You must be in the current reporting period.
- When you are adding tags, the number of tags must be less than the maximum of 25 tags per object.
- The object type has tagging enabled.
- The object must be unlocked.
- · You must have write access to the object.
- You must be in the current reporting period.
- When you are adding tags, the number of tags must be less than the maximum of 25 tags per object.

Because you are editing multiple objects, some objects might meet these conditions while others might not. The objects that don't meet the conditions are not changed. For example, if you select two objects and one already has 25 tags, no tags are added to that object, but they are added to the other object. If one object is read-only due to security rules, the tag changes are not applied to that object but they are applied to the other objects. If any failures occur, a report is displayed to explain the failures.

For more information about tags, see "Tags" on page 22.

#### **Procedure**

1. Open a Grid View.

For more information, see "Using Grid Views to find, open, and work with objects" on page 39.

2. Select all, one, or many objects with the checkmark and click Manage tags.

The **Manage tags** panel opens. The number of objects that are selected is displayed.

- 3. To add tags:
  - a) In the **Select tags to add** drop-down box, you can either type characters to find tags or you can click the arrow to display a list of tags.
  - b) Select the tags that you want to add.
- 4. To remove tags:
  - a) In the Select tags to remove drop-down box, you can either type characters to find tags or you can click the arrow to display a list of tags.
  - b) Select the tags that you want to remove.
- 5. Click Save.

#### Results

In the Grid View, you can see the changes that you made to the tags for the selected objects in the Tags

### Viewing change history on the Activity tab

Use the **Activity** tab on a task to view modifications that were made to an object.

If you are a member of the OP Administrators Group, you can see all activities on all fields. Otherwise, you can only see activities for fields that are in your view and that you have access to based on your profile.

#### **About this task**

Change history is read-only and cannot be changed. Change history is displayed for the selected reporting period. For more information, see "Changing the reporting period" on page 15.

### **Procedure**

1. Open a task.

For more information, see "Completing work that is assigned to you" on page 41.

2. Click the **Activity** tab.

Change history for the object is displayed.

- 3. Compare values in the **Old Value** and **New Value** columns.
- 4. Optional: Filter the change history by the following criteria:
  - Field displays changes to field values
  - Relationship displays changes to object associations
  - Workflow displays changes to workflow stages and statuses

### **Exporting data from filter results**

You can export data into a spreadsheet (.xlsx format) from a Grid View. All objects that match the filter criteria, if applied, are exported.

### **About this task**

You can tailor the fields and objects that are exported based on what you want to do with the data.

Your administrator sets the maximum number of items that you can export. If you exceed this limit, you must reduce the number of items in the filter results, or select fewer levels of object types to export.

### **Procedure**

1. Open a Grid View.

You can access a Grid View from various parts of the application. The following steps are examples of how you can access a Grid View.

- Click to open the Primary menu. Find the object type that you want to work with. A Grid View opens.
- Click a color in a chart in a Task View or on the Dashboard. A Grid View opens with objects in that portion of the chart.
- 2. Apply filters, as needed.
- 3. Use FastMap to export all or selected objects into a spreadsheet.
  - Click riangle to export all objects of that object type.
  - Use the check boxes to select the object types to include in the export.

The object types that are displayed are determined by your profile. The number of levels in the object type path is configured by an administrator. For example, if you are exporting Policies, you might see the option to export Procedures as well.

4. Click **Export**. A Microsoft Excel file in FastMap format is created. A link is displayed in the tray. All fields that are available for your profile are exported.

FastMap has an import capability, which might be configured for you by your administrator. You can edit the data in the workbook and then import it with FastMap.

For more information, see "Using FastMap" in the IBM OpenPages with Watson Administrator's Guide.

### **Editing objects in a Task View**

You can edit fields for a single object from a Task View.

### Before you begin

Consider the following information before you edit an object in a Task View.

- You cannot edit the following object fields: Folder, Creation Date, Created By, Last Modification Date, Last Modified By.
- Remove all signature locks, including inherited locks before you edit an object.
- If you and another user simultaneously edit the same object, or if another user changes the object after you retrieve it, an error message notifies you of a conflict.
- Do not edit the same object instance simultaneously in two separate browser tabs or browser windows. Doing so might cause unexpected results.
- You can edit an item that is associated with an object from the object page.

#### **Procedure**

- 1. Access the object that you want to edit. Open the object in a Task View. For more information, see "Completing work that is assigned to you" on page 41.
- 2. Hover over fields in the Task View. The dedit icon is displayed next to fields that are available for editing.
- 3. Make the change.
- 4. Edit other fields.

### **Copying objects**

If configured, you can copy an existing object to quickly create an object with similar values.

#### About this task

Whether you are allowed to copy objects depends on your permissions and how your system has been configured.

If copy is configured for an object type, a copy button is available in a Task View. It can display in a card or grid relationship field.

The functionality of the copy function, including how child objects are named and how conflicts are resolved, depends on how the copy recursive action is defined in the card or grid relationship field.

For more information about copy recursive, see *Using FastMap* in the *IBM OpenPages with Watson* Administrator's Guide.

#### **Procedure**

- 1. Access the object that you want to edit. Open the object in a Task View. For information, see "Completing work that is assigned to you" on page 41.
- 2. Scan through the Task View and locate the Copy button.
- 3. Click **Copy** (the button might have a different name).
- 4. Finish your task.
- 5. Click Copy.

A duplicate instance of the object or child objects is created.



#### Attention:

- You cannot copy a Business Entity onto itself.
- If the number of selected objects to copy is greater than a specific value, then the copies are created in the background as a long-running process.

Go to background processes to review the status of long-running processes.

You receive an email when the copies are finished. The email contains links to a process report and to the object's task view.

The administrator can change the default number of copies for long-running processes.

### **Deleting objects**

If configured, you can delete an object from the current reporting period.

#### **About this task**

Whether you are allowed to delete objects depends on your permissions and how your system has been configured.

An object must be unlocked before it is deleted. After you delete an object, it cannot be recovered. However, if the deleted object was included in a previous reporting period, you can view details that are associated with that object through reports. Folders that are generated by the system cannot be deleted. Consider the following information before you delete an object:

- When you delete a parent object, any child objects, associated issues, or action items are also deleted.
- When you delete a business entity, child objects, associated objects, or subentities that are in the same folder, including attached external documents, are deleted.

- If you delete a control object, any associated tests and attached external documents are deleted.
- Make sure that all important information that is contained in an associated test is preserved before you
  delete a control.
- You might be able to delete only objects in a folder and not the folder. If you are allowed to delete a folder, all contents are deleted. For a file, all versions are deleted.
- If the file Check In/Check Out feature is configured, a file must be checked in before it can be deleted.

### **Procedure**

- 1. From the Primary menu, select the object type.
- 2. In the Grid View, use the check mark to select each object that you want to delete.
- 3. Click .
- 4. Click **Delete** to verify the deletion.

### Renaming an object from a Task View

You can rename objects from a Task View.

### **About this task**

Whether you are allowed to rename objects depends on your permissions and how your system has been configured. This applies to self-contained objects only. You can only rename objects in a folder and not the folder itself.

Objects that reside in the same folder must have a unique name. When you rename a folder, its contents (primary associations) will also be moved to the renamed folder. If the Check In/Check Out feature is enabled, you can only rename a file that is checked in. Folders that are generated by the system cannot be renamed.

### **Procedure**

- 1. Access the object that you want to edit. Open the object in a Task View. For information, see "Completing work that is assigned to you" on page 41.
- 2. Click next to Name.
- 3. Click Save.

### Chapter 5. Creating and associating objects

You can create object instances and you can create associations among objects, or between objects and attached files.

### **Creating object instances**

In IBM OpenPages with Watson, you can create object instances from several launch points.

Whether and how you can create object instances depends upon how your system is configured and the permissions that have been granted by your administrator.

There are several possible launch points:

· From a Grid View.

Click ■ > [object type]. A Grid View for that object type is displayed. Click +

• From a Dashboard panel that is configured to add new objects.

Click . The Home page is displayed. Look for a panel that allows you to create objects. The panel will have a button with a label such as New Control or New Risk.

If you do not have such a panel, you might be able to create one, depending on your permissions. For more information, see "Adding a custom panel" on page 33.

• From a Task View that allows you to create child objects.

Depending on the object type, a Task View might display buttons where you can create child objects. Access a Task View by working on a task that is assigned to you or opening an object from a Grid View. In this case, the primary parent is set to the object of the task you were working on.

• From a Task View that allows you to copy child objects.

Access a Task View by working on a task that is assigned to you or opening an object from a Grid View. Depending on the object type, a Task View might display a Copy button. You can make a copy of a child object and then edit the new object to meet your requirements.

For more information, see "Copying objects" on page 55.

The following example shows the screen, called a Creation View, that is displayed by clicking

Assessments > Controls and then clicking New +




Figure 22. Example of creating a Control object

The process of creating an object instance has the following features:

- The New + button and New [object type] label might be named differently, depending on your configuration.
- If the auto-naming setting is enabled for an object type by your administrator, a name is automatically assigned to the new object instance.
- When you create a child object, depending on the access point, you might have to select the parent object or it might be set for you.

Look for Set Primary Parent and Add buttons in the Parent section of the Admin tab for the object.

• When you create a parent object, you might be able to select child objects to link to the new object instance.

Look for the **New** or **Add** buttons on the **Admin** tab for the object.

- The **New**, **Set Primary Parent**, and **Add** buttons might be named differently, depending on your configuration.
- You might be able to add file attachments.

Look for the Add and New/Update buttons.

- A new object instance cannot be saved until all required fields are complete.
- If the text Adding a description improves IBM Watson Suggestions is displayed below a field, IBM Watson cognitive technology has been implemented. It can support you by providing taxonomy suggestions and/or object association suggestions. For more information, see "Natural language processing services" on page 20.
- Use the supporting information in inline guidance to help you understand what you need to do.
- Use the information text and progress bar in user guidance to view a task's status:

Table 12. Colors in the progress bar			
Color	Status	Includes	
Red	Not ready	<ul> <li>Required fields that are empty.</li> <li>Required fields that have invalid values.</li> <li>Optional fields that have invalid values.</li> </ul>	
Green	Ready	Required and optional fields that are finished and have valid values.	
Gray	Ready	Optional fields that are empty.	
Black	Not ready	Fields that need to be revalidated. Click <b>Save</b> .	

Provide a valid value for fields that display as red in the progress bar. Review all optional fields and, if possible, provide values for fields that display as gray.

Use the key items that are listed in user guidance as your navigation point to important fields. Filter the list of key items by all key items, key items that need attention, or key items that are incomplete. Key items that need attention are included in red in the progress bar.

• Use the supporting information in inline guidance to help you understand what you need to do.

# **Rules for naming objects**

Use the following conventions to name objects:

- The maximum length of an object name is 252 characters.
- If auto-naming is enabled, the name of the object is automatically created.
- Only the following special characters are allowed:

```
~@^()_+`[]{};',.!#%&*,'<>:"|?
```

The forward slash / and backward slash \ are not allowed.

### **Creating objects from a Grid View**

You can create objects, for example, Risks, Risk Assessments, Controls, and Processes.

#### **About this task**

You can create objects by clicking New + from a Grid View.

From this access point, the parent object is not known. The view contains a relationship field that allows you to select a parent object.

#### **Procedure**

- 1. Click to open the Primary menu.
- 2. Click the object type.

The Grid View opens.

- 3. Click New + . If you are creating an object by working on a task that is assigned to you, begin here.
- 4. Type or review a name for the object.

If auto-naming is not enabled, you must enter a name.

If auto-naming is enabled, a name is automatically entered for you and might be read-only, depending on the configuration.

- 5. Complete the required fields.
- 6. Complete the optional fields, as needed. Use the supporting information in the field guidance, inline guidance, and user guidance, if it is configured.
- 7. As you complete the fields, other field values might automatically be set to values and be read-only. This happens if the field you completed is an input field for a calculation. For more information about the GRC Calculations feature, see the *IBM OpenPages with Watson Administrator's Guide*
- 8. Provide a parent and child object associations as needed. A primary parent object is required for most object types. The labels depend on the type of object you are creating. For example, when you create an Issue, the buttons might be labeled **Select Impacted Business Entity, Select Impacted Control**, and **Select Impacted Policy**. When you create a new Control, the button might be labeled **Select Risk**. For more information about making associations, see "Associating objects using a card relationship field" on page 63 and "Associating objects using a grid relationship field" on page 62.
- 9. If the text Adding a description improves IBM Watson Suggestions is displayed below a field, IBM Watson cognitive technology has been implemented. It can support you by providing taxonomy suggestions and/or object association suggestions. For more information, see "Natural language processing services" on page 20.
  - a) Click the IBM Watson Insights button. The button label displays briefly as IBM Watson Insights and then changes to the classifier field label or action label. The button displays only if Watson can make suggestions given the value you entered in the field noted by the text Adding a description improves IBM Watson Suggestions.

A list of suggestions displays in the IBM Watson Insights panel together with confidence scores.

- If cognitive technology has been configured to make taxonomy suggestions, a list of suggested classifications is displayed.
- If cognitive technology has been configured to make object association suggestions, a list of suggested objects is displayed.
- b) Make a selection.
  - If cognitive technology has been configured to make taxonomy suggestions, the system populates up to three classifier target fields, for example, the Risk Category, Risk Sub-Category and Risk Example fields. You can manually populate the classifier target fields if they are included in the view.
  - If cognitive technology has been configured to make object association suggestions, the system updates the object's parent or child associations.

You might be able to choose multiple suggestions.

c) If you do not want to use any of the suggestions, close the panel. To generate a new list of suggestions, change the text in the classifier input field, for example, the **Description** field. Click the IBM Watson Insights button again.

10. Click Save

### **Creating objects from a Dashboard panel**

You can create objects from a Dashboard panel.

### Before you begin

Verify that your Dashboard contains a panel that allows you to create objects. If you do not have such a panel, you might be able to create one, depending on your permissions. For more information, see "Adding a custom panel" on page 33.

#### **About this task**

From this access point, the parent object is not known. The view contains a relationship field that allows you to select a parent object.

#### **Procedure**

- 1. Click 🔷 .
- 2. Look for a panel that allows you to create objects. Click a create button in a panel that has button with a label such as Create Control or Create Risk.
  - The Creation View opens.
- 3. Complete the steps as described in "Creating objects from a Grid View" on page 59.
- 4. Click Save.

# Creating child objects from a Task View

You can create child objects, for example, Issues and Actions, from their parent objects.

#### **About this task**

Depending on the object type, a Task View might display buttons where you can create child objects. Access a Task View by working on a task that is assigned to you or opening an object from a Grid View.

From this access point, the primary parent is set to the object of the task you were working on. The view might contain a relationship field that allows you to select a different parent object and child objects.

#### **Procedure**

- 1. Open an object from a Grid View or access a task that has been assigned to you. For more information, see "Completing work that is assigned to you" on page 41.
- 2. Review the object.
- 3. Find a section with a label for the child object type and buttons such as **New Issue** or **New Control**. For more information about making associations, see "Associating objects using a card relationship field" on page 63 and "Associating objects using a grid relationship field" on page 62.
  - The Creation View opens either in a new tab or in the side bar, depending on the configuration.
- 4. Complete the steps as described in "Creating objects from a Grid View" on page 59. The only difference is that the parent object must not be provided.
- 5. Click Save.

# **Associations between objects**

You can link objects to form a hierarchical tree view of a company governance, risk management, and compliance structure - from the business entity level down to the details of each individual risk, control, and test.

The process of linking objects is called association. Associations are relationships that exist among objects, or between objects and attached files. Associations can be created or removed without affecting the related object or file.

The IBM OpenPages with Watson Object Model Framework contains business logic that governs the following rules:

- The type of objects that can be associated together. For example, in the standard object model, a control object can be associated with a risk and test plan but not with a process.
- The relationship of objects in the hierarchy, for example, parent-child or stand-alone.

In a parent-child hierarchical relationship, the object that initiates the association is the parent object, and the object that is the target of the association is the child object. Depending on your object model, if an object type is allowed to have multiple parent objects through association, that child object can have only one primary parent association. The parent-child relationship that exists between objects affects how certain operations such as copy, delete, association, and locking are performed by the application. For example, when a user locks a parent object, all its associated child objects are also locked and cannot be modified until the lock is removed.

Depending on the object type, you might be able to link multiple parent or child objects to it. For example, a Risk object can have multiple parent objects, such as Control Objectives and Risk Assessments, child objects such as Controls and Issues, and files and links. Associations can be created or removed without affecting the related object or file.

Associations can be displayed in views either as card or grid relationship fields. Functionality is mostly the same but there are slight visual differences. For more information, see:

- "Associating objects using a grid relationship field" on page 62
- "Associating objects using a card relationship field" on page 63

### Associating objects using a grid relationship field

You can associate objects using a grid relationship field in a Task View.

#### **About this task**

The following example shows a two grid relationship fields, one for business entities and one for audits.




Figure 23. Example 1: Selecting a primary parent

#### **Procedure**

- 1. Create a new object or access the object you want to work on.
- 2. Use the buttons to take the action you want to complete.

**Tip:** If you choose many objects, the operation runs in the background. You'll get a notification when the operation is complete.

### Associating objects using a card relationship field

You can associate objects using a card relationship field in a Task View.

#### **About this task**

The following example shows two card relationship fields, one for mandates and one for issues. The card relationship field for issues allows you to both associate issues and create a new issue.




Figure 24. Example of a card relationship field

#### **Procedure**

- 1. Create a new object or access the object you want to work on.
- 2. Use the buttons to take the action you want to complete.

# **Disassociating objects**

You can associate a child or parent object, file, or link to an object. For example, from a Risk object, you can add links to parent objects, such as Control Objectives and Risk Assessments. You can also remove links to child objects, files, or links. When you disassociate an object, only the association or link between the objects is removed. The objects remain unaffected.

- 1. Access the object you want to work on.
- 2. In a grid relationship field, select the object with a check mark. Click **Remove**.

3. In a card relationship field, click □ (Launch Grid Page). From the grid page, select the object with a check mark and then click **Remove**.

# **Primary parent association**

When a child object is added from the Admin View of a parent object, it is considered to be a "primary child". The child object is automatically associated with that primary parent object upon creation and the child object has the same folder path as the primary parent.

Object types that are allowed to have multiple parent objects through association can have only one primary parent association. For example, if Control-01 was added from the Task View of Risk-01 and was also associated to Risk-02, Control-01 would have two parents: Risk-01 and Risk-02. However, only Risk-01 would be considered the primary parent of Control-01.

A primary parent object is identified with the sicon in grid and card relationship fields and the **Primary Parent** label in a Tree diagram.

When primary associations are enabled:

- You can change an object's primary association from one parent object to another by reassigning the primary parent.
- Any reassignment of the primary association from one parent object to another parent object is reflected on the Activity tab of an object.
- A child object with multiple parents that is disassociated from its primary parent object is automatically reassigned a new primary parent.
- Cascading operations on objects (such as sign-off, delete, locking or unlocking), are based on primary associations.
- Objects with multiple parents that are not included in a cascade delete operation (such as issues and action items) are automatically reassigned a new primary parent.
- Copy operations on objects duplicate existing associations (including primary associations) whenever possible. A new primary parent association is also assigned to the first association.

### **Changing the primary parent association**

An object can have only one primary parent. If an object has multiple parent objects, you can change the primary association from one parent object to another one.

#### **About this task**

Any previous primary parent remains associated but becomes secondary, even if the previous primary parent was of a different object type. If there is only one parent of that type allowed, the newly selected parent replaces any previously selected parent of the same type.

#### **Procedure**

- 1. Access the object you want to work on.
- 2. Find the section that contains the parent objects.
- 3. Click Select primary.
- 4. Choose a different object.
- 5. Click Done.

The **Primary Association** icon is displayed next to the name of the new primary parent object.

# Chapter 6. Using filters in Grid Views

Filters are useful tools that make finding information in a Grid view more personalized and manageable.

Use filters to limit the information that is displayed in a list of objects as only objects that match the criteria are displayed in the list.

Sometimes there are thousands of objects for you to choose from in a Grid View or an association grid of a Task View. Apply a filter for those grids that have a large number of objects. Filters optimize performance by displaying only the objects that are relevant to you.

Only public and private filters are available in an association grid of a Task View.

The following types of filters are available in Grid Views:

# Finding objects with the Search box

Use the Search box to search for specific values on objects listed in a Grid View.

#### **About this task**

You can search in the language of your locale. For example, if your locale is France, you can search in French.

You can also search in English in any locale. For example, if the locale is France, you can search in English and a filter returns matching objects and displays them in French.

The search only returns results that are an exact match. If you search for objects with descriptions containing "bids and justifications" but an object's description contains "bid and justification" or "bids and justifications" (extra spaces), the object does not return in search results.

**Note:** The search criteria is retained the next time that you access the view in the same browser session.

- 1. Open a Grid View.
- 2. Click the **Search** box and search by the following options:

Field value	Field description
Name and description	Enter all or part of an object's name or description.
Enumerated field or tag	Enter all or part of a field or tag. For example, searching Status returns a list of enumerated fields containing Status, such as Model Status or Deployment Status.
Multiple enumerated fields	Enter multiple enumerate fields or tags. For example, searching Model Status: Awaiting Approval and Final tier: Tier 1 returns objects that have a status of <b>Awaiting approval</b> and tier level of <b>Tier 1</b> .

Field value	Field description
Values from a single enumerated field	Enter a value from an enumerated field or tag. For example, searching Model Status: Approved for Deployment or Model Status: Awaiting Approval returns objects that have a status of Approved for Deployment or Awaiting Approval.
Values from multiple enumerated fields	Enter a value from an enumerated field or tag. For example, searching Model Status: Approved for Deployment, Model Status: Awaiting Approval, and Risk Level: High. The list returns objects with a status of <b>Approved</b> or <b>Awaiting Approval</b> and a risk level of <b>High</b> .

- 3. Optional: To further refine your search, you can apply a public, private, or folder filter.

  For more information about public and private filters, see "Using public filters" on page 66 and "Using private filters" on page 67. For more information about folder filters, see "Using folder filters" (Business Entity)" on page 66
- 4. To remove the filter and refresh the list, click the filter name in the header.

# **Using folder filters (Business Entity)**

Use a folder filter (Business Entity) to identify objects based on the folder hierarchy that the object type belongs in.

#### **About this task**

Administrators define folder hierarchies by using > System Configuration > System Files. If you are not an administrator, you can select folders in the hierarchy but you cannot add to or edit the hierarchy.

#### **Procedure**

- 1. From a Grid view, click the filter icon  $\nabla$  to access filters.
- 2. In the **Business Entity** section, click **Select** and view the folder hierarchy.
- 3. Navigate through the hierarchy and select a folder. **Multiple folders cannot be selected.**The filter name and number of results are displayed in the header. Objects that match the filter criteria are listed in the Grid view.
- 4. Click **Done** to confirm the folder filter.
- 5. Optional: To further refine your search, use the Search box.

  For more information, see "Finding objects with the Search box" on page 65.
- 6. Optional: To further refine your search, apply a public or private filter.

  For information, see "Using public filters" on page 66 and "Using private filters" on page 67.
- 7. To remove a folder filter and refresh the Grid view, click the folder name in the folder hierarchy.

# **Using public filters**

Use public filters to find objects in a Grid view based on search criteria.

#### **About this task**

An administrator defines public filters and only one public filter can be applied at a time.

You can simultaneously use a public filter, a folder filter (business entity), and search criteria. An object must match all listed criteria to be displayed in the Grid view.

You cannot simultaneously use a public filter and a private filter.

#### **Procedure**

- 1. From a Grid view, click the filter icon  $\nabla$  to access filters.
- 2. In Public Filters, select a filter.

The filter name and number of results are indicated. Objects that match the filter criteria are listed in the grid.

- 3. Optional: To further refine your search, enter search criteria in the Search box. For more information, see "Finding objects with the Search box" on page 65.
- 4. Optional: To further refine your search, apply a folder filter. For information, see "Using folder filters (Business Entity)" on page 66.
- 5. To remove the filter and refresh the list, click the filter name in the header.

# **Using private filters**

Use and customize private filters to find objects based on criteria on field values on objects and, optionally, parent objects.

#### **About this task**

Users can customized private filters for their own use.

Only one private filter can be applied at a time.

You can apply a private filter, a folder filter (business entity), and search criteria simultaneously. An object must match all the criteria to be displayed in the Grid View.

You cannot apply both a public filter and a private filter.

#### **Procedure**

- 1. From a Grid view, click the filter icon  $\nabla$  to access filters.
- 2. In My Filters, select a listed filter.

If you do not see any filters, you can create a filter. See "Defining private filters" on page 67.

The filter name and number of results are displayed in the header. Objects that match the filter criteria are listed in the grid.

- 3. Optional: To further refine your search, enter search criteria in the search box.
  - For more information, see "Finding objects with the Search box" on page 65.
- 4. Optional: To further refine your search, apply a folder filter.
- For information, see <u>"Using folder filters (Business Entity)"</u> on page 66. 5. To remove the filter and refresh the list, click the filter name in the header.

## **Defining private filters**

Define a private filter in a Grid view to save search criteria that you frequently access.

### Before you begin

When you define a private filter, OpenPages with Watson displays only fields that are available for your profile. If you want to create a filter based on a field that is not displayed, ask your administrator to check your profile.

#### About this task

A private filter definition specifies the following types of criteria:

- Base object criteria that consist of conditions on the object type that is displayed in the Grid View.
  - If you define multiple conditions on the object type, all the conditions must be met. To override this rule, define advanced logic to combine the condition in a specific way.
    - For example, if you define three conditions, the default logic is to retrieve objects that match all three conditions: 1 and 2 and 3. However, if you define advanced logic, you can use the condition numbers together with the operators and, or, not, and parentheses to build a more refined statement. For example, a statement can be 1 or 2 or 3 or a statement can be 1 and (2 or 3).
- · Related object criteria that consist of conditions on the parents, children, ancestors, and descendants of the object type that is displayed in the Grid View.

For example, on a Grid View for Risks, a parent-based filter can narrow the list of Risk objects to only those Risks that have a Process object as a parent. However, you must add at least one condition. For example, you can add a condition to show only Risks where the parent Process object has a status of Awaiting Approval. You can also limit the related objects to those in the primary parent tree.

If a filter has both types of criteria, both must be met to display an object in the Grid View.

#### **Procedure**

- 1. From a Grid view, click  $\nabla$  to access filters.
- 2. In My Filters, click New Filter and add a name.
- 3. Click New Condition to configure the filter.
  - a) Select a **Field** and an **Operation** for the filter to apply to. The available operations and remaining fields depend on the field that you select.

For example, the following operations are available for the Description field: Starts with, Ends with, Contains, Does not contain, Equals, Not equal to, Ends with, Is empty, and Is not empty.

**Note:** Text is not case-sensitive.

The following table describes the operations available for each field type.

Table 13. Search conditions		
Field type	Operations	
User	You can select the following operations:	
	• Is empty or Is not empty	
	Matches the selected user and add one or more users in the list under Other user or you can set Me to True to set yourself as the user.	
Group	Select the Includes all of the selected users operation and add one or more groups in the list under Other group. Or, you can set End User to resolve to the currently logged-on user.	
Enumerated value	You can select the <b>Is empty</b> or the <b>Is not empty</b> operation, or you can select the <b>Any of the following values</b> operation and add enumerated values in the list under <b>Select Values</b> . You can also set <b>Show hidden values</b> .	

Table 13. Search conditions (continued)		
Field type	Operations	
String value	You can select the <b>Is empty</b> or the <b>Is not empty</b> operation, or you can select an operation (such as <b>Starts with, Ends with, Contains, Does not contain, Equals, Not equal to,</b> or <b>Ends with</b> ) and then enter a text value. The text is not casesensitive.	
Date	Select an operation (such as In the last, In the next, On a specific date, Not on a specific date, or In the range) and then enter a value.	
Numeric value	You can select the <b>Is empty</b> or <b>Is not empty</b> operation, or you can select an operation (such as <b>Equals</b> , <b>Not equal to</b> , <b>Greater than</b> , <b>Less than</b> , or <b>In the range</b> ) and then enter a value.	
Boolean	Select <b>true</b> or <b>false</b> .	

Important: Private filters do not support computed fields, long string fields, or reporting fragments.

- b) Complete the remaining fields and click **Done** to create the filter.
- 4. Optional: Filters are automatically set to meet all listed conditions. To override this default rule, set **Advanced Logic** to True and write a statement in **Logic**.

To write a logic statement, set the condition numbers with the operators and, or, not, and parentheses.

The order of operations is: () then NOT then AND then OR.

For example:

- 1 or 2 or 3
- 1 and (2 or 3)
- 1 not (2 or 3)
- 5. Optional: Expand **Related Object Criteria** to filter on related objects.

To filter based on fields in related objects, do the following steps:

a) Select a **Relationship Type** and an **Object Type**.

The remaining fields depend on the object type that you select.

- b) Under Related Object Conditions, click New Condition.
  - Repeat step "3" on page 68 to configure the condition.
- c) Click Done.

If you chose Ancestors or Descendants for the Relationship Type, specify the relationship path to use for the filter, and then specify a condition.

- a) Click Edit. A side panel is displayed.
- b) Use the tree to select the paths between the object and its ancestors or descendants.
- c) Under Related Object Conditions, click New Condition. Repeat step "3" on page 68 to configure the condition.

To limit the filter to primary parents, click **Primary Parent Hierarchy Only**.

6. Click **Save** to apply the filter.

#### **Results**

The filter is applied and objects that match the filter criteria are displayed. The name of the filter and number of results are displayed in the header.

To edit the filter, click  $\triangle$ .

**Tip:** When you create a filter that uses **Ancestors** or **Descendants** and the relationship path uses only parents or children, the filter shows **Parents** or **Children** for the **Relationship Type** when you edit the filter.

To remove the filter, click the filter name in the header and refresh the list.

### Using ad hoc filters

Ad hoc filters are private filters that are not saved and only used in one session. Use an ad hoc filter if you do not frequently access the search criteria.

#### **About this task**

Only one ad hoc filter can be applied at a time.

You cannot apply both a public filter and an ad hoc filter.

You can apply an ad hoc filter, a folder filter, and search criteria that you enter in the Search box. An object must match all the criteria to be displayed in the Grid View.

#### **Procedure**

- 1. From a Grid view, click the filter icon  $\nabla$  to access filters.
- 2. In My Filters, click New Filter.
- 3. Do not complete the **Name** field. Leaving the **Name** field incomplete ensures that the filter is not saved.
- 4. Complete the remaining fields and conditions and click **Apply**. For more details about how to create a private filter, see "Defining private filters" on page 67.
  - When the filter is applied, a filter named *Unsaved Filter* and number of results are indicated in the Grid view's header.
- 5. To edit the ad hoc filter, enter your changes in the filter pane and click **Apply**. Repeat as often as required.

Tip: If you decide to save the filter, complete the Name field and click Save.

- 6. To delete the ad hoc filter, click *Unsaved Filter* in the header and refresh the list.
- 7. Optional: To further refine your search, enter search criteria in the Search box. For more information, see "Finding objects with the Search box" on page 65.
- 8. Optional: To further refine your search, apply a folder filter. For information, see "Using folder filters (Business Entity)" on page 66.

### **Editing private filters**

After creating and saving a private filter, you can modify the search criteria and field values for the filter.

- 1. From a Grid view, access the private filters in My Filters.
- 2. Choose the private filter that you want to edit and click the edit icon  $ilde{\mathscr{L}}$  .
- 3. Make your changes by editing field values.

For example, to rename the filter, edit the value in **Name** field.

4. Click Save to confirm all changes.

# **Deleting saved filters**

When you no longer need a private filter, you can delete the filter.

#### **Procedure**

- 1. From a Grid view, access the private filters in My Filters.
- 2. Choose the private filter that you want to delete and click the delete icon  $\bar{\square}$  .
- 3. Click **Delete** and refresh the Grid view.

# **Clearing filter results**

You can clear filters from the Grid view which does not delete them from saved filters.

- 1. In the Grid View, look for the *filter name* in the header.
- 2. Click the *filter name* in the header to remove the filter. The filter is removed and the Grid view is refreshed.

# Chapter 7. Using global search

IBM OpenPages with Watson global search uses advanced text processing techniques and analysis to search across all object types to find records relevant to your search terms.

The following table shows some ways that global search responds to an initial search:

Table 14. Global search results		
If you search for	Expect to see records that contain	
"trade"	"trades", "trading", and "traded" that is, the words do not need to be in the exact form.	
"step missing" (without quotation marks)	"missing process steps", that is, the words do not need to be in order.	
"security breach" (with quotation marks)	"security breach" but not "breach of security", that is, word order matters with phrase search.	
"BaNk"	"Bank", "bank", "BANK", and "BANKING", that is, cases are ignored.	

For more information, see "Global search advanced techniques" on page 74.

### Global search versus other search methods

You can use several methods to find specific information in IBM OpenPages with Watson.

The following search methods are available in IBM OpenPages with Watson:

- Global search is available if it has been configured by an administrator.
- Global search is available when you use a search panel on the dashboard. Only administrators can add search panels.
- Global search uses advanced text processing techniques and analysis, such as stemming, tokenization, and natural language processing to find and return records that are relevant to your search terms.
- · Grid view search

Grid view search limits the information that is displayed in a list of objects. Grid view searches look for an exact match of the words or characters that are typed in. They do not use global search. For more information, see Chapter 6, "Using filters in Grid Views," on page 65.

Use the appropriate method based on the access point and what you are looking for. If you need to find records that must match an exact stream of text, use Grid view search. If you are attempting to find records relevant to search terms, use global search.

Searching by using global search looks for the specified criteria across all object types - and any attached files, if enabled - in different arrangements and returns the results by word relevance. Search results are ranked in order from most relevant to least. A Search panel can be configured to look at all or specific object types.

Unlike the other search methods, global search does not attempt to find an exact match of letters, words, or pattern of characters such as "-", ":", "#", "(, )", "<", ">", and so on, that can occur in a text.

Global search disregards the order or placement of search terms, except for searching phrases. For example, searching for "ancial serv" does not find "Financial Services". And searching for "Be" does not find "Benefits". Also, searching for "Be" does not find "Be" because "be" is considered a common word, and so is not indexed. Indexing common words and including them in search results can skew search results and relevancy ranking. This is because common words occur so frequently that they can

overtake other, more relevant words in relevancy ranking. For information about searching for phrases see "Phrases" on page 74.

The following words are other common words to be avoided: a, an, and, are, as, at, be, by for, if, in, into, is, it, no, not, of, on, or, such, that, the, their, then, there, these, they, this, to, was, will, and with.

These are common words in English. Equivalent words in non-English languages should likewise be avoided.

This is because global search does not do a textual match of what is being searched, but instead does lexical analysis with natural language processing. Global search breaks the stream of data into tokens, and then breaks tokens into the root meaning of each word.

For example, if you search for "management", the search finds records that contain all variations of the root word "manage", such as "management", "managements", "managements", and so on.

## **Global search advanced techniques**

In most cases, searching with terms and phrases is sufficient to find the record you are looking for. However, global search supports advanced search syntax that you can use to further control your search.

Using these techniques takes practice and a thorough understanding of the search syntax and the data set.

Further refinement can be done by using and combining advanced search syntax, such as wildcards, Boolean logic, grouping search terms, and more.

#### **Terms**

The simplest way to use global search is to search for one or more terms.

A term is a simple word such as "risk" or "security" or "management". Search results are more relevant and specific when you use more terms in your search. The order and capitalization of terms are ignored. For example, searching for "Security RISK management" is the same as searching for "management security risk" (without quotation marks).

#### **Phrases**

Phrases are similar to terms, except the words are in quotation marks.

All the words in a phrase must exist and must be in the order that they are entered, with no other words in between. For example, the phrase "risk security management" is not the same as "security risk management" or "risk management" (with quotation marks). Furthermore, a search for "risk management" excludes records with the phrase "risk aversion management" because of the word "aversion" in the middle of the phrase.

You can combine multiple phrases to further refine search results. For example, searching for "security risk" "risk management" (two phrases, each with quotation marks) finds records that have both phrases.

#### Wildcards

Global search supports single and multiple character wildcard searches within single terms.

To perform a single character wildcard search, use the "?" symbol. To perform a multiple character wildcard search, use the "\*" symbol.

The single character wildcard search looks for terms that match with the single character replaced. For example, to search for both "test" and "text", use te?t.

Multiple character wildcard searches look for 0 or more characters. For example, to search for "management" and "managerial" use manag\*.

Wildcards can be anywhere in a term but are not supported at the start of a term. That is, "\*siness" and "?usiness" are not supported.

Wildcards are not supported within phrase searches.

#### Boolean

Boolean operators allow terms and phrases to be combined through logic operators to further refine search terms.

Global search supports AND, OR, NOT, "+" and "-" as Boolean operators. Boolean operators must be in uppercase.

The AND operator is the default operator for global search. This is why, the more terms are searched, the fewer search results are returned. For example, searching for "US UK" is the same as searching for "US OR UK"" (without quotation marks) and returns records that have both "US" and "UK".

Use the OR operator to find records that contain either search terms. For example, searching for "US OR UK" (without quotation marks) returns records that have either only US or only UK or both.

Use the NOT operator to exclude records that contain specific search terms. For example, searching for "risk management US NOT UK" (without quotation marks) finds records that have the terms "risk", "management", and "US", but any records that have "UK" are excluded from the search results.

The "+" operator is identical to the AND operator. Use it to explicitly specify that a term must exist in a search result. For example, searching for "+US UK risk management" (without quotation marks) returns records that must have "US". However, since global search default to AND as the default Boolean operator, using the "+" operator has no effect unless it is used with complex search syntax such as "+US OR UK OR risk OR management" (without quotation marks).

The "-" operator is identical to the NOT operator. Use it to explicitly specify that a term must be excluded from search result. For example, searching for "-US UK risk management" (without quotation marks) returns all records that have "UK", "risk", and "management", but none that contain "US".

### Grouping

Global search supports parentheses to group search terms to form subsearches.

You can use grouping to control and better refine search terms, especially with Boolean logic. For example, to search for "risk management" for both "US" and "UK", enter "(US OR UK) AND risk management" (without quotation marks). Or, to search for the phrase risk management and exclude "US" or "UK", use "-(US OR UK) "risk management"".

### **Fuzzy matches**

A fuzzy match uses a tilde (~) to search for a term similar in spelling to other words.

For example, to search for a term similar in spelling to "roam", use "roam" (without quotation marks). This search finds records that contain words like foam and "roams".

### **Proximity**

Uses a tilde (~) to search for terms in a phrase that are within N or fewer words apart.

For example, "risky business"~10 (with quotation marks) finds records that have "risk" and "business" that are 10 words or less apart.

### **Boosting**

Boosting uses a caret sign (^) to give specific terms more relevancy over others. For example, searching for "risk management US^5 UK" (without quotation marks) ranks records with "US" higher over records with "UK".

# Searching for objects using global search

You can quickly find and act upon the objects that are relevant to your GRC tasks by using global search.

### Before you begin

Learn about the many ways you can search for information using global search. For more information, see "Global search advanced techniques" on page 74.

Verify that there is a Search panel on your Dashboard. The name can vary, depending on how it was configured by an administrator. There may be multiple Search panels, for all or specific object types. If there is no search panel, inform your administrator. Search panels can be added only by administrators.

#### **Procedure**

- 1. Access the Home page.
- 2. Open the Dashboard.
- 3. Find a Search panel.
- 4. Enter text in the Search panel.

Up to 25 objects that match the search are displayed, ranked from the most to least relevant. Each result displays a link that includes the resource name and object type. If the Search panel is configured to search the content of file attachments, file objects are also listed. Only objects that you have permission to view are displayed.

- 5. Click an object in the Search panel result list to open it in a new tab.
- 6. Click to mark an object as a favorite.

The object is added to the Favorites panel.

# **Searching file attachments**

IBM OpenPages global search can be configured so that you can search not only on objects content, but also on the contents of any file attachments for which you have permission.

#### About this task

The administrator can configure which file types to include for search, such as .docx, .rtf, .xlsx, .pptx, .txt, .pdf, and so on.

#### **Procedure**

- 1. Follow the instructions in <u>"Searching for objects using global search" on page 76</u> to access global search.
- 2. Enter a search expression.

The search results for all of the objects for which you have permission to view are displayed.

- 3. The search results returned for file attachments, if any, include a link that provides immediate access to the file attachment itself.
- 4. Click **View file** to directly access the content of the file attachment.

# Chapter 8. Working with files and links

You can perform many actions on files and links in OpenPages.

### **About file attachments**

File attachments can be added and managed in the IBM OpenPages with Watson file repository.

When files are added to OpenPages, a copy of the file is uploaded to the file repository. The types of files that you can add are configured for your system. For example, you might be able to add PDF files, text files, graphics files, and Microsoft Office files.

OpenPages uses version control and file locking in the file repository. When you work in a collaborative team environment, files are checked in and out to ensure that changes made by one team member will not be overwritten by another team member.

Files can be added to OpenPages from two access points:

• Use the > Attachments > Files task to add and manage all files that you have access to, across all object types.

For more information, see "Adding and managing all files (attachments)" on page 81.

• Use an object type's Task View to add and manage files that are attached to objects.

For more information, see "Adding and working with files (attachments) on objects" on page 78.

Functionality is the same except that with the **> Attachments > Files** task you can access all files across all object types. Icon labels are slightly different in the two tasks.

### Rules for naming folders and files

Special characters are allowed in certain instances. Refer to the following table for the special character restrictions.

Table 15. Special character restrictions			
Special character	Description	Allowed in Folder Name?	Allowed in File Name?
&	Ampersand	Yes	No
*	Asterisk	Yes	No
1	Backward slash	No	No
:	Colon	Yes	No
II	Double quotation mark	Yes	No
!	Exclamation point	Yes	No
/	Forward slash	No	No
>	Greater than	Yes	No
<	Less than	Yes	No
%	Percent	Yes	No
I	Pipe	Yes	No
#	Pound	Yes	No

Table 15. Special character restrictions (continued)			
Special character	Description	Allowed in Folder Name?	Allowed in File Name?
?	Question mark	Yes	No
	Single space	Yes	Yes
	Double space	Yes but avoid	No

For a folder name,

#### Correct

Claims and Liability Management, Claims & Liability Management

#### **Incorrect**

Claims \ Liability Management, Claims/Liability Management

# Adding and working with files (attachments) on objects

Depending on how the Task View is configured, you might be able to add and work with files (attachments).

#### **About this task**

When you add a file, it is associated with the object in the view that you have open.

When you add a file, a copy of the file is uploaded to the OpenPages file repository. After a file has been added:

- Click the file name to view file details and access multiple versions of the file if they exist.
- Click to download it.

Click to check out a file.


A checked-out file has the following characteristics:

- A checkmark is displayed next to the file name. If it is green, you checked it out. If it is blue, it is checked out by another user.
- The file is locked and cannot be overwritten in the file repository.
- The last checked in version and all earlier versions of the file can be viewed and downloaded by other users.

The file can also be associated with other objects.

When you check in a file, you can add a comment. A new version is then uploaded with your latest changes, the file is unlocked, and it is available to other users to view and check out.

In the following example, the file in the second row has a checkmark to indicate that the file is checked out.



Depending on how the system is configured, you might be able to open and edit Microsoft Office files

(Word, Excel, and PowerPoint) directly from OpenPages. If this feature is enabled, the (View) and (Edit) icons display next to Microsoft Office files.

Rather than accessing files from a Task View, you can also access files by clicking > Attachments > Files . Click the file that you want to view or edit. In a Task or Admin View for the File object type, go to the Versions section. For more information, see "Adding and managing all files (attachments)" on page 81.

#### **Procedure**

- 1. Open the task that you want to work on.
- 2. Locate the section that contains file attachments. This section might, for example, be titled **Supporting files and artifacts**.
- 3. To add files to the object:
  - a) Click Add/Update and select the file. Alternatively, you can drag files to the files section.
  - b) Complete the fields in the Files to add window.
  - c) Click Upload.

The file is added and automatically checked in.

After a file has been added, you can use two methods to upload a new version of the file. With either method, you receive an error message when you upload the file if it is checked out by another user.

4. To update a file by using manual check out:

Use this method to prevent other users from editing the file while you are working on your changes.

Do not use this method when editing Microsoft Office files directly from OpenPages by clicking **View** or



- a) Click to check out the file. The icon is hidden if the file is already checked out.
- b) Download the file.
- c) Make and save your changes to the file.

- d) Click **Add/Update** and select the file. Alternatively, you can drag the file to the files section.
- e) Complete the fields in the Files to add window.
- f) Click **Upload**. Your copy is uploaded and the file is checked in.

You can click 🗀 to cancel a check out. If you cancel a check out, OpenPages reverts to the last checked in version of a file in the file repository.

5. To update a file without using manual check out:

Use this method if you are making quick changes to the file.


Do not use this method when editing Microsoft Office files directly from OpenPages by clicking View or



- a) Download the file.
- b) Make and save your changes to the file.
- c) Click Add/Update and select the file. Alternatively, you can drag the file to the files section.
- d) Complete the fields in the **Files to add** window.
- e) Click **Upload**. The file is automatically checked out and back in.
- 6. To view a Microsoft Office file when the **View** button or licon is displayed.
  - a) Click **View** or ...
  - b) Click Open [App], for example Open Word, in the dialog box that opens the Microsoft Office application.
  - c) View the file.
  - d) It is possible to edit the file even though you chose to view it, if you have the rights to edit the file. Click Enable Editing in the Microsoft Office application and start making your changes. The file is

automatically checked out. Make and save your changes. Click **Check in** or 🛅 to check in the file in OpenPages when you are finished.

If the following message appears when you click **Enable Editing**, the file is locked by another user and it cannot be edited. You must wait until the file is unlocked to make your edits. You can choose only the first option, View a read-only copy. The other two options are non-functioning.




- 7. To view a Microsoft Office file when the **View** button or licon is not displayed, click **Edit** or and either cancel the checkout or check in the file after you view it. If you don't see the **Edit** button or extstyle extstyleicon, download the file and open it manually.
- 8. To open and edit a Microsoft Office file:
  - a) Click **Edit** or <u></u>

Two dialog boxes are displayed:

- An OpenPages dialog box that reminds you to check in the file when you are finished.
- A Microsoft dialog box that opens the Microsoft Office application.
- b) Leave the OpenPages dialog box with the reminder open until you are finished editing the file. Or, you can click the **Cancel checkout** button in the dialog box to close it. Closing the dialog box does not cancel the checkout. You must remember to check in the file when you are finished.
- c) Click **Open [App]**, for example **Open Word**, in the dialog box that opens the Microsoft Office application.
- d) Click Enable Editing in the Microsoft Office application if Protected Mode is enabled.

If the following message appears when you click **Enable Editing**, the file is locked by another user and it cannot be edited. You must wait until the file is unlocked to make your edits. You can choose only the first option, **View a read-only copy**. The other two options are nonfunctioning.



- e) Make your changes and save frequently because auto save is not enabled. Every time you manually save, your changes are saved to the file in the OpenPages file repository. However, other users cannot see your changes until the file is checked in.
- f) When you are finished, click **Check in** in the dialog box to check in the file.

If you want to check the file in later, you can click **Check in later**.

**Note:** If you get a message saying that your file failed to save to the server, save the file locally, and click **Update** to manually upload the file to OpenPages. This can occur if the OpenPages session times out or if there is a connectivity issue.

### Adding and managing all files (attachments)

Use > Attachments > Files to add and manage all files that you have access to, across all object types. The task displays only non-system files of object type File (SOXDocument). It does not display system files.

#### About this task

Depending on how the system is configured, you might be able to open and edit Microsoft Office files (Word, Excel, and PowerPoint) directly from OpenPages. If this feature is enabled, the **View** and **Edit** buttons are displayed for Microsoft Office files (Word, Excel, and PowerPoint).

You can also add files directly to objects by using a Task View. For more information, see <u>"Adding and working with files (attachments)</u> on objects" on page 78.

- 1. Click > Attachments > Files.
- 2. To add files:
  - a) Click New.

Fields and button labels might be different depending on how your system is configured.

- b) Optional: Add values in **Keywords**.
- c) Optional: Select a **Document Type**.
- d) Click Add File and select the file. Alternatively, you can drag a file to page.
- e) Click **Select Folder** and associate the file to a parent business object.
- f) Click Save.

The file is added and automatically checked in.

After a file has been added, there are two methods to upload a new version of it. Using either method, you receive an error message when you upload the file if it is checked out by another user.

3. To update a file using manual check out:

Use this method to prevent other users from editing the file while you are working on your changes.

Do not use this method when editing Microsoft Office files directly from OpenPages by clicking **View** and **Edit**.

- a) Select the file.
- b) Click **Check Out**. The icon is hidden if the file is already checked out.
- c) Download the file.
- d) Make and save your changes to the file.
- e) Click **Update** and select the file. Alternatively, you can drag the file to the page.
- f) Complete the fields in the Files to update pop-up window.
- g) Click **Upload**. Your copy is uploaded and the file is checked in.

You can click **Cancel checkout** to cancel a check out. If you cancel a check out, OpenPages reverts to the last checked in version of a file in the file repository.


4. To update a file without using manual check out:

Use this method if you are making quick changes to the file.

Do not use this method when editing Microsoft Office files directly from OpenPages by clicking **View** and **Edit**.

- a) Select the file.
- b) Download the file.
- c) Make and save your changes to the file.
- d) Click **Update** and select the file. Alternatively, you can drag the file to the page.
- e) Complete the fields in the **Files to update** pop-up window.
- f) Click **Upload**. The file is automatically checked out and back in.
- 5. To view a Microsoft Office file:
  - a) Select the file.
  - b) Click View.
  - c) Click **Open [App]**, for example **Open Word**, in the dialog box that opens the Microsoft Office application.
  - d) View the file.
  - e) It is possible to edit the file even though you chose to view it, if you have the rights to edit the file. Click **Enable Editing** in the Microsoft Office application and start making your changes. The file is automatically checked out. Make and save your changes. Click **Check in** to check in the file in OpenPages when you are finished.

If the following message appears when you click **Enable Editing**, the file is locked by another user and it cannot be edited. You must wait until the file is unlocked to make your edits. You can choose only the first option, **View a read-only copy**. The other two options are non-functioning.



- 6. To open and edit a Microsoft Office file:
  - a) Select the file.
  - b) Click Edit.

Two dialog boxes are displayed:

- An OpenPages dialog box that reminds you to check in the file when you are finished.
- A Microsoft dialog box that opens the Microsoft Office application.
- c) Leave the OpenPages dialog box with the reminder open until you are finished editing the file. Or, you can click the Cancel button in the dialog box to close it. Closing the dialog box does not cancel the checkout. But you must remember to check in the file when you are finished.
- d) Click **Open [App]**, for example **Open Word**, in the dialog box that opens the Microsoft Office application.
- e) Click Enable Editing in the Microsoft Office application. The file is automatically checked out.
- f) Make your changes and click save frequently. Every time you manually save, your changes are saved to the file in the OpenPages file repository. However, other users cannot see your changes until the file is checked in.

**Note:** You are not able to auto-save in Microsoft Office applications.

g) Check in the file when you are finished. You can either click **Check in** in the dialog box that was displayed earlier, if it is still open. Or, you can click **Check in** from the file.

**Note:** If you get a message saying that your file failed to save to the server, save the file locally and then click **Update** to manually upload the file to OpenPages. This can occur if the OpenPages session times out or if there is a connectivity issue.

### **External URL links**

An external link is a URL that opens a browser window and displays the contents of that target destination. Whether you add a stand-alone external link or attach an external link directly to an object, a copy of that external link is stored in the file repository.

You can add an external link to an object.

### **Creating URL links on objects**

An external link is a URL that opens a browser window and displays the contents of that target destination. A copy of the external link is stored in the IBM OpenPages with Watson file repository.

- 1. Click > Attachments > Links.
- 2. Click New.
- 3. Enter a Name.

- 4. Enter a **Description**.
- 5. Enter the URL value in **URL**.
- 6. Attach the URL to an object.
- 7. Click Save.

# **Chapter 9. Working with Reports**

IBM OpenPages with Watson comes with a variety of pre-defined informational and exception reports, such as graphical summary dashboard reports, specific task reports that are assigned to users, issues monitoring reports, and management reports. Some reports may also link to sub-reports, which contain more detailed information on a particular area. Reports can be generated on demand at any time.

Example of using an Operational Report - You want to find out what the loss event trends were for workplace safety in a particular month. You might select, for example, the *Loss Events Summary Report*. It displays a chart of the financial loss, non-financial loss, and loss event count for the selected month.

To narrow the scope of the data that is returned for workplace safety, you could select the Risk category called Employment Practices and Workplace Safety and a Causal Category of People.

Example of using a Financial Report - You are working on effective and ineffective financial controls and want to see all the effective and ineffective financial controls for a division of the company. You could select, for example, the *Financial Control Operating Effectiveness Report*. To narrow the scope of the control data that is returned to the division you want, select the name of the division on the report prompt page.

Depending on your configuration, you may also select reports either embedded or listed on the home page. Reports are categorized as follows:

- Interactive reports that prompt you to select or enter values that filter the data in the report. For example, these reports may prompt you to select a Business Entity, reporting period, or start and end dates. The report then limits the scope of the returned data. Reports that prompt for a Business Entity return data for objects under that entity.
- Static reports that are generated as soon as you click the name of the report.

You can access a list of available reports by adding a **Reports** panel to your dashboard. You can also add a report to your Home Page by creating a **Report Tab**. For more information, see <u>"Adding a Reports panel"</u> on page 35 and "Adding a Reports tab" on page 38.

### **About reports**

This topic provides links to information about reports.

- Chapter 9, "Working with Reports," on page 85
- "Emailing a report" on page 86
- "Generating and viewing reports" on page 85
- "Viewing reports in a different format" on page 86

# **Generating and viewing reports**

You can open a report from the **Analytics** menu item or from a panel or tab on your Home Page.

#### About this task

You can access a list of available reports by adding a **Reports** panel to your dashboard. You can also add a report to your Home Page by creating a **Report Tab**. For more information, see <u>"Adding a Reports panel"</u> on page 35 and <u>"Adding a Reports tab"</u> on page 38.

Depending on your configuration, **Analytics** might display as the first menu item in the Primary menu. Click > **Analytics** to open IBM Cognos Analytics where you can work with reports.

#### **Procedure**

1. Click the name of the report.

- 2. For interactive reports, complete all required fields and selections.
- 3. Click **Finish** to generate the report.

# **Emailing a report**

If your system is configured, you can generate a report and send it by email.

#### **Procedure**

- 1. On the generated report, click the **Keep this version** link.
- 2. Click Email Report.
- 3. In the **Set the email options** window, type an email address in the To box.
- 4. To send the report to multiple addresses, separate each address with a semicolon (;).
- 5. Type a subject line and a message.
- 6. Select whether the report is sent as an attachment or as a link.
- 7. Click OK.

# Viewing reports in a different format

If your system is configured to display reports in different formats, you can generate a report and then view or save it in another format. The standard format is HTML.

#### **Procedure**

- 1. Open the report.
- 2. If you're viewing the report in OpenPages, click View as and select a format.

Or, if you're viewing the report in Cognos, click **Run as** and select a format.

Tip: To download the report as a formatted Microsoft Excel file, use Excel. To download the report as an unformatted file, choose Excel Data.

3. Follow the screen prompts.

# **Chapter 10. Questionnaires**

Use questionnaires to assess risk and compliance or to collect information for specific processes and asset risks. IBM OpenPages with Watson streamlines, standardizes, and centralizes the collection of questionnaire-based assessment information.

### **Questionnaire overview**

Learn about the questionnaire feature and then configure it for your organization.

Questionnaire assessments are based on the following objects:

- Assets
- · Questionnaire templates
- Programs
- · Questionnaire assessments

Assets are the existing objects that the questionnaire assessments assess and measure. They can be resources, processes, subprocesses, employees, vendors, or engagements. You use questionnaire templates to design and write the questions. You use programs to define, launch, and distribute questionnaire assessments to respondents. You can also create ad hoc questionnaire assessments, which are single questionnaire assessments that are independent of programs.

Questionnaire assessments move through a review process. The review process is managed behind the scenes by GRC Workflow. To ensure that the review process is managed correctly, you must specify a value for the lifecycle and due date fields for programs and questionnaire assessments. The value of the lifecycle field can be 2 Stage Lifecycle (no review), 3 Stage Lifecycle (with review), or 4 Stage Lifecycle (with review and approval).

For more information about GRC Workflow, see the IBM OpenPages with Watson Administrator's Guide.

To set up and use questionnaire assessments:

- 1. Plan the questionnaire assessments and program you want to create. Decide what resources you want to measure, the workflow you want it to follow, and the program you want to use to start it.
- 2. Work with your administrator to determine what workflow is used to drive the review process. Review the workflow and ensure that you understand the stages in the review process.
- 3. Plan the questionnaire template's content (sections, subsections, and questions) and scoring.

When you are planning the content, keep in mind that IBM recommends the following maximum limits on items in a questionnaire template:

- 1000 questions per questionnaire template
- 199 subsections and questions per section
- 50 questions, including dependent questions, per subsection
- 4. Create a questionnaire template object.
- 5. Edit the questionnaire template to add content to it.
- 6. If they do not exist, create the assets (resources, processes, subprocesses, employees, vendors, or engagements) that the questionnaire assessment is measuring. Identify the asset owners.
- 7. Create a program. Assign the questionnaire template, a lifecycle, and assets to it. Launch it. The system creates the questionnaire assessments and sends an email with a link to the respondents. The workflow on questionnaire assessments begins and the first stage is set to the information gathering stage.
- 8. Create ad hoc questionnaires. For more information, see <u>"Creating an ad hoc questionnaire assessment" on page 107.</u>

- 9. Respondents receive and answer questionnaire assessments. As they work, the system calculates their progress and compliance and risk scores. Reviewers can see this information and monitor their progress.
- 10. Respondents finish the answers and submit their questionnaire assessments. The questionnaire assessments move through the workflow until they are closed.
- 11. Run questionnaire reports to review scores, progress, and answers. Two questionnaire reports are available:
  - · Program Report
  - Single Assessment Report

Questionnaire templates, resources, and programs must be in the current reporting period. The system issues a message if a respondent opens a questionnaire assessment that is assigned to a resource in a reporting period other than the current reporting period. It also issues a message if you launch a questionnaire template or program that is in a reporting period other than the current reporting period.

### Questionnaire template scores and scoring methods

The system calculates compliance score and risk score when a respondent completes a questionnaire assessment. How these scores are calculated depends on the scoring method, simple or weighted risk average, that you assign to a questionnaire template.

Use the simple method if the focus of the questionnaire template is at the question level. The question weight defines the importance of each question. To hide all weights and answer scores, disable Weight and score in the Format settings of the questionnaire template.

Use the weighted average method if the focus of the questionnaire template is at the subsection level. Use this method if some subsections have a higher significance than other subsections. The difference between the two methods is that the simple method does not calculate a weighted average at the subsection level, which affects the overall results in the compliance and risk scores.

To plan the scoring for a questionnaire template, perform the following steps:

- Decide whether to use the simple or weighted average method.
- Decide what weight to assign to each section and subsection and be consistent.
- Decide what answer scores you want to apply to single and multiple choice questions. Use a higher answer score for better answers, for example, use 10 for the best answer. Keep the range as small as possible, for example, 1 - 10. Use a larger range only if a question has many answers, for example, more than 10.

The score for the answers to a multiple choice question is calculated using the following formula where answerSum is the sum of the scores for the answers chosen by the respondent and maxScore is the sum of all possible answers:

```
score = (answerSum * 10 * weight) / maxScore
```

In the following example, you have a multiple choice question with a weight of 1 and A, B, C, and D as the possible answers.

Table 16.	
Answer	Score
А	10
В	2
С	1
D	0

In this scenario, maxScore = 13. If the respondent chooses answers B and C, then answerSum = 3. Using the formula, score = 2.31.

- Consider how dependent questions are scored. A respondent's answer to a controlling question can cause a dependent question to be hidden. Only questions visible to the respondent are included in the scoring. Questions that are hidden from the respondent are excluded.
- Consider that long text, short text, and table questions are excluded from scoring.

For more information about the formulas that are used in scoring, see "Questionnaire template scoring formulas" on page 89.

### Questionnaire template scoring formulas

When a respondent answers a questionnaire assessment, the system calculates and updates the compliance score and risk score every time it is saved. The system also calculates total score and max score but they are not displayed to the respondent. To calculate the scores, the system uses formulas that consider the questionnaire scoring method and values you provide on the questionnaire template.

You provide the following values on a questionnaire template:

Table 17. Questionnaire template weights and scores		
Code	Name	Value
QW	Question weight	<b>0 - 9999, 0</b> excludes question
AS	Answer score	<b>-1</b> to <b>9999</b> , <b>-1</b> excludes answer
SW	Section weight	0 - 9999, 0 excludes section
SSW	Subsection weight	0 - 9999, 0 excludes subsection

The system uses the following formulas:

Table 18. Score formulas		
Code	Name	Formula
QS	Question score	0 - 10, formula depends on whether a question is single or multiple choice. <sup>1</sup>
WQS	Weighted question score	QS * QW
SSS	Subsection score for total score	Formula depends on the questionnaire scoring method. <sup>2</sup>
MSSS	Subsection score for max score	Formula depends on the questionnaire scoring method. <sup>3</sup>
SS	Section score	SS = SW * SUM (SSS)
TS	Total score	TS = Sum SS
MS	Max score	MS = Sum MSSS
CS	Compliance score	CS = [TS / MS] *100
RS	Risk score	RS = MS – TS

### How the system calculates question scores<sup>1</sup>

Questionnaire scores are calculated for single choice questions by using the following formula:

QS = [AS / MAX(AS)] \* 10

Questionnaire scores are calculated for multiple choice questions by using the following formula:

```
QS = [SUM(Selected AS) / SUM(All AS)] * 10
```

For short text, long text, and table questions, no question score is calculated.

### How the system calculates subsection scores for the total score<sup>2</sup>

When the scoring method is simple, subsection scores are calculated for the total score by using the following formula:

```
SSS = SSW * SUM(WQS)
```

When the scoring method is weighted average, subsection scores are calculated for the total score by using the following formula:

```
SSS = SSW * [SUM(WQS) / SUM(QW) * 10]
```

### How the system calculates subsection scores for the maximum score<sup>3</sup>

The maximum question score of 10 is used in calculating subsection scores for the maximum score.

When the scoring method is simple, subsection scores are calculated for the maximum score by using the following formula:

```
MSSS = SSW * [SUM(QW * 10)]
```

When the scoring method is weighted average, subsection scores are calculated for the maximum score by using the following formula:

```
MSSS = SSW * 10
```

### **Questionnaire templates**

Questionnaire templates are used in programs to launch questionnaire assessments. They contain questions that are organized in sections and subsections. Respondents answer the questions in questionnaire assessments.

Before you use questionnaire templates, see "Questionnaire overview" on page 87.

### Creating a questionnaire template object

Questionnaire templates contain the questions that respondents answer when they complete a questionnaire assessment.

To create a new questionnaire, you can either start from a blank questionnaire or you can start with a copy of an existing questionnaire.

- 1. Open the **Primary menu** and select **Assessments > Questionnaire templates**.
- 2. Click New.
- 3. Complete the following information on the form to create the new questionnaire object:
  - a) In the **Name** box, enter the name of the questionnaire template.
  - b) In the **Description** box, enter the description of the questionnaire template.
  - c) In the **Questionnaire Scoring Method** drop down box, you can either leave the default value, **Simple**, or select the method **Weight Average**.
  - d) Click **Select Folder**, select a folder in the dialog box, and click **Done**.

4. When you have finished completing the form, click **Save**.

The **Questionnaire Template** page opens on the **Task** tab.

- 5. Click the **Editor** tab.
- 6. To copy the questions and settings from an existing questionnaire template, click the **From template** tile.

In the **Select questionnaire to copy** dialog box, select a questionnaire to copy from and click **Done**. Skip steps 7 to 9.

- 7. To start from a blank questionnaire, click the **Blank** tile.
- 8. Complete the information in the **Format settings** dialog box.
  - a) In the Name first section box, enter the name of the first section in the questionnaire template.
  - b) In the **Name first subsection** box, enter the name of the first subsection in the questionnaire template.
  - c) Set **Titles** to **On** if you want to add more context for your questions. When **Titles** is set to **On**, titles are required for every question.
  - d) Set Auto numbering to On if you want to have the questions numbered in sequence.
  - e) Leave the default value of **On** for **Weight and score** if you want to be able to add weight and score to questions, subsections, and sections.
- 9. Click Create.

The **Questionnaire Template** page opens on the **Editor** tab. It shows the first section and subsection that you added in the last step. In the navigation panel, both **Total sections** and **Total questions** show that there is one section and one question.

#### What to do next

You can now edit the new template. For more information, see "Editing a questionnaire template" on page 91.

### **Editing a questionnaire template**

After you create a questionnaire template, you can edit it to add sections, subsections, and questions.

For more information about creating a questionnaire, see <u>"Creating a questionnaire template object" on page 90.</u>

Anyone who can access a questionnaire template can also edit it.

**Note:** You can change a questionnaire template until it is launched with a program and sent to respondents. After that point, the system locks it and only users with appropriate credentials can unlock it, edit the questionnaire template, and lock it again. The changes take effect immediately.

#### Before you begin

Plan the questionnaire template content and decide what method to use for scoring. For more information, see "Questionnaire template scores and scoring methods" on page 88.

#### About this task

To begin editing a questionnaire template, you must be on the **Editor** tab of the **Questionnaire Template** page. If you are not on the **Questionnaire Template** page already, perform the following steps:

- 1. Open the Primary menu and select Assessments > Questionnaire templates.
- 2. Click the name of the questionnaire template that you want to edit.
- 3. Click the Editor tab.

Note: If you upgraded from a previous version of IBM OpenPages with Watson, remove all references to the AuthQuest field from all profiles. This field can cause confusion because it directs users to a previous version of the Questionnaire Template authoring UI.

#### **Procedure**

1. Optional: Click **Introduction** in the left panel.

Edit the introduction that the respondents see when they receive the questionnaire.

• You can edit the **Title** and **Description** of the questionnaire template that you entered when you created the questionnaire template object.

The maximum number of characters that are allowed for the **Title** field is 4000.

The maximum number of characters allowed for the **Description** field is 2048.

application text topic in the IBM OpenPages with Watson Administrator's Guide.

• If you want to use a logo for all questionnaire templates, copy the .png file to <0P\_HOME>/wlpusr/shared/apps/op-apps.ear/taskui.war/images/questionnaire and enter the name of the .png file in the Custom logo box.

The image for the logo should be no bigger than 350 x 200 pixels.

If you want to edit the **Disclaimer**, modify the application text questionnaire.intro.label.informationDetails. The maximum number of characters that are allowed for the **Disclaimer** field is 4000. For more information about modifying application text, see *Modifying* 

- 2. Create the sections and subsections. For more information, see "Adding sections and subsections to a questionnaire template" on page 92.
- 3. Write the questions. For more information, see "Adding questions to a questionnaire template" on page 93.
- 4. Review the questionnaire template and edit it as necessary.

If you want to change the Titles, Auto numbering, and Weight and score settings that you specified when you created the template, click **Format settings** in the left panel.

#### What to do next

The next step is to launch the questionnaire template with a program. For more information, see "Launching a program" on page 109.

### Adding sections and subsections to a questionnaire template

Sections and subsections provide structure for a questionnaire template.

#### Before you begin

Create the questionnaire template and plan how the sections and subsections are organized and weighted for scoring. For more information, see "Creating a questionnaire template object" on page 90.

#### **About this task**

Use this task to add, edit, and delete sections and subsections on a questionnaire template.

To begin editing a questionnaire template, you must be on the Editor tab of the Questionnaire Template page. If you are not on the **Questionnaire Template** page already, perform the following steps:

- 1. Open the **Primary menu** and select **Assessments > Questionnaire templates**.
- 2. Click the name of the questionnaire template that you want to edit.
- 3. Click the **Editor** tab.

#### **Procedure**

- 1. To add a section, click **New section** in the left panel.
  - The **New section** dialog box is displayed.
- 2. Enter a **Title**. This value is displayed in the questionnaire assessment.
- 3. Enter the name of the first subsection in the Name first subsection field.
- 4. Enter a **Description**. This value is displayed in the questionnaire assessment.
- 5. If **Weight and score** is enabled in **Format settings**, you can enter a value **0 9999** in **Weight**. Enter **0** to exclude all the questions in the section from scoring. The weight is not displayed in the questionnaire assessment.
- 6. Enter a **Reference**. This value is not displayed in the questionnaire assessment.
- 7. Enter a **Rationale**. This value is not displayed in the questionnaire assessment.
- 8. Click **Create**. The system creates the section, subsection, and a default question. The section is added to the end of the template. You can now add more subsections to it.
- 9. To add a subsection, expand the section to which you want to add a subsection and click the + that appears following the last subsection in the section.
- 10. Complete all the fields for the subsection. They are the same as for a section except for the requirement for a subsection name because subsections can contain questions only.
- 11. Click **Create**. The system adds the subsection and a default question to the end of the section.
- 12. Add more sections and subsections as required.
- 13. The status bar in the left panel shows how many sections and questions are in the questionnaire template.
- 14. To change the order of sections or subsections, click **Move and reorder items** in the navigation panel, drag the item that you want to move to its new location and click **Save**.
  - You can shift a subsection up or down in the section or you can move it to another section.
- 15. To edit a section or subsection, click the pencil icon to the right of the section or subsection name in the right panel, enter the changes, and click **Done**.
- 16. To delete a section or subsection, click the trash can icon to the right of the section or subsection name in the right panel changes, and confirm the deletion when prompted.
  - When you delete a section, the subsections and questions in it are deleted too. When you delete a subsection, the questions in it are deleted.
- 17. To stop working on the questionnaire template, close the template tab. Your template is automatically saved.

#### What to do next

The next step is to add questions to the subsections. For more information, see <u>"Adding questions to a questionnaire template"</u> on page 93.

### Adding questions to a questionnaire template

Questions specify the information that you want respondents to provide.

#### Before you begin

Add sections and subsections to the questionnaire template. For more information, see <u>"Adding sections</u> and subsections to a questionnaire template" on page 92.

#### **About this task**

Use this task to add, edit, and delete questions on a questionnaire template.

To begin editing a questionnaire template, you must be on the **Editor** tab of the **Questionnaire Template** page. If you are not on the **Questionnaire Template** page already, perform the following steps:

- 1. Open the **Primary menu** and select **Assessments** > **Questionnaire templates**.
- 2. Click the name of the questionnaire template that you want to edit.
- 3. Click the Editor tab.

#### **Procedure**

1. In the navigation panel, click the section and then the subsection to which you want to add a question.

You can add questions to a subsection only, not a section.

2. In the right panel, scroll to the end of the subsection and click **New question**.

The **Configure question** dialog box is displayed.

3. Select the **Type** of answer.

#### · Single choice

The respondent can choose only one answer from a list that you provide. You can make other questions dependent on the chosen answer.

#### Multiple choice

The respondent can choose one or more answers from a list that you provide. You can make other questions dependent on the chosen answers.

#### Short text

The respondent can enter up to 252 characters of text. Short text questions have no answer score and are excluded from scoring.

#### Long text

The respondent can enter up to 2048 characters of text. Long text questions have no answer score and are excluded from scoring.

#### Table answer

The respondent can add up to 30 rows to the table and write up to 50 characters per cell. Table answer questions have no answer score and are excluded from scoring.

- 4. Select **Required** if the respondent must answer the question.
- 5. If **Weight and score** is enabled in **Format settings**, you can enter a value **0 9999** in **Weight**. Enter **0** to exclude a question from scoring. It is not displayed in the questionnaire assessment.
- 6. If **Titles** is enabled in **Format settings**, you can enter a **Title**. This value is displayed in the questionnaire assessment.
- 7. Enter the **Question** asked of the respondent. This value is displayed in the questionnaire assessment.
- 8. If you chose **Single choice** or **Multiple choice** as the **Type** of answer, enter the answers that respondents can choose from in the **Answers** list. Click **New answer** to add more answers.
  - If **Weight and score** is enabled in **Format settings**, you can enter a score for each answer. Enter a **Score** between **-1** and **9999**. Enter **-1** for answers you want to exclude from scoring.
  - For example, the answer, Not-applicable, can be scored **-1**. Use a higher answer score for better answers, for example, use **10** for the best answer. Use a consistent range and keep it as small as possible, for example, **1 10**. Use a larger range only if a question has many answers, for example, more than **10**. When the score is calculated, question scores are normalized **1 10**.
- 9. If you chose **Table** in **Type**, enter the column header text in **Column**. Click **New column** to add more columns. A table answer can have up to 15 columns. If the question is required, the respondent must enter one row of information. Table answer questions can be dependent questions but they cannot be controlling questions. For reporting purposes, table answers are persisted in CSV format with the pipe bar as a delimiter.
- 10. Optional: You can set up dependencies for the question. A dependent question is hidden or displayed in an assessment depending on the respondent's answers to other questions or the values of fields.

For more information about setting up dependencies, see "Creating question dependencies" on page 96.

- 11. Optional: Expand the **Additional context** section and perform the following steps:
  - Enter a Rationale for the question. This value is not displayed in the questionnaire assessment.
  - Enter a URL for related reference material in the **Reference**. This value is not displayed in the questionnaire assessment.
  - Select **Show comments** to enable comments. All question types can have comments. If enabled, the respondent can provide multiple comments. Show comments is selected by default.
    - If the respondent must provide at least one comment, select **Comment required**. If a comment is required, the answer is marked as incomplete until the respondent adds a comment.
  - Select **Show attachments** to enable attachments. All question types can have attachments. If enabled, the respondent can provide multiple attachments. Show attachments is selected by default.
    - If the respondent must provide at least one attachment, select Attachment required. If an attachment is required, the answer is marked as incomplete and not scored until the respondent adds an attachment.
- 12. Optional: Expand the Associations section. To add associations, click the type of object that you want to associate with the question, then click Add. Select the objects that you want to associate with the question and click **Done**.
- 13. Click outside of the question to save your changes.

### What to do next

Continue making changes until the questionnaire template is finished.

- To edit a question, click the question and enter the changes.
- To duplicate a question, click the menu icon in the question you want to duplicate and click **Duplicate**.
- To delete a question, click the menu icon in the question and click **Delete**.
  - If you delete a controlling question, the logic in any dependent questions is removed.
- To remove a dependency on a controlling question or a field value, see "Deleting question dependencies" on page 97.
- To move questions, subsections, and sections, click **Move and reorder items** in the navigation panel, drag the item that you want to move to its new location, and click Save. Controlling questions and the questions that depend on them must exist in the same subsection. When you try to move a dependent or a controlling question to another section or subsection, a yellow exclamation mark icon appears with each item name in the dependent relationship. The exclamation mark icon indicates that the dependency will be removed if you click Save.

### Review the questions:

- Verify the completeness of the questions and check for errors.
- Verify the answers and check for errors.
- Verify that comments and attachments are correctly marked as mandatory.
- Check for duplicate questions.
- If Weight and score is enabled in Format settings, check that question weights and answer scoring are correct and consistent.
- Review dependencies. For more information, see "Creating question dependencies" on page 96.

### **Creating question dependencies**

A dependent question is hidden or displayed in an assessment based on one or more conditions. A condition can either be based on the respondent's answer to another question, called a controlling question, or on the field value for a specified object type.

### **About this task**

If you define multiple conditions, all conditions must be met for the question to be displayed. To override this rule, define advanced logic to combine the conditions differently.

#### **Procedure**

- 1. Expand the **Display logic** section.
- 2. Click Condition builder.
- 3. Click either New question-based condition or New attribute-based condition.
- 4. If you are creating a new question-based condition, do the following steps:
  - a) Click Select a question.

Select a controlling question from the list. You can choose from single or multiple choice questions in any section or subsection.

Questions that have more than three levels of dependencies cannot be selected as controlling questions.

You cannot select a controlling question if it causes a circular dependency. For example, if Question A already depends on Question B, you cannot make Question B dependent on Question A.

b) Select **Values** and choose one or more values for the condition.

The operator is already set to **in**. This operator causes the answer to be compared to the list of values you select in **Values**. If the answer matches one of the selected values, the condition evaluates to true.

- 5. If you are creating a new attribute-based condition, do the following steps:
  - a) Select an object type.
  - b) Select a field for the object type.
  - c) Select one of the following operators based on the data type of the field:

Table 19. Selecting operators for the data type of the field		
Data type of field	Operators	
Currency, Date, Decimal, Integer	empty, equal, greater than, greater than or equal, less than, less than or equal, not empty, not equal	
Enumerated string	does not match any, empty, equal, in, matches any, not empty, not equal, not in	
Simple string	containing, empty, ends with, equal, matching regex, not containing, not empty, not equal, not matching regex, starts with	
User or Group	empty, equal, in, in group, not empty, not equal, not in, not in group	

d) If you selected an operator other than **empty** or **not empty**, enter a value for the field.

When a respondent answers questions in a questionnaire assessment, any conditions that specify object types that are not related to the assessment resolve to false. For example, if you specify conditions for fields in Employee, Vendor, and Process object types, and the respondent answers an

assessment that is related to the Vendor object type only, all conditions Employee and Process object types resolve to false.

6. Set Advanced logic to On to override the default rule that all conditions must be met.

To write an expression, use the condition numbers together with the operators AND, OR, NOT, and parentheses. The expression is not case-sensitive. The operators are processed in the following order:

- a. Parentheses
- b. NOT
- c. AND
- d. OR

### For example:

- 1 or 2 or 3
- 1 and (2 or 3)
- 1 not (2 or 3)
- 7. Click Save.

When question has a condition that is based on one or more controlling questions, the dependent

question icon is displayed for that question. When your mouse rolls over the dependent question icon, a message is displayed that identifies all controlling questions.

### **Deleting question dependencies**

You can remove dependencies between a dependent question and a controlling question or a field value.

### About this task

Remove dependencies by deleting the conditions on the dependent question.

### **Procedure**

- 1. Expand the **Display logic** section.
- 2. Click Condition builder.
- 3. Click  $\Theta$  for each condition that relies on a controlling question or a field value.
- 4. If Advanced logic is set to On, ensure that you either modify the expression to remove the deleted conditions, or set **Advanced logic** to **Off**.
- 5. Click Save.

After you save the changes to the question, if the question was dependent on one or more controlling questions and you removed all of those dependencies from the question, the dependent question icon

# Adding object variables to a questionnaire template

Object variables in a questionnaire template are rendered on questionnaire assessments as values from objects associated with the questionnaire assessment that respondent is answering. You can use object variables in a questionnaire template.

You can also add links to questionnaire templates. For information, see "Adding links to a questionnaire template" on page 100.

You can add object variables in the following locations:

- Section descriptions
- · Subsection descriptions

is no longer displayed.

• For a question, the Question text and Rationale text in the Additional context section

The variables can insert the following information:

- The identifier, name, or description of the underlying asset on which the questionnaire assessment is based.
- The identifier, name, or description of the program from which the questionnaire assessment was launched.
- The identifier, name, or description of the questionnaire assessment that the respondent is answering.
- The identifier, name, or description of the questionnaire template from which the questionnaire assessment was created.

For example, the following text in a section description inserts the identifier of the questionnaire assessment, the name of the underlying asset it is related to, and the name of the program that generated it.

```
This questionnaire assessment, ${questionnaireassessment.id}, is related to the following asset: ${asset.name}.
It is part of the ${program.name} program.
```

It is rendered in a questionnaire assessment as:

This questionnaire assessment, 2018-Assessment-7362810, is related to the asset: ResourceA. It is part of the 2018 Annual Risk Assessment Questionnaire program.

Where **2018-Assessment-7362810** is the identifier of the questionnaire assessment, **ResourceA** is the name of the underlying asset, and **2018 Annual Risk Assessment Questionnaire** is the name of the program.

You can create a test program and launch a questionnaire assessment to ensure that the variables are inserted correctly.

### Using the content assist feature to choose object variables

You can use the content assist feature to choose from a list of object variables. In the text box, type /? to show all available variables or type \${ followed by the name of the variable to filter the options.

Edit section

Edit the form below to make changes to this section

\* Title \*

section 1

\* Description

```
/?
      ${asset.id} - ${asset.id}
      ${asset.name} - ${asset.name}
      ${asset.description} - ${asset.description}
      ${asset.link} - ${asset.link}
      ${program.id} - ${program.id}
      ${program.name} - ${program.name}
      ${program.description - ${program.description}}
Weigh
      ${program.link - ${program.link}
  1
      ${questionnaireassessment.id} - ${questionnaireassessment.id}
      ${questionnaireassessment.name} - ${questionnaireassessment.name}
Refer
      ${questionnaireassessment.description} - ${questionnaireassessment.description}
      ${questionnaireassessment.link} - ${questionnaireassessment.link}
      ${questionnairetemplate.id} - ${questionnairetemplate.id}
Ratio
      ${questionnairetemplate.name} - ${questionnairetemplate.name}
```

Cancel Done Done

### List of object variables

See the following table for a list of variables. Variables are not case-sensitive.

Table 20. Allowed object variables in questionnaire templates	
Object variable	Description
\${asset.id}	Inserts the identifier of the underlying asset
\${asset.name}	Inserts the asset name of the underlying asset
\${asset.description}	Inserts the asset description of the underlying asset

Table 20. Allowed object variables in questionnaire templates (continued)	
Object variable	Description
\${program.id}	Inserts the program identifier
\${program.name}	Inserts the program name
\${program.description}	Inserts the program description
\${questionnaireassessment.id}	Inserts the questionnaire assessment identifier
\${questionnaireassessment.name}	Inserts the questionnaire assessment name
\${questionnaireassessment.description}	Inserts the questionnaire assessment description
\${questionnairetemplate.id}	Inserts the questionnaire template identifier
\${questionnairetemplate.name}	Inserts the questionnaire template name
\${questionnairetemplate.description}	Inserts the questionnaire template description

# Adding links to a questionnaire template

Links in a questionnaire template are rendered on questionnaire assessments as hyperlinks that a respondent can click to access a URL, an OpenPages object, for example, the underlying asset that a questionnaire assessment is based on, or an IBM Cognos Analytics report. You can use links in a questionnaire template.

You can add links in the following locations:

- · Section descriptions
- · Subsection descriptions
- For a question, the Question text and Rationale text in the Additional context section

You can have the following types of links:

- A fixed link to a URL
- A dynamic link to the Task View of an object
- A link to a Cognos report

For example, the following text in a section description includes a dynamic link to the Task View of an object and a fixed link to a URL:

```
This questionnaire is related to the asset: ${asset.link}.
For more information about assets,
see [Assets](https://www.ibm.com/docs/en/opw/9.0.0?topic=links-resources).
```

It is rendered in a questionnaire assessment as:

This questionnaire is related to the asset: AssetA. For more information about assetts, see Assets.

**AssetA** is a link to the Task View of the underlying asset and **Assets** is a link to the IBM Documentation help topic about Asset objects.

You can create a test program and launch a questionnaire assessment to ensure that the links are inserted correctly.

You can also add object variables to questionnaire templates. For information, see <u>"Adding object variables to a questionnaire template"</u> on page 97.

### Fixed links in questionnaire templates

Fixed links render as hyperlinks in both questionnaire templates and assessments. When a respondent clicks the hyperlink, the URL opens in a new tab or window.

### **Syntax**

[link\_text](url)

### **Example**

[Controls] (https://www.ibm.com/docs/en/opw/9.0.0?topic=objects-controls)

Renders as a hyperlink with the link text **Controls** and opens IBM Documentation to the help topic about Controls.

#### Rules

The protocol can be http, https, or ftp. Do not use only www.

# Dynamic links in questionnaire templates

A dynamic link renders in a questionnaire assessment as a link to an object associated with the questionnaire assessment that a respondent is answering.

A dynamic link contains a variable that inserts a link to the following objects:

- The underlying asset on which the questionnaire assessment is based.
- The program from which the questionnaire assessment was launched.
- The questionnaire template from which the questionnaire assessment was created.
- The questionnaire assessment that the respondent is answering.

### **Syntax**

\${variable}

### **Example**

This questionnaire is based on the asset: \${asset.link}

Renders as the following text, where **ResourceA** is a link to the Task View of the underlying asset.

#### This questionnaire is based on the asset: ResourceA

#### Rules

See Table 21 on page 101 for a list of variables.

Variables are not case-sensitive.

Table 21. Allowed link variables in questionnaire templates		
Link variable	Description	
\${asset.link}	Inserts a link to the underlying asset. The asset name is displayed as the link text.	
\${program.link}	Inserts a link to the program. The program name is displayed as the link text.	
\${questionnaireassessment.link}	Inserts a link to the questionnaire assessment. The questionnaire assessment name is displayed as the link text.	
\${questionnairetemplate.link}	Inserts a link to the questionnaire template. The questionnaire template name is displayed as the link text.	

### Links to IBM Cognos Analytics reports in questionnaire templates

A link to a Cognos report renders as a hyperlink in a questionnaire assessment. When a respondent clicks the hyperlink, the Cognos report opens in a new tab or window. Parameters can optionally be passed from the questionnaire assessment to the report.

### **Syntax**

```
[link_text](report://folderName=folder name&reportName=
report name&parameter1=
${variable}&parameter2=value)
```

### **Example 1: no parameters**

```
[KRI Dashboard](report://folderName=OpenPages Solutions Reports/
Indicator Reports/KRI Dashboard&reportName=KRI Dashboard)
```

Renders as a hyperlink with the link text KRI Dashboard and opens the KRI Dashboard report.

### Example 2: fixed-value and variable parameters

```
[Program Report w/params](report://folderName=OpenPages Platform Reports/
Questionnaire Reports&reportName=Program Report&P_ReportType=Risk&
P_Program Type=254&P_Program=${Program.id}&P_Assessment=${QuestionnaireAssessment.id})
```

Renders as a hyperlink with the link text **Program Report w/params**, passes fixed-value parameters (report type and program type) to the report, passes variable parameters (the questionnaire assessment ID and the program ID) to the report, and opens the report. The value of P\_Program Type differs between OpenPages deployments.

#### **Rules**

Both folderName and reportName are required.

If you do not know the *folderName* and *reportName*, you can look up the values. Click **System Configuration** > **Pages and Templates** and select the report. The **Report Folder** shows *folderName*/reportName

If you pass parameters from the questionnaire assessment to the report, the parameter names are determined by the Cognos report. The parameters can contain fixed-value parameters, for example, the report type or program type. The parameters can also be variables that pass the following information:

- The identifier, name, or description of the underlying asset on which the questionnaire assessment is based.
- The identifier, name, or description of the program from which the questionnaire assessment was launched.
- The identifier, name, or description of the questionnaire assessment that the respondent is answering.
- The identifier, name, or description of the questionnaire template from which the questionnaire assessment was created.

See Table 20 on page 99 for a list of variables.

Separate multiple parameters with an ampersand (&).

# **Questionnaire assessments**

Questionnaires assessments are a means of gathering information from business users in the organization. Respondents complete the questions and submit the finished questionnaire assessment.

Before you use questionnaire assessments, see "Questionnaire overview" on page 87.

Questionnaire assessments are created when a program is launched. For more information, see "Launching a program" on page 109.

# **Completing a questionnaire assessment**

As a respondent, you can complete a questionnaire assessment that the enterprise risk team sent you.

You can choose to copy answers, comments, and attachments from an existing questionnaire assessment to save time. For example, you might want to copy answers if you receive an annual questionnaire and some of your answers from last year are still the same. OpenPages uses an internal ID to match the questions from last year's assessment with questions in the questionnaire you are completing. By matching the IDs, OpenPages ensures that answers, comments, and attachments are copied to the same or similar questions.

You can copy answers into a questionnaire assessment as many times as you want. Each time that you copy answers, you can choose to copy from the same questionnaire assessment or a different one.

### **About this task**

Questions can be in the following formats:

### Single Choice

You can choose only one answer from a list that you provide. You can make other questions dependent on the chosen answer.

### Multiple Choice

You can choose one or more answers from a list that you provide. You can make other questions dependent on the chosen answers.

#### Short Text

You can enter up to 252 characters of text. Short text questions have no answer score and are excluded from scoring.

### Long Text

You can enter up to 2048 characters of text. Long text questions have no answer score and are excluded from scoring.

#### Table

You can add up to 30 rows to the table and write up to 50 characters per cell. Table answer questions have no answer score and are excluded from scoring.

If a question is dependent, it is displayed or hidden based on your answer to a previous controlling question. For example, if you answer a controlling question with the answer **Yes**, the questionnaire displays three more dependent questions about that topic. But if you answer **No**, the system hides the dependent questions.

Your progress percentage, **Compliance Score**, and **Risk Score** are displayed on the Questionnaire Assessment Grid View. These values are continually updated as you work on the questionnaire assessment. The compliance score is the normalized score result of all the questions that you answered so far. A compliance score of **0** means noncompliance and **100** means full compliance. The risk score is the score result. The risk score is not normalized. Risk score is defined by the user and can be, for example, **0** - **100**, where **0** means no risk and **100** means high risk, or **0** - **500**, where **0** means no risk and **500** means high risk. The reviewer can also see this information.

Anyone who can access a questionnaire assessment can also work on it. More than one respondent can work on one questionnaire assessment.

#### **Procedure**

1. You can open a questionnaire assessment in one of the following ways:

- Open the email and click the URL. The system opens the questionnaire assessment in a new window. Click **Open questionnaire**.
- If email is not configured, click **Assessments** > **Questionnaire assessments**. The system displays a list of questionnaire assessments. Click the questionnaire assessment that you want to complete and click the **Questionnaire** tab.
- 2. Optional: If you want to copy answers from another questionnaire assessment, click **Copy answers** in the left pane.
  - a) Optional: If you want to copy attachments or comments, click **Select copy options**. Select the options that you want.
  - b) Optional: If you want to overwrite the existing answers with the copied answers, select **Replace** existing answers.
  - c) Select a questionnaire assessment to copy answers from.
  - d) Click Done.

Each time that you copy answers from another questionnaire assessment, a comment is added to each question with a copied answer. The comment shows when an answer was copied and the name of the questionnaire assessment that it was copied from.

- 3. Begin answering questions:
  - You can start in any section or subsection.
  - Work sequentially through questions in a subsection. Questions can be shown or hidden based on your answers.
  - You can change your answers as often as needed until you submit.
  - You can either click **Save draft** or let the assessment be saved automatically.
  - You can stop and start again as often as needed.
  - You might be able to leave questions unanswered, it depends on how the questionnaire template was defined.
  - You can use the question filter in the navigation panel to control the questions that are displayed. You can choose **View all questions**, **View completed questions**, **View incomplete questions**, or **View flagged questions**. You can also choose **View required questions**.
  - Click **Clear** to discard an answer or text you entered and set the question back to its initial state.
  - Click **Activity** to see who last answered a question and when.
- 4. If a question already has an answer, it was copied from the same question on a previous questionnaire assessment for the asset. You can retain the answer or change it. Click **Comment** to display comments or **Attachment** to display attachments. You can retain, delete, or change them. The name of the source questionnaire assessment might also be displayed. Whether comments, attachments, and source information are displayed depends on settings when the program was launched.
- 5. If comments are enabled for a question, click **Comment** to add additional information to an answer. All questions can have comments and each question can have multiple comments. A comment can be an optional or mandatory part of an answer. If it is mandatory, your answer is marked as incomplete until you add a comment.

The maximum length of a comment is 1000 characters.

You can copy and paste text into a comment. If you copy the text from another source, it must be in one line without paragraph breaks. Comments cannot be deleted.

- 6. If attachments are enabled for a question, click **Attachment** to add supporting documentation to your answer. All questions can have attachments. An attachment can be an optional or mandatory part of an answer. If it is mandatory, your answer is marked as incomplete and not scored until you add an attachment. You can add a description to an attachment; maximum length is 100 characters. Attachments can be deleted.
- 7. When you are finished answering questions, verify that you finished all the questions and that they are complete. You can change your answers. Verify that you added comments and attachments to questions that require them. You can delete attachments and add new ones. If the **Questions**

**completed** progress indicator shows that there are some questions that you haven't answered, select **View incomplete questions** in the question filter to display the unanswered questions. You can also select **View required questions** in the question filter to display the required questions.

- 8. When the questionnaire assessment is complete, the next steps you take depend on the interface you are using.
  - If you are answering the questionnaire after clicking a link in an email you received, click **Submit for Review** or **Submit and Close**. The workflow determines which icon is displayed.
    - When you are prompted to confirm the action, click **Submit**.
  - If you are answering the questionnaire on the **Questionnaire** tab, click **Action**. Select the action, either **Submit and Close** for a 1 Stage questionnaire assessment or **Submit for Review** for a 2 or 3 Stage questionnaire assessment. When you are prompted to confirm the action, click **Submit**.

The system changes the stage to closed for a two-stage lifecycle or to review for a three-stage or four-stage lifecycle. You can still access it but you can no longer edit it.

### **Results**

After you submit a question assessment, what happens next is determined by its workflow. The question assessment can either be closed or move through a review process. If it moves through a review process, a reviewer receives an email (if configured) and reviews it. If they reject it, it is returned to you and you receive an email. Look in the section list for messages about rejected answers. Open the section and find the rejected answers. The reviewer added comments or reasons that explain why your answer was rejected. Make the corrections and resubmit it.

# Reviewing a questionnaire assessment

You can review questionnaire assessments that people in your organization have completed. You can review a questionnaire assessment if it is at the review lifecycle stage.

#### **About this task**

By default, when a questionnaire assessment is in the review stage, anyone with the right to edit the questionnaire assessment can open it and review the answers. To restrict access, set the **Access Control** property on the Review stage to either **Strict (non-participants cannot view a task at this stage)** or **Read (non-participants can view but not edit a task at this stage)**. setting the **Access Control** property, see *Defining a standard stage*in the *Configuring GRC Workflow* chapter of the *IBM OpenPages with Watson Administrator's Guide*.


### **Procedure**

- 1. You can open a questionnaire assessment for review in one of the following ways:
  - Open the email and click the URL. The landing page for the questionnaire assessment opens in your web browser. Click **Open questionnaire**.
  - If email is not configured, click **Assessments** > **Questionnaire assessments**. The system displays a list of questionnaire assessments. Click the questionnaire assessment that you want to review. The **Questionnaire** tab is displayed.

If you want to start from the landing page of the questionnaire assessment, click  $\Box$ . The landing page for the questionnaire assessment opens a new tab in your web browser. Click **Open questionnaire**.

- 2. Review the answers.
- 3. If an answer requires more information from the respondent, click the flag icon  $\Box$ , enter the reason for flagging the answer, and click **Flag**.

4. If you want to make a comment on an answer, click the comment icon , enter your comment, and click the submit arrow to submit the comment as shown in the following image.



The maximum length of a comment is 1000 characters.

- 5. When you are finished reviewing all of the answers, take one of the following actions.
  - If all of the answers are complete and need no further action, click **Action** > **Approve and Close** (three-stage lifecycle) or **Action** > **Submit for Approval** (four-stage lifecycle). The option names might be different depending on the GRC Workflow that is driving the review process.
  - If there are answers that you flagged, or comments you made that you want the respondent to address, click **Action** > **Reject** in the title bar.

The questionnaire assessment goes back to the information gathering stage. It is sent back to the respondent. The respondent receives an email and launches the assessment, responds to the flagged questions, and resubmits it. When it comes back to you, you receive an email, open it again, and follow the same process to review it. You can approve it or reject it again. On the second and subsequent reviews, you can provide a comment on answers you accept that you previously rejected.

### **Results**

After you approve a questionnaire assessment, what happens next is determined by its workflow.

If it is assigned to a three-stage lifecycle, the system closes it. Both the respondent and the reviewer can view it but neither one can edit it.

If it is assigned to a four-stage lifecycle, an approver receives an email and reviews it, following the same process as the reviewer. The approver can flag or comment on answers and send the assessment back to you. Review the flagged answers and comments and resubmit it or reject it. If you reject it, it goes back to the respondent. When the approver clicks **Action** > **Approve**, the system closes the questionnaire assessment. At that point you can view it but no longer edit it.

Emails are not sent if the assignee remains the same. By default, emails are not sent when questionnaire assessments are closed.

# Creating an ad hoc questionnaire assessment

Use an ad hoc questionnaire assessment to create a single questionnaire assessment that is independent of a program.

### **About this task**

The questionnaire assessment can be assigned to another user, not just the user who created it.

#### **Procedure**

- 1. Click > Assets and select the asset for which you want to create a questionnaire assessment. For example, click > Assets > Resources and click a resource.
- 2. On the Task tab, expand the Assessment, Issues and Vulnerabilities section.
- 3. Click New.

A view opens where you can create a new questionnaire assessment. The asset where you started is assigned to the questionnaire assessment.

- 4. Assign a lifecycle to the questionnaire assessment.
- 5. Add optional information.
- 6. Click Save.

Another **Task** tab opens where you can work with the questionnaire assessment.

- 7. Click **Select Questionnaire Template** and assign a template to the questionnaire assessment.
- 8. Click the **Questionnaire** tab to open the questionnaire assessment and answer the questions. The workflow that the questionnaire assessment is assigned to starts.
- 9. Answer the questions. You can either click **Save draft** to save or let the assessment be saved automatically.

When you are finished answering all of the questions, click **Action**. Select the action, either **Submit and Close** for a 1 Stage questionnaire assessment or **Submit for Review** for a 2 or 3 Stage questionnaire assessment. When you are prompted to confirm the action, click **Submit**.

# **Programs**

You use programs to define and launch questionnaire assessments.

Before you use programs, see "Questionnaire overview" on page 87.

A program defines the people who are involved in an assessment, including the responsible manager, the reviewers, and the approvers. It also defines the questionnaire template that the program uses. A program is based on an underlying asset that you want to assess. These assets can be processes, subprocesses, resources, employees, vendors, or engagements.

Programs that are based on employees create questionnaire assessments that are sent to the employees. Programs that are based on resources, processes, subprocesses, vendors, or engagements are based on selected objects and are sent to the objects' primary owner. If an employee has no employee account or an asset has no primary owner, there is no respondent for the questionnaire assessment.

First, create a program object and assign the questionnaire template and assets to it. When you launch it, the questionnaire assessment's stage is set to information gathering. A workflow starts because workflows are used to drive the review process. A questionnaire assessment moves from one stage to the next when a user submits, rejects, or approves it. The stage owner can come from the underlying asset or the program owner if it is the final stage.

You can update the assets that are assigned to a program and relaunch it if new assets were added after the initial launch.

Users who launch programs must have read permissions for questionnaire assessment and questionnaire template objects. Set up permissions so that only program owners can delete questionnaire assessments.

### Launching a program and copying answers

When you launch a program, you can include answers from a previous program in the questionnaire assessment. For example, this year you can send out questionnaire assessments that are the same or similar to ones you sent last year, and you can include last year's answers. The recipient receives questionnaire assessments where some or all of the questions include answers that the recipient can keep or change.

You can use the questionnaire template from the previous program or save it as a new template and make changes. The two programs do not have to use the same questionnaire template. To copy answers, the questions must retain their internal identifiers from one questionnaire template to another. You can make slight changes to questions in the new questionnaire template if the question remains essentially the same. You can add new questions and delete questions. Don't rewrite an existing question because answers that no longer apply can be copied to it.

# Creating and configuring a program

Create, configure, and launch a program to create questionnaire assessments.

### **Procedure**

- 1. Open the **Primary menu** and select **Assessments** > **Programs**.
- 2. Click New.
- 3. Complete the following information on the form to create the new program object:
  - a) In the **Name** box, enter the name of the program.
  - b) In the Type box, select either Classification Questionnaire or Assessment Questionnaire.
  - c) In the **Primary Owner** drop down box, either select a user from the list of **Recently Used** names, or enter a name and select from the list of users that is displayed. Similarly, you can specify a **Reviewer**, **Approver**, and **Additional Owners**.
  - d) Click Select Primary Business Entity, select a Business Entity, and click Done.
  - e) In the **Select Primary Business Entity** drop down box, select the number of stages you want for your workflow.
  - f) Optional: You can specify an **Assessment Due Date** by either entering a date or selecting a date from the calendar.
- 4. When you have finished completing the form, click Save.
  - The program page opens on the **Task** tab.
- 5. Complete the following information on the **Task** tab.
  - a) Click **Select Questionnaire from Library**, select a questionnaire, and click **Done**.
  - b) In the Assets in Program box, select a type of asset: IT Resources, Processes, Sub-Processes, Vendors, Engagements, or Employees.
    - Click **Add** and select resources. When you have selected the resources you want, click **Done**.
    - Repeat this step for all asset types you want to choose.

The program is now ready to launch. Before you launch a program, ensure that the assets you have chosen have employee accounts or primary owners.

### What to do next

Launch the program. For more information, see "Launching a program" on page 109.

# Launching a program

You launch a program to create questionnaire assessment instances.

### Before you begin

- Create and configure a program object. For more information, see <u>"Creating and configuring a program"</u> on page 108.
- Verify that the assets have employee names or primary owners.

#### **About this task**

When you launch a program the first time, the system creates questionnaire assessment instances. You can launch it again if you added new assets to it. When you launch a program a second time, the system creates only questionnaire assessments for the new assets. Existing, unchanged questionnaire assessments are not affected.

#### **Procedure**

- 1. To begin launching a program, choose one of the following steps:
  - a) If you are already on the **Task** tab of the program page, click **Launch** in the **Assessment Management** box.
  - b) Otherwise, open the **Primary menu** and select **Assessments** > **Programs**. The system displays a list of programs.
    - Click **Launch** in the **Launch Program** column. The system displays a message with the number of questionnaire assessment instances that will be created.
- 2. If **Program to copy answers from** is displayed, you can select a source program you want to copy answers from.
  - For more information about copying answers from another program, see <u>"Launching a program and copying answers"</u> on page 108.
- 3. Click Launch.

### Results

The system:

- Creates one questionnaire assessment object per employee, resource, process, subprocess, vendor, or engagement in the program. It does this in a background process.
- Starts the workflow for the questionnaire assessments.
- Sends emails to the respondents.
- · Locks the questionnaire template.

### What to do next

- 1. Review the status of the program launch.
  - a. If you are already on the Task tab of the program page, skip to step 1b. Otherwise, open the
     Primary menu and select Assessments > Programs. Click the program you want to see the status for.
  - b. On the **Task** tab, click **View** in the **Assessment Management** box. The **Process History** window displays the status for all processes.
- 2. Review the questionnaire assessments the program created. Verify that the assets are correct. Make corrections if necessary and relaunch the program.

To delete questionnaire assessments that were created in error, you must dissociate the questionnaire assessment from the asset.

# **Chapter 11. Applying Signatures and locks**

You can add a signature to sign off on an object to indicate that the object meets your approval. It has no enforcement powers, and does not prevent the item from being modified after approval. However, modifications to the object are prevented if your system settings are configured to automatically apply a lock on the signed object. Another system setting can be set to lock the object's children of a particular object type when the parent is locked.

You can have a lock on an object either with or without a Signature.

### **Signatures**

To add or revoke a signature, you must be a member of a group with signature privileges.

If the setting **Applications** > **GRCM** > **Signature** > **Cascade** > **<parent\_object\_type>** is set to a child object type, a Signature added to the parent is also placed on its children of the specified object type.

If the setting **Applications** > **GRCM** > **Signature** > **Mode** is set to **Autolock** on your system, when you add a Signature on an object, the object is locked and cannot be modified until you either revoke your signature or an administrator unlocks the object.

For more information about adding Signatures, see "Adding a signature" on page 112.

For more information about revoking Signatures, see "Revoking signatures" on page 112.

### Locks

A lock on an object behaves the same way whether you lock an object manually or the lock is applied to an object as a result of an added Signature.

A closed lock icon displayed next to the object's name in a Grid View or on the object's page indicates a locked object. Because a lock can be replicated down the object hierarchy, an object can inherit multiple locks. An object with multiple locks cannot be modified until all of the locks are removed.

If the setting Applications > GRCM > Locked Objects > Lock Child Types > <parent\_object\_type> is set to a child object type, when the parent is locked, all of its child objects of the specified type are locked.

Only one active lock can be placed on an object. Multiple locks can be inherited from parent objects as those objects are locked.

To lock or unlock an object, you must have the necessary permissions set on your account. For more information, see your system administrator for details.

You cannot perform the following actions on a locked object:

- Move the object to a new location.
- Edit any properties.
- · Rename the object.
- · Delete the object.
- · Associate other objects with the object.

You can perform the following actions on a locked object:

- · View the details of the object.
- Copy the object to a new location. The newly created copy is unlocked.

# Adding a signature

If your user group has permissions to add a signature for the object type, you can add a signature to sign off on an object.

#### **About this task**

If the setting **Applications** > **GRCM** > **Signature** > **Mode** is set to **Autolock** on your system, when you add a Signature on an object, the object is locked and cannot be modified until you either revoke your signature or an administrator unlocks the object.

When a parent object has a signature lock applied to it, only one active lock can be placed on that object. Multiple locks can be inherited from parent objects.

### **Procedure**

- 1. Click to open the Primary menu.
- 2. Expand the categories to see the object types.
- 3. Select the object type that you want to work with. A Grid View opens.
- 4. Click the name of the object that you want to work with.
- 5. Click the **Admin** tab.
  - If the **Admin** tab is not available, the Role Template that is associated with your user account does not have the necessary permission to view the tab.
- 6. In the **Children** section, click the **Signatures** tab.
- 7. Click New.
- 8. On the **New Signature** tab, you can enter a **Description** and **Comments**.
- 9. Click **Save** to create the new Signature.

# **Revoking signatures**

You can revoke a signature or sign off on a signature that you manually added. With the out-of-the-box workflow, Signature Revoke, you can only revoke a signature that you created.

#### **About this task**

To unlock an object with a signature lock and retain the signature, your group must be added to the value of **Applications** > **GRCM** > **Signature** > **Permission** > *<object\_type>* where *<object\_type>* is the object type of the object with the signature.

All signature locks (including inherited locks) must be removed from an object before it can be edited. To remove an inherited lock, use the **Signature Revoke** workflow to enable the action to revoke the signature from the parent object.

### **Procedure**

- 1. Click Solution Configuration > Workflows > Signature Revoke.
- 2. Select the action between the **Start** and **End** stages.
  - The **Action Properties** panel is displayed.
- 3. Expand the Validations and Operations section.
- 4. Click Unlock Parent Process Lock or unlock objects.
- 5. In the **Operations** panel, click **Edit** for **Target Objects**.
- 6. In the **Related Object Type** field, select the object type that you want to revoke the signature for. Click **Publish**.

- 7. Open the locked object. In the section of the Admin tab where the children of the object are listed, the signature is shown as a child of the locked object. Click the name of the signature you want to revoke.
- 8. Click Actions > Start Signature Revoke.
- 9. When prompted to confirm the action, click **Continue and close tab**.

The **Status** field for the signature shows it is **Revoked**.

# **Viewing signatures**

You can view a signature that is associated with an object.

### **Procedure**

- 1. Click to open the Primary menu.
- 2. Expand the categories to see the object types.
- 3. Select the object type that you want to work with. A Grid View opens.
- 4. Click the name of the object that you want to work with.
- 5. Click the Admin tab.
  - If the **Admin** tab is not available, the Role Template that is associated with your user account does not have the necessary permission to view the tab.
- 6. In the Children section, click the Signatures tab.
  - The Signatures for the object are listed in a Grid View. To see if a Signature is in effect, click the Signature and check the **Status** field.

# **Locking and unlocking objects**

The types of objects that you can lock or unlock are determined by a system setting and your access permissions. You can lock only first-level objects.

In a grid view, the **Lock** and **Lock** options are displayed when you select the check box of an object that you can lock or unlock.

In other views, a  $\stackrel{\frown}{\Box}$  or  $\stackrel{\frown}{\Box}$  icon is displayed next to the name of an object. When an object is locked, the closed lock icon  $\stackrel{\frown}{\Box}$  is displayed. A gray closed lock icon indicates that the object has inherited the lock. To remove an inherited lock, you must unlock the parent object.

### **About this task**

When you lock a parent object and the application setting is specified to lock child objects, its child objects of the type specified in the setting are also locked.

When you unlock an object, the closed lock icon is replaced with an open lock icon on the object, and inherited locks are removed from any associated child objects. When you unlock an object with signatures, the signatures remain in effect and are not revoked.

#### **Procedure**

- 1. Click to open the Primary menu.
- 2. Expand the categories to see the object types.
- 3. Select the object type that you want to work with. A Grid View opens.
- 4. Perform one of the following actions:

- To unlock one or more objects, select the check box of each object that you want to unlock. Click **Unlock**  $\widehat{\Box}$  .
- To lock one or more objects, select the check box of each object that you want to lock. Click  $\mathbf{Lock}^{\triangle}$ .

The **Unlock** and **Lock** options are available only for object types that support locking and only when your access permissions allow locking and unlocking.

# Chapter 12. Using OpenPages Platform objects

Platform objects are the fundamental objects that make up the core of OpenPages. They are part of every OpenPages system, regardless of the solutions that are configured.

### **Business Entities**

Business entities are abstract representations of your business structure. A business entity can contain subentities (such as departments, business units, or geographic locations). The entity structure that you create depends on your business needs. For example, you might create a parent entity for your business headquarters and a subentity for each location or department. You might also want to represent both a legal entity structure and a business entity structure.

Business entities are also used to organize library data such as risk and control libraries, or regulatory content (for example, laws, regulations, and standards).

When you set up your business entity hierarchy, work with your IBM OpenPages consultant. The structure of your business entities impacts the type and quality of information that can be extracted from the application.

In IBM OpenPages Internal Audit Management Business Entities also model the Internal Audit organizational structure, which facilitates reporting and security for the Internal Audit team. The Internal Audit organizational structure is a top-level entity to minimize the chance of accidentally granting a business user access to Internal Audit information. The elements of the Audit Universe that are owned by an Internal Audit team are associated with the team Business Entity. Another top-level Business Entity structure can be created to organize confidential Audits, providing special security to these Audits. Business Entity can also be used to organize a Library of template audit content.

### **Risk Assessments**

Risk assessments give you the ability to evaluate and report potential liabilities for a set of business entities or processes. A Risk Assessment object contains the names of the assessor and reviewer, the assessment time frames, and the status of the assessment. Use a Risk Assessment to manage the risk self-assessment process. Associate Risk objects with a Risk Assessment to create a link between the business entity and the Risks. For example, create a Risk Assessment to assess operational risks, such as external theft and fraud, internal fraud, physical property damage, or business disruption.

# **Risk Assessment Evals**

Risk Assessment Evaluation objects are similar to Risk Evaluation objects except that they are instantiated as children of Risk Assessments. They store risk assessment data.

# **Control Objectives**

A Control Objective is an assessment object that defines the risk categories for a Process or Sub-Process.

Control Objectives define the COSO compliance categories that the Controls are intended to mitigate. Control Objectives can be classified into categories such as Compliance, Financial Reporting, Strategic, Operations, or Unknown.

After a Control Objective is identified, the Risks belonging to that Control Objective can then be defined. In most cases, each Control Objective has one Risk that is associated with it. However, it might have more than one Risk that is associated with it. For example, a financial services company employs traders that are aware of the required ethical standards. The HR department sets up a control objective called 'Personnel'. A risk that is associated with the Control Objective is, "Employees engage in business dealings that conflict with the company objectives for ethical and fair trading."

By default, an OpenPages Internal Audit Management Control Objective is disabled. This object is not often used, except to align with other solutions that might use it.

### **Processes**

Processes represent the major end-to-end business activities within a business entity that are subject to risk. Processes reside in areas such as financial reporting, compliance, and information security. For example, Processes in the Accounts Receivable department such as order-to-cash could be improved with controls to protect against financial reporting risks such as fraudulent behavior or financial reporting inaccuracies.

In OpenPages Internal Audit Management, Processes are also used in scoping audits. Audits can copy Processes that are created by the business entity, or create their own Processes.

### **Process Evals**

Process Evaluation objects are children of Process objects and they are used to capture process measurement values for trending purposes.

When the reporting periods do not align with the evaluation cycles, you can use Process Eval objects to capture multiple evaluation cycles within a single reporting period.

### **Sub-Processes**

A Sub-Process is a component of a Process. It is used to divide Processes into smaller units for assessment purposes. For example, an order-to-cash financial Process might be composed of several Sub-Processes such as accounts payable, purchasing, and general accounting. Any of these Sub-Processes might expose the Business Entity to risk and can be improved by using controls.

# **Controls**

Controls are policies and procedures that make sure that risk mitigation responses are performed.

After you identify the risks that occur in your practices, establish controls, such as approvals, authorizations, and verifications. These controls remove, limit, or transfer these risks.

Controls provide either prevention or detection of risks. Controls are associated with tests that ensure that a control is effective. For example, the human resources department identifies a risk in the new hire process. The process does not comply with regulations and guidelines for diversity and discrimination. Define controls to mitigate this risk, such as, establish hiring policies and procedures, and conduct mandatory training for hiring managers.

In IBM OpenPages Internal Audit Management use Controls to create a detailed model of the Controls that exist or that you want to enforce on the activities that are audited. If shared with the Business, the Controls can be rated separately by Internal Audit and by the Business.

# **Compliance Plans and Compliance Themes**

The Compliance Plan and Compliance Theme objects are used with IBM OpenPages Regulatory Compliance Management.

Compliance Plans allow for the creation of an overall plan to address regulatory requirements in a structured setting, or to structure a set of regulatory tasks. For example, a Compliance Plan might be created to track regulatory tasks, or to conduct compliance assessments against various regulatory requirements. One or multiple Compliance Themes can be grouped into an overall Compliance Plan for the organization.

Compliance Themes allow you to organize regulatory requirements into themes for assessment purposes. This approach enables you to assess compliance requirements beyond the typical business entity approach, by grouping regulatory requirements across themes that impact across the organization. Sample themes might include data privacy, governance, accountability, and so on. You can assess the

impact of regulations not just within business entities, but across themes that touch on multiple areas of the organization.

You can deploy a Compliance Theme to multiple business entities. Or you can deploy multiple themes to a single business entity. The RCM Theme Deployer creates the structure for you, including the compliance plan, compliance theme, and the relevant requirement evaluation records beneath the theme, linked to the relevant Control objects.


For example, suppose that you want to deploy the Data Privacy compliance theme to the Agency Services business entity. The Data Privacy compliance theme has 35 related requirements. Some of these requirements have controls associated with them. When you deploy the Data Privacy theme, a Requirement Evaluation object is created for the business entity for each of the 35 requirements of the theme. You now have the requirement evaluation objects that you need to assess how well the business entity is meeting the requirements.

You can choose how or if control objects are created or linked. You can choose to create or link controls, link controls, or you can choose not to handle control objects when you deploy a theme.

For example, suppose that you deploy the Data Privacy theme and you choose to create or link controls. The associations between controls and requirement evaluation objects are set up for you, based on the following steps:

- Does Agency Services already have an associated control that is relevant to the requirement? If so, create a link between the control and the requirement evaluation.
- If Agency Services does not have an associated control that is relevant, is there a control in the RCM Library that is relevant? If so, create a link between the Library control and the requirement evaluation.
- If Agency Services does not have an associated control that is relevant and no Library control objects are relevant, create a new control object and link it to the requirement evaluation.

In this example, Data Privacy Requirement 1 is linked to a control called Data Privacy Control 1. Agency Services does not yet have this control. Therefore, Data Privacy Requirement Evaluation 1 is linked to the control in the Controls Library.



# **Deploying multiple Compliance Themes to a business entity**

You can deploy multiple compliance themes to a business entity.

#### **Procedure**

- 1. Click > Regulatory Compliance > Compliance Plans.

  Use the filters to find the plan that you want to use.
- 2. Click the Compliance Plan that has the Compliance Themes that you want to deploy.
- 3. Click Launch under Compliance Plan Administration.

The **Deploy Compliance Themes into Entity** window is displayed.

- 4. Select the compliance themes that you want to deploy. Click **Next**.
- 5. Select how to deploy the related Control objects.
- 6. Click Next.
- 7. Review the information on the **Preview** tab.
- 8. Click Submit.

The deployment process begins. the **Process History** page shows its progress. Click **Refresh** to update the page.

9. Close the **Process History** window.

**Note:** To see a list of all of the processes that you are running, click **Other** > **Background Processes**.

# Deploying a Compliance Theme to multiple business entities

You can deploy a compliance theme to multiple business entities.

### **About this task**

When you deploy a Compliance Theme to one or more business entities, the objects and associations that you need for requirement assessments are created for you. You can also choose to create and/or link to the controls that are associated with the requirements that are associated with the theme. You can also choose not to create or link controls.

### **Procedure**

1. Click > Regulatory Compliance > Compliance Themes.

Use the filters to find the theme that you want to deploy.

- 2. Click the Compliance Theme that you want to deploy.
- 3. Click Launch under Compliance Theme Administration.

The **Deploy Compliance Theme into Selected Entities** window is displayed.

4. Select the business entities that you want to deploy the Compliance Theme to. Click **Next**.

Note: Rich text fields are shown in plain text in the RCM Theme Deployer.

- 5. Select how to deploy the related Control objects.
  - **Create/Link**: If the Library Control is not already associated with the business entity and if there is no Control object below the business entity to map the Requirement Evaluation objects to, the RCM Theme Deployer creates a new Control object.
  - **Link**: If the business entity has a Control that is relevant, the RCM Theme Deployer creates a link between the Requirement Evaluation object and the Control that is in scope for the business entity.
  - None: No action. The RCM Theme Deployer does not create or link Control objects.
- 6. Click Next.
- 7. Review the information on the **Preview** tab.
- 8. Click Submit.

The deployment process begins. the **Process History** page shows its progress. Click **Refresh** to update the page.

9. Close the **Process History** window.

**Note:** To see a list of all of the processes that you are running, click > Other > Background Processes.

# **Control Evals**

Control Eval objects are similar to Risk Evaluation objects except that they are created as children of Controls. They store control assessment data. When report periods and control assessment evaluation cycles are not aligned, use Control Eval objects to capture multiple evaluation cycles within a single reporting period.

### **Risks**

Risks are potential liabilities. Risks can be associated with business processes, business entities, or a compliance with a mandate. Each risk has controls that provide safeguards against the risk. The controls help lessen consequences that result from the risk. Use the Risk object to categorize risks; capture the frequency, rating, and severity of observed and computed risk data; and view reports to identify top risk items. For example, the Cash account has a process that is called Payroll. A potential risk that might occur in the payroll is a duplicate payroll disbursements or the creation of fictitious payroll disbursements. Identifying risks in processes is a key component of developing a financial controls documentation project.

In OpenPages Internal Audit Management, a Risk that is shared between an internal audit and the business can be rated separately.

### **Risk Evals**

Risk Evaluation objects are children of Risk objects and they are used to capture risk measurement values for trending purposes. Often reporting periods do not line up with risk evaluation cycles and so Risk Eval objects can be used to capture multiple evaluation cycles within a single reporting period.

### **Test Plans**

A Test Plan is a container for tests and can be associated with parent Control objects and child objects, such as Test Results and Issues. Determine the operating effectiveness of a Control by conducting detailed tests and then documenting the results. Test Plans describe the mechanisms that determine if a Control is effective. For example, a sample Control is: "Human Resources authorizes changes in employee status." A test for this control might be: "Verify HR authorization stamp on new employee records." The test verifies that the new Control is implemented and in use. A Test Result is the information that is obtained from running a test plan.

### **Test Plans**

A Test Plan is a container for tests and can be associated with parent Control objects and child objects, such as Test Results and Issues. Determine the operating effectiveness of a Control by conducting detailed tests and then documenting the results. Test Plans describe the mechanisms that determine if a Control is effective. For example, a sample Control is: "Human Resources authorizes changes in employee status." A test for this control might be: "Verify HR authorization stamp on new employee records." The test verifies that the new Control is implemented and in use.

The default OpenPages Internal Audit Management configuration uses the Workpaper object in place of the Test Plan and Test Result. The Audit object needs access to these objects because they are often used to document business testing.

### **Test Results**

A Test Result is the information that is obtained from running a test plan.

The default OpenPages Internal Audit Management configuration uses the Workpaper object in place of the Test Plan and Test Result. The Audit object needs access to these objects because they are often used to document business testing.

### **Issue and Action Items**

Although issues are generated in areas where internal controls are not properly implemented, use the Issue object to document a concern that is associated with any object type. For example, a Test is associated with a Control, but the Test failed the last time that it completed. This potential problem can be highlighted by capturing it in an Issue object.

An Issue is resolved through Action Items. You can use an Action Item or a series of related Action Items to form an Action Plan. Each Action Item is assigned to a user for resolution, and tracks progress. After all Action Items for an Issue are complete (when an assignee sets the value to 100%), close the Issue.

In OpenPages Internal Audit Management, Issues and Action Items can be used instead of, or with, Findings.

# **Adding comments to an Action Item**

You can add comments to an Action Item from a task view. After you save a comment, it cannot be edited or deleted.

### **Procedure**

- 1. Open the task view for the parent object that you are interested in. You can access the task view from a link in an email, a helper, a dashboard, or a grid view.
- 2. Under Related Content, click Issues.
- 3. Click the name of the issue.
- 4. Under **Remediation**, click the action item.
- 5. To add a comment, click the **Comment** field. Type your comment and then click outside the field.
- 6. Click Save.

# **Completing Action Items**

You can select a percentage in the Percent Complete field of an Action Item object to identify your progress or completion of the assigned action item. To show that you have completed an action item, set the percentage complete to 100%.

#### **Procedure**

- 1. From the primary menu, click **Remediation** > **Action Items**.
- 2. Click the action item that you are interested in.
- 3. In the **Percent Complete** field, type a value, such as 100.
- 4. To add a comment, click the **Comment** field.
- 5. Click Save.
- 6. If the action item is complete, click **Action** > **Submit for approval**.

# **Preferences and Preferences Groups**

The Preference object is a child of a Business Entity or Preference Group, and includes variable values that can drive reports, workflows, and computed fields. It has entity-specific variable values that enable different behavior for the same workflows. For example, define variable values to determine the behavior for review and approval workflows such as the appropriate users for each level of review and approval, and the thresholds for determining how many levels of review and approval are required.

The Preference Group is used to group Preference objects together. Without this grouping object, each Preference object must be associated separately with each relevant Business Entities. The Preference Group helps minimize the associated maintenance.

In the default IBM OpenPages Internal Audit Management configuration, these objects are used to hold weights for Risk Factors used in Annual Assessment Risk Ranking. Since the weights and factors can be different for each type of audit, such as financial, operational, or strategic, create a separate Preference instance for each audit type. As a child of Business Entity, this approach provides the ability to have entity-specific variable values.

# Chapter 13. Using OpenPages Internal Audit Management (IAM)

IBM OpenPages Internal Audit Management (IAM) provides internal auditors with a uniquely configured view into organizational governance, risk, and compliance (GRC), affording audit the chance to supplement and coexist with broader risk and compliance management activities.

As with all solutions, IBM OpenPages Internal Audit Management is completely integrated with financial controls management, IT governance, policy management efforts and operational risk management programs. The internal audit team has the capability to work as a fully integrated partner to business stakeholders, completely independently, or anywhere in between, as determined by the specific needs of the audit department or a particular audit being undertaken.

### Key features include:

- The capability to risk rank the audit universe, configured according to your audit methodology
  - Powerful support for your risk assessment methodology
  - Full reporting across the entire audit universe
- The ability to define, plan, execute and report on audits across your business
  - Track and manage audits, audit sections, workpapers, and audit resource requirements and allocations
  - Automate operations through fully configurable reporting
- The ability to provide independent assurance to the business or work as an integrated part of GRC efforts
  - Opine on management's GRC efforts independently
  - Control access to confidential audits, fields, and audit-only views

# **OpenPages Internal Audit Management objects**

This topic provides information about the OpenPages Internal Audit Management objects.

# Summary audit plans

The Summary Audit Plan object type enables a program office to plan audits of Auditable Entities for a pre-determined period of time (annual, half year, or quarter) by scope, risk profile, forecast hours of audits, and so on.

The Summary Audit Plan object is a child of Business Entity. The children of Summary Audit Plan include: Audit and Auditable Entity.

### **Audits**

An Audit represents each execution of an audit against an Auditable Entity. For example, if an Auditable Entity is audited every two years, a separate child Audit instance must be created for each two-year period, such as 2022 and 2024. An organization might audit various processes. For example, you might audit an entity, a specific regulatory requirement, or a data center physical security.

The Audit object is configured as a self-contained object type and a folder is automatically created for each Audit instance. With this configuration, you can copy template audits and audit components from a library to the audit hierarchy without object naming conflicts.

Planning and scheduling of the Audit resources is done at the Audit level.

High-level Audit progress can be tracked by monitoring the Status values and Date values on the Audit. Key audit milestones can be tracked by adding fields that represent completion dates for each of the key milestones to track.

Use the Audit object to manage the audit process across your enterprise. The Audit identifies a holding point to capture information such as scope, objectives, timing information, review, execution, and approval roles. You can track a subset of audits that you are undertaking in a planning horizon, or all audits in the audit universe.

### **Auditable entities**

An Auditable Entity object is a child of a Business Entity and a Summary Audit Plan. An Internal Audit Business Entity hierarchy is established and all Auditable Entities are created as a child of the Internal Audit Business Entity object. Auditable Entities that are aligned with elements of the Business Entity Organizational Hierarchy are also associated to those Business Entities.

An Auditable Entity represents a single element of the Audit Universe; the collection of things in the business that might be audited. Most Auditable Entities represent business or legal entities, but they can also represent processes, long-running projects or initiatives, compliance programs, or shared IT Services.

Auditable Entities are risk ranked every year to determine the priority of performing an audit that year. A Weighted Risk Score is calculated but the score can be overridden.

### **Audit sections**

Audit Sections can be used to represent the phases of the Audit, work programs within the Audit, or other components of the Audit at the level of granularity you want.

Organizations might have multiple standard components for each Audit. Template audits that include sections for each standard component can be created in a library. Planned and Actual Start and End Dates for these sections are used to report progress on key milestones in the audits.

Detailed Audit progress can be tracked by including an Audit Section for each milestone. Alternatively, some organizations might add fields on the Audit that represent completion dates for each of the key milestones they want to track.

Although Audit Sections can be used for planning and scheduling Audit resources, most organizations find this method to be too detailed.

### **Plans**

A Plan object type facilitates audit resource scheduling and allocation at any level. For example, you can create a single Plan object for an entire audit, or you can create one Plan object per task for each auditor who is involved with the audit. Plan objects are used to determine the availability, skills, and experience required of the desired resource. OpenPages Audit views, reports, and so on, are aligned with Planning at the Audit level. Plans can instead be associated to Audit Sections, in which case these components would need to be modified.

Plan objects also drive time tracking - all time is tracked against Plans. A Timesheet object type is used to record weekly actual hours and expenses that are expended against a Plan object for an Audit. Because Timesheet objects are associated with Plans, it is easy to track deviations between planned and actual time and expenses.

You typically create or modify a Plan object by using the Add or Modify Plans helper, which audit owners can access from a link on the Audit task view. You can also edit plans (but not create them) by accessing the **Audit Management** > **Plans** menu item.

# Workpapers

A Workpaper is any artifact or deliverable you want to track in the scope of an audit. It can represent an engagement letter, a testing matrix, interview notes, or anything else appropriate to the audit in question.

The workpaper itself can be attributes that are stored on the Workpaper object, or it can be a Microsoft Word, Microsoft Excel, or other type of file that is attached to a Workpaper object. When Workpaper is used for test evidence, it documents both the test planning and the test results.

Create a Workpaper object from the task view of an Audit Section. Workpaper objects can also be copied from a library, where they represent templates of different types of workpapers that are generated by an internal audit department.

# **Findings**

Findings can be used to represent observations that are reportable to the business, to the Audit Committee, or both. Alternatively, Findings can be used to represent individual factual observations, while Issues are used to represent consolidated themes and systemic problems, which are then reported to the business, to the Audit Committee, or both.

A Finding represents anything that is uncovered in the course of an audit that needs to be accounted for and addressed by management. You can use a finding to track management's progress in addressing the underlying issue identified. The Issue object can be used in place of, or in conjunction with, the Finding object.

### **Auditors**

Resource planning and allocating requires key information about each individual who might perform audit work. The Auditor object is used to create a pool of Auditors who can be assigned to Audits.

Each user who is assigned to audit work is represented as an Auditor instance. Auditors are then available for resource allocation. The Auditor object includes attributes to use to evaluate and select Auditors for audit engagements, such as specialties, languages, and certifications. Auditor objects are associated with the relevant component of the Internal Audit organizational hierarchy. As a best practice, match the Name on the Auditor object with the username.

### **Audit review comments**

The Audit Review Comment object type is used to provide feedback during the review process for an Audit and its components. It is associated as a child to the instance of the Audit, Section, Workpaper, or Finding for which feedback is being provided.

# **Chapter 14. Using OpenPages IT Governance (ITG)**

IBM OpenPages IT Governance (ITG) is an enterprise IT Governance solution that aligns IT services, risks and policies with corporate business initiatives, strategy, and operational standards.

IBM OpenPages IT Governance allows you to manage internal IT control and risk according to the business processes they support. In addition, IBM OpenPages IT Governance unites multiple silos of IT risk and compliance to deliver improved visibility, better decision support, and ultimately enhanced corporate performance.

### Key features include:

- · IT Regulatory and Policy Compliance
- · Risk and Control Assessments
- Control Testing and Issue Remediation
- IT Resource Management
- Incident tracking
- · Vulnerability tracking and scoring
- · Key Performance and Key Risk Indicators
- · Reporting, monitoring and analytics

# OpenPages IT Governance terms you should know

This topic provides terms to use in IBM OpenPages IT Governance.

### **Application**

An object that defines a software program that is used to support an IT service.

#### Asset

Personnel, infrastructure, or application that is used to support an IT service.

#### Incident

An object that records an IT occurrence that has an actual or potentially adverse effect on your enterprise.

### Infrastructure

An object that defines the physical equipment or physical location that is used to support an IT service.

### Library

A holding area for the mandates that are relevant to your enterprise.

#### **Mandate**

(1) An obligation to which an enterprise must comply. A mandate can be a governmental regulation (local, federal, or international), a best practice standard established by a standards organization, or an internal company policy. (2) An object used to establish your enterprise's compliance management process for a specific regulation or policy, such as PCI.

#### Personnel

An object that identifies the type of human resource (DBA, system administrator, business team, etc.) that is required to support an IT service.

#### **Sub-mandate**

An object used to establish the compliance management process for a sub-section of a regulation or policy. Usually a child of a Mandate object.

# **OpenPages Internal IT Governance objects**

This topic provides information about the OpenPages Internal IT Governance objects.

### **Assets and Asset Links**

The Asset object type is used to represent categories of personnel, applications, infrastructure, processes, facilities, and functions. Asset objects of the same type often need to be related to each other. You can use an Asset Link object type to link two Asset objects.

### **Assets**

The Asset object type is used to represent categories of personnel, applications, infrastructure, processes, facilities, and functions.

**Note:** The object types and actions available on a page depend on your particular setup and permissions.

Although Asset objects can represent an individual IT asset (for example, a particular application server), they more often represent a group of assets, such as a pool of application servers used for a specific application.

Typically, Asset objects are created by the owning or responsible IT business entity, and then associated with the object they support such as Business Entities, Processes, and Baselines.

To access Asset objects, click > Assets > Assets.

### **Asset Links**

Asset objects of the same type often need to be related to each other. You can use an Asset Link object type to link two Asset objects.

To link an Asset to another Asset, go to the task view of a Asset object, click the **Admin** tab, and then click **Create Asset Link**. Users with administration permissions can access the **Admin** tab in task views.

Also, you can add the Asset Link field to Task or Grid views for the Asset object to enable users to create Asset Links from these views.

Various filtering options on the **Admin** tab allow you to select the Asset that you want to link. The Asset Link that is created is a child object of both of the linked Assets and is populated with the attributes of the parent objects.

Note that if the names or attributes of either parent Asset objects are changed after the Asset Link is created, the Asset Link name and its attributes will no longer correctly map to its parent Assets.

### **Baselines**

A Baseline object type represents a template of library requirements. It is self-contained, which means folders are created for each Baseline. Baselines in the Library represent elements of the IT operating environment. They are linked to Requirements for that type of element. The Baseline object is copied from the library to the business hierarchy, an association is made to a Requirement in the library, and Risk, Control, and Test object types are created as child objects. The Risk, Control, and Test objects are populated with data from the Requirement when using the Baseline Copy Helper.

For example, a Baseline object can represent a collection of Requirement objects for a data center with Personally Identifiable Information (PII) and a Confidential Data classification. For each Requirement object, set up a best practice to define what to control (Risk object) and how to control it (Control object). You can also establish a practice for verifying the effectiveness of the Control (Test object).

Typically, Baseline objects are created in the library as a starting point. Baseline object content will later be modified to conform to a specific operating environment, and assessments will be performed against the actual operating environment for this content.

You add a Baseline object via the **Add a Baseline** link on a System object's task view. The Baseline object is copied from the library to the business hierarchy, an association is made to a Requirement in the library,

and Risk, Control, and Test object types are created as child objects of the Baseline object. The Risk, Control, and Test objects are populated with appropriate data from the Requirement.

From the Task View of a Baseline object, you can associate parent objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

### **Incidents**

An incident is an occurrence that has a potentially adverse effect on your enterprise. Create an Incident object to record information, such as the person responsible for investigating the incident and other related data. The Incident object is used by a workflow to facilitate incident analysis. Categories that apply to incidents include Regulatory Compliance, Legal Compliance, Information Security, and IT. Incidents are stored under the Business Entity or Asset where the event occurred and associated secondarily to an impacted Mandate or Policy.

### **KRIs and KRI values**

KRIs (Key Risk Indicators) are components of the risk monitoring process and are used to provide leading or lagging indicators for potential risk conditions. Each instance of a KRI within the organization can have unique target and threshold limits. KRI values are used to record the actual value of an indicator at a specific point in time.

You can create and associate a KRI from the task view of a parent object type (for example, Risk, Control, Business Entity). From the task view of a KRI object, you can associate one or more parent business entities, risks or controls, and create, view, or edit one or more KRI values.

**Note:** You can associate KRIs with controls. Some KRIs can function like control indicators by signaling that a control is not working properly. For example, you set up several security perimeter controls with an associated KRI. If your company experiences a significant number of security breaches, the associated KRI can indicate that your security perimeter controls are not effective.

KRI values are used to record the actual value of an indicator at a specific point in time.

You can access the **KRIs** and **KRI Values** menu items by clicking > **Indicators**.

### **KPIs and KPI values**

KPIs (Key Performance Indicators) are components of the risk monitoring process and are used to provide leading or lagging indicators for potential risk conditions. Each instance of a KPI within the organization can have unique target and threshold limits. The KPI Value object type records the value of a KPI object at a specific point. Create a KPI object, and then periodically (daily, weekly, monthly) create a KPI Value object so you can detect trends.

A KPI object can be associated with one or more parent object types (such as, Business Entity, Control, System, Process, Sub-Process). Typically, you create and associate a KPI from the task view of a parent object type.

You can access the **KPIs** and **KPI Values** menu items by clicking **■** > **Indicators**.

### **Mandates**

Mandates represent external items with which organizations need to comply, such as laws, regulations, and standards. Content can be pulled from third-party providers, such as UCF, Ascent Reg Tech, or Wolters Kluwer. Mandates are represented in a Library Business Entity structure, and are not replicated throughout the system.

### **Policies**

Policies represent internal guidelines that are adopted by the Board of Directors or senior governance body within an organization. The text of a Policy can either be stored in standardized fields on the object

or as an attachment to the object. Policies typically have a distinct lifecycle from Draft to Published to Expired, as well as a review and approval process. Draft policies typically reside in the Organizational Business Hierarchy, while Published and Expired Policies typically reside in reference Library entities. Policies are also often mapped to applicable Mandates in the Library to which they relate.

### **Procedures**

Procedures represent the what, where, when, and how of how policies are implemented in an organization. The text of Procedures is typically stored in the fields on the object. Typically, Procedures are represented as children of a Policy and reside in the same entity structure as its parent Policy.

### Requirements

The Requirement object details specific requirements, found in the related Mandate or Sub-Mandate object, that the organization needs to adhere to in order to be in compliance.

For example:

- Which object types and actions that are available in a view depends on your particular setup and permissions.
- To access the > Compliance > Requirements option, you must have the necessary permissions set on your account.

Typically, you create requirements as standalone objects from the Requirements grid view, and then later associate the requirement to other objects. Alternatively, you can also create a Requirement object from the task view of a parent object (such as control objectives, controls, mandates, or sub-mandates).

From the Task View of a Requirement object, you can create, associate, or disassociate child objects (such as issues, signatures, files, or links), associate parent objects, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

You can access the **Requirements** menu item by clicking **> Compliance**.

### **Sub-Mandates**

Sub-Mandates represent external (or internal) sub-items with which the organization needs to comply. Content can be pulled from third-party providers, including UCF, Ascent Reg Tech, Thomson Reuters, and Wolters Kluwer. Typically, Sub-Mandates are represented in a Library Business Entity structure, and are not replicated throughout the system. Sub-Mandate is recursive, but Deloitte, UCF, Ascent Reg Tech, Thomson Reuters, and Wolters Kluwer content use exactly one level of Sub-Mandate. Sub-Mandates also support content for regulatory compliance. Sub-Mandates can be used to represent paragraphs that are derived from regulatory papers.

# **Systems**

System is a self-contained object type, which means that folders are created for each System object. The System object groups multiple Baselines to represent elements in the operating environment that can be assessed for risk. It acts as a container for a collection of Asset objects and the related Risks, Controls, and Requirements that together perform a function or comprise an IT service. For example, a System object might represent the servers, operating systems, applications, databases, support personnel, and facilities that provide the corporate email.

From the Task View of a System object, you can associate parent objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

### **Threats**

A Threat is any circumstance or event with the potential to adversely impact organizational operations and assets. A library of Threats can be created under the Business Entity object and associated or copied

to a parent Process, System, or Asset object. Threats can also associate to Vulnerabilities to identify and assess the likelihood and impact of a Threat's exploitation of a Vulnerability, which would result in risk to an Asset, System, or Process.

To see a history of changes, go to the **Activity** tab for the object.

## **Vulnerabilities**

Vulnerabilities give you the ability to track and assess security weaknesses. You assign scores to Vulnerabilities using the Vulnerabilities Common Vulnerability Scoring System (CVSS v2). The parent object for a Vulnerability can be a System, Incident, Asset, or Risk. Typically, you import Vulnerabilities from an IT security solution.

From the Task View of a Vulnerability object, you can create, associate, or disassociate child objects (such as issues, signatures, files, or links), associate parent objects, and edit fields of a Vulnerability object.

To see a history of changes, go to the **Activity** tab for the object.

## **Waivers**

Waivers give you the ability to document, process and manage the lifecycle of exceptions to Policies, Requirements, or Controls. Waivers can be associated to Business Entities, Policies, Procedures, Requirements, Risks, Controls, Baselines, and Assets.

Some business examples of exceptions for which waivers might be requested include the following:

- Deviation from Policy (such as corporate, information security, and IT policies)
- Accepting Risk
- Authority to Operate (ATO)
- Interim ATO allows a process to move forward prior to receiving certification (part of NIST guideline 800-37)

From the Task View of a Waiver object, you can associate parent objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

# Chapter 15. Using OpenPages Operational Risk Management objects

IBM OpenPages Operational Risk Management combines document and process management with a monitoring and decision support system that enables organizations to analyze, manage, and mitigate risk in a simple and efficient manner.

IBM OpenPages Operational Risk Management helps automate the process of measuring and monitoring operational risk. It combines all risk data, including risk and control self assessments, loss events, scenario analysis, external losses, and key risk indicators (KRI), into a single integrated solution.

IBM OpenPages Operational Risk Management includes the following key features:

- Loss Events, which include the following activities:
  - Tracking, assessing, and managing both internal and external events that could result in operational loss.
  - Managing multiple impact events and recoveries that are associated with operational losses.
- Risk and Control Self Assessments (RCSA), which include the following activities:
  - Identification, measurement, and mitigation of risks.
  - Testing and documentation of internal controls.
- Key Risk Indicators (KRIs) and Key Performance Indicators (KPIs), which can track performance metrics to potentially show the presence or state of a risk condition or trend.
- Scenario Analysis, which is an assessment technique that is used to identify and measure specific kinds of risks, in particular, low frequency, high-severity events.
- External Loss Events provide the ability to import loss data from IBM FIRST Risk Case Studies, ORX, and ORIC loss databases into OpenPages Operational Risk Management for scenario analysis, benchmarking, and reports generation. You can also export loss data to analytic tools or capital allocation applications.
- Issue Management and Remediation (IMR), which includes the following activities:
  - Issue Creation and Assignment
  - Action Creation and Assignment
  - Remediation Performance
  - Issue closedown
  - Reporting
- · Reporting, monitoring, and analytics.

## **OpenPages Operational Risk Management objects**

This topic provides information about the OpenPages Operational Risk Management objects.

## **KRIs and KRI values**

KRIs (Key Risk Indicators) are components of the risk monitoring process and are used to provide leading or lagging indicators for potential risk conditions. Each instance of a KRI within the organization can have unique target and threshold limits. KRI values are used to record the actual value of an indicator at a specific point in time.

You can create and associate a KRI from the task view of a parent object type (for example, Risk, Control, Business Entity). From the task view of a KRI object, you can associate one or more parent business entities, risks or controls, and create, view, or edit one or more KRI values.

**Note:** You can associate KRIs with controls. Some KRIs can function like control indicators by signaling that a control is not working properly. For example, you set up several security perimeter controls with an associated KRI. If your company experiences a significant number of security breaches, the associated KRI can indicate that your security perimeter controls are not effective.

KRI values are used to record the actual value of an indicator at a specific point in time.

You can access the **KRIs** and **KRI Values** menu items by clicking > **Indicators**.

## **KPIs and KPI values**

KPIs (Key Performance Indicators) are components of the risk monitoring process and are used to provide leading or lagging indicators for potential risk conditions. Each instance of a KPI within the organization can have unique target and threshold limits. The KPI Value object type records the value of a KPI object at a specific point. Create a KPI object, and then periodically (daily, weekly, monthly) create a KPI Value object so you can detect trends.

A KPI object can be associated with one or more parent object types (such as, Business Entity, Control, System, Process, Sub-Process). Typically, you create and associate a KPI from the task view of a parent object type.

You can access the **KPIs** and **KPI Values** menu items by clicking **> Indicators**.

### Loss events

Loss Events are used to track operational losses that occur in any part of an organization. Loss Events are typically stored under the Business Entity where the loss occurred. The Loss Event objects are used to track, assess, and manage the related internal loss data. You can add multiple impacts and recoveries for each Loss Event by using the Loss Impact and Loss Recovery objects. Loss Event, Loss Impact, and Loss Recovery objects can also be created in IBM OpenPages Loss Event Entry.

Your organization might call loss events "operational events," "risk events", or "incidents."

## **Loss impacts**

A loss impact is a financial and non-financial consequence that results from a loss event. Loss Impacts track different types of impacts that are triggered by a Loss Event, such as legal liability, asset loss and damage, or business interruption. Multiple Loss Impacts can be associated with each Loss Event.

## Loss recoveries

Loss Recovery objects are used to track the processes that are associated with recouping damages that result from Loss Events.

## Scenario analysis

Scenario Analysis (SA) is an assessment technique that is used to identify and measure the potential occurrence of operational risk events or to assess operational resilience. Unlike traditional operational risk assessments, it is a forward looking "what if" analysis.

Scenario Analysis is designed to derive reasoned assessments of the likelihood and impact of plausible operational losses or to analyze operational resilience. You can use the Scenario Analysis process in OpenPages to construct Scenario Analyses and collect supporting qualitative and quantitative data. Within each Scenario Analysis, you can record a range of frequency and severity estimates in "buckets" along with supporting information for the assessment.

## Scenario results

Scenario Result objects are children of Scenario Analysis objects and they are used to capture the results of Scenario Analysis workshops for comparison and trending purposes.

## **FIRST losses**

FIRST Loss objects can be imported from the FIRST external loss database, for use with scenario analysis, benchmarking, and reports generation, and to export loss data to analytic tools or capital allocation applications. FIRST Loss objects are often organized by loss categories, such as product lines or event types. For example, use a Business Entity to create a hierarchy for FIRST loss data. Name the root object "FIRST-data", and create category folders under the root. Link external losses to it.

Typically, you create a FIRST Loss object from a parent Business Entity that resides in a library structure. The FIRST Loss object is a child of the library Business Entity and can then be associated to Scenario Analysis and other Business Entity object types.

From the Task View of a FIRST Loss object, you can associate parent objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

## **ORIC** losses

ORIC Loss objects can be imported from the ORIC external loss database, for use with scenario analysis, benchmarking, and reports generation, and to export loss data to analytic tools or capital allocation applications.

ORIC Loss objects are typically organized by loss categories (such as by product lines or event types) into a non-business library structure. For example, you could use a Business Entity object type to create a hierarchy for ORIC loss data, name the root object ORIC data, and create category folders under the root and link external losses to it.

Typically, you create an ORIC Loss object from a parent Business Entity that resides in a library structure. The ORIC Loss object is a child of the library Business Entity and can then be associated to Scenario Analysis and other Business Entity object types.

From the Task View of an ORIC Loss object, you can associate parent objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

You can access the **ORIC Losses** menu item by clicking **■** > **Events**.

## **ORX** losses

ORX Loss objects can be imported from the ORX external loss database, for use with scenario analysis, benchmarking, and reports generation, and to export loss data to analytic tools or capital allocation applications. You can import external ORX loss data into OpenPages Operational Risk Management for use with scenario analysis.

ORX Loss objects are typically organized by loss categories (such as by product lines or event types) into a non-business library structure. For example, you could use a Business Entity object type to create a hierarchy for ORX loss data, name the root object ORX data, and create category folders under the root and link external losses to it.

Typically, you create an ORX Loss object from a parent Business Entity that resides in a library structure. The ORX Loss object is a child of the library Business Entity and can then be associated to Scenario Analysis and other Business Entity object types.

From the Task View of an ORX Loss object, you can associate parent and child objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

You can access the **ORX Losses** menu item by clicking **> Events**.

## **Cost centers**

Cost Center objects are used to group loss events under a business entity. In many cases, firms want to track where loss events occur at a fine granularity, such as cost center level, but do not want to represent all of the organizational layers as business entities.

Typically, you create a Cost Center object from the task view of a parent Business Entity. You can then associate child Loss Event objects to a parent Cost Center object.

From the Task View of a Cost Center object, you can create, associate, or disassociate objects, attach files or links, and edit fields.

To see a history of changes, go to the **Activity** tab for the object.

You can access the **Cost Centers** menu item by clicking **> Organization**.

## Chapter 16. Using OpenPages Policy Management

IBM OpenPages Policy Management (PCM) is an enterprise compliance management software solution that reduces the cost, complexity, and cumbersome nature of compliance with multiple regulatory mandates and corporate policies.

IBM OpenPages Policy Management allows companies to manage and monitor compliance activities through a full set of integrated functionality including:

- · Regulatory Libraries and Change Management
- · Risk and Control Assessments
- Policy Management, including Policy Creation, Review & Approval and Policy Awareness
- · Control Testing and Issue Remediation
- · Regulator Interaction Management
- · Incident Tracking
- Key Performance Indicators
- Reporting, monitoring, and analytics

PCM supports three approaches to initially load policy data and establish how it is organized and viewed in the Policy objects:

#### **Datacentric**

Policy attributes are stored as metadata in the Policy object. Policy and Procedure content is created, stored, edited, and reviewed in Policy Viewers. Red-lined track changes within draft iterations are not supported.

#### **Docucentric**

Policy attributes are stored as metadata in the Policy object. Policy and Procedure content is created outside of OpenPages with Watson and the entire document is attached to the Policy Object. Policy and Procedure content is never imported nor stored in OpenPages with Watson.

#### **Hybrid**

Policy attributes are stored as metadata in the Policy object. Policy and Procedure content is created and edited in Microsoft Word documents then imported and stored in OpenPages with Watson. The Track Changes functionality available in Microsoft Word is used for tracking red-line changes within draft iterations.

After the policy data is loaded, a pre-built workflow allows organizations to advance a Policy object through a policy review and approval process. A Policy progresses through each stage based on the values of the approval and publication status.

For more information, see OpenPages Policy Management Solution Document.

## IBM OpenPages Policy Management terms you should know

This topic provides terms you should know to use IBM OpenPages Policy Management.

#### **Sub-mandate**

An object used to establish the compliance management process for a sub-section of a regulation or policy. Usually a child of a Mandate object.

## Library

A business entity that contains the text of the regulations that are relevant to your enterprise. Within the business entity, each regulation is represented by a mandate.

#### **Mandate**

(1) An obligation to which an enterprise must comply. A mandate can be a governmental regulation (local, federal, or international), a best practice standard established by a standards organization, or

an internal company policy. (2) An object used to establish your enterprise's compliance management process for a specific regulation or policy, such as HIPAA or GLBA.

## **OpenPages Policy Management objects**

This topic provides information about the IBM OpenPages Policy Management objects.

## **Regulation applicabilities**

The Regulation Applicability object resides in the organizational business hierarchy. It assesses and tracks the regulatory impact of a Mandate in the library on a Business Entity.

## **Mandates**

Mandates represent external items with which organizations need to comply, such as laws, regulations, and standards. Content can be pulled from third-party providers, such as UCF, Ascent Reg Tech, or Wolters Kluwer. Mandates are represented in a Library Business Entity structure, and are not replicated throughout the system.

## **Sub-Mandate**

Sub-Mandates represent external or internal sub-items with which the organization needs to comply.

Out of the box the configuration directly supports content provided by Deloitte and UCF, and the configuration can be adapted to support content from other vendors. Typically, Sub-Mandates are represented in a Library Business Entity structure, and are not replicated throughout the system. Sub-Mandate is recursive, but Deloitte and UCF content use exactly one level of Sub-Mandate.

## Requirement

The Requirement object details specific requirements, found in the related Mandate or Sub-Mandate object, that the organization needs to adhere to in order to be in compliance.

Content can be pulled from UCF, Ascent Reg Tech, or other third-party providers. Typically, Requirements are represented in a Library Business Entity structure and are not replicated throughout the system.

For Ascent Reg Tech, a Requirement is created for each incoming Task.

## KRIs and KRI values

KRIs (Key Risk Indicators) are components of the risk monitoring process and are used to provide leading or lagging indicators for potential risk conditions. Each instance of a KRI within the organization can have unique target and threshold limits. KRI values are used to record the actual value of an indicator at a specific point in time.

You can create and associate a KRI from the task view of a parent object type (for example, Risk, Control, Business Entity). From the task view of a KRI object, you can associate one or more parent business entities, risks or controls, and create, view, or edit one or more KRI values.

**Note:** You can associate KRIs with controls. Some KRIs can function like control indicators by signaling that a control is not working properly. For example, you set up several security perimeter controls with an associated KRI. If your company experiences a significant number of security breaches, the associated KRI can indicate that your security perimeter controls are not effective.

KRI values are used to record the actual value of an indicator at a specific point in time.

You can access the **KRIs** and **KRI Values** menu items by clicking > **Indicators**.

## **Incidents**

An incident is an occurrence that has a potentially adverse effect on your enterprise. Create an Incident object to record information, such as the person responsible for investigating the incident and other related data. The Incident object is used by a workflow to facilitate incident analysis. Categories that apply to incidents include Regulatory Compliance, Legal Compliance, Information Security, and IT. Incidents are stored under the Business Entity or Asset where the event occurred and associated secondarily to an impacted Mandate or Policy.

## **Waivers**

Waivers give you the ability to document, process and manage the lifecycle of exceptions to Policies, Requirements, or Controls. Waivers can be associated to Business Entities, Policies, Procedures, Requirements, Risks, Controls, Baselines, and Assets.

Some business examples of exceptions for which waivers might be requested include the following:

- Deviation from Policy (such as corporate, information security, and IT policies)
- Accepting Risk
- Authority to Operate (ATO)
- Interim ATO allows a process to move forward prior to receiving certification (part of NIST guideline 800-37)

From the Task View of a Waiver object, you can associate parent objects, attach files or links, and edit

To see a history of changes, go to the **Activity** tab for the object.

## **KPIs and KPI values**

KPIs (Key Performance Indicators) are components of the risk monitoring process and are used to provide leading or lagging indicators for potential risk conditions. Each instance of a KPI within the organization can have unique target and threshold limits. The KPI Value object type records the value of a KPI object at a specific point. Create a KPI object, and then periodically (daily, weekly, monthly) create a KPI Value object so you can detect trends.

A KPI object can be associated with one or more parent object types (such as, Business Entity, Control, System, Process, Sub-Process). Typically, you create and associate a KPI from the task view of a parent object type.

You can access the **KPIs** and **KPI Values** menu items by clicking **■** > **Indicators**.

## **Policies**

Policies represent internal guidelines that are adopted by the Board of Directors or senior governance body within an organization. The text of a Policy can either be stored in standardized fields on the object or as an attachment to the object. Policies typically have a distinct lifecycle from Draft to Published to Expired, as well as a review and approval process. Draft policies typically reside in the Organizational Business Hierarchy, while Published and Expired Policies typically reside in reference Library entities. Policies are also often mapped to applicable Mandates in the Library to which they relate.

## **Policy review comment**

Policy Review Comments support and facilitate the review and approval process of Policies and Procedures by Subject Matter Experts and Compliance Personnel.

## **Procedures**

Procedures represent the what, where, when, and how of how policies are implemented in an organization. The text of Procedures is typically stored in the fields on the object. Typically, Procedures are represented as children of a Policy and reside in the same entity structure as its parent Policy.

## Campaigns

The Campaign object is part of the Policy Awareness capability and is used to manage the project management aspects of an awareness campaign. It is also used to define the requirements and criteria that identify which employees need to read and attest to each Policy. Campaigns are typically created in the Published Policy Hierarchy.

## **Employees**

The Employee object is part of the Policy Awareness Capability. It is used to capture information about individual employees such as the name, title, email, region, department, or status. Information from the employee profile is then matched against the Attestation Requirements that are defined on a Campaign to determine which Employees need to attest to each Policy. Employee data is typically derived from an HR system export, loaded via Online FastMap, and resides in the reference Employee Business Entity. It is a best practice that the Employee Name field matches the user's username.

## **Attestations**

The Attestation object, part of the Policy Awareness capability, is used to capture an employee affirmation that they have read and understood a policy. An Attestation's primary parent is the Employee record and the secondary parent is the associated Campaign.

## Regulators

The Regulator object is part of the Regulator Interaction Management capability and provides the ability for organizations to create a single inventory of all Regulators with which they interact. Regulators are typically created in a reference Library Business Entity. The object is a child of Business Entity and can be associated to Mandates and Regulator Interactions.

## Regulator Interactions, RI categories, RI requests

The Regulator Interaction object is part of the Regulator Interaction Management capability. The Regulator Interaction object provides the ability to manage the interactions, communication, internal work, review, and approvals that are associated with external regulators such as inquiries, submissions, filings, exams, and meetings. For complex interactions such as exams, you can use the RI Component and RI Sub-Component objects to break the interaction into smaller components or track follow-up inquiries from the regulator. Regulator Interaction can be mapped to the following parent objects: Regulator, Mandate, Sub-Mandate, Requirement, Policy, Procedure, and Control. These parent associations enable a user to link objects that might be at issue in the Regulator Interaction and to identify users who are relevant to those objects and who might need to be consulted when responding to the regulator. Individual tasks that are related to the management of and response to the regulator interaction might be assigned to users through Regulatory Task child objects.

## **RI** categories

The RI Component object (formerly labeled RI Category) is part of the Regulator Interaction Management capability and is used as the middle tier of the three-tier object model (Regulator Interaction, RI Component, and RI Sub-Component). The object is used to break down a complex Regulator Interaction

into smaller, more manageable records or to link a follow-up inquiry from a regulator to the parent Regulator Interaction object. Additionally, RI Component can be mapped to the following parent objects: Mandate, Sub-Mandate, Requirement, Policy, Procedure, and Control. These associations enable a user to link objects that might be at issue and to identify users relevant to those objects and who might need to be consulted when responding to the regulator. Individual tasks related to the management of and response to the regulator interaction can be assigned to users through Regulatory Task child object.

## **RI** requests

The RI Sub-Component object (formerly labeled RI Request) is part of the Regulator Interaction Management capability and is used as the last tier of the three-tier object model (Regulator Interaction, RI Component, and RI Sub-Component). The object is used to break down a Regulator Interaction and RI Component into smaller, more manageable records. Additionally, RI Sub-Component can be mapped to the following parent objects: Mandate, Sub-Mandate, Requirement, Policy, Procedure, and Control. These associations enable a user to link objects that might be at issue and to identify users relevant to those objects and who might need to be consulted when responding to the regulator. Individual tasks related to the management of and response to the regulator interaction can be assigned to users through Regulatory Task child objects.

## Regulatory changes and regulatory tasks

The Regulatory Change object is part of the Regulatory Change Management capability. It supports the ability to track regulatory changes, assess the impact of a change on the organization, communicate the change internally to the appropriate people, and drive internal processes in response to the change.

The Regulatory Task object is used to assign tasks to OpenPages users when the task is related to one of the following parent objects: Project, Policy, Regulatory Change, Regulator Interaction, RI Component, or RI Sub-Component. A Regulatory Task can also be associated to a Business Entity.

## Chapter 17. Using IBM OpenPages Financial Controls Management

IBM OpenPages Financial Controls Management reduces the time and resource costs associated with ongoing compliance for financial reporting regulations.

IBM OpenPages Financial Controls Management combines powerful document and process management with rich interactive reporting capabilities in a flexible, adaptable easy-to-use environment, enabling CEOs, CFOs, managers, independent auditors and audit committees to perform all the necessary activities for complying with financial reporting regulations in a simple and efficient manner.

IBM OpenPages Financial Controls Management allows users to easily see the status of their financial controls documentation project, and provides a secure repository for the storage of their internal controls documentation.

Key features include:

- Financial Controls Management Repository, which logically presents processes, risks and controls in many-to-many and shared relationships at multiple levels, and enables file attachment capability and action plans for processes, risks, controls and tests at all levels.
- Flexible automation, which provides notification and completion of financial controls management activities, such as design review, operating review and certification.
- · Reporting, monitoring and analytics.

## **OpenPages Financial Controls Management objects**

This topic provides information about the OpenPages Financial Controls Management objects.

## **Sub-Accounts**

A Sub-Account represents a smaller, more targeted line item that is part of a larger parent Account (or of another Sub-Account). Each Sub-Account object can be associated with parent Account or Sub-Account objects.

## **Assertions**

The Assertion object is used to link a control directly to the account (or sub-account) it affects and to document which assertions it covers for the particular account or sub-account.

A common practice is to store the type of assertion that the control is covering as a data field on the Assertion object. Create an Assertion object from the task view of a parent Account, Sub-Account, or Control object type.

Which object types and actions are available on a page depends on your setup and permissions.

## Accounts

Accounts correspond to one or more line items on a financial report. Each account is affected by recurring Processes. These Processes can introduce Risks that must be documented during the financial controls documentation project. An account is identified as significant based on factors such as size, complexity of the processes that operate on the account, or if the account is associated with new product lines within the business. The risks that might materialize and have material effect on the account are identified by consideration of the processes that operate on the account.

## Chapter 18. Using OpenPages Regulatory Compliance Management

IBM OpenPages Regulatory Compliance Management (RCM) supports organizations in breaking down regulations into a catalog of requirements, evaluating its impact to the business, and creating actionable tasks.

As a solution it allows firms to:

- · Maintain a repository of regulations and requirements that they must comply with
- · Identify and create a catalog of requirements that fulfill the regulations
- · Map regulatory requirements to their internal control framework
- Create groupings of requirements into Compliance Themes
- Conduct assessments of regulatory requirements under Compliance Plans
- · Ingest, direct, and respond to regulatory events supplied by third-party data providers
- Record, organize, and respond to regulator interactions, including regulatory inquiries and examinations

You can use the RCM Theme Deployer to create the theme structure for business entities. For more information, see "Compliance Plans and Compliance Themes" on page 116.

## **OpenPages Regulatory Compliance Management objects**

This topic provides information about the IBM OpenPages Regulatory Compliance Management objects for regulatory compliance management.

## **Ascent Supporting Information**

The Ascent Supporting Information object stores supporting information that is imported from Ascent. Supporting Information is regulatory text that does not rise to the level of a legal requirement, but provides additional guidance, details, and so on to help entities to understand requirements and impact of the regulation. The Ascent Supporting Information object type has one parent, Requirement.

## **Compliance Plan**

Compliance Plans allow for the creation of an overall plan to address regulatory requirements in a structured setting, or to structure a set of regulatory tasks. For example, a Compliance Plan might be created to track regulatory tasks, or to conduct compliance assessments against various regulatory requirements. One or multiple Compliance Themes can be grouped into an overall Compliance Plan for the organization.

#### **Compliance Plan Eval**

Compliance Plan Eval objects are children of the Compliance Plan object. Compliance Plan Eval objects are used to capture values that are provided as part of the compliance assessment that is captured on the Compliance Plan. A Compliance Plan Eval record is created and populated as the last step in the Compliance Plan BE Assessment and Compliance Plan Library Assessment workflows.

#### **Compliance Theme**

Compliance Themes allow users to organize regulatory requirements into themes for assessment purposes. This allows for assessing compliance requirements beyond the typical business entity approach, by grouping regulatory requirements across themes that impact across the organization. Sample themes can include data privacy, governance, accountability, etc. This allows users to assess the impact of regulations not just within business entities, but across themes that touch on multiple areas of the organization.

## **Compliance Theme Eval**

Compliance Theme Eval objects are children of Compliance Theme objects. Compliance Theme Eval objects are used to capture values that are provided as part of the compliance assessment that is captured on the Compliance Theme. A Compliance Theme Eval record is created and populated as

the last step in the Compliance Theme BE Assessment and Compliance Theme Library Assessment workflows.

#### **Mandate**

Mandates represent external items with which organizations need to comply, such as laws, regulations, and standards. Content can be pulled from third-party providers, such as UCF, Ascent Reg Tech, or Wolters Kluwer. Mandates are represented in a Library Business Entity structure, and are not replicated throughout the system.

For example, an insurance company has a Mandate object for HIPAA and another Mandate object for GLBA. You can associate the same mandate with different groups within your organization. Privacy mandates, for example, might apply to payroll, insurance services, legal, and IT departments.

#### **Obligation**

The Obligation object type represents the normalized and harmonized "things you need to accomplish" to comply with all of the obligation's associated Mandate, Sub-Mandate, and Requirement objects.

Obligation objects accomplish two primary purposes: they translate the often difficult and wordy legal jargon of Mandates/Sub-Mandates/Requirement into plain English, and they use the commonality across multiple Mandates/Sub-Mandates/Requirements. For example, you might have many Sub-Mandates and Requirements across numerous Mandates that require the use of strong passwords. A single Obligation object can document the details for strong passwords. By complying with this single Obligation, IT can satisfy many Mandates, Sub-Mandates, and Requirements.

#### **Obligation Evaluation**

Once users have mapped internal controls to Obligations, users can conduct an evaluation of how well they are operating in relation to the identified obligation. Users can evaluate the operating effectiveness and design effectiveness of controls within the scope of a compliance theme

### **Project**

A project is designed to organize regulatory tasks into an overall compliance project. For example, there may be regulatory changes that need to be addressed in the compliance framework; users can create a project to identify and assign tasks.

#### **Reg-Track Regulatory Event**

The Reg-Track Regulatory Event object enables the direct ingestion of regulatory event feeds from Reg-Track into IBM OpenPages Regulatory Compliance Management.

## **Reg-Track Regulatory Event Series**

The Reg-Track Regulatory Event Series object is a collection of Reg-Track Regulatory Events that have been assigned the same Reg-Track Series ID within the Reg-Track feed. The grouping of Reg-Track Regulatory Events within the Reg-Track Regulatory Event Series allows changes to be tracked from proposed to final stage in the regulatory change evolution.

## Regulator

The Regulator object is part of the Regulator Interaction Management capability and provides the ability for organizations to create a single inventory of all Regulators with which they interact. Regulators are typically created in a reference Library Business Entity. The object is a child of Business Entity and can be associated to Mandates and Regulator Interactions.

## **Regulator Interaction**

The Regulator Interaction object is part of the Regulator Interaction Management capability. The Regulator Interaction object provides the ability to manage the interactions, communication, internal work, review, and approvals that are associated with external regulators such as inquiries, submissions, filings, exams, and meetings. For complex interactions such as exams, you can use the RI Component and RI Sub-Component objects to break the interaction into smaller components or track follow-up inquiries from the regulator. Regulator Interaction can be mapped to the following parent objects: Regulator, Mandate, Sub-Mandate, Requirement, Policy, Procedure, and Control. These parent associations enable a user to link objects that might be at issue in the Regulator Interaction and to identify users who are relevant to those objects and who might need to be consulted when responding to the regulator. Individual tasks that are related to the management of and response to the regulator interaction might be assigned to users through Regulatory Task child objects.

## **Regulatory Change**

The Regulatory Change object is part of the Regulatory Change Management capability. It supports the ability to track regulatory changes, assess the impact of a change on the organization, communicate the change internally to the appropriate people, and drive internal processes in response to the change.

## **Regulatory Event**

The Regulatory Event object is used with IBM OpenPages Regulatory Compliance Management (RCM). The Regulatory Event object type enables the direct ingestion of regulatory event feeds by using the REST API or IBM AppConnect into RCM. Together with the **Rules Engine**, the Regulatory Event object type supports the automated generation of workflows that assign incoming regulator events to users based on supplied data points. Documents that are impacted by regulatory change are also supported. These capabilities help to assign tasks efficiently to users to respond to, and prepare for, regulatory change efficiently. A Regulatory Event can be a child of a Business Entity, Control, Mandate, Sub-mandate, Requirement, Policy, or Procedure. Users can create Regulatory Change objects as children of Regulatory Events.

## **Regulatory Initiative**

The Regulatory Initiative object is a child of the Business Entity and captures descriptive information about regulations that impact an organization. Regulatory Initiatives represent a broader grouping of regulations. For example, Anti-Money Laundering could be a Regulatory Initiative that includes several different money laundering regulations that organizations must comply with.

## **Regulatory Task**

The Regulatory Task object is used to assign tasks to OpenPages users when the task is related to one of the following parent objects: Project, Policy, Regulatory Change, Regulator Interaction, RI Component, or RI Sub-Component. A Regulatory Task can also be associated to a Business Entity.

## Requirement

The Requirement object details specific requirements, found in the related Mandate or Sub-Mandate object, that the organization needs to adhere to in order to be in compliance.

## **Requirement Evaluation**

Once users have mapped internal controls to requirements derived from regulations, users can conduct an evaluation of how well they are operating vis-à-vis the identified requirement. Users can evaluate the operating effectiveness and design effectiveness of controls in within the scope of a compliance theme.

## **Requirement Evaluation Value**

Requirement Evaluation Values are used to record the actual value of requirement at a given point in time within the scope of a Requirement Evaluation.

#### RI Component

The RI Component object (formerly labeled RI Category) is part of the Regulator Interaction Management capability and is used as the middle tier of the three-tier object model (Regulator Interaction, RI Component, and RI Sub-Component). The object is used to break down a complex Regulator Interaction into smaller, more manageable records or to link a follow-up inquiry from a regulator to the parent Regulator Interaction object. Additionally, RI Component can be mapped to the following parent objects: Mandate, Sub-Mandate, Requirement, Policy, Procedure, and Control. These associations enable a user to link objects that might be at issue and to identify users relevant to those objects and who might need to be consulted when responding to the regulator. Individual tasks related to the management of and response to the regulator interaction can be assigned to users through Regulatory Task child object.

## **RI Sub-Component**

The RI Sub-Component object (formerly labeled RI Request) is part of the Regulator Interaction Management capability and is used as the last tier of the three-tier object model (Regulator Interaction, RI Component, and RI Sub-Component). The object is used to break down a Regulator Interaction and RI Component into smaller, more manageable records. Additionally, RI Sub-Component can be mapped to the following parent objects: Mandate, Sub-Mandate, Requirement, Policy, Procedure, and Control. These associations enable a user to link objects that might be at issue and to identify users relevant to those objects and who might need to be consulted when

responding to the regulator. Individual tasks related to the management of and response to the regulator interaction can be assigned to users through Regulatory Task child objects.

#### **Sub-Mandate**

Sub-Mandates represent external (or internal) sub-items with which the organization needs to comply. Content can be pulled from third-party providers, including UCF, Ascent Reg Tech, Thomson Reuters, and Wolters Kluwer. Typically, Sub-Mandates are represented in a Library Business Entity structure, and are not replicated throughout the system. Sub-Mandate is recursive, but Deloitte, UCF, Ascent Reg Tech, Thomson Reuters, and Wolters Kluwer content use exactly one level of Sub-Mandate. Sub-Mandates also support content for regulatory compliance. Sub-Mandates can be used to represent paragraphs that are derived from regulatory papers.

## **TRRI Regulatory Event**

The TRRI Regulatory Event object enables the direct ingestion of regulatory event feeds from Thomson Reuters into IBM OpenPages Regulatory Compliance Management.

## **TRRI Regulatory Event Series**

The TRRI Regulatory Event Series object is a collection of TRRI Regulatory Events that have been assigned the same Series ID within the TRRI feed. The grouping of TRRI Regulatory Events within the TRRI Regulatory Event Series allows changes to be tracked from proposed to final stage in the regulatory change evolution.

### **WK Regulatory Event**

The WK Regulatory Event object enables the direct ingestion of regulatory event feeds from Wolters Kluwer into IBM OpenPages Regulatory Compliance Management.

## Chapter 19. OpenPages Model Risk Governance objects

This topic provides information about the OpenPages Model Risk Governance objects.

## **OpenPages Model Risk Governance**

IBM OpenPages Model Risk Governance (MRG) supports organizations in organizing and centralizing their Model Inventory.

As a solution IBM OpenPages Model Risk Governance provides a configurable and customizable platform, allowing firms to:

- · Organize, document, and maintain an enterprise-wide inventory of models and their usages
- Document and track issues that are associated with models in a central location
- · Record Model Change management governance activities
- · Schedule, track, and manage Model Reviews and Validations
- Conduct periodic model attestations and model risk assessments
- · Assign appropriate roles and responsibilities for model ownership and model risk management
- Monitor performance and status of their Model Risk Management program
- View the relationships between their Model Inventory and the relevant aspects of their Policy and Compliance obligations

## **IBM Watson OpenScale Integration**

IBM OpenPages Model Risk Governance (MRG) includes an out-of-the-box integration with IBM Watson OpenScale.

IBM Watson OpenScale is a tool that monitors and measures outcomes from AI Models across their lifecycle and performs ongoing validations of AI Models. Organizations can include AI models in their Model Inventory and send the results of the performance monitoring directly to OpenPages.

## Show me how

This video provides an overview of how OpenPages is integrated with IBM Watson OpenScale: https://youtu.be/JOGffAHGreQ

## **Fields**

The following fields are used in the integration with IBM Watson OpenScale:

- MRG-Model field group
  - Machine Learning Model
  - Monitored with Watson Studio
- MRG-Metric-Shared field group
  - Metric Type
  - Watson Studio Category
  - Watson Studio Description
  - Watson Studio Metric
  - Watson Studio Metric Value

- Watson Studio Subscription Name
- Watson Studio Subscription Type
- Watson Studio Sub-Category

## Sample calculation

The Metric Value Update calculation is used in the integration with IBM Watson OpenScale.

## **Public Filter**

A public filter for the Model object is used by IBM Watson OpenScale to locate Models in OpenPages that have the Monitored with Watson Studio field set to Yes.

## **User profiles**

MRG profiles included the fields that support the integration.

## **OpenPages Model Risk Governance objects**

This topic provides information about the IBM OpenPages Model Risk Governance objects.

## **Change Request**

The Change Request object is a child of the Model and Model Deployment objects and allows for the creation and tracking of governance activities that are related to changes in Models and their deployments. The object captures data such as Change Type, Change Description and Status. It is supported by a workflow.

## Committee

The Committee object is a child of the Business Entity and allows an organization to represent governance groups/committees. These can then be aligned to Models and can also be a parent of the Employee object. It can store information such as the Terms of Reference for a committee, frequency of meetings, and detail of the Chairperson.

## Metric

The Metric object records the definition of a performance measurement that the organization chooses to track. A user sets the Metric Type, Yellow, and Red Thresholds and other collection information. A Metric is a child of Model Deployment and Model objects.

## **Metric Value**

The Metric Value object records the result of the metric performance measurement. It is designed to behave in a way to allow the organization to store time series results of measurement.

## Model

The Model object provides representation of the Models within an organization. At a theoretical level a model as a quantitative method, system or approach that applies statistical, economic, financial or mathematical theories, techniques and assumptions to process input data into quantitative estimates. Within the Model object, key model information can be represented, including: Model Description, Model Ownership, Model Status, Development lifecycle dates, Model Type and Category, and Model Risk Assessment data. A Model object is a child of a Business Entity and parent of Model Deployment objects.

## **Model Attestation**

Model Attestation allows an organization to request a regular sign off or *attestation* of a Model. The MRG administrator periodically creates a set of blank Model Attestations, which are assigned to the respective Model Owners. Each Model Owner answers a set of questions about the Model and submits their Model Attestation.

## **Model Input**

If an organization wants to adopt a more granular approach to model documentation, the Model Input object provides the ability to record the inputs. Fields include Input Owner, Type, Status, and Description. A Model Input object can also be the child of a Model Output object, which allows for the creation of Model chains at a detail level if the Model Link approach is not granular enough.

## **Model Link**

If an organization wants to adopt a less granular approach to Model documentation, use Model Link, which is a broad-type association that does not provide explicit details of the feed from one model to another. It acts as a child of multiple models to allow for the generation of Model chains.

## **Model Output**

If an organization wants to adopt a more granular approach to Model documentation, the Model Output object provides the ability to record the Outputs of the Model. The intended purpose is to record the Description and Overview of the Output from a governance point of view.

## **Model Risk Scorecard**

Model risk assessments are performed during the development and documentation phase of a Model. They are also typically performed periodically after a Model is in production. The Model Risk Scorecard object is used to conduct this risk assessment. The user answers a number of questions about the Model. Model Risk Scorecard triggers calculate a risk score and determine the Model tier.

## **Model Use Case**

The Model Use Case object is a child of Entity and a parent of the Model object. The usage of the Model Use Case object is optional. Its primary purpose is to act as a library of Models during development.

## Review

The Review object is used to record the scheduling and outcomes of any Model Review activity. It is the child of both the Model Deployment and Model objects. The object is intended to capture the outcomes of Reviews whether they are pre-implementation, post-implementation, and performed by second or third line of defense.

## **Model Deployment**

The Model Deployment object is a child of Model. It is used as a key element of recording the deployment of one or more models.

# Chapter 20. Using OpenPages Third Party Risk Management

IBM OpenPages Third Party Risk Management supports organizations in organizing and centralizing information about their vendors.

As a solution it provides a configurable and customizable platform, allowing firms to:

- · Create, maintain, and document all vendors and engagements
- Classify or "tier" vendors as low, medium, or high criticality
- Use standard risk assessments to identify and mitigate risk in a specific way for individual vendors
- Leverage the questionnaire assessment capability to conduct vendor or engagement tiering using information that you gather with risk or compliance questionnaire assessments

In previous releases, IBM OpenPages Third Party Risk Management was named Vendor Risk Management. The original name and the acronym, VRM, still exist in internal names for profiles and role templates.

## **OpenPages Third Party Risk Management objects**

This topic provides information about the IBM OpenPages Third Party Risk Management objects.

#### **Contract**

Contract objects are child objects of Vendor or Engagement objects. A Contract represents a business or legal agreement between a Business Entity and a Vendor or Engagement. A Contract contains additional, supporting information, for example, the timeframe of the contract or monetary information. Contracts are optional.

#### **Engagement**

Engagement objects are child objects of Vendor objects. An Engagement represents a single service that is provided by a Vendor. You use them to differentiate between various services and agreements you have with a Vendor. Engagements are optional. They can be subject to questionnaire assessments, risk assessments, or tiering. You can summarize and analyze risk that is associated with different Engagements. You can add a parent association to the process or sub-process that an Engagement supports.

#### Location

The Location object type is used to capture geography and location details that are needed in the contingency planning process. Location information can include, for example, the number of employees who work at a location, assets (such as computer equipment), and other location details.

## **RapidRatings Ratings**

RapidRatings Ratings objects are used with the RapidRatings connector in IBM OpenPages Third Party Risk Management. The RapidRatings Ratings objects store financial ratings and are children of Vendor objects.

#### **RiskRecon Ratings**

RiskRecon Ratings objects are used with the RiskRecon connector in IBM OpenPages Third Party Risk Management. The RiskRecon Ratings objects store vendor ratings and scores at the category and subcategory levels. The RiskRecon Ratings objects are created under /BusinessEntity/Library/VRM/VRMLibrary/RiskRecon and are children of Vendor objects.

#### **Sub-Contractor**

Sub-Contractor objects are child objects of Vendor objects. A Sub-Contractor represents a portion of a service that is provided by a Vendor. Sub-Contractor is an optional object type. Sub-Contractors can be subject to questionnaire assessments, risk assessments, or tiering. You can summarize and analyze risk that is associated with different Sub-Contractors. You can add a parent association to the process or sub-process that a Sub-Contractor supports.

## **Supply Wisdom**

The Supply Wisdom object stores risk ratings of Vendors that are imported from Supply Wisdom. The Supply Wisdom object type has one parent, Vendor.

## **Supply Wisdom Parent Alert**

The Supply Wisdom Parent Alert object stores alert data that is imported from Supply Wisdom. The import creates Business Continuity Event objects for the incoming Alert data and associates the Alerts to the corresponding Vendor and Location objects in OpenPages.

#### Vendo

A Vendor represents a third-party company from which a firm procures goods or services. Vendors can have four types of child objects: Vendor Subsidiary, SubContractors, Engagements and Contracts. Vendors can be subject to questionnaire assessments, risk assessments, or tiering. You can summarize and analyze risk associated with different Vendors. You can add a parent association to the process or sub-process that a Vendor supports.

## **Vendor Subsidiary**

A Vendor Subsidiary represents a subsidiary of a Vendor from which a firm procures goods or services. Vendor Subsidiary is an optional object type. Vendor Subsidiary is a child of Vendor. Vendor Subsidiary can have three types of child objects: SubContractor, Engagements and Contracts. Vendor Subsidiary can be subject to questionnaire assessments, risk assessments, or tiering. You can summarize and analyze risk associated with different Vendor Subsidiaries. You can add a parent association to the process or sub-process that a Vendor Subsidiary supports.

# Chapter 21. Using OpenPages Business Continuity Management

IBM OpenPages Business Continuity Management (BCM) is used by an organization, or group, to maintain or resume a predetermined level of operations during or after a disruptive event. All risks that can potentially impact the business during or following an event are identified.

Using BCM, organizations can build a framework for identifying critical assets and processes and creating company-wide business continuity plans.

BCM helps organizations to:

- Centralize business continuity data
- · Establish, monitor, and test impact tolerance thresholds for identified important businesses services
- Perform business impact analyses to determine criticality of people, processes, and assets
- Develop business continuity plans, including, but not limited to, preparedness for disaster recovery, communication plans, equipment checklists, emergency readiness, employee logistics, and vendor checklists
- Test the effectiveness of your business continuity plan and identify and mitigate key risks
- Run workflows on a scheduled basis to ensure reviews of business services, business impact analyses, dependency mappings, and testing is conducted at regular intervals
- Visualize key management activities and monitor key performance and risk indicators with a userfriendly dashboard

BCM has built-in calculations to help organizations determine the criticality of processes to their business and to ensure alignment of recovery time and point objectives across assets and vendors that support critical business processes. Pre-built workflows allow organizations to draft, review, approve, and publish plans with triggers for expiry and archival. These plans can be mapped to the client's business impact analyses, policies, procedures, processes, locations, events, issues, and tests.

## **Show me how: BCM Overview**

This video provides an overview of BCM.

https://youtu.be/3EeMaF0ehiA

## Show me how: BCM Dashboard

This video provides an overview of the dashboard that is available for users who are assigned to the Business Continuity Management profile.

https://youtu.be/Ce1ql-hTIpk

## **Show me how: Business Continuity Plan object**

This video provides an overview of the Business Continuity Plan object and how it is used in BCM. https://youtu.be/fb6dF9EjX3k

## **Show me how: Business Impact Analysis object**

This video provides an overview of the Business Impact Analysis object and how it is used in BCM. https://youtu.be/X636XWXIpGg

## Show me how: Business Continuity Test Plan object

This video provides an overview of the Business Continuity Test Plan object and how it is used in BCM. https://youtu.be/A0WgGVd3mds

## **Notices**

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service. This document may describe products, services, or features that are not included in the Program or license entitlement that you have purchased.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing IBM Corporation North Castle Drive Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing Legal and Intellectual Property Law IBM Japan Ltd. 19-21, Nihonbashi-Hakozakicho, Chuo-ku Tokyo 103-8510, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation Location Code IE9 Tower 3 900 Chelmsford Street Lowell, MA 01851-5114 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

This Software Offering does not use cookies or other technologies to collect personally identifiable information.

## Copyright

Licensed Materials - Property of IBM Corporation.

© Copyright IBM Corporation, 2003, 2023.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written.

These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

## **Trademarks**

IBM, the IBM logo and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information."

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

## **Glossary**

In this glossary, you can find terms and definitions for IBM OpenPages with Watson

### access control list (ACL)

A concept in computer security used to determine the permissions (Read, Write, Delete, and Associate) a user or group can have on the folder structure of an object type (such as, an Entity, Risk, or Test). ACLs provide a means to control who has access to what and with which permissions. ACLs can be assigned to groups and users via a role template.

#### **Action menu**

The menu that is displayed in views. To reveal menu items, hover your mouse pointer over a menu name. Your permissions determine which menus and items are available.

#### **Actor ACLs**

These are a set of administrator access rights (Manage, Lock, Unlock, Reset Passwords, Assign Roles, Browse) defined on users and groups. These access rights control the operations an administrator can perform on a particular user or group.

#### administrator

A user that is granted special permission to manage a Business Entity, including the assignment of Roles to users and groups.

## application permissions

A list of permissions that allow groups and users to access certain activities, including administration, within the application (such as the ability to view, lock, or unlock objects, or create and delete reporting periods).

#### associations

Relationships that exist among objects, or between objects and attached files. Example: A sub-entity may be directly associated with a process or business function.

#### audit universe

The aggregate of all areas within an organization that can be audited.

#### business unit

One or more Entities, Processes or Sub-Processes.

#### CSV

Comma separated values. A type of file that uses a comma-delimited format.

#### group

A generic term that encompasses both organizational and security domain groups.

#### obiect

Any item that contains or receives information, such as Business Entities, Processes, Risks, Controls, Issues, Tests and so forth. In a security context, an object is the piece of data to which access control is applied (such as, Business Entity, Process, Sub Process, Risk Assessment). Also called "resource".

## object type

A category or type of object, such as a Risks, Controls, Issues and so forth. In a hierarchy of objects, each object type has a set of allowed relationships with other object types.

### organizational group

A group that is created by an administrator to organize users within an organization. Organizational groups are typically associated with security domain groups and other organizational groups.

## recursive object

An object type that can have a parent object and child objects of its own type, potentially multiple layers deep. Examples of recursive object types include business entities, sub-accounts, sub-mandates, and sub-processes. For example, a business entity can have a parent business entity, such as Global Financial Services, and multiple child business entities, such as Compliance, Finance, HR, and IT, each of which can have child business entities.

#### resource

See "object".

#### **Resource ACLs**

These are a set of access rights (Read, Write, Delete and Associate) defined on the parent folder of an object. These access rights control the operations a user can perform on the folder and any objects under that folder.

#### role

An instance of a role template that is applied to a set of Users/Groups for a specific security context. Roles are granted to Users/Groups which allows them access to objects with certain permissions. Some examples of roles are: Process Owner, Control Owner, and Tester.

## **Role template**

A security object that you can use to define all aspects of application security for various groups and users within a business unit. It contains access control definitions on folder structures for object types and application permissions. Role templates generally reflect the usual or expected function that a user or group plays within an organization. Some examples or Role templates that can be defined are Process Owner, Control Owner, and Tester. The template can then be applied to different Users/Groups for a specific security context.

## security context point

A point defined in the OpenPages security model that you can use to assign roles to users and groups for controlling access and application permissions to objects under that security point.

## security domain group

A group that is automatically created by the system when a business entity or subentity is created. Business entity security domain groups are located under the top level (root) **Security Domains** folder in the Source > **Users and Security** > **Domains & Groups** task.

## Index

A	completing work assigned to you <u>41</u> Compliance Plans 116
Accounts description 143	Compliance Themes
Action Item	deploying to a business entity 117
adding comments 120	deploying to a business entity <u>117</u> deploying to multiple business entities 118
Action Items	Control Evals 119
completing 120	Control Objectives 115
Add New 57	Controls 116
adding	
comments to an Action Item 120	copying objects from a Task View 55
objects 57	Cost Centers description 136
questions to a questionnaire template 93	cost centers description 130
signatures 112	
URL links to objects 83	D
Assertions description 143	
Asset Links 128	Dashboard <u>25</u>
Asset Links description 128	data
Assets 128	exporting from filter results <u>53</u>
Assets description 128	deleting
associating	objects <u>55</u>
objects 61	saved filters <u>71</u>
objects <u>o1</u> objects using a card relationship field 63	disassociating
objects using a grid relationship field 62	objects <u>63</u>
parent object 64	
attachments	E
searching 76	_
Attestations description 140	editing
Audit Review Comments 125	objects in a Task View <u>54</u>
Audit Neview Comments 123 Audit Sections description 124	saved filters 70
Auditable Entities description 124	Employees description 140
Auditors description 125	exporting
Audits description 123	data from filter results 53
Addits description 123	Exporting objects to Microsoft Excel
	UI <u>39</u>
В	external URL links <u>83</u>
Decelia de description 400	
Baselines description 128	F
Business Entities 115	•
	Fastmap export
C	UI 39
	file attachments
Campaigns description <u>140</u>	searching 76
card relationship field	files
associating objects 63	naming 77
Change Request description <u>150</u>	filtered search
changing	compared to global search 73
parent object 64	filters
changing the reporting period <u>15</u>	clearing results 71
changing your locale setting <u>13</u>	deleting saved 71
changing your password <u>13</u>	editing saved 70
changing your profile <u>14</u>	exporting data from results 53
changing your theme <u>14</u>	renaming 70
clearing	using Active Only (workflow 39
filter results 71	using in the UI 39
Cloud Pak for Data	Financial Controls Management objects 143
logging in 7	Findings description 125
URL <u>7</u>	FIRST Losses description 135
Committee description 150	• —

folders	M
naming <u>77</u>	
	mandates 129, 138
	Metric description 150
G	Metric Value description 150
	Model Attestation description 151
generating	Model Deployment description 151
reports <u>85</u>	
global search	Model description 150
advanced techniques 74	Model Input description <u>151</u>
boosting 75	Model Link description <u>151</u>
compared to filtered search 73	Model Output description 151
fuzzy matches 75	Model Risk Governance objects 149
grouping search terms 75	Model Risk Scorecard description 151
<u> </u>	Model Use Case description 151
proximity matches 75	
searching file attachments 76	
using Boolean operators <u>75</u>	N
using phrases <u>74</u>	
using terms <u>74</u>	naming
using wildcards 74	folders and files 77
GRC workflow	objects 59
completing work assigned to you 41	Natural Language Classifier
using Active Only filter 39	using to make object association suggestions in the UI
grid relationship field	59
associating objects <u>62</u>	using to make taxonomy suggestions in the UI <u>59</u>
	natural language processing service <u>20</u>
H	Navigation Bar <u>12</u>
	new features in version 8.2.0 <u>4</u>
Home page 25	new features in version 8.2.0.1 <u>3</u>
1101110 pago <u>20</u>	new features in version 8.2.0.2 3
	new features in version 8.2.0.3 $\overline{2}$
I	new features in version 8.3.0 2
	new features in version 8.3.0.1 1
IBM Watson Assistant	new features in version 8.3.0.2 1
using 15	<u> </u>
Incidents description 129, 139	new features in version 9.0.0.0 $\underline{1}$
Internal Audit Management objects 123	
Internal IT Governance objects 128	0
Issue and Action Items 120	
133de and Action Items 120	objects
	adding new instances 57
K	associating 61
	<del>-</del>
KPIs and KPI Values description 129, 134, 139	associating parent 64
KRIs and KRI Values description $\overline{129}$ , $\overline{133}$ , $\overline{138}$	associating using a card relationship field 63
11112 4114 1111 14114 00 4000 11 1 1 1 1 1 1	associating using a grid relationship field <u>62</u>
	changing parent <u>64</u>
L	copying from a Task View <u>55</u>
	deleting 55
lifecycles 20	disassociating 63
linking	editing in a Task View 54
objects 61	locking 113
parent object 64	naming 59
links	renaming from Task View 56
external URL 83	searching in the UI 76
locale settings 13	
	OpenPages Business Continuity Management 155
locking	OpenPages Internal Audit Management description 123
objects 113	OpenPages IT Governance 127
locks <u>111</u>	OpenPages IT Governance terms <u>127</u>
logging in 8	OpenPages Model Risk Governance objects <u>150</u>
logging out <u>8</u>	OpenPages Operational Risk Management overview 133
Loss Events description <u>134</u>	OpenPages Policy Management 137
Loss Impacts description 134	OpenPages Regulatory Compliance Management overview
Loss Recoveries description 134	145
· —	OpenPages Regulatory Model Risk Governance overview 149
	OpenPages Third Party Risk Management overview 153
	openi ages mila i arty Mak management overview 133

OpenPages Third Party Risk Management Solution objects	renaming (continued)
153 B + W + B:   M + 152	objects from Task View <u>56</u>
OpenPages Vendor Risk Management overview <u>153</u>	reporting period
Operational Risk Management objects 133	changing <u>15</u>
ORIC Losses description 135	reports
ORX Losses description 135	emailing <u>86</u>
Oversight Tasks tab	generating and viewing <u>85</u>
using <u>29</u>	viewing <u>86</u>
	Requirement description 138
P	Requirements description 130
	Review description 151
parent object	revoking
associating <u>64</u>	signatures <u>112</u>
changing <u>64</u>	RI Categories description 140
password	RI Requests description 141
changing <u>13</u>	Risk Assessment Evals 115
Plans description 124	Risk Assessments 115
Policies description 129, 139	Risk Evals 119
Policy Management objects 138	Risks <u>119</u>
Policy Management terms 137	rules for naming folders and files 77
Policy Review Comment description 140	rules for naming objects <u>59</u>
Preferences and Preferences Groups 120	
Primary menu <u>11</u>	S
primary parent association	
changing <u>64</u>	saved filters
private filters 70	deleting <u>71</u>
private filters)	editing 70
UI 39	Scenario Analysis description 134
Procedures description 130, 140	Scenario Results description 135
Process Evals 116	searching
Processes 116	file attachments 76
profile	for objects in the UI 76
changing <u>14</u>	global search compared to filtered search 73
program objects	signatures
creating 108	adding 112
Programs	revoking 112
launching 109	viewing 113
	Sub_Mandate description 130
Q	Sub-Accounts description 143
Y	Sub-Mandate description <u>138</u>
questionnaire assessments	Sub-Processes 116
completing 103	
reviewing 105	Subscription Tasks tab
questionnaire template objects	Subscription Tasks tab using 28
creating 90	
questionnaire templates	using <u>28</u>
adding links to sections, subsections, and questions 100	using <u>28</u> Summary Audit Plan description <u>123</u>
	using <u>28</u> Summary Audit Plan description <u>123</u> System description <u>130</u>
	using <u>28</u> Summary Audit Plan description <u>123</u>
adding questions 93	using <u>28</u> Summary Audit Plan description <u>123</u> System description <u>130</u>
adding questions 93 adding sections and subsections 92	using <u>28</u> Summary Audit Plan description <u>123</u> System description <u>130</u> T  Task View
adding questions 93 adding sections and subsections 92 editing 91	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55
adding questions <u>93</u> adding sections and subsections <u>92</u> editing <u>91</u> scores and scoring methods <u>88</u>	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55 editing objects 54
adding questions 93 adding sections and subsections 92 editing 91	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55 editing objects 54 Test Plans 119
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55 editing objects 54 Test Plans 119 Test Results 119
adding questions <u>93</u> adding sections and subsections <u>92</u> editing <u>91</u> scores and scoring methods <u>88</u>	using 28 Summary Audit Plan description 123 System description 130  T  Task View     copying objects 55     editing objects 54 Test Plans 119 Test Results 119 theme
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55 editing objects 54 Test Plans 119 Test Results 119
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89  R Regulation Applicabilities descriptions 138	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55 editing objects 54 Test Plans 119 Test Results 119 theme changing 14
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89  Regulation Applicabilities descriptions 138 Regulator Interactions description 140	using 28 Summary Audit Plan description 123 System description 130  T  Task View     copying objects 55     editing objects 54 Test Plans 119 Test Results 119 theme     changing 14 Threats 130
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89  Regulation Applicabilities descriptions 138 Regulator Interactions description 140 Regulators description 140	using 28 Summary Audit Plan description 123 System description 130  T  Task View copying objects 55 editing objects 54 Test Plans 119 Test Results 119 theme changing 14
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89  R Regulation Applicabilities descriptions 138 Regulator Interactions description 140 Regulators description 140 Regulatory Changes description 141	using 28 Summary Audit Plan description 123 System description 130  T  Task View     copying objects 55     editing objects 54 Test Plans 119 Test Results 119 theme     changing 14 Threats 130
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89  R Regulation Applicabilities descriptions 138 Regulator Interactions description 140 Regulators description 140 Regulatory Changes description 141 Regulatory Compliance Management objects 145	using 28 Summary Audit Plan description 123 System description 130  T  Task View     copying objects 55     editing objects 54 Test Plans 119 Test Results 119 theme     changing 14 Threats 130  U  UI
adding questions 93 adding sections and subsections 92 editing 91 scores and scoring methods 88 scoring formulas 89  R Regulation Applicabilities descriptions 138 Regulator Interactions description 140 Regulators description 140 Regulatory Changes description 141	using 28 Summary Audit Plan description 123 System description 130  T  Task View     copying objects 55     editing objects 54 Test Plans 119 Test Results 119 theme     changing 14 Threats 130

```
UI (continued)
    Fastmap export 39
    finding information 39
    Home page 25
    making taxonomy and object association suggestions
    using a Natural Language Classifier 59
    navigating 9
    using 7
    using filters 39
    working with objects 39
URL links
    adding to objects 83
    Cloud Pak for Data 7
using
    IBM Watson Assistant 15
V
View Suggestions
    using a Natural Language Classifier in the UI 59
viewing
    reports 85
    reports in different format 86
    signatures 113
Vulnerabilities 131
W
Waivers 131, 139
what's new 1
Workpapers description <u>124</u>
```

##