
ProofStack

UNIFIED UI / UX BLUEPRINT · V1.0

One build spec. Every screen. Light & dark.

Hand-off document for Antigravity. Your existing ProofStack Cockpit content is kept word for word; only the interface around it changes.



NEBIUS × NVIDIA GLOBAL AI HACKATHON · TRACK 1: CODING & AGENTIC ENGINEERING

19 OCTOBER 2026 · SAMPLE DATA FROM YOUR DEMO RUN TASK9142

VERDICT

Which of the four PDFs is best?

Short answer: use **BP2 as the structural base** and **your existing app as the content authority**. This document merges the two, adds a real dashboard, and fixes the look.

DOCUMENT	MATCHES YOUR REAL CONTENT	APP-SHELL & COVERAGE	SPEC DEPTH (STATES, TOKENS)	LOOKS HAND-MADE, NOT AI	WHY
Your existing app 42 screenshots	●●●●●	●●○○○	●●●●○	●○○○○	Only source of truth for content: real labels, gates G0–G7, ledger, DAST, roles. UI is the “blueprint” look (navy + indigo glow) and has no home page, footer, settings.
BP2 · Enterprise UI/UX 31 pages	●●●○○	●●●●●	●●●●●	●●●●○	Best structure: ink sidebar + paper canvas, app-shell anatomy, 15 screens, roles, states, 12-day plan. But it renames and adds sections (Team, Models, Audit log, landing page) that your app does not have.
BP1 · Enterprise UI 17 pages	●●○○○	●●●○○	●●●○○	●●○○○	Reframes the product as an “agent that writes and tests code” (Mission Control, Live Run, Proof Report) and invents P01–P19 problem cards. Dark-first, bento cards: the look you want to avoid.
ForgeStack 23 pages, mine	●○○○○	●●●●○	●●●●○	●●●○○	Generic concept I drew before I had seen your project. Good token and corner specs, but wrong product, wrong sections.

TAKEN FROM BP2

- Ink sidebar on a warm paper canvas (it already avoids neon-on-black)
- Shell anatomy: sidebar, top bar, status bar, both bottom corners
- Role-aware navigation; hide pages a role cannot open
- Empty / loading / error / 404 states

TAKEN FROM YOUR APP

- Every label, gate name, hash, log line, DAST row, role key and Locked Decision (D1, D8, D13, Section M)
- Six Cockpit tabs in the same order
- Judge Access Panel sign-in

LEFT OUT ON PURPOSE

- BP1’s “code-writing agent” framing and P01–P19 cards (not what your app does)
- BP2’s Team, SSO, SCIM, Models, Audit-log pages: roadmap copy only, no screens
- Public landing page: not in your app; the Devpost page and README do that job

Ratings are my judgement from reading all four PDFs against your 42 screenshots; they are not measured scores.

COMPARISON

Section by section against your real app

AREA	YOUR EXISTING APP	BP1	BP2	FORGESTACK	THIS BLUEPRINT
Sign-in	Judge Access Panel (1-Click), 3 role cards, tenant UUID, email, role dropdown, D13 line	Role-first, optional login	Optional login with SSO/MFA states, demo role switcher	Generic auth form	**Existing panel, verbatim**, in a split layout with the evidence-chain art
Home / dashboard	None: login lands straight on /cockpit, /studio or /ledger	Mission Control (agent runs, pass rate)	Cockpit overview inside a 15-screen shell	Generic KPI home	**New Dashboard** built only from your real data: verdict, ΔPerf, SQL 5,001→1, ledger, findings
Navigation	Top bar: Studio, Cockpit, 19-Catalog, Ledger, Control Plane, AI Co-Pilot, Sandbox chip, role	Left sidebar, invented groups	Left sidebar, 5 groups, 15 items	Left sidebar	Left sidebar with your labels + Findings + Settings; top bar keeps CTA, Co-Pilot, Sandbox
Core workspace	Studio editor + diff + Gauntlet tabs	Live Run	Runs, Findings, Sandboxes	Generic	Studio unchanged in content and function
Verification detail	Cockpit: 6 tabs, G0–G7, hypotheses, DAST	Proof Report	Run detail	Generic	Six tabs, same names, same order
Evidence ledger	Hash chain, tamper simulation	Signed proof (renamed)	Audit log (a different thing)	Audit trail	Ledger kept exactly; tamper demo preserved
19-problem catalog	Own page + dropdown in Studio	P01–P19 cards on the home page	Library page	Not covered	Quiet Reference page + detection as ordinary Findings (p. 6)
Admin	SuperAdmin Control Plane, locked gates	Admin + Super Admin pages	Team, Models, Governance	Generic	Control Plane kept; no team or billing pages
Footer / corners	None (only the floating Co-Pilot)	Status bar	Status bar + both corners	Corners spec	Footer status bar, user card bottom-left, Co-Pilot bottom-right
Light / dark	Dark only	Dark-first	Light default, dark available	Both	Both, with 11 swappable palettes

AUDIT 1 / 2

Keep, add, move or remove: shell and sign-in

EXISTING SECTION OR SUB-SECTION	DECISION	WHY (INDUSTRIAL-GRADE TEST)	NEW TREATMENT
Brand block “ProofStack” + tagline “Autonomous DevSecOps Engine”	KEEP	Identity.	Top of sidebar, serif wordmark.
“STUDIO” badge beside the logo	REMOVE	Reads like an edition label and duplicates the page name.	Dropped. Easy to restore.
Top nav: Studio · Cockpit · 19-Catalog · Ledger · Control Plane	MOVE	Five links plus status chips do not fit one bar once Findings and Settings exist.	Left sidebar, same labels.
“Ingest Repo / New Task” button	KEEP	Primary action.	Accent button in top bar; opens modal.
“AI Co-Pilot” button and floating “AI Co-Pilot Ctrl + /”	KEEP	Both are useful; the shortcut matters.	Top-bar button + bottom-right FAB.
“Sandbox: TokenFactory” chip	KEEP	Proves the Nebius runtime requirement at a glance.	Top bar chip + footer line.
Role badge (SUPER ADMIN · DEVELOPER · AUDITOR)	KEEP	Role must always be visible.	User card, bottom of sidebar.
Footer	ADD	No footer today. Industrial UIs show system status and provenance.	34 px status bar.
Dashboard (home)	ADD	Judges need one place that shows “what is true now” in 5 seconds.	New page, data from existing results only.
Findings	ADD	Needed so detection results are ordinary, filterable findings.	New page + sidebar badge.
Settings	ADD	Theme and palette need a home; Control Plane stays for safety policy only.	New page.
Notifications bell, Ctrl K search	ADD	Standard for a tool with long-running scans.	Top bar.
Sign-in: Judge Access Panel (1-Click), Pre-Seeded RBAC, 3 role cards, UUID, email, role, D13	KEEP + RESTYLE	All copy kept verbatim.	Split layout, radio role cards, Authenticate button added.
Real SSO / passwords	NOT ADDED	Out of scope for the hackathon; a fake form would look worse than an honest one-click panel.	Mention as roadmap in README only.

AUDIT 2 / 2

Keep, add, move or remove: Studio, Cockpit, Ledger, admin

EXISTING SECTION OR SUB-SECTION	DECISION	WHY (INDUSTRIAL-GRADE TEST)	NEW TREATMENT
Studio: 19-Problem Benchmark selector, Bug Snippet / Naive AI Patch / Safe Fix	KEEP + RESTYLE	Instant sample loader for judges with no repo.	Compact toolbar; label kept.
Studio: Run Code · Audit Gauntlet · Self-Heal (Nemotron)	KEEP	Core actions.	Secondary, secondary, primary.
Studio: editor, Sandbox Logs · Gauntlet (G0-G7) · Evidence Ledger tabs	KEEP	Core workflow.	Split diff left, tabs right.
Studio: patch bar (Accept Patch & Commit to Ledger / Reject (Trigger Repair Cycle) / Close)	KEEP	Human-in-the-loop decision.	Card above the diff.
Ingest modal: Target File & Function, Baseline Commit SHA, Verification Mode	KEEP	Fields unchanged.	Modal; adds “Scan GitHub repository” tab.
Cockpit header: task id, target, commit (pinned), GAUNTLET VERDICT: ACCEPT, RETEST	KEEP + RESTYLE	Verdict is the product.	Rubber-stamp component.
Cockpit tab 1 Baseline & Telemetry: 4 stat cards, histogram, hotspots	KEEP	Evidence for the +74.2 %.	Same data; adds one provenance strip.
Cockpit tab 2 Hypothesis Timeline: H1 / H2 / H3	KEEP	Shows model vs measurement (D1).	Adds a short decision strip.
Cockpit tab 3 Diff & Exploit Inspector + Identity Guard	KEEP	Shows G3 5/5 preserved.	Split diff + guard list.
Cockpit tab 4 Zero-Compromise Console: invariant, G0–G7	KEEP	The invariant is the headline.	8 gate cells + 4 summary numbers.
Cockpit tab 5 Live Sandbox Terminal	KEEP	Proof of isolation.	Terminal stays dark in both themes.
Cockpit tab 6 Live DAST Scanner, D-01…D-07	KEEP	Second verification surface.	Table; Remediate buttons.
Ledger: hash chain, Restore Clean Ledger, tamper alert	KEEP	Strongest trust demo.	Chain rail with link arrows.
19-Catalog page	MOVE	Reference material, not workflow (see p. 6).	Sidebar “Reference” group.
Control Plane: budgets, microVM pool, locked gates	KEEP	Governance proof.	Locked rows with lock icon.
AI Co-Pilot panel	KEEP	Unchanged copy and suggested actions.	Right drawer, 400 px.
Glow, indigo gradient, neon borders	REMOVE	This is the “blueprint / AI-made” look.	Flat paper surfaces, hairlines.

THE 19-PROBLEM CATALOG

Does showing it help you win?

Honest answer: as the headline, no. As quiet proof that the detector works, yes.

WHY IT SHOULD NOT BE A BIG SECTION

- Judging is four equal criteria: Technological Implementation, Design, Potential Impact, Quality of the Idea. A catalog browser scores on none of them by itself; it is documentation.
- A visible list of 19 fixtures makes the tool look like a benchmark you ran, not a product that works on a judge's own code. "Does it find real bugs in *my* repo?" is the question.
- It does help in two places: Technological Implementation (the engine is tested against 19 failure classes) and the demo video (one sentence).

WHAT THIS BLUEPRINT DOES INSTEAD

- **Detection as ordinary findings.** A scan of any GitHub repo produces rows in **Findings** and on the Dashboard: severity, title, location, category, status. No tier colours, no "1 of 19" badges.
- **Rule reference is a footnote.** The detail drawer shows "Truth Rank", naive-fix Rejected / safe-fix Accepted, and the patch. The catalog id (e.g. T1-3) appears only as small mono text.
- **Catalog page stays** as "19-Catalog" in the sidebar's *Reference* group, bottom, no hero, never on the Dashboard.
- **Studio keeps the fixture dropdown** as a sample loader so a judge can try the engine with zero setup.
- **One line of proof** in README and video: "detection rules validated against 19 fixtures".

HOW A REPO SCAN BECOMES FINDINGS

1. Paste GitHub URL + branch in **Ingest Repo / New Task** → "Scan GitHub repository"
2. Clone at a pinned commit inside the microVM (network=none after clone)
3. Static AST rules and dynamic probes run; each hit is matched to one of the 19 failure classes
4. Each hit becomes a finding (severity, file:function, category)
5. **Self-Heal (Nemotron)** proposes a patch; Gauntlet G0–G7 must pass
6. Accepted patch is committed to the Ledger; the finding flips to Fixed

FINDING RECORD (API SHAPE)

```
{ "id": "F-0142",
  "severity": "high | medium | low",
  "category": "Security | Performance | Database | …",
  "title": "Broken Object-Level Auth (IDOR) in Cache",
  "location": "cache/store.py:get_doc",
  "source": "repo_scan | dast",
  "rule_ref": "T1-3",          // nullable, shown small
  "status": "open | fixed",
  "evidence_hash": "sha256…" }
```


Important caveat. Your screenshots show verification of *one function* (orders.py-get_orders). A repository-wide scan is new backend work; this PDF specifies the UI only. For the demo, run the scan against a pre-seeded sample repo.

DESIGN DIRECTION


Make it feel handmade, not generated

The interface is a ledger book, not a sci-fi console. Evidence, paper, ink, one highlight colour.

BEFORE: YOUR CURRENT LEDGER



AFTER: SAME CONTENT, NEW INTERFACE



DO

- Warm paper canvas, ink sidebar, 1 px hairlines
- Serif (Lora) for page titles and big numbers; Inter for UI; mono for hashes, ids, logs
- Radius 6 / 10 only; flat surfaces; no decorative shadow
- One accent colour, ≤ 5 % of any screen
- Verdict as a rubber-stamp; ledger as a chain rail
- Real data everywhere, tabular numerals
- Status = colour + icon + word

DON'T

- Indigo → purple gradients, gradient text
- Glowing borders, neon on near-black
- Glassmorphism, blurred orbs, 3D blobs
- Emoji as icons; "✨ AI-powered" copy
- Everything in pills; everything centred
- Lorem ipsum or invented metrics

SIGNATURE DETAILS (THE MEMORABLE BITS)

- **Verdict stamp:** double-ruled box, −1.6° tilt, mono caps
- **Chain rail:** ledger blocks joined by hairline links with arrow
- **Gate strip:** eight perforated cells G0–G7
- **Ink spine:** sidebar stays dark in light mode, like a book spine
- **Paper terminal:** logs stay dark in both themes

Sample data from demo run TASK9142 · existing copy kept verbatim

COLOUR OPTIONS 1 / 2


Palettes from your list, ready to swap

Swatch order: background · surface · ink · brand · accent · support. Hex shown: bg · ink · brand · accent. Status colours are shared by all palettes.

Cobalt Ledger DEFAULT


cobalt blue + tangerine orange + cream ivory

LIGHT



#F6F1E6 · #1B1F2A · #1F3FBF · #F26B1D

DARK




#0F1220 · #F3EEE0 · #7C98FF · #FF8A3D

DEFAULT. Cobalt carries every action; tangerine is the single highlight. Neither can be mistaken for pass-green or fail-red.

Sage & Walnut


sage green + walnut brown + amber glow

LIGHT



#EDEFE3 · #2A2620 · #4A6A4F · #E8A33D

DARK




#14160F · #EFEBDD · #9DBF98 · #F2B24C

Closest to “calm and handmade”. Use amber only for the active item; sage is also the pass colour, so keep a check-icon on every pass chip.

Blush & Jet


blush pink + jet black + half-tone green

LIGHT



#FBF1F1 · #111111 · #111111 · #4F8A62

DARK




#0C0C0C · #F7E9EA · #F2B8BE · #8DBB98

High-fashion, very un-“dashboard”. Buttons are black; blush is the surface tint; the half-tone green only marks live/healthy state.

Black, Ivory & Magenta


black + off-white + magenta

LIGHT



#F4F2EE · #0E0E10 · #B8126F · #0E0E10

DARK




#0A0A0B · #F4F2EE · #F047A8 · #F4F2EE

Stark editorial. Improved with a warm off-white (not pure white) and magenta used on ≤5 % of the screen.

Charcoal, Silver & Red


charcoal grey + moonlight silver + single red

LIGHT



#ECEDEF · #1E2024 · #2B2E35 · #C62828

DARK




#15171A · #E6E8EB · #C9CDD4 · #FF5A4F

Serious, security-vendor feel. The red is reserved: in this palette it doubles as the FAIL colour, so it never appears as decoration.

Jet, Amethyst & Cyan


jet black + royal amethyst + electric cyan

LIGHT



#F3F1F8 · #12101A · #5B2FA6 · #00788C

DARK



#0B0A10 · #F1EFFA · #B08CF0 · #22D8F5

Your “jet black + royal … + electric cyan” combo (name was unclear in the voice note, read as amethyst). Most likely to look “AI-neon”: keep cyan to a hairline accent, never a glow.

COLOUR OPTIONS 2 / 2


Palettes from your list, ready to swap

To change palette set `data-palette` on `<html>`. To edit a colour change one hex in tokens.css; nothing else references raw colours.

Beige, Forest & Citrus


creamy beige + deep forest green + citrus yellow

LIGHT



#F2EBDA · #1C2A22 · #1E4D36 · #D9AE00

DARK




#101812 · #F0EAD6 · #7DBF98 · #F3CE2B

Warmest “financial-ledger” look. Forest is both brand and pass, so gate chips always carry an icon and the word PASS.

White, Charcoal & Muted Violet


white + deep charcoal + muted violet (warm taupe)

LIGHT



#F7F6F4 · #24242A · #6D5A86 · #8C7A66

DARK




#141416 · #EEEBE6 · #B7A2D1 · #C2B19D

Quiet, premium, low-risk. Violet is desaturated enough to avoid the usual “AI purple”; taupe is the neutral support.

Ivory, Charcoal & Scarlet


ivory + charcoal black + vibrant scarlet

LIGHT



#FAF6EC · #1D1D1F · #1D1D1F · #D6221F

DARK




#121212 · #F6F1E4 · #F6F1E4 · #FF4D3D

Bold and printed-matter. Scarlet is accent only; FAIL uses a deeper brick red with an icon so the two never collide.

True Blue, Jade & Autumn


true blue + jade green + sparkling cosmos + autumn glory

LIGHT



#EFF5F8 · #0F2230 · #0B5CAD · #D9822B

DARK




#0B1230 · #EAF1F8 · #6DAEFF · #F0A04B

Four colours is a lot, so roles are fixed: blue = action, jade = healthy, autumn orange = highlight, cosmos navy = dark-mode ground.

Electric Cyan on Ink


electric cyan (paired with ink + paper)

LIGHT



#F2F6F7 · #0A1114 · #00788C · #0A1114

DARK



#060B0D · #E9F4F6 · #19E3FF · #E9F4F6

A single colour needs partners: ink for text, warm paper for light mode, one amber for warnings. Light mode uses a deeper teal-cyan so text stays readable.

DESIGN TOKENS

Default palette: Cobalt Ledger

TOKEN	LIGHT	DARK	USE
`--bg`	#F6F1E6	#0F1220	Page canvas
`--surface`	#FFFDF8	#171B2E	Cards, inputs, tables
`--surface2`	#EEE7D6	#1F2440	Tab rails, code bars, hover
`--line`	#DDD3BC	#2C3254	1 px borders and rules
`--ink`	#1B1F2A	#F3EEE0	Primary text
`--ink2`	#5A5F6B	#A3A8BC	Secondary text (≥ 4.5:1)
`--brand`	#1F3FBF	#7C98FF	Actions, links, active tab
`--accent`	#F26B1D	#FF8A3D	One highlight: CTA, active marker. Fill only, never text on light
`--support`	#1B1F2A	#F3EEE0	Avatars, decorative
`--pass`	#1E7A46	#5BC98C	PASS, ACCEPT, VALID, preserved
`--fail`	#B42318	#FF7A70	FAIL, REJECTED, tamper, High
`--warn`	#9A5B00	#F2B04A	Medium, open, standby
`--side`	= ink	bg darkened 45 %	Sidebar and login brand panel

TYPE

Display	Lora 600: page title 28–30, big numbers 31, login hero 58
UI	Inter 400/500/600: body 13, table 12.5, label 12
Mono	JetBrains Mono (this PDF shows DejaVu Sans Mono): hashes, ids, logs, eyebrow labels 10.5 caps, tracking .12em
Numerals	`font-feature-settings:"tnum","lnum"` on all figures

SPACE · RADIUS · MOTION


Spacing	4 · 8 · 10 · 12 · 14 · 16 · 18 · 22 · 28 px
Radius	chips 5 · buttons, inputs 7 · code 8 · cards 10 · modal 12
Borders	1 px `--line`; focus ring 3 px brand @ 18 %
Shadow	none, except FAB, drawer, modal
Motion	120–180 ms ease-out; respect reduced-motion

CONTRAST CHECKS (COMPUTED)

- Ink on canvas 14.6:1 light, 16.1:1 dark
- Secondary text 5.7:1 light, 7.9:1 dark
- White on cobalt 8.3:1; status colours ≥ 5.3:1 on surfaces
- Tangerine on cream is 2.7:1, so it is used as a **fill with dark text** (6.2:1), never as text

App shell anatomy

Every signed-in screen shares this frame. Light mode shown; dark swaps tokens only.



SPEC NOTES

1. **Brand block**
   Logo mark (accent square, 34 px) + “ProofStack” in Lora 19/700 + tagline “Autonomous DevSecOps Engine”. Click = Dashboard.
2. **Sidebar, 248 px**
   Ink background in both themes. Groups: Workspace · Reference · Administration, mono caps 10 px. Collapses to a 64 px icon rail below 1280 px.
3. **Active item**
   Tinted row + 4 px accent bar hanging off the left edge. Items a role cannot open are hidden, not disabled.
4. **Breadcrumb**
   Section / Page / id. Last crumb bold. 12.5 px.
5. **Search, 262 px**
   Ctrl K command palette: tasks, hashes, findings, pages (placeholder is shortened to fit).
6. **Primary CTA**
   “Ingest Repo / New Task”, accent fill, only one per screen. Hidden for Auditor.
7. **Co-Pilot + Sandbox**
   “AI Co-Pilot” opens the drawer (also Ctrl /). “Sandbox: TokenFactory” chip with live state.
8. **Bell + theme**
   Bell lists scan/Gauntlet completions. Sun/moon toggles theme; persists per user, defaults to system.
9. **Page header**
   Mono eyebrow, Lora 28 title, one-line description, actions right-aligned.
10. **User card (bottom-left)**
    Avatar initials, name, role badge in mono caps, sign-out icon.
11. **Footer, left, 34 px**
    Ledger integrity (dot + “VALID · head #5”), then sandbox limits. Turns red on tamper.
12. **Footer, right**
    “Nemotron-3 Super 120B · Nebius Token Factory” and app version.
13. **Co-Pilot FAB (bottom-right)**
    46 px pill, right 24, bottom 46 (clears footer). Label + “Ctrl + /”. The only floating element.

Sample data from demo run TASK9142 · existing copy kept verbatim

INFORMATION ARCHITECTURE

Pages, routes and who can open them

Roles are the three in your app. Cross-tenant requests always return HTTP 404 (Locked Decision D13).

PAGE	ROUTE	SUPER ADMIN	LEAD DEVELOPER	SECURITY AUDITOR	NOTE
Dashboard	`/`	●	●	◖	Auditor sees verdict, ledger, findings; no CTA
Studio	`/studio`	●	●	–	
Ingest Repo / New Task	modal	●	●	–	Adds “Scan GitHub repository” tab
Cockpit, 6 tabs	`/cockpit/:taskId?tab=`	●	●	◖	Auditor read-only; Remediate hidden
Findings	`/findings`	●	●	◖	Self-Heal hidden for Auditor
Ledger	`/ledger`	●	◖	●	Tamper simulation: Super Admin + Auditor
19-Catalog	`/catalog`	●	●	●	Reference group
Control Plane	`/control-plane`	●	–	–	Locked gates cannot be toggled by anyone
Settings	`/settings`	●	●	●	Sandbox section: Super Admin, read-only
AI Co-Pilot	drawer	●	●	◖	Auditor: explain only, cannot dispatch scans

● full access · ◖ read-only or reduced · – hidden from navigation and blocked by the API

LANDING AFTER SIGN-IN

Everyone lands on the **Dashboard** (`/`). The role card’s route stays as the role’s **primary workspace** and becomes the Dashboard’s top-right button: Super Admin → `/cockpit/TASK9142`, Developer → `/studio`, Auditor → `/ledger`.

ROLES: DECISION NEEDED

Your first brief listed four roles (Developer, cyber-security checker, Admin, Super Admin). Your app has three (`super_admin`, `developer`, `auditor`). This blueprint keeps the three, because a fourth role would have no screen of its own. If you want “Admin”, define it as Developer + Findings triage + Settings and add one row here.

ERROR AND EDGE PAGES

- **404** for missing and cross-tenant ids (same page, D13)
- **403** “Your role cannot open this” (rare; nav hides it)
- **Session expired** banner on login
- **Offline / API error** inline card with Retry

Sign-in · light

Existing Judge Access Panel content, new layout.

1 ProofStack
Autonomous DevSecOps Engine

2 COCKPIT

ProofStack Cockpit

Autonomous DevSecOps Studio & Self-Healing Verification Engine

3
BLOCK #0 VERIFIED
8f4b238e89c132890dbaf423a8e9e19d7010a3952f01…

BLOCK #1 VERIFIED
318cb92931ea789dcba2891901a8df9038ba1c890123…

BLOCK #2 VERIFIED
45a89df0123bc8901923891023890192389012389012…

BLOCK #3 VERIFIED
e8901238901238901238901238901238901238901238…

BLOCK #4 VERIFIED
d9012389012389012389012389012389012389012389…

SHA-256 hash chain · every verdict is append-only

10 EN

4 JUDGE ACCESS PANEL (1-CLICK) PRE-SEEDED RBAC

Sign in

Select a verified role to authenticate instantly with dedicated workspaces and permissions:

5
Super Admin `super_admin` /cockpit/TASK9142
Full control plane: token budgets, microVM telemetry, policy overrides disabled

Lead Developer `developer` /studio
Task creation, patch verification, DAST scanning, and sandbox execution

Security Auditor `auditor` /ledger
Read-only ledger verification and tamper audit inspection

TENANT BOUNDARY (UUID)

6 8f4b238e-89c1-4289-0dba-f423a8e9e19d

PRINCIPAL IDENTITY (EMAIL) ASSIGNED ROLE

7 superadmin@perfproof.internal | Super Admin (Control Plane & Telemetry)

8 Authenticate →

9 **Locked Decision D13:** Cross-tenant access strictly returns HTTP 404.

11 AI Co-Pilot Ctrl + /

ProofStack v1.0 Nemotron-3 Super 120B · Nebius Token Factory


SPEC NOTES

1. **Brand panel, 640 px**
   Uses `--side`. Logo, then the existing hero copy verbatim: “ProofStack Cockpit” / “Autonomous DevSecOps Studio & Self-Healing Verification Engine”.
2. **Hero, Lora 58**
   Eyebrow “Cockpit” in accent. Two lines, tight tracking.
3. **Evidence chain art**
   Decorative (aria-hidden). Five ledger blocks with the real genesis hashes, joined by hairlines, all VERIFIED.
4. **Panel badge**
   “Judge Access Panel (1-Click)” + “Pre-Seeded RBAC”, copied from the current app.
5. **Role cards = radio group**
   Super Admin / Lead Developer / Security Auditor, key in mono, route right, description verbatim. Selecting fills the fields below. Arrow keys move selection.
6. **Tenant Boundary (UUID)**
   Read-only, mono, lock icon. Value 8f4b238e-89c1-4289-0dba-f423a8e9e19d.
7. **Identity + role**
   Email auto-filled from the card (superadmin@perfproof.internal; other two follow the same pattern, please confirm). Role dropdown mirrors the card.
8. **Authenticate**
   Primary, 42 px, full width. Enter submits. Loading: spinner + “Authenticating…”. Failure: inline error, card shakes 2 px once.
9. **Locked Decision D13**
   Line kept verbatim: “Cross-tenant access strictly returns HTTP 404.”
10. **Theme + language**
    Sun/moon toggle works before sign-in. “EN” chip only if you localise; otherwise delete it.
11. **Co-Pilot FAB**
    Present on login, as in the current app.

Sample data from demo run TASK9142 · existing copy kept verbatim

Sign-in · dark

Same layout; only tokens change. The brand panel gets slightly darker than the canvas.




SPEC NOTES

1. **Brand panel, 640 px**
   Uses `--side`. Logo, then the existing hero copy verbatim: “ProofStack Cockpit” / “Autonomous DevSecOps Studio & Self-Healing Verification Engine”.
2. **Hero, Lora 58**
   Eyebrow “Cockpit” in accent. Two lines, tight tracking.
3. **Evidence chain art**
   Decorative (aria-hidden). Five ledger blocks with the real genesis hashes, joined by hairlines, all VERIFIED.
4. **Panel badge**
   “Judge Access Panel (1-Click)” + “Pre-Seeded RBAC”, copied from the current app.
5. **Role cards = radio group**
   Super Admin / Lead Developer / Security Auditor, key in mono, route right, description verbatim. Selecting fills the fields below. Arrow keys move selection.
6. **Tenant Boundary (UUID)**
   Read-only, mono, lock icon. Value 8f4b238e-89c1-4289-0dba-f423a8e9e19d.
7. **Identity + role**
   Email auto-filled from the card (superadmin@perfproof.internal; other two follow the same pattern, please confirm). Role dropdown mirrors the card.
8. **Authenticate**
   Primary, 42 px, full width. Enter submits. Loading: spinner + “Authenticating…”. Failure: inline error, card shakes 2 px once.
9. **Locked Decision D13**
   Line kept verbatim: “Cross-tenant access strictly returns HTTP 404.”
10. **Theme + language**
    Sun/moon toggle works before sign-in. “EN” chip only if you localise; otherwise delete it.
11. **Co-Pilot FAB**
    Present on login, as in the current app.

Sample data from demo run TASK9142 · existing copy kept verbatim

Dashboard (home) · light

New page. Every number comes from your existing demo run; nothing is invented.




SPEC NOTES

1. **Page header**
   Eyebrow shows the tenant UUID. Title “Verification overview”. Subtitle reused from the Cockpit login. Right: role’s primary-workspace button.
2. **Latest verdict**
   The stamp component + “8 / 8 gates passed · TASK9142”. Click opens the Cockpit.
3. **ΔPerf**
   +74.2 % in Lora 31, “above τ_noise 5.0% · latency 428 → 12 ms”.
4. **Active task**
   Gate strip G0–G7 (eight cells), then the invariant formula in mono. Failed gate cell turns red and the stamp becomes REJECT.
5. **Recent tasks**
   Last 5 runs: task, target, mode, verdict chip, ΔPerf, time. DAST row shows open count.
6. **Evidence chain**
   Six blocks #0–#5 with 7-char hash prefixes, chip VALID. Turns red from the first broken block.
7. **Latest findings**
   Top 4 by severity: severity tag, title, file · category, “View fix”. Fixed items show a FIXED chip.
8. **Co-Pilot suggested actions**
   The three existing suggestions, single-line, truncated with ellipsis. Click sends the prompt.

Dashboard (home) · dark

Same component tree. Stamp, chips and gate cells switch to the dark status colours.



SPEC NOTES

1. **Page header**
   Eyebrow shows the tenant UUID. Title “Verification overview”. Subtitle reused from the Cockpit login. Right: role’s primary-workspace button.
2. **Latest verdict**
   The stamp component + “8 / 8 gates passed · TASK9142”. Click opens the Cockpit.
3. **ΔPerf**
   +74.2 % in Lora 31, “above τ_noise 5.0% · latency 428 → 12 ms”.
4. **Active task**
   Gate strip G0–G7 (eight cells), then the invariant formula in mono. Failed gate cell turns red and the stamp becomes REJECT.
5. **Recent tasks**
   Last 5 runs: task, target, mode, verdict chip, ΔPerf, time. DAST row shows open count.
6. **Evidence chain**
   Six blocks #0–#5 with 7-char hash prefixes, chip VALID. Turns red from the first broken block.
7. **Latest findings**
   Top 4 by severity: severity tag, title, file · category, “View fix”. Fixed items show a FIXED chip.
8. **Co-Pilot suggested actions**
   The three existing suggestions, single-line, truncated with ellipsis. Click sends the prompt.

Sample data from demo run TASK9142 · existing copy kept verbatim

DASHBOARD SPEC

Layout, data and states

Grid: 1136 px content width at 1440; columns 1.62fr / 1fr, gap 14. At ≥ 1920 px cap content at 1536 and centre.

WIDGET	SPEC	READS	VISIBLE TO
KPI row	4 cards, equal width, gap 14. Label mono 10.5 caps; value Lora 31 tabular; sub 11.5.	`latestTask.verdict, deltaPerf, sql, ledger`	All roles
Active task	Card; gate strip 8 equal cells 30 px; formula mono 11.5.	`latestTask.gates[8], thresholds`	All roles
Recent tasks	Table 5 rows, row 44 px, no zebra.	`recent[]`	All roles
Evidence chain	Six equal tiles joined by 8 px hairlines.	`ledger.chain[]`	All roles
Latest findings	4 rows; “View fix” opens drawer on Findings.	`findings[0..3]`	All roles; no fix for Auditor
Co-Pilot suggestions	3 one-line buttons.	`static list`	Super Admin, Developer

STATES

Loading	Skeleton blocks in `--surface2`, 1.2 s fade pulse (no shimmer sweep). Layout never jumps.
Empty	One card: “No verification tasks yet.” + **Ingest Repo / New Task** + “Load sample fixture (T1-2)”.
Running	Active task shows a progress rail and live gate cells (pending = hollow, running = pulse, done = filled). Poll 3 s or SSE.
Failed	Stamp = REJECT in `--fail`; failing gate cell red; finding stays Open.
Error	Card-level message + Retry; the rest of the page keeps working.


ONE AGGREGATE VIEW-MODEL

```
GET /api/dashboard   (build from existing
                      task + ledger + DAST calls
                      if no such endpoint exists)
{ "tenant": "8f4b238e-89c1-4289-0dba-f423a8e9e19d",
  "latestTask": {
    "id": "TASK9142",
    "target": "orders.py:get_orders",
    "commit": "c8a94e1",
    "verdict": "ACCEPT",
    "gates": [{"id":"G0","status":"PASS"}, … G7],
    "deltaPerf": 0.742, "tauNoise": 0.05,
    "sql": [5001, 1], "latencyMs": [428, 12] },
  "ledger": { "valid": true, "blocks": 6, "head": 5,
              "chain": [{"index":0,"type":"TASK_INTAKE",
                         "entryHash":"8f4b238e…"}, …] },
  "findings": [ … top 4 … ],
  "recent": [ … 5 … ] }
```

Role variants. Auditor: no CTA, no Co-Pilot card, finding rows have no “View fix”. Developer: all. Super Admin: all, plus the “Open in Cockpit” primary-workspace button.

Studio

Same content and actions as today: benchmark loader, three snippet states, three actions, diff, Gauntlet tab.




SPEC NOTES

- **Toolbar card**
  "19-Problem Benchmark" select + Bug Snippet / Naive AI Patch / Safe Fix segmented control + Run Code · Audit Gauntlet · Self-Heal (Nemotron). Self-Heal is the only filled button.
- **Problem strip**
  Id chip, title, one-line description (ellipsis), red Impact chip, Truth Rank chip.
- **Patch proposal card**
  Brand-tinted border. "Accept Patch & Commit to Ledger" primary, "Reject (Trigger Repair Cycle)" danger, "Close" ghost. Score chip 0.96.
- **Split diff**
  Baseline left, candidate right, 12 px mono, line numbers, add/delete tints from `--pass` / `--fail` at 14 %. Use Monaco with the same colours.
- **Right panel, 420 px**
  Tabs: Sandbox Logs · Gauntlet (G0-G7) · Evidence Ledger. Gauntlet tab = verdict card + per-gate list.
- **Toasts**
  The old blue banner strip becomes a bottom-centre toast: "NVIDIA Nemotron synthesized defensive patch. Review diff below."

Ingest Repo / New Task

Modal opened from the top-bar CTA. Dark theme shown.




SPEC NOTES

- **Tabs**
  "Single function" keeps the current form. "Scan GitHub repository" is new.
- **Existing fields**
  Target File & Function * (format hint kept), Baseline Commit SHA, Verification Mode: "OPTIMIZE (Performance + Security Gates)".
- **Scan tab (new)**
  Fields: Repository URL, Branch, Baseline Commit SHA (pinned on submit). Same Verification Mode. Submit text becomes "Scan Repository".
- **Invariant note**
  Explains that G0–G7 cannot be switched off. Source: Control Plane text.
- **Footer**
  Cancel (secondary) · Create Task & Open Cockpit (accent). Esc closes; focus is trapped.
- **Validation**
  Inline, under the field, in `--fail`, never a browser alert.

Findings (new)

Detection results as ordinary rows. Rule ids stay in the drawer, small.




SPEC NOTES

- **Filters**
  Segmented All / Open / Fixed + Severity, Category, Source chips. Search is the global Ctrl K.
- **Table**
  Severity tag · title · location (mono) · category · source (Repo scan or DAST) · status. Row height 44. Selected row tinted with brand 7 %.
- **Severity tags**
  High = fail colour, Med = warn, Low = pass. Always text + colour.
- **Detail drawer, 380 px**
  Title in Lora 19, description, location + Truth Rank, Naive fix Rejected / Safe fix Accepted, suggested patch, Self-Heal (Nemotron) + Open in Cockpit.
- **Source of rows**
  DAST rows come from the Live DAST Scanner (D-01…D-07). Repo-scan rows come from the new scan (see p. 6).
- **Empty state**
  “No findings. Run a scan from Ingest Repo / New Task.”

Sample data from demo run TASK9142 · existing copy kept verbatim

Cockpit · 1. Baseline & Telemetry

Four stat cards, latency histogram, profile hotspots. Light theme.




SPEC NOTES

- **Header row**
  Task chip (mono), target (Lora 17), pinned commit, verdict stamp right. RETEST button appears here when a task has run.
- **Tabs**
  Six tabs, names verbatim, numbers kept. Active = 3 px brand underline. URL ?tab= keeps state.
- **Stat cards**
  Exact DB queries 5,001 · Baseline median latency 428 ms · Coefficient of variation 0.041 (4.1%) · Empirical noise floor (τ_noise) 0.050 (5.0%).
- **Histogram**
  10 pyperf samples, bars brand, the modal bin in accent. Axis 420–435 ms.
- **Hotspots**
  Four rows with bar + “291 ms (68%)”, “90 ms (21%)”, “34 ms (8%)”, “13 ms (3%)”; they sum to 428 ms.
- **Provenance strip**
  New. Environment facts already in your sandbox log: Linux 6.6-microvm, Python 3.11.8, pinned commit.

Cockpit · 2. Hypothesis Timeline

Model score vs computed support (Locked Decision D1). Dark theme.



SPEC NOTES

- **Header row**
  Task chip (mono), target (Lora 17), pinned commit, verdict stamp right. RETEST button appears here when a task has run.
- **Hypothesis cards**
  H1 Confirmed (green outline), H2 and H3 Refuted. Claim in Lora 15. Model Score, Computed Support (meters), Experiment in mono.
- **Values**
  H1 94 % / 96 % / counter_probe · H2 32 % / 8 % / static_ast · H3 41 % / 12 % / race_harness.
- **Model chip**
  “Model: nvidia/nemotron-3-super-120b”.
- **Timeline rail**
  New thin rail: Baseline → Hypotheses → Discriminator → Patch → Gauntlet → Ledger, taken from the sandbox log.
- **Decision strip**
  New: selected hypothesis, chosen experiment, next step link.

Sample data from demo run TASK9142 · existing copy kept verbatim

Cockpit · 3. Diff & Exploit Inspector

Split diff with the Identity Preservation Guard (Gate G3). Light theme.




SPEC NOTES

- **Header row**
  Task chip (mono), target (Lora 17), pinned commit, verdict stamp right. RETEST button appears here when a task has run.
- **Title row**
  “Monaco Code Diff & Identity Guard Panel”, file + “Synthesized by nvidia/nemotron-3.5-lightning”, chip “G3 Identity Verified”.
- **Diff**
  Same component as Studio. Left deletions, right additions. Comment lines in muted ink.
- **Guard panel**
  “IDENTITY PRESERVATION GUARD (GATE G3 ENFORCED)” with 5 / 5 PRESERVED: tenant_id: UUID, user_id: str, Order.tenant_id == tenant_id, @login_required, the authorization branch (file:line in mono).
- **Failure state**
  Any unpreserved item gets a red cross, the chip reads “3 / 5 Preserved”, and Gate G3 fails.

Cockpit · 4. Zero-Compromise Console

The invariant and eight gates. Dark theme.




SPEC NOTES

- **Header row**
  Task chip (mono), target (Lora 17), pinned commit, verdict stamp right. RETEST button appears here when a task has run.
- **Invariant card**
  Stamp “Final Verdict: ACCEPT” and the formula in a mono well: Verdict = ACCEPT ⇔ (ΔPerf (+74.2%) > τ_noise (5.0%)) ∧ ...
- **Gate cells**
  Eight, 4 × 2. Left 4 px status bar, id + name, PASS chip with check, title, evidence sentence. Texts verbatim from your Console tab.
- **Summary numbers**
  New row: SQL 5001 → 1, latency 428 → 12 ms, scaling b = 1.02, ledger index 5.
- **Interaction**
  Click a gate: scroll the Sandbox terminal to the matching “GATE Gx” line.

Cockpit · 5. Live Sandbox Terminal

Isolated MicroVM execution stream. Terminal is dark in both themes.




SPEC NOTES

- **Header row**
  Task chip (mono), target (Lora 17), pinned commit, verdict stamp right. RETEST button appears here when a task has run.
- **Header**
  “Live MicroVM Execution Stream” + “Isolated Token Factory Sandbox · Zero network egress · Read-only root”.
- **Console bar**
  “Isolated MicroVM Sandbox Console”, run_8292f0c1, isolation: platform, EXIT CODE 0.
- **Log colours**
  Red = RED PROVEN, green = PASS and verdict, blue = NEMOTRON and LEDGER, amber = GAUNTLET, grey = timestamps.
- **Behaviour**
  Streams over SSE; auto-scroll pauses when the user scrolls up; Copy button; line numbers are not selectable.
- **Lines**
  All 17 log lines in the current app are reproduced verbatim.

Cockpit · 6. Live DAST Scanner

Target ownership, scan, six findings with Remediate. Dark theme.




SPEC NOTES

- **Header row**
  Task chip (mono), target (Lora 17), pinned commit, verdict stamp right. RETEST button appears here when a task has run.
- **Target row**
  https://staging.perfproof.internal · chip “Ownership verified” · “Automated DevTools/T2 Telemetry · 12 OWASP Top-10 Checks · Safe GET/HEAD Only”.
- **Dispatch DAST Scan**
  Primary. While running: button disabled, rows stream in, progress “7 / 12 checks”.
- **Rows**
  D-01, D-02, D-03 Medium; D-05, D-06, D-07 High. Check id mono brand; finding bold with detail under it; source-map path mono.
- **Remediate**
  Opens Co-Pilot with the finding, or runs the R0–R6 remediation gates. Hidden for Auditor.

Sample data from demo run TASK9142 · existing copy kept verbatim

Ledger · valid

Auditor view, light theme. Page scrolls; chain is centred at 880 px.




SPEC NOTES

- **Header card**
  "Cryptographic Evidence Ledger Explorer" + chip "SHA-256 Hash Chain"; formula line verbatim: entry_hash = SHA256(bytes.fromhex(prev_hash) + canonical_json(body)).
- **Block card**
  Chip "BLOCK #n", type (TASK_INTAKE, BASELINE, …), actor, time, VERIFIED chip. PREV_HASH / ENTRY_HASH boxes, then the JSON body.
- **Chain link**
  Down-arrow between cards; it turns red from the first broken block.
- **Buttons**
  Restore Clean Ledger (always). "Simulate Tamper" (Super Admin and Auditor) becomes the red "INTEGRITY VIOLATION (Index 2)" state.
- **Hashes**
  10 px mono. Entry hash green when valid, red when mismatched.
- **Blocks**
  #0 TASK_INTAKE, #1 BASELINE, #2 hypothesis, #3 PATCH, #4 GATE_RESULT, #5 DEFENSIVE_PATCH_COMMIT. Block #2's type name and time are my assumption; copy them from your data.

Ledger · tamper detected

The tamper-simulation state, dark theme. Banner text verbatim from your app.




SPEC NOTES

- **Banner**
  "ADVERSARIAL TAMPER DETECTED AT BLOCK #2" in mono caps; full paragraph kept word for word.
- **Failed blocks**
  Border and tint in `--fail`; chip "Hash mismatch"; entry hash red. Blocks #2 to #5 all fail, #0 and #1 stay verified.
- **Footer**
  Left footer status changes to "INTEGRITY VIOLATION (index 2)" with a red dot, on every page.
- **Header button**
  Red outline button "INTEGRITY VIOLATION (Index 2)". Restore Clean Ledger resets.
- **Motion**
  On trigger, the failing cards flash once (200 ms) and the banner slides down 8 px. No looping animation.

19-Catalog (Reference)

Content unchanged; now a quiet reference page at the bottom of the sidebar.




SPEC NOTES

- **Placement**
  Sidebar → Reference group. Not on the Dashboard, not in the top bar.
- **Header**
  "19-Problem Specification Catalog" + "Full empirical catalog across Tier 1 (8), Tier 2 (7), and Tier 3 (4) verification fixtures". Search + All/Tier 1/2/3 + Domain.
- **Cards**
  Two columns. Id chip, tier, domain, title, one-liner, optional real-world note (e.g. "Cloudflare 2019"). Naive: Rejected / Safe: Accepted chips.
- **Open in Studio**
  Loads that fixture into the Studio editor.
- **Neutral colour**
  Tiers are not colour-coded; avoid a rainbow of categories.
- **All 19**
  Tier 1 T1-1…T1-8, Tier 2 T2-1…T2-7, Tier 3 T3-1…T3-4; names from the Studio dropdown.

SuperAdmin Control Plane

Super Admin only. Dark theme. Every locked item shows a lock.




SPEC NOTES

- **Header**
  "SuperAdmin Control Plane" + "Global token budgets, isolated sandbox microVM pool telemetry, and tenant boundaries"; chip "Role: super_admin".
- **Policy & token budgets**
  Task Token Budget 120,000 (Locked Decision D8), Max Patch Iterations 3, Noise Threshold (τ_min) 5.0 %, Memory Ceiling 1,024 MB, Process Ceiling 64, Network Egress BLOCKED, Output Buffer Cap 1 MB.
- **Only editable value**
  Max Patch Iterations (configurable). Everything else is read-only with a lock.
- **Sandbox microVM pool**
  Token Factory Sandbox = Primary Platform Backend, ACTIVE; Local Rootless Container = STANDBY.
- **Locked invariant gates**
  G0–G7 and R0–R6, each "LOCKED ON", toggle visibly on and disabled. Note: "Override flags are cryptographically barred by the verdict engine."

AI Co-Pilot drawer

Opens over any page from the top-bar button or Ctrl /. Light theme over Studio.




SPEC NOTES

- **Drawer**
  400 px, full height, left hairline, scrim-free (page stays usable). Esc closes.
- **Header**
  Brand tile, “ProofStack AI Co-Pilot” with live dot, “Powered by NVIDIA Nemotron-3 Super 120B”.
- **Messages**
  Assistant: paper bubble, sharp bottom-left corner. User: brand bubble, sharp bottom-right. Meta line in mono (name · time).
- **Result card**
  Findings render as a small card: title, Baseline vs Defensive Fix numbers. Copy matches your sample reply.
- **Suggested actions**
  The same three prompts, one per row.
- **Composer**
  “Ask Co-Pilot to audit code, scan target, or explain flaws...” + send. Enter sends, Shift+Enter newline.

Settings (new)

Appearance first; this is where theme and palette live. Light theme.



SPEC NOTES

- **Left list**
  Appearance · Profile & role · Keyboard · Sandbox (read-only) · About.
- **Theme**
  Light, Dark, System. Applies instantly via `data-theme`.
- **Colour palette**
  Eleven palettes from pp. 8–9. Selecting one sets `data-palette`; stored per user.
- **Status colours**
  Not themeable. Pass, fail and warn mean the same thing in every palette.
- **Density**
  Compact 36 px rows / Comfortable 44 px rows.
- **Safety policy**
  Not here. It lives in Control Plane and is locked.

COMPONENTS

Component kit and states, both themes

LIGHT · BUTTONS

Primary | Accent | Secondary | Danger | Ghost | Small | Disabled

CHIPS · STAMP

✓ PASS | ✕ FAIL | ⚠ MEDIUM | INFO | NEUTRAL | ACCEPT | ✕ REJECT

INPUTS

DEFAULT

Value

FOCUS

Typing...

MONO

orders.py-get_orders

ERROR

bad-input

Format: path/to/file.py-function_name

SEGMENTED · TOGGLES

Bug Snippet | Naive AI Patch | Safe Fix

on · off · locked

TABLE ROW · SEVERITY

HIGH	Exposed Public Environment File (/.env)	public/.env	Remediate

TOASTS

NVIDIA Nemotron synthesized defensive patch. Review diff below.

Zero-Compromise Gauntlet: ALL GATES PASSED (ACCEPT)

Integrity violation detected at Block #2

EMPTY · LOADING

No findings

Run a scan from Ingest Repo / New Task

DARK · BUTTONS

Primary | Accent | Secondary | Danger | Ghost | Small | Disabled

CHIPS · STAMP

✓ PASS | ✕ FAIL | ⚠ MEDIUM | INFO | NEUTRAL | ACCEPT | ✕ REJECT

INPUTS

DEFAULT

Value

FOCUS

Typing...

MONO

orders.py-get_orders

ERROR

bad-input

Format: path/to/file.py-function_name

SEGMENTED · TOGGLES

Bug Snippet | Naive AI Patch | Safe Fix

on · off · locked

TABLE ROW · SEVERITY

HIGH	Exposed Public Environment File (/.env)	public/.env	Remediate

TOASTS

NVIDIA Nemotron synthesized defensive patch. Review diff below.

Zero-Compromise Gauntlet: ALL GATES PASSED (ACCEPT)

Integrity violation detected at Block #2

EMPTY · LOADING

No findings

Run a scan from Ingest Repo / New Task

BEHAVIOUR

Responsive, accessible, keyboard-first

The demo is recorded at 1440 × 900, but nothing should break from 1024 up.

BREAKPOINTS

≥ 1920	Content max-width 1536, centred
1280–1919	As drawn
1024–1279	Sidebar → 64 px icon rail with tooltips; KPI row 2 × 2; Cockpit gates 2 × 4
< 1024	Sidebar becomes a slide-over; tables → stacked cards; diff → unified (single column); Co-Pilot drawer full width

ACCESSIBILITY

- WCAG AA verified for every palette (script in tokens.css header)
- Status is never colour alone: icon + word
- Focus ring 3 px brand @ 18 % + 1 px brand border
- Verdict changes announced with `aria-live="polite"`
- Terminal is a `role="log"` region
- All icon buttons have `aria-label`
- Respect `prefers-reduced-motion` and `prefers-color-scheme`

KEYBOARD

`Ctrl K`	Command palette
`Ctrl /`	Toggle AI Co-Pilot
`G` **then** `D`	Go to Dashboard
`G` **then** `S`	Go to Studio
`G` **then** `L`	Go to Ledger
`1` – `6`	Cockpit tabs
`Esc`	Close modal / drawer

MOTION (ALL 120–180 MS EASE-OUT)

- Tab underline slides; drawer slides 24 px + fade; modal fades + 8 px rise
- Gate cells fill left to right as results arrive (60 ms stagger)
- Stamp “presses” once on first ACCEPT: scale 1.06 → 1, 160 ms. Never loops
- No parallax, no animated gradients, no glow pulses

COPY RULES

- Plain and specific: “Rejected: opens SQL injection”, not “Oops!”
- Keep every existing label exactly; new labels use sentence case
- Numbers always with units (428 ms, 1,024 MB, 5.0%)
- No “AI-powered”, “magic”, “seamless”, no emoji

HAND-OFF

Master prompt for Antigravity

Paste this first, attach this PDF plus the three files in proofstack-ui-kit/.

```
ROLE
You are rebuilding ONLY the presentation layer of an existing app, "ProofStack Cockpit".
Do not change routes, API contracts, data models, copy, labels or business logic.

SOURCE OF TRUTH
1. This PDF: layout, tokens, components, states, copy marked "verbatim".
2. proofstack-ui-kit/tokens.css and proofstack-ui-kit/app-components.css: the exact CSS
   used to draw every mockup. Copy them into the app unchanged, then build components on top.
3. proofstack-ui-kit/reference-screens.html: all 19 screens as static HTML. When unsure, open it
   and match it pixel for pixel at 1440 x 900.

RULES
- Colours come only from CSS variables in tokens.css. Never write a hex value in a component.
- Theme: . Default = system theme.
- Fonts: Lora (display), Inter (UI), JetBrains Mono (mono). Self-host or Google Fonts.
- Keep every existing label word for word. New labels only where this PDF shows them.
- No gradients, glows, glass, emoji icons, or box-shadows except FAB, drawer, modal.
- Status colours (--pass, --fail, --warn) are the same in every palette.
- Sample numbers in mockups come from demo run TASK9142; bind everything to live data.

BUILD ORDER (commit after each, screenshot at 1440 x 900 light AND dark, compare to the PDF)
 1 tokens.css + app-components.css + ThemeProvider + Settings > Appearance switch
 2 App shell: Sidebar, Topbar, Footer, Co-Pilot FAB (pp. 11-12)
 3 Sign-in (pp. 13-14)           4 Dashboard (pp. 15-17)
 5 Studio + Ingest modal (pp. 18-19)   6 Findings (p. 20)
 7 Cockpit, six tabs (pp. 21-26)       8 Ledger incl. tamper state (pp. 27-28)
 9 19-Catalog (p. 29)           10 Control Plane (p. 30)
11 Co-Pilot drawer (p. 31)      12 Settings (p. 32)
13 Loading / empty / error / 404 states (pp. 17, 33)

DONE WHEN
- Every screenshot matches its page in this PDF for layout, spacing, copy and colour.
- Light/dark and all 11 palettes switch with no component edits.
- Lighthouse accessibility >= 95 on each page.
```

HAND-OFF

File structure and component map

SUGGESTED LAYOUT (ADAPT NAMES TO YOUR FRAMEWORK)

```
styles/
  tokens.css            11 palettes x light/dark
  app-components.css    exact component CSS from this PDF
components/
  shell/   Sidebar  Topbar  Footer  CopilotFab  ThemeToggle
  ui/      Button  Chip  Stamp  Card  Table  Tabs  Segmented
           Input  Toggle  Toast  Modal  Drawer  Skeleton
  evidence/ GateCell  GateStrip  ChainBlock  ChainRail
            DiffSplit  Terminal  HashBox  SeverityTag
pages/
  login  dashboard  studio  findings  ledger
  catalog  control-plane  settings
  cockpit/[taskId]/  baseline  hypotheses  diff
                     console   sandbox     dast
lib/
  theme.ts   roles.ts   (route guard: hide, don't disable)
```

COMPONENT TO PAGE MAP

COMPONENT	USED ON
Stamp	Dashboard, Cockpit header, Console, Studio gauntlet
GateStrip / GateCell	Dashboard, Console, Studio
ChainBlock / ChainRail	Ledger, Dashboard, Login art
DiffSplit	Studio, Cockpit tab 3
Terminal	Cockpit tab 5, Studio logs
SeverityTag	Findings, Dashboard, DAST
Drawer	Co-Pilot, Finding detail
Modal	Ingest Repo / New Task

WHAT STAYS UNTOUCHED

- Auth, RBAC, tenant isolation, ledger hashing, Gauntlet, sandbox, Co-Pilot back end
- All strings listed “verbatim” in the notes
- Route paths: `/login`, `/studio`, `/cockpit/:id`, `/ledger`, `/catalog`

ACCEPTANCE

Screenshot-parity checklist and open questions

CHECK EACH SCREEN AT 1440 × 900, LIGHT AND DARK

- Sidebar 248 px, top bar 56 px, footer 34 px, page padding 28 px
- Same copy as the PDF, character for character
- Page title Lora 28; numbers Lora 31; hashes mono 10
- Cards radius 10, buttons 7, chips 5; 1 px borders; no shadows except FAB, drawer, modal
- Accent colour appears ≤ 5 % of the screen
- Verdict stamp tilted −1.6°; gate strip has 8 cells
- Terminal dark in both themes
- Switching `data-palette` recolours everything, nothing stays blue
- Footer left turns red during tamper state on every page
- Role check: Auditor sees no Studio, Control Plane, CTA or Remediate
- Keyboard: Ctrl K, Ctrl /, Esc, tab order, focus ring visible

OPEN QUESTIONS: PLEASE CONFIRM

1	Fourth role “Admin”? This PDF keeps your three real roles.
2	Emails for Developer and Auditor. Only superadmin@perfproof.internal appears in your screenshots.
3	Exact label of your sign-in button. I wrote “Authenticate”.
4	Block #2 type name and time in the Ledger (I used HYPOTHESIS, 11:32:28 PM).
5	Colour: my read of “jet black + royal … + electric cyan” is amethyst. Pick or edit in tokens.css.
6	Removed the “STUDIO” badge next to the logo. Restore if it means something.
7	Repository-wide scan needs backend work; confirm you can demo it on a seeded repo.
8	Fonts: Lora, Inter, JetBrains Mono are free (OFL). This PDF shows a mono substitute.

> Sample values throughout (TASK9142, TASKC02A, hashes, DAST rows) are taken from your screenshots. Rows that are my additions are marked *New* in the notes.