#### Manual

# **Starting Server**

- 1) Go to folder ServerSourceCode and open config.properties
  - a. Enter the port where server will keep listening Eg. server.port=9999
- 2) Open terminal
- 3) Go to directory ServerSourceCode
- 4) Type command ant clean

```
abhijeet@abhijeet-Inspiron-5547:~/Nikhil$ cd ServerSourceCode/
abhijeet@abhijeet-Inspiron-5547:~/Nikhil/ServerSourceCode$ ant clean
Buildfile: /home/abhijeet/Nikhil/ServerSourceCode/build.xml

clean:
    [delete] Deleting directory /home/abhijeet/Nikhil/ServerSourceCode/build

BUILD SUCCESSFUL
Total time: 0 seconds
```

5) Type command – ant compile

6) Type command – ant jar

7) Type Command – ant run

```
abhijeet@abhijeet-Inspiron-5547:~/Nikhil/ServerSourceCode$ ant run
Buildfile: /home/abhijeet/Nikhil/ServerSourceCode/build.xml

run:
        [java] Server starting at : 9999
        [java] Server is up!!
        [java]
```

The server is now UP!!

# Staring client

8) Create two folders in home directory as below /home/{user}/share /home/{user}/download

For multiple clients on single system create share and download folders for each client and update their config.properties accordingly as mentioned in step 10

- 9) Put the files you want to register under folder /home/{user}/share You can any time put files under this folder and register them any time
- 10) Open file config.properties which will be in ClientSourceCode folder
  - a. Change the folder properties as below peer.share.fileDir=/home/{user}/share/ peer.download.fileDir=/home/{user}/download
  - b. Change the server IP address and port. Give the ip address of the system where you just started the server also update the port number
     Eg.
     server.ipAddress=192.168.1.144

server.ipAddress=192.168.1.144 server.port=9999

- 11) Open terminal
- 12) Go to folder ClientSourceCode

```
abhijeet@abhijeet-Inspiron-5547:~/Nikhil/ClientSourceCode$
```

13) Type command – ant clean

```
abhijeet@abhijeet-Inspiron-5547:~/Nikhil/ClientSourceCode$ ant clean
Buildfile: /home/abhijeet/Nikhil/ClientSourceCode/build.xml

clean:
    [delete] Deleting directory /home/abhijeet/Nikhil/ClientSourceCode/build

BUILD SUCCESSFUL
Total time: 0 seconds
```

# 14) Type command – ant compile

```
abhijeet@abhijeet-Inspiron-5547:-/Nikhil/ClientSourceCode$ ant compile
Buildfile: /home/abhijeet/Nikhil/ClientSourceCode/build.xml

compile:
        [mkdir] Created dir: /home/abhijeet/Nikhil/ClientSourceCode/build/classes
        [javac] /home/abhijeet/Nikhil/ClientSourceCode/build.xml:9: warning: 'includeantruntime' was not set, defaulting to build.sysclasspath=last;
set to false for repeatable builds
        [javac] Compiling 8 source files to /home/abhijeet/Nikhil/ClientSourceCode/build/classes

BUILD SUCCESSFUL
Total time: 1 second
```

#### 15) Type command – ant jar

```
abhijeet@abhijeet-Inspiron-5547:~/Nikhil/ClientSourceCode$ ant jar
Buildfile: /home/abhijeet/Nikhil/ClientSourceCode/build.xml

jar:
        [mkdir] Created dir: /home/abhijeet/Nikhil/ClientSourceCode/build/jar
        [jar] Building jar: /home/abhijeet/Nikhil/ClientSourceCode/build/jar/SocketClient.jar

BUILD SUCCESSFUL
Total time: 0 seconds
abhijeet@abhijeet-Inspiron-5547:~/Nikhil/ClientSourceCode$
```

### 16) Type command – ant run

#### The client is now started!!

For starting multiple clients repeat steps 8 - 16