MRS BEARINGS PRIVATE LIMITED

# Operational & KPI Review

## MARCH 2026

Performance Report

| | |
|---|---|
| DEPARTMENT | Production |
| REPORTING PERIOD | March 1 – 31, 2026 |
| PREPARED BY | Production Management Team |

# Key Performance Indicators – March 2026

BELOW TARGET

Process Capability (Cpk)

**1.59**

Target: ≥ 1.67

BELOW TARGET

Production Achievement

**86%**

Target: >95%

CRITICAL

IG Rework (ppm)

**27,609**

Target: <7,500 ppm

CRITICAL

IG Rejection (ppm)

**11,113**

Target: <1,500 ppm

ON TARGET

Avg Output per Person

**7,467**

Target: >5,000

BELOW TARGET

OEE Monitoring

**58%**

Target: >65%

# Process Capability (Cpk) – March 2026

| Machine | 01-Mar | 06-Mar | 08-Mar | 09-Mar | 15-Mar | 17-Mar | 18-Mar | 19-Mar | 20-Mar | 22-Mar | Average |
|---|---|---|---|---|---|---|---|---|---|---|---|
| IG.01 | | 2.45 | | | | 0.95 | 2.15 | | | | 1.85 |
| IG.04 | 1.50 | | | 0.85 | | 1.03 | | 2.11 | | | 1.37 |
| IG.11 | | | | | | | | | | | - |
| IG.12 | 1.10 | | | | | | 0.70 | | 1.68 | | 1.16 |
| IG.13 | | | | | | | | | | | - |
| IG.14 | | | | | | | | | | | - |
| IG.15 | | | | 1.18 | 1.31 | | | | | 1.34 | 1.28 |
| IG.16 | | | 1.72 | | | | | | | | 1.72 |
| IG.17 | | | | | | | | | | 1.91 | 1.91 |
| IG.18 | 1.81 | | | | | | | | | | 1.81 |

Cpk ≥ 1.33 (Good)

1.00 ≤ Cpk < 1.33 (Monitor)

Cpk < 1.00 (Action Needed)

Fleet Average: 1.59 Cpk (Target: ≥ 1.67) | Best: IG.17 at 1.91 | Danger Zone: IG.12 at 1.16 needs monitoring

# Production Achievement – IG Machines

March 2026 | Plan vs Good Qty

## IG Fleet Summary

| | |
|---|---|
| Total Planned | 443,201 |
| Sum of Good | 298,904 |
| Total Rework | 8,329 |
| Total Rejection | 3,416 |
| Achievement % | 67% |
| Downtime (hrs) | 1,393 |

# Production Achievement – HO Machines

March 2026 | Good Output by Machine




## HO Fleet Summary

| | |
|---|---|
| Total Good | **290,633** |
| Total Rework | **54** |
| Total Rejection | **44** |
| Near-Zero Defects | **Excellent** |

# Production Achievement – EG Machines

March 2026 | Good Output by Machine




## EG Fleet Summary

| | |
|---|---|
| Total Good | **93,638** |
| Total Rework | **440** |
| Total Rejection | **344** |
| Rework PPM | **5,537** |
| Rejection PPM | **3,697** |

# IG Section – Downtime Analysis (Minutes)

March 2026 | Total: 1,393 hrs | 12 M/C

| Machine | Re-Setting | Ovality | Taper | Size Var. | Dia Turn | Dia Chg | Tool Wait | No Oper. | No Power | Mech Mnt | Elec Mnt | Other | Total Hrs |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IG.01 | 175 | - | - | 280 | 30 | 5 | 180 | 2030 | 820 | - | - | 85 | 69 |
| IG.04 | 290 | - | 485 | 210 | 65 | 55 | - | 3045 | 860 | 150 | 240 | 200 | 124 |
| IG.12 | 245 | - | 385 | 600 | 175 | 10 | - | 3970 | 845 | 80 | - | 120 | 154 |
| IG.13 | 690 | 655 | 750 | 80 | 30 | 30 | 30 | 6585 | 805 | - | 20 | 165 | 176 |
| IG.14 | 170 | 35 | 85 | 20 | - | - | - | 2135 | 820 | - | - | 35 | 69 |
| IG.15 | 95 | 60 | 425 | 370 | 220 | 20 | - | 540 | 930 | - | - | 235 | 57 |
| IG.16 | 250 | 75 | 505 | 210 | 160 | 20 | - | 230 | 925 | 55 | 20 | 350 | 59 |
| IG.17 | 155 | - | 355 | 535 | 185 | 15 | 180 | 6500 | 805 | 15 | 10 | 225 | 158 |
| IG.18 | 1210 | 230 | 190 | 320 | 155 | 10 | - | 2960 | 895 | 240 | 85 | 230 | 131 |

**No Operator is the #1 downtime factor**

IG.13 (6,585 min) & IG.17 (6,500 min) have the highest No Operator time. IG.12 (3,970 min) and IG.04 (3,045 min) also critical.
IG.18 has the highest Re-Setting time at 1,210 min — needs process optimization.

# HO Section – Production Summary

March 2026 | Near-Zero Defects Performance

| Machine | Good Qty | Rework | Rejection | Total |
|---|---|---|---|---|
| HO.02 | 10,639 | 0 | 0 | 10,639 |
| HO.03 | 20,845 | 0 | 0 | 20,846 |
| HO.06 | 21,793 | 0 | 0 | 21,793 |
| HO.07 IR | 53,485 | 0 | 5 | 53,490 |
| HO.07 OR | 19,113 | 54 | 15 | 19,128 |
| HO.08 IR | 18,357 | 0 | 0 | 18,357 |
| HO.08 OR | 62,921 | 0 | 24 | 62,954 |
| HO.09 IR | 38,043 | 0 | 0 | 38,043 |
| HO.09 OR | 40,690 | 0 | 0 | 40,695 |
| HO.10 | 4,747 | 0 | 0 | 4,747 |
| **Grand Total** | **290,633** | **54** | **44** | **290,692** |

**HO Section: Outstanding quality performance — Near-zero rework (54 pcs) and rejection (44 pcs) across 290,633 good output.**

# EG Section – Production Summary

March 2026

| Machine | Good Qty | Rework | Rejection | Total |
|---|---|---|---|---|
| **EG.02** | 29,648 | 66 | 49 | 29,700 |
| **EG.04** | 2,610 | 180 | 65 | 2,681 |
| **EG.05** | 15,588 | 80 | 195 | 15,785 |
| **EG.07** | 39,723 | 91 | 17 | 39,740 |
| **EG.08** | 6,069 | 23 | 18 | 6,088 |
| **Grand Total** | **93,638** | **440** | **344** | **93,994** |

## EG PPM Analysis

**Rework PPM: 5,537 (Target: <3,000) — ABOVE TARGET**
**Rejection PPM: 3,697 (Target: <1,500) — ABOVE TARGET**
EG.04 has highest rework (180 pcs) — needs attention

## Key Observations

EG.07 is the best performer — 39,723 good with only 91 rework
EG.05 has highest rejection (195 pcs) — root cause needed
EG.04 lowest output (2,610) with highest rework rate

# IG Section – Rework Analysis (Machine-wise)

March 2026 | PPM = (Rework ÷ Good) × 1,000,000

| Machine | Good Qty | Rework Qty | Rework PPM | Observation |
|---|---|---|---|---|
| IG.15 | 37,749 | 1,147 | 30,384 | Action Needed |
| IG.12 | 20,049 | 1,146 | 57,160 | Action Needed |
| IG.13 | 10,299 | 1,070 | 103,894 | Action Needed |
| IG.14 | 45,115 | 969 | 21,478 | Monitor |
| IG.17 | 19,612 | 847 | 43,189 | Monitor |
| IG.04 | 26,029 | 581 | 22,323 | Monitor |
| IG.16 | 39,558 | 574 | 14,512 | Monitor |
| IG.18 | 30,141 | 510 | 16,919 | Monitor |
| IG.11 | 7,833 | 472 | 60,259 | OK |
| IG.19 | 2,072 | 424 | 204,633 | OK |
| IG.01 | 53,861 | 423 | 7,853 | OK |
| IG.20 | 6,586 | 166 | 25,197 | OK |
| **Grand Total** | **298,904** | **8,329** | **27,609** | **3.7× over target** |

# IG Section – Rejection Analysis (Machine-wise)

March 2026 | PPM = (Rejection ÷ Good) × 1,000,000

| Machine | Good Qty | Rejection Qty | Rejection PPM | Observation |
|---|---|---|---|---|
| IG.01 | 53,861 | 607 | 11,269 | Action Needed |
| IG.18 | 30,141 | 431 | 14,298 | Monitor |
| IG.17 | 19,612 | 425 | 21,670 | Monitor |
| IG.15 | 37,749 | 412 | 10,914 | Monitor |
| IG.12 | 20,049 | 332 | 16,565 | Monitor |
| IG.04 | 26,029 | 323 | 12,409 | Monitor |
| IG.13 | 10,299 | 234 | 22,720 | Monitor |
| IG.16 | 39,558 | 224 | 5,662 | Monitor |
| IG.11 | 7,833 | 196 | 25,024 | OK |
| IG.14 | 45,115 | 173 | 3,835 | OK |
| IG.20 | 6,586 | 55 | 8,351 | OK |
| IG.19 | 2,072 | 4 | 1,931 | OK |
| **Grand Total** | **298,904** | **3,416** | **11,113** | **7.4× over target** |

# HO Section – Rework Analysis (Machine-wise)

March 2026




## HO Rework Summary

Total Rework: 54 pcs (Only HO.07 OR)

HO.07 OR: 54 pcs rework out of 19,113 good

**All other HO machines: ZERO rework**

**Excellent quality control across HO section**

# HO Section – Rejection Analysis (Machine-wise)

March 2026




## HO Rejection Summary

Total Rejection: 44 pcs

HO.08 OR: 24 pcs (highest)
HO.07 OR: 15 pcs
HO.07 IR: 5 pcs

**7 out of 10 machines: ZERO rejection**

# EG Section – Rework Analysis (Machine-wise)

March 2026




## EG Rework Summary

**Total EG Rework: 440 pcs**
**Rework PPM: 5,537 (Target: <3,000)**

EG.04: 180 pcs — Highest rework, lowest output (2,610 good). Rework rate is extremely high.
EG.07: 91 pcs — Good volume (39,723) keeps PPM manageable.
EG.08: 23 pcs — Best rework control.

# EG Section – Rejection Analysis (Machine-wise)

March 2026




## EG Rejection Summary

**Total EG Rejection: 344 pcs**
**Rejection PPM: 3,697 (Target: <1,500)**

EG.05: 195 pcs — Highest rejection count. Root cause analysis needed.
EG.04: 65 pcs — High relative to low output.
EG.07: 17 pcs — Best performer in rejection control.

# Operator Performance – IG Machines

March 2026 | Top Performers by Good Output

| Machine | Top 1 (Good Qty) | Top 2 (Good Qty) | Top 3 (Good Qty) |
|---|---|---|---|
| IG.01 | Hritik Singh — 16,719 | Akash Kumar — 14,001 | Taslimbhai Kondhiya — 8,833 |
| IG.04 | Raymalbhai Bharathiya — 8,960 | Rutvik — 6,632 | Akash Kumar — 5,434 |
| IG.11 | Shamjibhai Satapara — 1,442 | Ramesh Shakriya — 1,217 | Akshay — 1,070 |
| IG.12 | Anand P — 4,859 | Vishal D — 2,273 | Ramesh Shakriya — 2,107 |
| IG.13 | Shamjibhai Satapara — 4,356 | Dilip Panday — 3,068 | Amit Makampara — 1,237 |
| IG.14 | Kaushik Vasveliya — 17,718 | Abhijitsinh Rana — 13,495 | Vala Himesh — 5,965 |
| IG.15 | Dilip Panday — 7,898 | Hashmukh — 7,525 | Vala Himesh — 3,971 |
| IG.16 | Shrawan Matho — 19,641 | Pravin Baraiya — 7,886 | Shamjibhai Satapara — 3,090 |
| IG.17 | Varshaben Mankoliya — 5,927 | Hashmukh — 2,998 | Dilip Panday — 2,463 |
| IG.18 | Ramesh Shakriya — 3,874 | Hashmukh — 3,393 | Taslimbhai Kondhiya — 3,135 |
| IG.19 | Rinaben Oganiya — 1,025 | Kiran Vaghadiya — 574 | Pankajbhai Khasiya — 278 |
| IG.20 | Kiran Vaghadiya — 4,915 | Varshaben Mankoliya — 939 | Pawan — 504 |

# Operator Performance – HO Machines

March 2026 | Top Performers by Good Output

| Machine | Top 1 (Good Qty) | Top 2 (Good Qty) | Top 3 (Good Qty) |
|---|---|---|---|
| HO.02 | Rinaben Oganiya — 4,911 | Ramdev — 1,418 | Sunil — 1,285 |
| HO.03 | Parulben Ranga — 17,204 | Nihar Sheth — 1,163 | Pravin Baraiya — 1,050 |
| HO.06 | Parulben Ranga — 10,001 | Navghan — 4,670 | Nihar Sheth — 2,094 |
| HO.07 IR | Ravikumar Sharma — 14,974 | Ramdev — 14,061 | Navghan — 3,150 |
| HO.07 OR | Ravikumar Sharma — 4,127 | Nihar Sheth — 2,924 | Mehul M — 2,585 |
| HO.08 IR | Nihar Sheth — 5,733 | Ravikumar Sharma — 2,166 | Pankaj Oganiya — 2,144 |
| HO.08 OR | Ravikumar Sharma — 9,097 | Nihar Sheth — 8,052 | Navghan — 7,766 |
| HO.09 IR | Pankaj Oganiya — 11,916 | Mehul M — 7,408 | Nihar Sheth — 4,871 |
| HO.09 OR | Pankaj Oganiya — 10,463 | Nihar Sheth — 5,403 | Mehul M — 5,381 |
| HO.10 | Varshaben Mankoliya — 2,190 | Mehul M — 1,055 | Ravikumar Sharma — 917 |

# Operator Performance – EG Machines

March 2026 | Top Performers by Good Output

| Machine | Top 1 (Good Qty) | Top 2 (Good Qty) | Top 3 (Good Qty) |
|---|---|---|---|
| **EG.02** | Pawan — 12,759 | Jaglal Gupta — 11,739 | Rinaben Oganiya — 2,496 |
| **EG.04** | Dilip Panday — 600 | Pawan — 567 | Abhijitsinh Rana — 361 |
| **EG.05** | Kiran Vaghadiya — 7,468 | Rinaben Oganiya — 3,140 | Jaglal Gupta — 2,211 |
| **EG.07** | Kiran Vaghadiya — 6,052 | Pawan — 5,530 | Rinaben Oganiya — 4,469 |
| **EG.08** | Kiran Vaghadiya — 2,199 | Jaglal Gupta — 1,749 | Pawan — 804 |

## Key Performer Insights

Kiran Vaghadiya leads across EG.05, EG.07, EG.08 — consistent high performer.
Pawan contributes significantly across EG.02, EG.04, EG.07 — versatile operator.
Jaglal Gupta strong on EG.02 (11,739) and EG.08 (1,749).

# Overall Equipment Effectiveness (OEE)

March 2026 | Target: >65%

Fleet OEE

**58%**

Target: >65%

## Key Highlights

**Best: IG.01 (83.5%)**
IG.16 (76.3%), IG.14 (75%)

**Worst: IG.19 (35%)**
IG.20 (43.9%), IG.11 (47.9%)



# Machine-wise OEE – IG Section

March 2026 | Detailed Breakdown

| Machine | Plan Qty | Good Qty | Downtime (hrs) | Achievement % | OEE % | Status |
|---|---|---|---|---|---|---|
| IG.01 | 64,513 | 53,861 | 69 | 83.5% | 83.5% | Above Target |
| IG.04 | 38,000 | 26,029 | 124 | 68.5% | 68.5% | Above Target |
| IG.11 | 16,354 | 7,833 | 181 | 47.9% | 47.9% | Critical |
| IG.12 | 34,716 | 20,049 | 154 | 57.8% | 57.8% | Below Target |
| IG.13 | 20,933 | 10,299 | 176 | 49.2% | 49.2% | Critical |
| IG.14 | 60,137 | 45,115 | 87 | 75.0% | 75.0% | Above Target |
| IG.15 | 51,537 | 37,749 | 57 | 73.3% | 73.3% | Above Target |
| IG.16 | 51,856 | 39,558 | 59 | 76.3% | 76.3% | Above Target |
| IG.17 | 37,417 | 19,612 | 158 | 52.4% | 52.4% | Below Target |
| IG.18 | 46,800 | 30,141 | 131 | 64.4% | 64.4% | Below Target |
| IG.19 | 5,918 | 2,072 | 108 | 35.0% | 35.0% | Critical |
| IG.20 | 15,020 | 6,586 | 88 | 43.9% | 43.9% | Critical |
| **Fleet Avg** | **443,200** | **298,904** | **1,393** | **67.4%** | **58%** | **Below Target** |

# Machine-wise OEE – HO Section

March 2026 | Near-Zero Defect Performance




**HO Section Average OEE: ~65% | Best: HO.08 OR (75%) | Quality Rate: Near 100% across all machines**

# Machine-wise OEE – EG Section

March 2026




## EG OEE Summary

**Fleet Average: ~55%**
Target: >65%

**Best: EG.07 (72%)**
Highest output with lowest defects.

**Worst: EG.04 (35%)**
Lowest output, highest rework rate.

EG.08 (48%) needs improvement.